

Systematic Literature Review Citations

- Aars, J., Andersen, M., Breniere, A., & Blanc, S. (2015). White-beaked dolphins trapped in the ice and eaten by polar bears. *Polar Research*, 34.
- Aarts, G., von Benda-Beckmann, A. M., Lucke, K., Sertlek, H. O., van Bemmelen, R., Geelhoed, S. C. V., et al. (2016). Harbour porpoise movement strategy affects cumulative number of animals acoustically exposed to underwater explosions. *Marine Ecology Progress Series*, 557, 261-275.
- Abadi, S. H., Tolstoy, M., & Wilcock, W. S. D. (2017). Estimating the location of baleen whale calls using dual streamers to support mitigation procedures in seismic reflection surveys. *Plos One*, 12(2).
- Abadi, S. H., Wilcock, W. S. D., Tolstoy, M., Crone, T. J., & Carbotte, S. M. (2015). Sound source localization technique using a seismic streamer and its extension for whale localization during seismic surveys. *Journal of the Acoustical Society of America*, 138(6), 3951-3963.
- Abbot, T. A., Premus, V. E., & Abbot, P. A. (2010). A real-time method for autonomous passive acoustic detection-classification of humpback whales. *Journal of the Acoustical Society of America*, 127(5), 2894-2903.
- Abdel-Basset, M., El-Shahat, D., El-henawy, I., Sangaiah, A. K., & Ahmed, S. H. (2018). A Novel Whale Optimization Algorithm for Cryptanalysis in Merkle-Hellman Cryptosystem. *Mobile Networks & Applications*, 23(4), 723-733.
- Abdel-Basset, M., Mohamed, R., Elhoseny, M., Chakraborty, R. K., & Ryan, M. (2020). A Hybrid COVID-19 Detection Model Using an Improved Marine Predators Algorithm and a Ranking-Based Diversity Reduction Strategy. *Ieee Access*, 8, 79521-79540.
- Abdel-Fattah, Z. A., Gingras, M. K., Caldwell, M. W., & Pemberton, S. G. (2010). Sedimentary environments and depositional characteristics of the Middle to Upper Eocene whale-bearing succession in the Fayum Depression, Egypt. *Sedimentology*, 57(2), 446-476.
- Abe, E., Ohishi, K., Ishinazaka, T., Fujii, K., & Maruyama, T. (2017). Serologic evidence of Brucella infection in pinnipeds along the coast of Hokkaido, the northernmost main island of Japan. *Microbiology and Immunology*, 61(3-4), 114-122.
- Abecassis, M., Polovina, J., Baird, R. W., Copeland, A., Drazen, J. C., Domokos, R., et al. (2015). Characterizing a Foraging Hotspot for Short-Finned Pilot Whales and Blainville's Beaked Whales Located off the West Side of Hawai'i Island by Using Tagging and Oceanographic Data. *Plos One*, 10(11).
- Abollo, E., & Pascual, S. (2002). SEM study of *Anisakis brevispiculata* Dollfus, 1966 and *Pseudoterranova ceticola* (Deardoff and Overstreet, 1981) (Nematoda : Anisakidae), parasites of the pygmy sperm whale *Kogia breviceps*. *Scientia Marina*, 66(3), 249-255.
- Abrahms, B., Hazen, E. L., Aikens, E. O., Savoca, M. S., Goldbogen, J. A., Bograd, S. J., et al. (2019). Memory and resource tracking drive blue whale migrations. *Proceedings of the National Academy of Sciences of the United States of America*, 116(12), 5582-5587.
- Abrahms, B., Welch, H., Brodie, S., Jacox, M. G., Becker, E. A., Bograd, S. J., et al. (2019). Dynamic ensemble models to predict distributions and anthropogenic risk exposure for highly mobile species. *Diversity and Distributions*, 25(8), 1182-1193.
- Abreo, N. A. S., Blatchley, D., & Superio, M. D. (2019). Stranded whale shark (*Rhincodon typus*) reveals vulnerability of filter-feeding elasmobranchs to marine litter in the Philippines. *Marine Pollution Bulletin*, 141, 79-83.

Aca, E. Q., & Schmidt, J. V. (2011). Revised size limit for viability in the wild: Neonatal and young of the year whale sharks identified in the Philippines. *Asia Life Sciences*, 20(2), 361-368.

Acevedo, J., Aguayo-Lobo, A., Allen, J., Botero-Acosta, N., Capella, J., Castro, C., et al. (2017). Migratory preferences of humpback whales between feeding and breeding grounds in the eastern South Pacific. *Marine Mammal Science*, 33(4), 1035-1052.

Acevedo, J., Mora, C., & Aguayo-Lobo, A. (2014). Sex-related site fidelity of humpback whales (*Megaptera novaeangliae*) to the Fuegian Archipelago feeding area, Chile. *Marine Mammal Science*, 30(2), 433-444.

Acevedo, J., O'Grady, M., & Wallis, B. (2012). Sighting of the fin whale in the Eastern Subtropical South Pacific: Potential breeding ground? *Revista De Biología Marina Y Oceanografía*, 47(3), 559-563.

Acevedo-Gutierrez, A. (1999). Aerial behavior is not a social facilitator in bottlenose dolphins hunting in small groups. *Journal of Mammalogy*, 80(3), 768-776.

Acevedo-Gutierrez, A. (2002). Interactions between marine predators: dolphin food intake is related to number of sharks. *Marine Ecology Progress Series*, 240, 267-271.

Acevedo-Gutierrez, A., Croll, D. A., & Tershy, B. R. (2002). High feeding costs limit dive time in the largest whales. *Journal of Experimental Biology*, 205(12), 1747-1753.

Acevedo-Gutierrez, A., & Parker, N. (2000). Surface behavior of bottlenose dolphins is related to spatial arrangement of prey. *Marine Mammal Science*, 16(2), 287-298.

Actis, P. S., Danilewicz, D., Cremer, M. J., & Bortolotto, G. A. (2018). Breathing synchrony in franciscana (*Pontoporia blainvillei*) and Guiana dolphins (*Sotalia guianensis*) in Southern Brazil. *Marine Mammal Science*, 34(3), 777-789.

Acuna-Marrero, D., Jimenez, J., Smith, F., Doherty, P. F., Hearn, A., Green, J. R., et al. (2014). Whale Shark (*Rhincodon typus*) Seasonal Presence, Residence Time and Habitat Use at Darwin Island, Galapagos Marine Reserve. *Plos One*, 9(12).

Adams, C. I. M., Knapp, M., Gemmell, N. J., Jeunen, G. J., Bunce, M., Lamare, M. D., et al. (2019). Beyond Biodiversity: Can Environmental DNA (eDNA) Cut It as a Population Genetics Tool? *Genes*, 10(3).

Adhavan, D., Subburaman, S., Kamboj, R. D., Sivakumar, K., & Choudhury, B. C. (2016). The first record of shark attack on the Indo-Pacific hump-back Dolphin, *Sousa chinensis* (Osbeck, 1765) in Mithapur coast, India. *Indian Journal of Geo-Marine Sciences*, 45(10), 1317-1319.

Aerts, L. A. M., McFarland, A. E., Watts, B. H., Lomac-MacNair, K. S., Seiser, P. E., Wisdom, S. S., et al. (2013). Marine mammal distribution and abundance in an offshore sub-region of the northeastern Chukchi Sea during the open-water season. *Continental Shelf Research*, 67, 116-126.

Affinito, F., Meza, C. O., Bas, A. A., Brill, D., Whittaker, G., & Capel, L. (2019). On the behaviour of an understudied population of bottlenose dolphins in the Southern Adriatic Sea. *Journal of the Marine Biological Association of the United Kingdom*, 99(4), 1017-1023.

Afonso, P., Fontes, J., Giacomello, E., Magalhaes, M. C., Martins, H. R., Morato, T., et al. (2020). The Azores: A Mid-Atlantic Hotspot for Marine Megafauna Research and Conservation. *Frontiers in Marine Science*, 6.

Afonso, P., McGinty, N., & Machete, M. (2014). Dynamics of Whale Shark Occurrence at Their Fringe Oceanic Habitat. *Plos One*, 9(7).

- Agardy, T., Cody, M., Hastings, S., Hoyt, E., Nelson, A., Tetley, M., et al. (2019). Looking beyond the horizon: An early warning system to keep marine mammal information relevant for conservation. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 29, 71-83.
- Agler, B. A., Schooley, R. L., Frohock, S. E., Katona, S. K., & Seipt, I. E. (1993). REPRODUCTION OF PHOTOGRAPHICALLY IDENTIFIED FIN WHALES, BALAENOPTERA-PHYSALUS, FROM THE GULF OF MAINE. *Journal of Mammalogy*, 74(3), 577-587.
- Agostinho, A. A., Agostinho, C. S., Pelicice, F. M., & Marques, E. E. (2012). Fish ladders: safe fish passage or hotspot for predation? *Neotropical Ichthyology*, 10(4), 687-696.
- Agrelo, M., Daura-Jorge, F. G., Bezamat, C., Silveira, T. C. L., de Castilho, P. V., Pires, J. S. R., et al. (2019). Spatial behavioural response of coastal bottlenose dolphins to habitat disturbance in southern Brazil. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 29(11), 1949-1958.
- Aguilar, A., Gimenez, J., Gomez-Campos, E., Cardona, L., & Borrell, A. (2014). delta N-15 Value Does Not Reflect Fasting in Mysticetes. *Plos One*, 9(3).
- Aguilera, O., & De Aguilera, D. R. (2004). Giant-toothed white sharks and wide-toothed mako (Lamnidae) from the Venezuela neogene: Their role in the Caribbean, shallow-water fish assemblage. *Caribbean Journal of Science*, 40(3), 368-382.
- Aguirre-Fernandez, G., Carrillo-Briceno, J. D., Sanchez, R., Amson, E., & Sanchez-Villagra, M. R. (2017). Fossil Cetaceans (Mammalia, Cetacea) from the Neogene of Colombia and Venezuela. *Journal of Mammalian Evolution*, 24(1), 71-90.
- Aguirre-Fernandez, G., Mennecart, B., Sanchez-Villagra, M. R., Sanchez, R., & Costeur, L. (2017). A DOLPHIN FOSSIL EAR BONE FROM THE NORTHERN NEOTROPICS-INSIGHTS INTO HABITAT TRANSITIONS IN INIID EVOLUTION. *Journal of Vertebrate Paleontology*, 37(3).
- Agusti, C., Aznar, F. J., Olson, P. D., Littlewood, D. T. J., Kostadinova, A., & Raga, J. A. (2005). Morphological and molecular characterization of tetraphyllidean merocercoids (Platyhelminthes : Cestoda) of striped dolphins (*Stenella coeruleoalba*) from the Western Mediterranean. *Parasitology*, 130, 461-474.
- Agusti, C., Aznar, F. J., & Raga, J. A. (2005a). Microtriches of tetraphyllidean metacestodes from western Mediterranean striped dolphins (*Stenella coeruleoalba*). *Journal of Morphology*, 265(2), 176-189.
- Agusti, C., Aznar, F. J., & Raga, J. A. (2005b). Tetraphyllidean plerocercoids from western Mediterranean cetaceans and other marine mammals around the world: A comprehensive morphological analysis. *Journal of Parasitology*, 91(1), 83-92.
- Aguzzi, J., Fanelli, E., Ciuffardi, T., Schirone, A., De Leo, F. C., Doya, C., et al. (2018). Faunal activity rhythms influencing early community succession of an implanted whale carcass offshore Sagami Bay, Japan. *Scientific Reports*, 8.
- Ahner, R., Stokreiter, C., Bikas, D., Kubista, E., & Husslein, P. (1999). Demands on obstetrical care in the urban environment: postpartal survey. *Journal of Psychosomatic Obstetrics and Gynecology*, 20(4), 191-197.
- Ahonen, H., Stafford, K. M., Lydersen, C., de Steur, L., & Kovacs, K. M. (2019). A multi-year study of narwhal occurrence in the western Fram Strait-detected via passive acoustic monitoring. *Polar Research*, 38.
- Aide, T. M., Corrada-Bravo, C., Campos-Cerqueira, M., Milan, C., Vega, G., & Alvarez, R. (2013). Real-time bioacoustics monitoring and automated species identification. *Peerj*, 1.
- Ainley, D. G., & Ballard, G. (2012). Trophic Interactions and Population Trends of Killer Whales (*Orcinus orca*) in the Southern Ross Sea. *Aquatic Mammals*, 38(2), 153-160.

- Ainley, D. G., Dugger, K. M., Toniolo, V., & Gaffney, I. (2007). Cetacean occurrence patterns in the Amundsen and southern Bellingshausen sea sector, Southern Ocean. *Marine Mammal Science*, 23(2), 287-305.
- Ainley, D. G., Lindke, K., Ballard, G., Lyver, P. O., Jennings, S., Toniolo, V., et al. (2017). Spatio-temporal occurrence patterns of cetaceans near Ross Island, Antarctica, 2002-2015: implications for food web dynamics. *Polar Biology*, 40(9), 1761-1775.
- Aissi, M., Arcangeli, A., Crosti, R., Yahia, M. N. D., Loussaief, B., Moulins, A., et al. (2015). Cetacean occurrence and spatial distribution in the central Mediterranean Sea using ferries as platform of observation. *Russian Journal of Marine Biology*, 41(5), 343-350.
- Aissi, M., Celona, A., Comparetto, G., Mangano, R., Wurtz, M., & Moulins, A. (2008). Large-scale seasonal distribution of fin whales (*Balaenoptera physalus*) in the central Mediterranean Sea. *Journal of the Marine Biological Association of the United Kingdom*, 88(6), 1253-1261.
- Ajemian, M. J., Dolan, D., Graham, W. M., & Powers, S. P. (2011). First Evidence of Elasmobranch Predation by a Waterbird: Stingray Attack and Consumption by the Great Blue Heron (*Ardea herodias*). *Waterbirds*, 34(1), 117-120.
- Akamatsu, T. (2016). A Multiplatform Ultrasonic Event Recorder for Tagging, Towing, and Stationed Monitoring of Odontocetes.
- Akamatsu, T., Matsuda, A., Suzuki, S., Wang, D., Wang, K. X., Suzuki, M., et al. (2005). New stereo acoustic data logger for free-ranging dolphins and porpoises. *Marine Technology Society Journal*, 39(2), 3-9.
- Akamatsu, T., Nakamura, K., Nitto, H., & Watabe, M. (1996). Effects of underwater sounds on escape behavior of Steller sea lions. *Fisheries Science*, 62(4), 503-510.
- Akamatsu, T., Nakazawa, I., Tsuchiyama, T., & Kimura, N. (2008). Evidence of nighttime movement of finless porpoises through Kanmon Strait monitored using a stationary acoustic recording device. *Fisheries Science*, 74(5), 970-975.
- Akamatsu, T., Rasmussen, M. H., & Iversen, M. (2014). Acoustically invisible feeding blue whales in Northern Icelandic waters. *Journal of the Acoustical Society of America*, 136(2), 939-944.
- Akamatsu, T., Ura, T., Sugimatsu, H., Bahl, R., Behera, S., Panda, S., et al. (2013). A multimodal detection model of dolphins to estimate abundance validated by field experiments. *Journal of the Acoustical Society of America*, 134(3), 2418-2426.
- Akamatsu, T., Wang, D., Wang, K., Li, S., & Dong, S. (2010). Scanning sonar of rolling porpoises during prey capture dives. *Journal of Experimental Biology*, 213(1), 146-152.
- Akamatsu, T., Wang, D., Wang, K. X., Wei, Z., & Naito, Y. (2002). A passive acoustical survey method of finless porpoises. *Fisheries Science*, 68, 294-297.
- Akamatsu, T., Wang, D., Wang, K. X., Wei, Z., Zhao, Q. Z., & Naito, Y. (2002). Diving behaviour of freshwater finless porpoises (*Neophocaena phocaenoides*) in an oxbow of the Yangtze River, China. *Ices Journal of Marine Science*, 59(2), 438-443.
- Akiyama, J., & Ohta, M. (2007). Increased number of whistles of bottlenose dolphins, *Tursiops truncatus*, arising from interaction with people. *Journal of Veterinary Medical Science*, 69(2), 165-170.
- Akiyama, Y., Akamatsu, T., Rasmussen, M. H., Iversen, M. R., Iwata, T., Goto, Y., et al. (2019). Leave or stay? Video-logger revealed foraging efficiency of humpback whales under temporal change in prey density. *Plos One*, 14(2).

- Al-Rawi, N. H., Uthman, A. T., Abdulhameed, E., Al Nuaimi, A. S., & Seraj, Z. (2019). Concha bullosa, nasal septal deviation, and their impacts on maxillary sinus volume among Emirati people: A cone-beam computed tomography study. *Imaging Science in Dentistry*, 49(1), 45-51.
- Alava, J. J., Calle, P., Tirape, A., Biedenbach, G., Cadena, O. A., Maruya, K., et al. (2020). Persistent Organic Pollutants and Mercury in Genetically Identified Inner Estuary Bottlenose Dolphin (*Tursiops truncatus*) Residents of the Guayaquil Gulf, Ecuador: Ecotoxicological Science in Support of Pollutant Management and Cetacean Conservation. *Frontiers in Marine Science*, 7.
- Aldana-Flores, G., Dreyfus-Leon, M., Schaefer, K. M., Madrid-Vera, J., Fuller, D. W., & Castillo-Vargasmachuca, S. G. (2018). Vertical habitat utilization by tagged yellow fin tuna (*Thunnus albacares*) released in the Revillagigedo Archipelago Biosphere Reserve, Mexico. *Ciencias Marinas*, 44(4), 221-234.
- Alessi, J., Aissi, M., & Fiori, C. (2014). Photo-identification of sperm whales in the north-western Mediterranean Sea: an assessment of natural markings. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 24, 11-22.
- Alessi, J., Mandich, A., Wurtz, M., Paoli, C., Bianchi, C. N., Morri, C., et al. (2019). Eavesdropping on dolphins: Investigating the habits of bottlenose dolphins (*Tursiops truncatus*) through fixed acoustic stations. *Plos One*, 14(12).
- Alexiadou, P., Foskolos, I., & Frantzis, A. (2019). Ingestion of macroplastics by odontocetes of the Greek Seas, Eastern Mediterranean: Often deadly! *Marine Pollution Bulletin*, 146, 67-75.
- Alfonsi, E., Hassani, S., Carpentier, F. G., Le Clec'h, J. Y., Dabin, W., Van Canneyt, O., et al. (2012). A European Melting Pot of Harbour Porpoise in the French Atlantic Coasts Inferred from Mitochondrial and Nuclear Data. *Plos One*, 7(9).
- Ali, N., Khan, M. U., & Khoso, S. A. (2019). Identification of biological threats zones along the coastline of Karachi. *International Journal of Environmental Science and Technology*, 16(7), 3557-3564.
- Alkhadra, T. (2017). Mandibular alveolar bone volume in patients with different vertical facial dimensions. *Saudi Dental Journal*, 29(4), 140-143.
- Allen, A. N., Goldbogen, J. A., Friedlaender, A. S., & Calambokidis, J. (2016). Development of an automated method of detecting stereotyped feeding events in multisensor data from tagged orca whales. *Ecology and Evolution*, 6(20), 7522-7535.
- Allen, A. N., Schanze, J. J., Solow, A. R., & Tyack, P. L. (2014). Analysis of a Blainville's beaked whale's movement response to playback of killer whale vocalizations. *Marine Mammal Science*, 30(1), 154-168.
- Allen, J. A., Murray, A., Noad, M. J., Dunlop, R. A., & Garland, E. C. (2017). Using self-organizing maps to classify humpback whale song units and quantify their similarity. *Journal of the Acoustical Society of America*, 142(4), 1943-1952.
- Allen, J. K., Peterson, M. L., Sharrard, G. V., Wright, D. L., & Todd, S. K. (2012). Radiated noise from commercial ships in the Gulf of Maine: Implications for whale/vessel collisions. *Journal of the Acoustical Society of America*, 132(3), EL229-EL235.
- Allen, S. J., Pollock, K. H., Bouchet, P. J., Kobryn, H. T., McElligott, D. B., Nicholson, K. E., et al. (2017). Preliminary estimates of the abundance and fidelity of dolphins associating with a demersal trawl fishery. *Scientific Reports*, 7.
- Allen, S. J., Tyne, J. A., Kobryn, H. T., Bejder, L., Pollock, K. H., & Loneragan, N. R. (2014). Patterns of Dolphin Bycatch in a North-Western Australian Trawl Fishery. *Plos One*, 9(4).

- Alloing-Seguier, L., Lihoreau, F., Boisserie, J. R., Charruault, A. L., Orliac, M., & Tabuce, R. (2014). Enamel microstructure evolution in anthracotheres (Mammalia, Cetartiodactyla) and new insights on hippopotamoid phylogeny. *Zoological Journal of the Linnean Society*, 171(3), 668-695.
- Alonso, M. S., & Nuuttila, H. K. (2015). Detection rates of wild harbour porpoises and bottlenose dolphins using static acoustic click loggers vary with depth. *Bioacoustics-the International Journal of Animal Sound and Its Recording*, 24(2), 101-110.
- Alter, S. E., Meyer, M., Post, K., Czechowski, P., Gravlund, P., Gaines, C., et al. (2015). Climate impacts on transoceanic dispersal and habitat in gray whales from the Pleistocene to 2100. *Molecular Ecology*, 24(7), 1510-1522.
- Alter, S. E., Newsome, S. D., & Palumbi, S. R. (2012). Pre-Whaling Genetic Diversity and Population Ecology in Eastern Pacific Gray Whales: Insights from Ancient DNA and Stable Isotopes. *Plos One*, 7(5).
- Alter, S. E., Ramirez, S. F., Nigenda, S., Ramirez, J. U., Bracho, L. R., & Palumbi, S. R. (2009). Mitochondrial and Nuclear Genetic Variation across Calving Lagoons in Eastern North Pacific Gray Whales (*Eschrichtius robustus*). *Journal of Heredity*, 100(1), 34-46.
- Alter, S. E., Rosenbaum, H. C., Postma, L. D., Whitridge, P., Gaines, C., Weber, D., et al. (2012). Gene flow on ice: the role of sea ice and whaling in shaping Holarctic genetic diversity and population differentiation in bowhead whales (*Balaena mysticetus*). *Ecology and Evolution*, 2(11), 2895-2911.
- Althuizen, N. (2017). Communicating a Key Benefit Claim Creatively and Effectively through Five Conveyor Properties. *Psychology & Marketing*, 34(1), 5-18.
- Alvarez-Fernandez, E., Carriol, R. P., Jorda, J. F., Aura, J. E., Avezuela, B., Badal, E., et al. (2014). Occurrence of whale barnacles in Nerja Cave (Malaga, southern Spain): Indirect evidence of whale consumption by humans in the Upper Magdalenian. *Quaternary International*, 337, 163-169.
- Alvarez-Herrera, G., Agnolin, F., & Novas, F. (2020). A rostral neurovascular system in the mosasaur *Taniwhasaurus antarcticus*. *Science of Nature*, 107(3).
- Alves, F., Ferreira, R., Fernandes, M., Halicka, Z., Dias, L., & Dinis, A. (2018). Analysis of occurrence patterns and biological factors of cetaceans based on long-term and fine-scale data from platforms of opportunity: Madeira Island as a case study. *Marine Ecology-an Evolutionary Perspective*, 39(2).
- Alves, F., Nicolau, C., Dinis, A., Ribeiro, C., & Freitas, L. (2015). Supportive behavior of free-ranging Atlantic spotted dolphins (*Stenella frontalis*) toward dead neonates, with data on perinatal mortality. *Acta Ethologica*, 18(3), 301-304.
- Alves, F., Querouil, S., Dinis, A., Nicolau, C., Ribeiro, C., Freitas, L., et al. (2013). Population structure of short-finned pilot whales in the oceanic archipelago of Madeira based on photo-identification and genetic analyses: implications for conservation. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 23(5), 758-776.
- Alves, F., Towers, J. R., Baird, R. W., Bearzi, G., Bonizzoni, S., Ferreira, R., et al. (2018). The incidence of bent dorsal fins in free-ranging cetaceans. *Journal of Anatomy*, 232(2), 263-269.
- Alves, L., Andriolo, A., Zerbini, A. N., Pizzorno, J. L. A., & Clapham, P. J. (2009). Record of feeding by humpback whales (*Megaptera novaeangliae*) in tropical waters off Brazil. *Marine Mammal Science*, 25(2), 416-419.
- Alves, L., Moreira, S., Simoes-Lopes, P. C., & Andriolo, A. (2010). Behavioral responses of humpback whales, *Megaptera novaeangliae* (Cetacea: Balaenopteridae), to satellite transmitter deployment procedures. *Zoologia*, 27(1), 1-6.

- Alves, M. D. D., Schwamborn, R., Borges, J. C. G., Marmontel, M., Costa, A. F., Schettini, C. A. F., et al. (2013). Aerial survey of manatees, dolphins and sea turtles off northeastern Brazil: Correlations with coastal features and human activities. *Biological Conservation*, 161, 91-100.
- Amano, K., & Kiel, S. (2011). Fossil *Adulomya* (Vesicomidae, Bivalvia) from Japan. *Veliger*, 51(2), 76-90.
- Amano, K., & Little, C. T. S. (2014). Miocene abyssochrysoid gastropod *Provanna* from Japanese seep and whale-fall sites. *Acta Palaeontologica Polonica*, 59(1), 163-172.
- Amano, M., Kourogi, A., Aoki, K., Yoshioka, M., & Mori, K. (2014). Differences in sperm whale codas between two waters off Japan: possible geographic separation of vocal clans. *Journal of Mammalogy*, 95(1), 169-175.
- Amano, M., & Yoshioka, M. (2003). Sperm whale diving behavior monitored using a suction-cup-attached TDR tag. *Marine Ecology Progress Series*, 258, 291-295.
- Amaral, A. R., Beheregaray, L. B., Bilgmann, K., Boutov, D., Freitas, L., Robertson, K. M., et al. (2012). Seascape Genetics of a Globally Distributed, Highly Mobile Marine Mammal: The Short-Beaked Common Dolphin (Genus *Delphinus*). *Plos One*, 7(2).
- Ambrose, S. T., Froneman, P. W., Smale, M. J., Cliff, G., & Plon, S. (2013). Winter diet shift of long-beaked common dolphins (*Delphinus capensis*) feeding in the sardine run off KwaZulu-Natal, South Africa. *Marine Biology*, 160(7), 1543-1561.
- Amerson, A., & Parsons, E. C. M. (2018). Evaluating the sustainability of the gray-whale-watching industry along the pacific coast of North America. *Journal of Sustainable Tourism*, 26(8), 1362-1380.
- Amon, D. J., Glover, A. G., Wiklund, H., Marsh, L., Linse, K., Rogers, A. D., et al. (2013). The discovery of a natural whale fall in the Antarctic deep sea. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 92, 87-96.
- Amon, D. J., Hilario, A., Arbizu, P. M., & Smith, C. R. (2017). Observations of organic falls from the abyssal Clarion-Clipperton Zone in the tropical eastern Pacific Ocean. *Marine Biodiversity*, 47(2), 311-321.
- Amon, D. J., Wiklund, H., Dahlgren, T. G., Copley, J. T., Smith, C. R., Jamieson, A. J., et al. (2014). Molecular taxonomy of *Osedax* (Annelida: Siboglinidae) in the Southern Ocean. *Zoologica Scripta*, 43(4), 405-417.
- Amorim, A. F., Arfelli, C. A., Bornatowski, H., & Hussey, N. E. (2018). Rare giants? A large female great white shark caught in Brazilian waters. *Marine Biodiversity*, 48(3), 1687-1692.
- Amorim, T. O. S., Andriolo, A., & Reis, S. S. (2016). Vocalizations of Amazon river dolphins (*Inia geoffrensis*): Characterization, effect of physical environment and differences between populations. *Journal of the Acoustical Society of America*, 139(3), 1285-1293.
- Amorim, T. O. S., Rendell, L., Di Tullio, J., Secchi, E. R., Castro, F. R., & Andriolo, A. (2020). Coda repertoire and vocal clans of sperm whales in the western Atlantic Ocean. *Deep-Sea Research Part I-Oceanographic Research Papers*, 160.
- Amoser, S., & Ladich, F. (2003). Diversity in noise-induced temporary hearing loss in otophysine fishes. *Journal of the Acoustical Society of America*, 113(4), 2170-2179.
- Amudin, M., Starkhammar, J., Evander, M., Almqvist, M., Lindstrom, K., & Persson, H. W. (2008). An echolocation visualization and interface system for dolphin research. *Journal of the Acoustical Society of America*, 123(2), 1188-1194.
- Anabella, S. F., Florencia, G. M., Anibal, G. N., Alberto, C. E., & Laura, D. S. (2017). Reproductive Parameters of Female Long-finned Pilot Whales (*Globicephala melas edwardii*) from the Southwestern Atlantic. *Zoological Studies*, 56.

Anagnostou, M. N., Nystuen, J. A., Anagnostou, E. N., Papadopoulos, A., & Lykousis, V. (2011). Passive aquatic listener (PAL): An adoptive underwater acoustic recording system for the marine environment. *Nuclear Instruments & Methods in Physics Research Section a-Accelerators Spectrometers Detectors and Associated Equipment*, 626, S94-S98.

Andersen, L. W. (1993). THE POPULATION-STRUCTURE OF THE HARBOR PORPOISE, *PHOCOENA-PHOCOENA*, IN DANISH WATERS AND PART OF THE NORTH-ATLANTIC. *Marine Biology*, 116(1), 1-7.

Anderson, C. J. R., Roth, J. D., & Waterman, J. M. (2007). Can whisker spot patterns be used to identify individual polar bears? *Journal of Zoology*, 273(4), 333-339.

Anderson, D., Baird, R. W., Bradford, A. L., & Oleson, E. M. (2020). Is it all about the haul? Pelagic false killer whale interactions with longline fisheries in the central North Pacific. *Fisheries Research*, 230.

Anderson, D. J., Kobryn, H. T., Norman, B. M., Bejder, L., Tyne, J. A., & Loneragan, N. R. (2014). Spatial and temporal patterns of nature-based tourism interactions with whale sharks (*Rhincodon typus*) at Ningaloo Reef, Western Australia. *Estuarine Coastal and Shelf Science*, 148, 109-119.

Anderson, E. M., & Lovvorn, J. R. (2008). Gray whales may increase feeding opportunities for avian benthivores. *Marine Ecology Progress Series*, 360, 291-296.

Anderson, G. S., & Bell, L. S. (2014). Deep Coastal Marine Taphonomy: Investigation into Carcass Decomposition in the Saanich Inlet, British Columbia Using a Baited Camera. *Plos One*, 9(10).

Anderson, G. S., & Bell, L. S. (2016). Impact of Marine Submergence and Season on Faunal Colonization and Decomposition of Pig Carcasses in the Salish Sea. *Plos One*, 11(3).

Anderson, P. A., Poe, R. B., Thompson, L. A., Weber, N., & Romano, T. A. (2017). Behavioral responses of beluga whales (*Delphinapterus leucas*) to environmental variation in an Arctic estuary. *Behavioural Processes*, 145, 48-59.

Anderwald, P., Brandecker, A., Coleman, M., Collins, C., Denniston, H., Haberlin, M. D., et al. (2013). Displacement responses of a mysticete, an odontocete, and a phocid seal to construction-related vessel traffic. *Endangered Species Research*, 21(3), 231-240.

Anderwald, P., Evans, P. G. H., Dyer, R., Dale, A., Wright, P. J., & Hoelzel, A. R. (2012). Spatial scale and environmental determinants in minke whale habitat use and foraging. *Marine Ecology Progress Series*, 450, 259-274.

Anderwald, P., Haberlin, M. D., Coleman, M., Cadhla, O. O., Englund, A., Visser, F., et al. (2012). Seasonal trends and spatial differences in marine mammal occurrence in Broadhaven Bay, north-west Ireland. *Journal of the Marine Biological Association of the United Kingdom*, 92(8), 1757-1766.

Ando, T., & Fordyce, R. E. (2014). Evolutionary drivers for flightless, wing-propelled divers in the Northern and Southern Hemispheres. *Palaeogeography Palaeoclimatology Palaeoecology*, 400, 50-61.

Andre, M., Caballe, A., Van der Schaar, M., Solsona, A., Houegnigan, L., Zaugg, S., et al. (2017). Sperm whale long-range echolocation sounds revealed by ANTARES, a deep-sea neutrino telescope. *Scientific Reports*, 7.

Andre, M., Johansson, T., Delory, E., & van der Schaar, M. (2007). Foraging on squid: the sperm whale mid-range sonar. *Journal of the Marine Biological Association of the United Kingdom*, 87(1), 59-67.

Andre, M., & Kamminga, C. (2000). Rhythmic dimension in the echolocation click trains of sperm whales: a possible function of identification and communication. *Journal of the Marine Biological Association of the United Kingdom*, 80(1), 163-169.

- Andreotti, S., Rutzen, M., Wesche, P. L., O'Connell, C. P., Meyer, M., Oosthuizen, H., et al. (2014). A novel categorisation system to organise a large photo identification database for white sharks *Carcharodon carcharias*. *African Journal of Marine Science*, 36(1), 59-67.
- Andrews, K. R., Karczmarski, L., Au, W. W. L., Rickards, S. H., Vanderlip, C. A., Bowen, B. W., et al. (2010). Rolling stones and stable homes: social structure, habitat diversity and population genetics of the Hawaiian spinner dolphin (*Stenella longirostris*). *Molecular Ecology*, 19(4), 732-748.
- Andrews, R. D., Pitman, R. L., & Ballance, L. T. (2008). Satellite tracking reveals distinct movement patterns for Type B and Type C killer whales in the southern Ross Sea, Antarctica. *Polar Biology*, 31(12), 1461-1468.
- Andrews-Goff, V., Bestley, S., Gales, N. J., Laverick, S. M., Paton, D., Polanowski, A. M., et al. (2018). Humpback whale migrations to Antarctic summer foraging grounds through the southwest Pacific Ocean. *Scientific Reports*, 8.
- Andrianov, V. V., Bel'kovich, V. M., & Lukin, L. R. (2009). White Whale (*Delphinapterus leucas*) Distribution in Onega Bay of the White Sea in the Summer. *Oceanology*, 49(1), 73-82.
- Andriolo, A., da Rocha, J. M., Zerbini, A. N., Simoes-Lopes, P. C., Moreno, I. B., Lucena, A., et al. (2010). Distribution and relative abundance of large whales in a former whaling ground off eastern South America. *Zoologia*, 27(5), 741-750.
- Andriolo, A., de Castro, F. R., Amorim, T., Miranda, G., Di Tullio, J., Moron, J., et al. (2018). Marine Mammal Bioacoustics Using Towed Array Systems in the Western South Atlantic Ocean. In M. R. RossiSantos & C. W. Finkl (Eds.), *Advances in Marine Vertebrate Research in Latin America: Technological Innovation and Conservation* (Vol. 22, pp. 113-147).
- Andriolo, A., Piovezan, U., da Costa, M., Torres, H. A., Vogliotti, A., Zerbini, A. N., et al. (2013). Severe population decline of marsh deer, *Blastocerus dichotomus* (Cetartiodactyla: Cervidae), a threatened species, caused by flooding related to a hydroelectric power plant. *Zoologia*, 30(6), 630-638.
- Andriolo, A., Reis, S. S., Amorim, T. O. S., Sucunza, F., de Castro, F. R., Maia, Y. G., et al. (2015). Killer whale (*Orcinus orca*) whistles from the western South Atlantic Ocean include high frequency signals. *Journal of the Acoustical Society of America*, 138(3), 1696-1701.
- Andriolo, A., Zerbini, A. N., Moreira, S., Pizzorno, J. L., Danilewicz, D., Maia, Y. G., et al. (2014). What do humpback whales *Megaptera novaeangliae* (Cetartiodactyla: Balaenopteridae) pairs do after tagging? *Zoologia*, 31(2), 105-113.
- Andrzejaczek, S., Meeuwig, J., Rowat, D., Pierce, S., Davies, T., Fisher, R., et al. (2016). The ecological connectivity of whale shark aggregations in the Indian Ocean: a photo-identification approach. *Royal Society Open Science*, 3(11).
- Anger, K., & Schubart, C. D. (2005). Experimental evidence of food-independent larval development in endemic Jamaican freshwater-breeding crabs. *Physiological and Biochemical Zoology*, 78(2), 246-258.
- Angiel, P. J., & Dabski, M. (2012). LICHENOMETRIC AGES OF THE LITTLE ICE AGE MORAINES ON KING GEORGE ISLAND AND OF THE LAST VOLCANIC ACTIVITY ON PENGUIN ISLAND (WEST ANTARCTICA). *Geografiska Annaler Series a-Physical Geography*, 94A(3), 395-412.
- Angliss, R. P., Ferguson, M. C., Hall, P., Helker, V., Kennedy, A., & Sformo, T. (2018). Comparing manned to unmanned aerial surveys for cetacean monitoring in the Arctic: methods and operational results. *Journal of Unmanned Vehicle Systems*, 6(3), 109-127.

- Ansmann, I. C., Goold, J. C., Evans, P. G. H., Simmonds, M., & Keith, S. G. (2007). Variation in the whistle characteristics of short-beaked common dolphins, *Delphinus delphis*, at two locations around the British Isles. *Journal of the Marine Biological Association of the United Kingdom*, 87(1), 19-26.
- Ansmann, I. C., Lanyon, J. M., Seddon, J. M., & Parra, G. J. (2013). Monitoring Dolphins in an Urban Marine System: Total and Effective Population Size Estimates of Indo-Pacific Bottlenose Dolphins in Moreton Bay, Australia. *Plos One*, 8(6).
- Ansmann, I. C., Lanyon, J. M., Seddon, J. M., & Parra, G. J. (2015). Habitat and resource partitioning among Indo-Pacific bottlenose dolphins in Moreton Bay, Australia. *Marine Mammal Science*, 31(1), 211-230.
- Antunes, R., Kvadsheim, P. H., Lam, F. P. A., Tyack, P. L., Thomas, L., Wensveen, P. J., et al. (2014). High thresholds for avoidance of sonar by free-ranging long-finned pilot whales (*Globicephala melas*). *Marine Pollution Bulletin*, 83(1), 165-180.
- Antunes, R., Schulz, T., Gero, S., Whitehead, H., Gordon, J., & Rendell, L. (2011). Individually distinctive acoustic features in sperm whale codas. *Animal Behaviour*, 81(4), 723-730.
- Anwar, S. M., Jeanneret, C. A., Parrott, L., & Marceau, D. J. (2007). Conceptualization and implementation of a multi-agent model to simulate whale-watching tours in the St. Lawrence Estuary in Quebec, Canada. *Environmental Modelling & Software*, 22(12), 1775-1787.
- Aoki, K., Amano, M., Kubodera, T., Mori, K., Okamoto, R., & Sato, K. (2015). Visual and behavioral evidence indicates active hunting by sperm whales. *Marine Ecology Progress Series*, 523, 233-241.
- Aoki, K., Amano, M., Mori, K., Kourogi, A., Kubodera, T., & Miyazaki, N. (2012). Active hunting by deep-diving sperm whales: 3D dive profiles and maneuvers during bursts of speed. *Marine Ecology Progress Series*, 444, 289-U322.
- Aoki, K., Sakai, M., Miller, P. J. O., Visser, F., & Sato, K. (2013). Body contact and synchronous diving in long-finned pilot whales. *Behavioural Processes*, 99, 12-20.
- Aoki, K., Sato, K., Isojunno, S., Narazaki, T., & Miller, P. J. O. (2017). High diving metabolic rate indicated by high-speed transit to depth in negatively buoyant long-finned pilot whales. *Journal of Experimental Biology*, 220(20), 3802-3811.
- Apprill, A., Miller, C. A., Moore, M. J., Durban, J. W., Fearnbach, H., & Barrett-Lennard, L. G. (2017). Extensive Core Microbiome in Drone-Captured Whale Blow Supports a Framework for Health Monitoring. *Msystems*, 2(5).
- Apprill, A., Robbins, J., Eren, A. M., Pack, A. A., Reveillaud, J., Mattila, D., et al. (2014). Humpback Whale Populations Share a Core Skin Bacterial Community: Towards a Health Index for Marine Mammals? *Plos One*, 9(3).
- Aragones, L. V., Roque, M. A. A., Flores, M. B., Encomienda, R. P., Laule, G. E., Espinos, B. G., et al. (2010). The Philippine Marine Mammal Strandings from 1998 to 2009: Animals in the Philippines in Peril? *Aquatic Mammals*, 36(3), 219-233.
- Aranda, R., Levin, E. J., Schotte, F., Anfinrud, P. A., & Phillips, G. N. (2006). Time-dependent atomic coordinates for the dissociation of carbon monoxide from myoglobin. *Acta Crystallographica Section D-Structural Biology*, 62, 776-783.
- Araujo, C. C., & Wang, J. Y. (2012). Botos (*Inia geoffrensis*) in the Upper Reaches of the Tocantins River (Central Brazil) with Observations of Unusual Behavior, Including Object Carrying. *Aquatic Mammals*, 38(4), 435-440.
- Araujo, G., Lucey, A., Labaja, J., So, C. L., Snow, S., & Ponzo, A. (2014). Population structure and residency patterns of whale sharks, *Rhincodon typus*, at a provisioning site in Cebu, Philippines. *PeerJ*, 2.

- Araujo, G., Rohner, C. A., Labaja, J., Conales, S. J., Snow, S. J., Murray, R., et al. (2018). Satellite tracking of juvenile whale sharks in the Sulu and Bohol Seas, Philippines. *Peerj*, 6.
- Araujo, G., Vivier, F., Labaja, J. J., Hartley, D., & Ponzio, A. (2017). Assessing the impacts of tourism on the world's largest fish *Rhincodon typus* at Panaon Island, Southern Leyte, Philippines. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 27(5), 986-994.
- Araujo, J. P., Araujo, M. E., Souto, A., Parente, C. L., & Geise, L. (2007). The influence of seasonality, tide and time of activities on the behavior of *Sotalia guianensis* (Van Beneden) (Cetacea, Delphinidae) in Pernambuco, Brazil. *Revista Brasileira De Zoologia*, 24(4), 1122-1130.
- Araujo, J. P., Souto, A., Geise, L., & Araujo, M. E. (2008). The behavior of *Sotalia guianensis* (Van Beneden) in Pernambuco coastal waters, Brazil, and a further analysis of its reaction to boat traffic. *Revista Brasileira De Zoologia*, 25(1), 1-9.
- Arcangeli, A., Campana, I., & Bologna, M. A. (2017). Influence of seasonality on cetacean diversity, abundance, distribution and habitat use in the western Mediterranean Sea: Implications for conservation. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 27(5), 995-1010.
- Arch-Tirado, E., McCowan, B., Saltijeral-Oaxaca, J., de Coronado, I. Z., & Licona-Bonilla, J. (2000). Development of isolation-induced vocal behavior in normal-hearing and deafened guinea pig infants. *Journal of Speech Language and Hearing Research*, 43(2), 432-440.
- Archer, F., Gerrodette, T., Dizon, A., Abella, K., & Southern, S. (2001). Unobserved kill of nursing dolphin calves in a tuna purse-seine fishery. *Marine Mammal Science*, 17(3), 540-554.
- Archer, F. I., Rankin, S., Stafford, K. M., Castellote, M., & Delarue, J. (2020). Quantifying spatial and temporal variation of North Pacific fin whale (*Balaenoptera physalus*) acoustic behavior. *Marine Mammal Science*, 36(1), 224-245.
- Archer, F. I., Redfern, J. V., Gerrodette, T., Chivers, S. J., & Perrin, W. F. (2010). Estimation of relative exposure of dolphins to fishery activity. *Marine Ecology Progress Series*, 410, 245-255.
- Arguelles, M. B., Coscarella, M., Fazio, A., & Bertellotti, M. (2016). Impact of whale-watching on the short-term behavior of Southern right whales (*Eubalaena australis*) in Patagonia, Argentina. *Tourism Management Perspectives*, 18, 118-124.
- Arias, M., Coscarella, M. A., Romero, M. A., Sueyro, N., Svendsen, G. M., Crespo, E. A., et al. (2018). Southern right whale *Eubalaena australis* in Golfo San Matias (Patagonia, Argentina): Evidence of recolonisation. *Plos One*, 13(12).
- Arias, M., Coscarella, M. A., Romero, M. A., Svendsen, G. M., Reinaldo, M. O., Curcio, N. S., et al. (2018). Impact of whale-watching on Southern Right Whale (*Eubalaena australis*) in Patagonia: Assessing the effects from its beginnings in the context of population growth. *Tourism Management Perspectives*, 27, 1-9.
- Armstrong, A. O., Armstrong, A. J., Jaine, F. R. A., Couturier, L. I. E., Fiora, K., Uribe-Palomino, J., et al. (2016). Prey Density Threshold and Tidal Influence on Reef Manta Ray Foraging at an Aggregation Site on the Great Barrier Reef. *Plos One*, 11(5).
- Arnason, U., Gullberg, A., Gretarsdottir, S., Ursing, B., & Janke, A. (2000). The mitochondrial genome of the sperm whale and a new molecular reference for estimating eutherian divergence dates. *Journal of Molecular Evolution*, 50(6), 569-578.
- Arnason, U., Gullberg, A., & Janke, A. (1998). Molecular timing of primate divergences as estimated by two nonprimate calibration points. *Journal of Molecular Evolution*, 47(6), 718-727.

Arnason, U., Gullberg, A., & Janke, A. (1999). The mitochondrial DNA molecule of the aardvark, *Orycteropus afer*, and the position of the Tubulidentata in the eutherian tree. *Proceedings of the Royal Society B-Biological Sciences*, 266(1417), 339-345.

Arnason, U., & Janke, A. (2002). Mitogenomic analyses of eutherian relationships. *Cytogenetic and Genome Research*, 96(1-4), 20-32.

Arnason, U., Xu, X. F., Gullberg, A., & Graur, D. (1996). The "Phoca standard": An external molecular reference for calibrating recent evolutionary divergences. *Journal of Molecular Evolution*, 43(1), 41-45.

Arnbom, T., & Whitehead, H. (1989). OBSERVATIONS ON THE COMPOSITION AND BEHAVIOR OF GROUPS OF FEMALE SPERM WHALES NEAR THE GALAPAGOS-ISLANDS. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 67(1), 1-7.

Arnold, B. D., & Wilkinson, G. S. (2011). Individual specific contact calls of pallid bats (*Antrozous pallidus*) attract conspecifics at roosting sites. *Behavioral Ecology and Sociobiology*, 65(8), 1581-1593.

Arnould, J. P. Y., Monk, J., Ierodiaconou, D., Hindell, M. A., Semmens, J., Hoskins, A. J., et al. (2015). Use of Anthropogenic Sea Floor Structures by Australian Fur Seals: Potential Positive Ecological Impacts of Marine Industrial Development? *Plos One*, 10(7).

Arocha, F., Marcano, L. A., Larez, A., Altuve, D., & Alio, J. (1999). The fishery, demographic size structure and oocyte development of dolphinfish, *Coryphaena hippurus*, in Venezuela and adjacent waters. *Scientia Marina*, 63(3-4), 401-409.

Aroyan, J. L. (2001). Three-dimensional modeling of hearing in *Delphinus delphis*. *Journal of the Acoustical Society of America*, 110(6), 3305-3318.

Aroyan, J. L., Cranford, T. W., Kent, J., & Norris, K. S. (1992). COMPUTER MODELING OF ACOUSTIC BEAM FORMATION IN *DELPHINUS-DELPHIS*. *Journal of the Acoustical Society of America*, 92(5), 2539-2545.

Arranz, P., Benoit-Bird, K. J., Friedlaender, A. S., Hazen, E. L., Goldbogen, J. A., Stimpert, A. K., et al. (2019). Diving Behavior and Fine-Scale Kinematics of Free-Ranging Risso's Dolphins Foraging in Shallow and Deep-Water Habitats. *Frontiers in Ecology and Evolution*, 7.

Arranz, P., Benoit-Bird, K. J., Southall, B. L., Calambokidis, J., Friedlaender, A. S., & Tyack, P. L. (2018). Risso's dolphins plan foraging dives. *Journal of Experimental Biology*, 221(4).

Arranz, P., de Soto, N. A., Madsen, P. T., Brito, A., Bordes, F., & Johnson, M. P. (2011). Following a Foraging Fish-Finder: Diel Habitat Use of Blainville's Beaked Whales Revealed by Echolocation. *Plos One*, 6(12).

Arranz, P., DeRuiter, S. L., Stimpert, A. K., Neves, S., Friedlaender, A. S., Goldbogen, J. A., et al. (2016). Discrimination of fast click-series produced by tagged Risso's dolphins (*Grampus griseus*) for echolocation or communication. *Journal of Experimental Biology*, 219(18), 2898-2907.

Arzoumanian, Z., Holmberg, J., & Norman, B. (2005). An astronomical pattern-matching algorithm for computer-aided identification of whale sharks *Rhincodon typus*. *Journal of Applied Ecology*, 42(6), 999-1011.

Aschettino, J. M., Baird, R. W., McSweeney, D. J., Webster, D. L., Schorr, G. S., Huggins, J. L., et al. (2012). Population structure of melon-headed whales (*Peponocephala electra*) in the Hawaiian Archipelago: Evidence of multiple populations based on photo identification. *Marine Mammal Science*, 28(4), 666-689.

Aschettino, J. M., Engelhaupt, D. T., Engelhaupt, A. G., DiMatteo, A., Pusser, T., Richlen, M. F., et al. (2020). Satellite Telemetry Reveals Spatial Overlap Between Vessel High-Traffic Areas and Humpback Whales (*Megaptera novaeangliae*) Near the Mouth of the Chesapeake Bay. *Frontiers in Marine Science*, 7.

- Ashe, E., Noren, D. P., & Williams, R. (2010). Animal behaviour and marine protected areas: incorporating behavioural data into the selection of marine protected areas for an endangered killer whale population. *Animal Conservation*, 13(2), 196-203.
- Ashe, E., Wray, J., Picard, C. R., & Williams, R. (2013). Abundance and Survival of Pacific Humpback Whales in a Proposed Critical Habitat Area. *Plos One*, 8(9).
- Ashjian, C. J., Braund, S. R., Campbell, R. G., George, J. C., Kruse, J., Maslowski, W., et al. (2010). Climate Variability, Oceanography, Bowhead Whale Distribution, and Inupiat Subsistence Whaling near Barrow, Alaska. *Arctic*, 63(2), 179-194.
- Assana, K., Mridula, R., Rajesh, K. M., & Shaik, T. A. (2020). Length-weight relationship, feeding traits and nutritional value of mahi mahi (*Coryphaena hippurus*) in the south-eastern Arabian Sea. *Journal of Environmental Biology*, 41(4), 776-781.
- Asselin, N. C., Barber, D. G., Richard, P. R., & Ferguson, S. H. (2012). Occurrence, Distribution and Behaviour of Beluga (*Delphinapterus leucas*) and Bowhead (*Balaena mysticetus*) Whales at the Franklin Bay Ice Edge in June 2008. *Arctic*, 65(2), 121-132.
- Asselin, N. C., Barber, D. G., Stirling, I., Ferguson, S. H., & Richard, P. R. (2011). Beluga (*Delphinapterus leucas*) habitat selection in the eastern Beaufort Sea in spring, 1975-1979. *Polar Biology*, 34(12), 1973-1988.
- Asselin, S., Hammill, M. O., & Barrette, C. (1993). UNDERWATER VOCALIZATIONS OF ICE BREEDING GRAY SEALS. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 71(11), 2211-2219.
- Assine, M. L., Ana, H. D., Veroslaysky, G., & Vesely, F. F. (2018). Exhumed subglacial landscape in Uruguay: Erosional landforms, depositional environments, and paleo-ice flow in the context of the late Paleozoic Gondwanan glaciation. *Sedimentary Geology*, 369, 1-12.
- Atkinson, A., Ward, P., Hunt, B. P. V., Pakhomov, E. A., & Hosie, G. W. (2012). AN OVERVIEW OF SOUTHERN OCEAN ZOOPLANKTON DATA: ABUNDANCE, BIOMASS, FEEDING AND FUNCTIONAL RELATIONSHIPS. *Ccamlr Science*, 19, 171-218.
- Au, W. W. L., & Benoit-Bird, K. J. (2008). Broadband backscatter from individual Hawaiian mesopelagic boundary community animals with implications for spinner dolphin foraging. *Journal of the Acoustical Society of America*, 123(5), 2884-2894.
- Au, W. W. L., Ford, J. K. B., Horne, J. K., & Allman, K. A. N. (2004). Echolocation signals of free-ranging killer whales (*Orcinus orca*) and modeling of foraging for chinook salmon (*Oncorhynchus tshawytscha*). *Journal of the Acoustical Society of America*, 115(2), 901-909.
- Au, W. W. L., & Giorli, G. (2016). Studying the Biosonar Activities of Deep Diving Odontocetes in Hawaii and Other Western Pacific Locations.
- Au, W. W. L., Giorli, G., Chen, J., Copeland, A., Lammers, M., Richlen, M., et al. (2013). Nighttime foraging by deep diving echolocating odontocetes off the Hawaiian islands of Kauai and Ni'ihau as determined by passive acoustic monitors. *Journal of the Acoustical Society of America*, 133(5), 3119-3127.
- Au, W. W. L., Giorli, G., Chen, J., Copeland, A., Lammers, M. O., Richlen, M., et al. (2014). Presence and seasonal variation of deep diving foraging odontocetes around Kauai, Hawaii using remote autonomous acoustic recorders. *Journal of the Acoustical Society of America*, 135(1), 521-530.
- Au, W. W. L., & Green, M. (2000). Acoustic interaction of humpback whales and whale-watching boats. *Marine Environmental Research*, 49(5), 469-481.

- Au, W. W. L., Lammers, M. O., & Yin, S. (2010). Acoustics of Dusky Dolphins (*Lagenorhynchus obscurus*).
- Au, W. W. L., Mobley, J., Burgess, W. C., Lammers, M. O., & Nachtigall, P. E. (2000). Seasonal and diurnal trends of chorusing humpback whales wintering in waters off western Maui. *Marine Mammal Science*, 16(3), 530-544.
- Au, W. W. L., Pack, A. A., Lammers, M. O., Herman, L. M., Deakos, M. H., & Andrews, K. (2006). Acoustic properties of humpback whale songs. *Journal of the Acoustical Society of America*, 120(2), 1103-1110.
- Aubauer, R., Lammers, M. O., & Au, W. W. L. (2000). Orac-hydrophone method of estimating distance and depth of phonating dolphins in shallow water. *Journal of the Acoustical Society of America*, 107(5), 2744-2749.
- Auge, A. A., Dias, M. P., Lascelles, B., Baylis, A. M. M., Black, A., Boersma, P. D., et al. (2018). Framework for mapping key areas for marine megafauna to inform Marine Spatial Planning: The Falkland Islands case study. *Marine Policy*, 92, 61-72.
- Auger-Methe, M., Marcoux, M., & Whitehead, H. (2010). Nicks and notches of the dorsal ridge: Promising mark types for the photo-identification of narwhals. *Marine Mammal Science*, 26(3), 663-678.
- Augusto, J. F., Frasier, T. R., & Whitehead, H. (2017). Characterizing alloparental care in the pilot whale (*Globicephala melas*) population that summers off Cape Breton, Nova Scotia, Canada. *Marine Mammal Science*, 33(2), 440-456.
- Augustyn, P. (2018). Animal Studies in the Language Sciences. *Biosemiotics*, 11(1), 121-138.
- Aulich, M. G., McCauley, R. D., Saunders, B. J., & Parsons, M. J. G. (2019). Fin whale (*Balaenoptera physalus*) migration in Australian waters using passive acoustic monitoring. *Scientific Reports*, 9.
- Austin, R. A., Hawkes, L. A., Doherty, P. D., Henderson, S. M., Inger, R., Johnson, L., et al. (2019). Predicting habitat suitability for basking sharks (*Cetorhinus maximus*) in UK waters using ensemble ecological niche modelling. *Journal of Sea Research*, 153.
- Avila, S. P., Ramalho, R. S., Habermann, J. M., & Titschack, J. (2018). The Marine Fossil Record at Santa Maria Island (Azores). In U. Kueppers & C. Beier (Eds.), *Volcanoes of the Azores: Revealing the Geological Secrets of the Central Northern Atlantic Islands* (pp. 155-196).
- Avila-Foucat, V. S., Gendron, D., Revollo-Fernandez, D., Popoca, E. I., & Ramirez, A. (2017). Determinants of the potential demand for whale watching in Loreto Bay National Park. *Marine Policy*, 81, 37-44.
- Avila-Foucat, V. S., Vargas, A. S., Jordan, A. F., & Flores, O. M. R. (2013). The impact of vessel crowding on the probability of tourists returning to whale watching in Banderas Bay, Mexico. *Ocean & Coastal Management*, 78, 12-17.
- Avise, J. C. (1998). Conservation genetics in the marine realm. *Journal of Heredity*, 89(5), 377-382.
- Ayadi, A., Ghorbel, M., & Bradai, M. N. (2013). Do pingers reduce interactions between bottlenose dolphins and trammel nets around the Kerkennah Islands (Central Mediterranean Sea) ? *Cahiers De Biologie Marine*, 54(3), 375-383.
- Azevedo, A. F., Flach, L., Bisi, T. L., Andrade, L. G., Dorneles, P. R., & Lailson-Brito, J. (2010). Whistles emitted by Atlantic spotted dolphins (*Stenella frontalis*) in southeastern Brazil. *Journal of the Acoustical Society of America*, 127(4), 2646-2651.
- Azevedo, A. F., Oliveira, A. M., Viana, S. C., & Van Sluys, M. (2007). Habitat use by marine tucuxis (*Sotalia guianensis*) (Cetacea : Delphinidae) in Guanabara Bay, south-eastern Brazil. *Journal of the Marine Biological Association of the United Kingdom*, 87(1), 201-205.

Aznar, F. J., Balbuena, J. A., & Raga, J. A. (1994). HELMINTH COMMUNITIES OF PONTOPORIA-BLAINVILLEI (CETACEA, PONTOPORIIDAE) IN ARGENTINEAN WATERS. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 72(4), 702-706.

Aznar, F. J., Miguez-Lozano, R., Ruiz, B., de Castro, A. B., Raga, J. A., & Blanco, C. (2017). Long-term changes (1990-2012) in the diet of striped dolphins *Stenella coeruleoalba* from the western Mediterranean. *Marine Ecology Progress Series*, 568, 231-247.

Azzara, A. J., von Zharen, W. M., & Newcomb, J. J. (2013). Mixed-methods analytic approach for determining potential impacts of vessel noise on sperm whale click behavior. *Journal of the Acoustical Society of America*, 134(6), 4566-4574.

Azzellino, A., Gaspari, S., Airoidi, S., & Nani, B. (2008). Habitat use and preferences of cetaceans along the continental slope and the adjacent pelagic waters in the western Ligurian Sea. *Deep-Sea Research Part I-Oceanographic Research Papers*, 55(3), 296-323.

Azzellino, A., Gaspari, S. A., Airoidi, S., & Lanfredi, C. (2008). Biological consequences of global warming: does sea surface temperature affect cetacean distribution in the western Ligurian Sea? *Journal of the Marine Biological Association of the United Kingdom*, 88(6), 1145-1152.

Azzellino, A., Lanfredi, C., D'Amico, A., Pavan, G., Podesta, M., & Haun, J. (2011). Risk mapping for sensitive species to underwater anthropogenic sound emissions: Model development and validation in two Mediterranean areas. *Marine Pollution Bulletin*, 63(1-4), 56-70.

Azzolin, M., Gannier, A., Papale, E., Buscaino, G., Mussi, B., Ardizzone, G., et al. Whistle variability of the Mediterranean short beak common dolphin. *Aquatic Conservation-Marine and Freshwater Ecosystems*.

Azzolin, M., Papale, E., Lammers, M. O., Gannier, A., & Giacoma, C. (2013). Geographic variation of whistles of the striped dolphin (*Stenella coeruleoalba*) within the Mediterranean Sea. *Journal of the Acoustical Society of America*, 134(1), 694-705.

Badillo, F. J., Puig, L., Montero, F. E., Raga, J. A., & Aznar, F. J. (2007). Diet of *Balaenophilus* spp. (Copepoda : Harpacticoida): feeding on keratin at sea? *Marine Biology*, 151(2), 751-758.

Baez, J. C., de Stephanis, R., Garcia-Ramos, M. C., Ramos, M. L., & Pascual, P. (2020). Differential space distribution of the genus *Balaenoptera* in the eastern tropical Atlantic Ocean. *Regional Studies in Marine Science*, 37.

Bagaria, P., Johnson, J. A., & Sivakumar, K. (2017). Recent record of Indo-Pacific Hump-backed Dolphins (*Sousa chinensis*, Osbeck, 1765) from the coastal waters of Andhra Pradesh, India. *Indian Journal of Geo-Marine Sciences*, 46(10), 2152-2155.

Baggenstoss, P. M. (2011). Separation of sperm whale click-trains for multipath rejection. *Journal of the Acoustical Society of America*, 129(6), 3598-3609.

Bailey, H., Clay, G., Coates, E. A., Lusseau, D., Senior, B., & Thompson, P. M. (2010). Using T-PODs to assess variations in the occurrence of coastal bottlenose dolphins and harbour porpoises. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 20(2), 150-158.

Bailey, H., Corkrey, R., Cheney, B., & Thompson, P. M. (2013). Analyzing temporally correlated dolphin sightings data using generalized estimating equations. *Marine Mammal Science*, 29(1), 123-141.

Bailey, H., Lyubchich, V., Wingfield, J., Fandel, A., Garrod, A., & Rice, A. N. (2019). Empirical evidence that large marine predator foraging behavior is consistent with area-restricted search theory. *Ecology*, 100(8).

- Bailey, H., & Thompson, P. (2006). Quantitative analysis of bottlenose dolphin movement patterns and their relationship with foraging. *Journal of Animal Ecology*, 75(2), 456-465.
- Bailey, H., & Thompson, P. (2010). Effect of oceanographic features on fine-scale foraging movements of bottlenose dolphins. *Marine Ecology Progress Series*, 418, 223-233.
- Bailey, H., & Thompson, P. M. (2009). Using marine mammal habitat modelling to identify priority conservation zones within a marine protected area. *Marine Ecology Progress Series*, 378, 279-287.
- Bailleul, F., Grimm, V., Chion, C., & Hammill, M. (2013). Modeling implications of food resource aggregation on animal migration phenology. *Ecology and Evolution*, 3(8), 2535-2546.
- Bailleul, F., Lesage, V., & Hammill, M. O. (2010). Spherical First Passage Time: A tool to investigate area-restricted search in three-dimensional movements. *Ecological Modelling*, 221(13-14), 1665-1673.
- Bailleul, F., Lesage, V., Power, M., Doidge, D. W., & Hammill, M. O. (2012). Migration phenology of beluga whales in a changing Arctic. *Climate Research*, 53(3), 169-178.
- Baines, M., Reichelt, M., & Griffin, D. (2017). An autumn aggregation of fin (*Balaenoptera physalus*) and blue whales (*B-musculus*) in the Porcupine Seabight, southwest of Ireland. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 141, 168-177.
- Baird, R. W., Borsani, J. F., Hanson, M. B., & Tyack, P. L. (2002). Diving and night-time behavior of long-finned pilot whales in the Ligurian Sea. *Marine Ecology Progress Series*, 237, 301-305.
- Baird, R. W., & Dill, L. M. (1995). OCCURRENCE AND BEHAVIOR OF TRANSIENT KILLER WHALES - SEASONAL AND POD-SPECIFIC VARIABILITY, FORAGING BEHAVIOR, AND PREY HANDLING. *Canadian Journal of Zoology*, 73(7), 1300-1311.
- Baird, R. W., & Dill, L. M. (1996). Ecological and social determinants of group size in transient killer whales. *Behavioral Ecology*, 7(4), 408-416.
- Baird, R. W., Gorgone, A. M., McSweeney, D. J., Webster, D. L., Salden, D. R., Deakos, M. H., et al. (2008). False killer whales (*Pseudorca crassidens*) around the main Hawaiian Islands: Long-term site fidelity, inter-island movements, and association patterns. *Marine Mammal Science*, 24(3), 591-612.
- Baird, R. W., Hanson, M. B., & Dill, L. M. (2005). Factors influencing the diving behaviour of fish-eating killer whales: sex differences and diel and interannual variation in diving rates. *Canadian Journal of Zoology*, 83(2), 257-267.
- Baird, R. W., Ligon, A. D., Hooker, S. K., & Gorgone, A. M. (2001). Subsurface and nighttime behaviour of pantropical spotted dolphins in Hawai'i. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 79(6), 988-996.
- Baird, R. W., McSweeney, D. J., Bane, C., Barlow, J., Salden, D. R., Antoine, L. K., et al. (2006). Killer whales in Hawaiian waters: Information on population identity and feeding habits. *Pacific Science*, 60(4), 523-530.
- Baird, R. W., Webster, D. L., Mahaffy, S. D., McSweeney, D. J., Schorr, G. S., & Ligon, A. D. (2008). Site fidelity and association patterns in a deep-water dolphin: Rough-toothed dolphins (*Steno bredanensis*) in the Hawaiian Archipelago. *Marine Mammal Science*, 24(3), 535-553.
- Baird, R. W., Webster, D. L., McSweeney, D. J., Ligon, A. D., Schorr, G. S., & Barlow, J. (2006). Diving behaviour of Cuvier's (*Ziphius cavirostris*) and Blainville's (*Mesoplodon densirostris*) beaked whales in Hawai'i. *Canadian Journal of Zoology*, 84(8), 1120-1128.

- Baird, R. W., Webster, D. L., Schorr, G. S., McSweeney, D. J., & Barlow, J. (2008). Diel variation in beaked whale diving behavior. *Marine Mammal Science*, 24(3), 630-642.
- Bajpai, S., & Gingerich, P. D. (1998). A new Eocene archaeocete (Mammalia, Cetacea) from India and the time of origin of whales. *Proceedings of the National Academy of Sciences of the United States of America*, 95(26), 15464-15468.
- Bajpai, S., & Kapur, V. V. (2020). India's geodynamic evolution during the Eocene: perspectives on the origin and early evolution of modern mammal orders. *Episodes*, 43(1), 489-497.
- Baker, C. S., Florez-Gonzalez, L., Abernethy, B., Rosenbaum, H. C., Slade, R. X., Capella, J., et al. (1998). Mitochondrial DNA variation and maternal gene flow among humpback whales of the southern hemisphere. *Marine Mammal Science*, 14(4), 721-737.
- Baker, C. S., Perry, A., Chambers, G. K., & Smith, P. J. (1995). POPULATION VARIATION IN THE MITOCHONDRIAL CYTOCHROME-B GENE OF THE ORANGE ROUGHY HOPLOSTETHUS-ATLANTICUS AND THE HOKI MACRURONUS-NOVAEZELANDIAE. *Marine Biology*, 122(4), 503-509.
- Baker, C. S., Steel, D., Calambokidis, J., Falcone, E., Gonzalez-Peral, U., Barlow, J., et al. (2013). Strong maternal fidelity and natal philopatry shape genetic structure in North Pacific humpback whales. *Marine Ecology Progress Series*, 494, 291-306.
- Baker, C. S., Steel, D., Nieukirk, S., & Klinck, H. (2018). Environmental DNA (eDNA) From the Wake of the Whales: Droplet Digital PCR for Detection and Species Identification. *Frontiers in Marine Science*, 5.
- Baker, C. S., Straley, J. M., & Perry, A. (1992). POPULATION CHARACTERISTICS OF INDIVIDUALLY IDENTIFIED HUMPBACK WHALES IN SOUTHEASTERN ALASKA - SUMMER AND FALL 1986. *Fishery Bulletin*, 90(3), 429-437.
- Baker, C. S., Vant, M. D., Dalebout, M. L., Lento, G. M., O'Brien, S. J., & Yuhki, N. (2006). Diversity and duplication of DQB and DRB-like genes of the MHC in baleen whales (suborder : Mysticeti). *Immunogenetics*, 58(4), 283-296.
- Baker, I., O'Brien, J., McHugh, K., & Berrow, S. (2018). Female reproductive parameters and population demographics of bottlenose dolphins (*Tursiops truncatus*) in the Shannon Estuary, Ireland. *Marine Biology*, 165(1).
- Baker, I., O'Brien, J., McHugh, K., & Berrow, S. (2020). Fine-scale sociality reveals female-male affiliations and absence of male alliances in bottlenose dolphins (*Tursiops truncatus*) in the Shannon Estuary, Ireland. *Marine Mammal Science*, 36(1), 66-88.
- Baker, I., O'Brien, J., McHugh, K., Ingram, S. N., & Berrow, S. (2018). Bottlenose dolphin (*Tursiops truncatus*) social structure in the Shannon Estuary, Ireland, is distinguished by age- and area-related associations. *Marine Mammal Science*, 34(2), 458-487.
- Baker, I., O'Brien, J., McHugh, K., & Berrow, S. (2017). An Ethogram for Bottlenose Dolphins (*Tursiops truncatus*) in the Shannon Estuary, Ireland. *Aquatic Mammals*, 43(6), 594-613.
- Baker, M. C. (2011). Geographic variation of three vocal signals in the Australian ringneck (Aves: Psittaciformes): Do functionally similar signals have similar spatial distributions? *Behaviour*, 148(3), 373-402.
- Balamurugan, V., Sen, A., Venkatesan, G., Yadav, V., Bhanot, V., Riyesh, T., et al. (2010). Sequence and Phylogenetic Analyses of the Structural Genes of Virulent Isolates and Vaccine Strains of Peste Des Petits Ruminants Virus from India. *Transboundary and Emerging Diseases*, 57(5), 352-364.
- Balbuena, J. A., & Raga, J. A. (1993). INTESTINAL HELMINTH COMMUNITIES OF THE LONG-FINNED PILOT WHALE (*GLOBICEPHALA-MELAS*) OFF THE FAROE-ISLANDS. *Parasitology*, 106, 327-333.

Balcazar, N. E., Klinck, H., Nieukirk, S. L., Mellinger, D. K., Klinck, K., Dziak, R. P., et al. (2017). Using calls as an indicator for Antarctic blue whale occurrence and distribution across the southwest Pacific and southeast Indian Oceans. *Marine Mammal Science*, 33(1), 172-186.

Baldwin, R. E., Rew, M. B., Johansson, M. L., Banks, M. A., & Jacobson, K. C. (2011). POPULATION STRUCTURE OF THREE SPECIES OF ANISAKIS NEMATODES RECOVERED FROM PACIFIC SARDINES (*SARDINOPS SAGAX*) DISTRIBUTED THROUGHOUT THE CALIFORNIA CURRENT SYSTEM. *Journal of Parasitology*, 97(4), 545-554.

Ball, K. R., & Buck, J. R. (2005). A beamforming video recorder for integrated observations of dolphin behavior and vocalizations. *Journal of the Acoustical Society of America*, 117(3), 1005-1008.

Ball, L., Shreves, K., Pilot, M., & Moura, A. E. (2017). Temporal and geographic patterns of kinship structure in common dolphins (*Delphinus delphis*) suggest site fidelity and female-biased long-distance dispersal. *Behavioral Ecology and Sociobiology*, 71(8).

Ballance, L. T. (1992). HABITAT USE PATTERNS AND RANGES OF THE BOTTLE-NOSED-DOLPHIN IN THE GULF OF CALIFORNIA, MEXICO. *Marine Mammal Science*, 8(3), 262-274.

Ballance, L. T. (2018). Contributions of Photographs to Cetacean Science. *Aquatic Mammals*, 44(6), 668-682.

Ballance, L. T., & Pitman, R. L. (1998). Cetaceans of the western tropical Indian Ocean: Distribution, relative abundance, and comparisons with cetacean communities of two other tropical ecosystems. *Marine Mammal Science*, 14(3), 429-459.

Balmer, B. C., Schwacke, L. H., & Wells, R. S. (2010). Linking Dive Behavior to Satellite-Linked Tag Condition for a Bottlenose Dolphin (*Tursiops truncatus*) along Florida's Northern Gulf of Mexico Coast. *Aquatic Mammals*, 36(1), 1-8.

Balmer, B. C., Wells, R. S., Howle, L. E., Barleycorn, A. A., McLellan, W. A., Pabst, D. A., et al. (2014). Advances in cetacean telemetry: A review of single-pin transmitter attachment techniques on small cetaceans and development of a new satellite-linked transmitter design. *Marine Mammal Science*, 30(2), 656-673.

Balmer, B. C., Wells, R. S., Schwacke, L. H., Schwacke, J. H., Danielson, B., George, R. C., et al. (2014). Integrating multiple techniques to identify stock boundaries of common bottlenose dolphins (*Tursiops truncatus*). *Aquatic Conservation-Marine and Freshwater Ecosystems*, 24(4), 511-521.

Bamford, C. C. G., Kelly, N., Rosa, L. D., Cade, D. E., Fretwell, P. T., Trathan, P. N., et al. (2020). A comparison of baleen whale density estimates derived from overlapping satellite imagery and a shipborne survey. *Scientific Reports*, 10(1).

Bamford, C. C. G., & Robinson, K. P. (2016). An analysis of dorsal edge markings in short-beaked common dolphins (*Delphinus delphis*) from the Bay of Gibraltar and the Moray Firth. *Journal of the Marine Biological Association of the United Kingdom*, 96(4), 999-1004.

Banaru, D., Mellon-Duval, C., Roos, D., Bigot, J. L., Souplet, A., Jadaud, A., et al. (2013). Trophic structure in the Gulf of Lions marine ecosystem (north-western Mediterranean Sea) and fishing impacts. *Journal of Marine Systems*, 111, 45-68.

Bandyopadhyay, P. R., Singh, S. N., & Chockalingam, F. (1999). Biologically-inspired bodies under surface waves - Part 2: Theoretical control of maneuvering. *Journal of Fluids Engineering-Transactions of the Asme*, 121(2), 479-487.

- Banks, M. E., McEwen, A. S., Kargel, J. S., Baker, V. R., Strom, R. G., Mellon, M. T., et al. (2008). High Resolution Imaging Science Experiment (HiRISE) observations of glacial and periglacial morphologies in the circum-Argyre Planitia highlands, Mars. *Journal of Geophysical Research-Planets*, 113(E12).
- Banushkina, P., & Meuwly, M. (2005). Free-energy barriers in MbCO rebinding. *Journal of Physical Chemistry B*, 109(35), 16911-16917.
- Banville, I., Gray, R. A., Ideker, R. E., & Smith, W. M. (1999). Shock-induced figure-of-eight reentry in the isolated rabbit heart. *Circulation Research*, 85(8), 742-752.
- Baracho-Neto, C. G., Neto, E. S., Rossi-Santos, M. R., Wedekin, L. L., Neves, M. C., Lima, F., et al. (2012). Site fidelity and residence times of humpback whales (*Megaptera novaeangliae*) on the Brazilian coast. *Journal of the Marine Biological Association of the United Kingdom*, 92(8), 1783-1791.
- Barber, J. R., Burdett, C. L., Reed, S. E., Warner, K. A., Formichella, C., Crooks, K. R., et al. (2011). Anthropogenic noise exposure in protected natural areas: estimating the scale of ecological consequences. *Landscape Ecology*, 26(9), 1281-1295.
- Barco, S. G., Swingle, W. M., McLellan, W. A., Harris, R. N., & Pabst, D. A. (1999). Local abundance and distribution of bottlenose dolphins (*Tursiops truncatus*) in the nearshore waters of Virginia Beach, Virginia. *Marine Mammal Science*, 15(2), 394-408.
- Barendse, J., & Best, P. B. (2014). Shore-based observations of seasonality, movements, and group behavior of southern right whales in a nonnursery area on the South African west coast. *Marine Mammal Science*, 30(4), 1358-1382.
- Barendse, J., Best, P. B., Carvalho, I., & Pomilla, C. (2013). Mother Knows Best: Occurrence and Associations of Resighted Humpback Whales Suggest Maternally Derived Fidelity to a Southern Hemisphere Coastal Feeding Ground. *Plos One*, 8(12).
- Barendse, J., Best, P. B., Thornton, M., Elwen, S. H., Rosenbaum, H. C., Carvalho, I., et al. (2011). Transit station or destination? Attendance patterns, movements and abundance estimate of humpback whales off west South Africa from photographic and genotypic matching. *African Journal of Marine Science*, 33(3), 353-373.
- Barendse, J., Best, P. B., Thornton, M., Pomilla, C., Carvalho, I., & Rosenbaum, H. C. (2010). Migration redefined? Seasonality, movements and group composition of humpback whales *Megaptera novaeangliae* off the west coast of South Africa. *African Journal of Marine Science*, 32(1), 1-22.
- Baretta, L., & Hunt, G. L. (1994). CHANGES IN THE NUMBERS OF CETACEANS NEAR THE PRIBILOF-ISLANDS, BERING SEA, BETWEEN 1975-78 AND 1987-89. *Arctic*, 47(4), 321-326.
- Barido-Sottani, J., Aguirre-Fernandez, G., Hopkins, M. J., Stadler, T., & Warnock, R. (2019). Ignoring stratigraphic age uncertainty leads to erroneous estimates of species divergence times under the fossilized birth - death process. *Proceedings of the Royal Society B-Biological Sciences*, 286(1902).
- Barkley, Y., Oleson, E. M., Oswald, J. N., & Franklin, E. C. (2019). Whistle Classification of Sympatric False Killer Whale Populations in Hawaiian Waters Yields Low Accuracy Rates. *Frontiers in Marine Science*, 6.
- Barlow, D. R., Torres, L. G., Hodge, K. B., Steel, D., Baker, C. S., Chandler, T. E., et al. (2018). Documentation of a New Zealand blue whale population based on multiple lines of evidence. *Endangered Species Research*, 36, 27-40.
- Barlow, J. (2006). Cetacean abundance in Hawaiian waters estimated from a summer/fall survey in 2002. *Marine Mammal Science*, 22(2), 446-464.

- Barlow, J., Calambokidis, J., Falcone, E. A., Baker, C. S., Burdin, A. M., Clapham, P. J., et al. (2011). Humpback whale abundance in the North Pacific estimated by photographic capture-recapture with bias correction from simulation studies. *Marine Mammal Science*, 27(4), 793-818.
- Barlow, J., & Griffiths, E. T. (2017). Precision and bias in estimating detection distances for beaked whale echolocation clicks using a two-element vertical hydrophone array. *Journal of the Acoustical Society of America*, 141(6), 4388-4397.
- Barlow, J., Griffiths, E. T., Klinck, H., & Harris, D. V. (2018). Diving behavior of Cuvier's beaked whales inferred from three-dimensional acoustic localization and tracking using a nested array of drifting hydrophone recorders. *Journal of the Acoustical Society of America*, 144(4), 2030-2041.
- Barlow, J., Schorr, G. S., Falcone, E. A., & Moretti, D. (2020). Variation in dive behavior of Cuvier's beaked whales with seafloor depth, time-of-day, and lunar illumination. *Marine Ecology Progress Series*, 644, 199-214.
- Barlow, J., Tyack, P. L., Johnson, M. P., Baird, R. W., Schorr, G. S., Andrews, R. D., et al. (2013). Trackline and point detection probabilities for acoustic surveys of Cuvier's and Blainville's beaked whales. *Journal of the Acoustical Society of America*, 134(3), 2486-2496.
- Barnes, D. K. A., Linse, K., Enderlein, P., Smale, D., Fraser, K. P. P., & Brown, M. (2008). Marine richness and gradients at Deception Island, Antarctica. *Antarctic Science*, 20(3), 271-279.
- Barnes, L. G., Kimura, T., & Godfrey, S. J. (2010). THE EVOLUTIONARY HISTORY AND PHYLOGENETIC RELATIONSHIPS OF THE SUPERFAMILY PLATANISTOIDEA.
- Baron, S. C., Martinez, A., Garrison, L. P., & Keith, E. O. (2008). Differences in acoustic signals from Delphinids in the western North Atlantic and northern Gulf of Mexico. *Marine Mammal Science*, 24(1), 42-56.
- Barragan-Barrera, D. C., do Amaral, K. B., Chavez-Carreno, P. A., Farias-Curtidor, N., Lancheros-Neva, R., Botero-Acosta, N., et al. (2019). Ecological Niche Modeling of Three Species of *Stenella* Dolphins in the Caribbean Basin, With Application to the Seaflower Biosphere Reserve. *Frontiers in Marine Science*, 6.
- Barragan-Barrera, D. C., Luna-Acosta, A., May-Collado, L. J., Polo-Silva, C. J., Riet-Saprizza, F. G., Bustamante, P., et al. (2019). Foraging habits and levels of mercury in a resident population of bottlenose dolphins (*Tursiops truncatus*) in Bocas del Toro Archipelago, Caribbean Sea, Panama. *Marine Pollution Bulletin*, 145, 343-356.
- Barragan-Barrera, D. C., May-Collado, L. J., Tezanos-Pinto, G., Islas-Villanueva, V., Correa-Cardenas, C. A., & Caballero, S. (2017). High genetic structure and low mitochondrial diversity in bottlenose dolphins of the Archipelago of Bocas del Toro, Panama: A population at risk? *Plos One*, 12(12).
- Barrett-Lennard, L. G., Matkin, C. O., Durban, J. W., Saulitis, E. L., & Ellifrit, D. (2011). Predation on gray whales and prolonged feeding on submerged carcasses by transient killer whales at Unimak Island, Alaska. *Marine Ecology Progress Series*, 421, 229-241.
- Barrios-Garrido, H., De Turrís-Morales, K., Nash, C. M., Delgado-Ortega, G., & Espinoza-Rodriguez, N. (2016). Acoustic Parameters of Guiana Dolphin (*Sotalia guianensis*) Whistles in the Southern Gulf of Venezuela. *Aquatic Mammals*, 42(2), 127-136.
- Barros, N. B., & Wells, R. S. (1998). Prey and feeding patterns of resident bottlenose dolphins (*Tursiops truncatus*) in Sarasota Bay, Florida. *Journal of Mammalogy*, 79(3), 1045-1059.
- Barry, S. B., Cucknell, A. C., & Clark, N. (2012). A Direct Comparison of Bottlenose Dolphin and Common Dolphin Behavior During Seismic Surveys When Air Guns Are and Are Not Being Utilized. In A. N. Popper & A. Hawkins (Eds.), *Effects of Noise on Aquatic Life* (Vol. 730, pp. 273-276).

- Bart, P. J., Anderson, J. B., & Nitsche, F. (2017). Post-LGM Grounding-Line Positions of the Bindschadler Paleo Ice Stream in the Ross Sea Embayment, Antarctica. *Journal of Geophysical Research-Earth Surface*, 122(10), 1827-1844.
- Barve, V. (2014). Discovering and developing primary biodiversity data from social networking sites: A novel approach. *Ecological Informatics*, 24, 194-199.
- Bas, A. A., Christiansen, F., Ozturk, A. A., Ozturk, B., & McIntosh, C. (2017). The effects of marine traffic on the behaviour of Black Sea harbour porpoises (*Phocoena phocoena relicta*) within the Istanbul Strait, Turkey. *Plos One*, 12(3).
- Bas, A. A., Ozturk, A. A., & Ozturk, B. (2015). Selection of critical habitats for bottlenose dolphins (*Tursiops truncatus*) based on behavioral data, in relation to marine traffic in the Istanbul Strait, Turkey. *Marine Mammal Science*, 31(3), 979-997.
- Bas, A. A., Ozturk, B., & Orturk, A. A. (2019). Encounter rate, residency pattern and site fidelity of bottlenose dolphins (*Tursiops truncatus*) within the Istanbul Strait, Turkey. *Journal of the Marine Biological Association of the United Kingdom*, 99(4), 1009-1016.
- Bashir, T., Khan, A., Behera, S. K., & Gautam, P. (2012). Factors determining occupancy of Ganges River dolphin (*Platanista gangetica gangetica*) during differing river discharges in the upper Ganges, India. *Mammalia*, 76(4), 417-426.
- Bashir, T., Khan, A., Behera, S. K., & Gautam, P. (2013). Time dependent activity pattern of Ganges river dolphin *Platanista gangetica gangetica* and its response to human presence in upper Ganges River, India. *Mammal Study*, 38(1), 9-17.
- Baskar, L. D., De Schutter, B., Hellendoorn, J., & Papp, Z. (2011). Traffic control and intelligent vehicle highway systems: a survey. *Iet Intelligent Transport Systems*, 5(1), 38-52.
- Basran, C. J., Bertulli, C. G., Cecchetti, A., Rasmussen, M. H., Whittaker, M., & Robbins, J. (2019). First estimates of entanglement rate of humpback whales *Megaptera novaeangliae* observed in coastal Icelandic waters. *Endangered Species Research*, 38, 67-77.
- Bates, M. L., Hawker, D. W., & Cropp, R. (2019). Spatio-temporal variations in hexachlorobenzene partitioning in a near shore Antarctic marine environment from a one-dimensional coupled ecosystem-chemical distribution model. *Journal of Marine Systems*, 196, 65-76.
- Batnes, A. S., Miljeteig, C., Berge, J., Greenacre, M., & Johnsen, G. (2015). Quantifying the light sensitivity of *Calanus* spp. during the polar night: potential for orchestrated migrations conducted by ambient light from the sun, moon, or aurora borealis? *Polar Biology*, 38(1), 51-65.
- Batsi, E., Tsang-Hin-Sun, E., Klingelhoefer, F., Bayrakci, G., Chang, E. T. Y., Lin, J. Y., et al. (2019). Nonseismic Signals in the Ocean: Indicators of Deep Sea and Seafloor Processes on Ocean-Bottom Seismometer Data. *Geochemistry Geophysics Geosystems*, 20(8), 3882-3900.
- Bauer, R. K., Fromentin, J. M., Demarcq, H., & Bonhommeau, S. (2017). Habitat use, vertical and horizontal behaviour of Atlantic bluefin tuna (*Thunnus thynnus*) in the Northwestern Mediterranean Sea in relation to oceanographic conditions. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 141, 248-261.
- Bauer, R. K., Fromentin, J. M., Demarcq, H., Brisset, B., & Bonhommeau, S. (2015). Co-Occurrence and Habitat Use of Fin Whales, Striped Dolphins and Atlantic Bluefin Tuna in the Northwestern Mediterranean Sea. *Plos One*, 10(10).
- Bauer, S., Ens, B. J., & Klaassen, M. (2010). Many routes lead to Rome: potential causes for the multi-route migration system of Red Knots, *Calidris canutus islandica*. *Ecology*, 91(6), 1822-1831.

- Baum, C., Meyer, W., Stelzer, R., Fleischer, L. G., & Siebers, D. (2002). Average nanorough skin surface of the pilot whale (*Globicephala melas*, Delphinidae): considerations on the self-cleaning abilities based on nanoroughness. *Marine Biology*, 140(3), 653-657.
- Baum, C., Simon, F., Meyer, W., Fleischer, L. G., Siebers, D., Kacza, J., et al. (2003). Surface properties of the skin of the pilot whale *Globicephala melas*. *Biofouling*, 19, 181-186.
- Baumann, M., Witzke, O., Dietrich, R., Haug, U., Deppisch, R., Lutz, J., et al. (2003). Prolonged catheter survival in intermittent hemodialysis using a less thrombogenic micropatterned polymer modification. *Asaio Journal*, 49(6), 708-712.
- Baumann-Pickering, S., Roch, M. A., Brownell, R. L., Simonis, A. E., McDonald, M. A., Solsona-Berga, A., et al. (2014). Spatio-Temporal Patterns of Beaked Whale Echolocation Signals in the North Pacific. *Plos One*, 9(1).
- Baumann-Pickering, S., Roch, M. A., Wiggins, S. M., Schnitzler, H. U., & Hildebrand, J. A. (2015). Acoustic behavior of melon-headed whales varies on a diel cycle. *Behavioral Ecology and Sociobiology*, 69(9), 1553-1563.
- Baumann-Pickering, S., Wiggins, S. M., Hildebrand, J. A., Roch, M. A., & Schnitzler, H. U. (2010). Discriminating features of echolocation clicks of melon-headed whales (*Peponocephala electra*), bottlenose dolphins (*Tursiops truncatus*), and Gray's spinner dolphins (*Stenella longirostris longirostris*). *Journal of the Acoustical Society of America*, 128(4), 2212-2224.
- Baumann-Pickering, S., Wiggins, S. M., Roth, E. H., Roch, M. A., Schnitzler, H. U., & Hildebrand, J. A. (2010). Echolocation signals of a beaked whale at Palmyra Atoll. *Journal of the Acoustical Society of America*, 127(6), 3790-3799.
- Baumgartner, M. F. (1997). The distribution of Risso's dolphin (*Grampus griseus*) with respect to the physiography of the northern Gulf of Mexico. *Marine Mammal Science*, 13(4), 614-638.
- Baumgartner, M. F., Cole, T. V. N., Campbell, R. G., Teegarden, G. J., & Durbin, E. G. (2003). Associations between North Atlantic right whales and their prey, *Calanus finmarchicus*, over diel and tidal time scales. *Marine Ecology Progress Series*, 264, 155-166.
- Baumgartner, M. F., Cole, T. V. N., Clapham, P. J., & Mate, B. R. (2003). North Atlantic right whale habitat in the lower Bay of Fundy and on the SW Scotian Shelf during 1999-2001. *Marine Ecology Progress Series*, 264, 137-154.
- Baumgartner, M. F., & Fratantoni, D. M. (2008). Diel periodicity in both sei whale vocalization rates and the vertical migration of their copepod prey observed from ocean gliders. *Limnology and Oceanography*, 53(5), 2197-2209.
- Baumgartner, M. F., Freitag, L., Partan, J., Ball, K. R., & Prada, K. E. (2008). Tracking Large Marine Predators in Three Dimensions: The Real-Time Acoustic Tracking System. *Ieee Journal of Oceanic Engineering*, 33(2), 146-157.
- Baumgartner, M. F., Hammar, T., & Robbins, J. (2015). Development and assessment of a new dermal attachment for short-term tagging studies of baleen whales. *Methods in Ecology and Evolution*, 6(3), 289-297.
- Baumgartner, M. F., Lysiak, N. S. J., Esch, H. C., Zerbini, A. N., Berchok, C. L., & Clapham, P. J. (2013). Associations between North Pacific right whales and their zooplanktonic prey in the southeastern Bering Sea. *Marine Ecology Progress Series*, 490, 267-284.
- Baumgartner, M. F., Lysiak, N. S. J., Schuman, C., Urban-Rich, J., & Wenzel, F. W. (2011). Diel vertical migration behavior of *Calanus finmarchicus* and its influence on right and sei whale occurrence. *Marine Ecology Progress Series*, 423, 167-184.

- Baumgartner, M. F., & Mate, B. R. (2003). Summertime foraging ecology of North Atlantic right whales. *Marine Ecology Progress Series*, 264, 123-135.
- Baumgartner, M. F., & Mate, B. R. (2005). Summer and fall habitat of North Atlantic right whales (*Eubalaena glacialis*) inferred from satellite telemetry. *Canadian Journal of Fisheries and Aquatic Sciences*, 62(3), 527-543.
- Baumgartner, M. F., Mullin, K. D., May, L. N., & Leming, T. D. (2001). Cetacean habitats in the northern Gulf of Mexico. *Fishery Bulletin*, 99(2), 219-239.
- Baumgartner, M. F., Stafford, K. M., & Latha, G. (2018). Near Real-Time Underwater Passive Acoustic Monitoring of Natural and Anthropogenic Sounds. In R. Venkatesan, A. Tandon, E. Dasaro & M. A. Atmanand (Eds.), *Observing the Oceans in Real Time* (pp. 203-226).
- Baumgartner, M. F., Stafford, K. M., Winsor, P., StatScewich, F., & Fratantoni, D. M. (2014). Glider-Based Passive Acoustic Monitoring in the Arctic. *Marine Technology Society Journal*, 48(5), 40-51.
- Baumgartner, M. F., Wenzel, F. W., Lysiak, N. S. J., & Patrician, M. R. (2017). North Atlantic right whale foraging ecology and its role in human-caused mortality. *Marine Ecology Progress Series*, 581, 165-181.
- Bautista, L. F., Martinez, M., & Aracil, J. (1997). Optimization of a process for the synthesis of a sperm whale oil analogue. *Chemical Engineering & Technology*, 20(4), 287-292.
- Bayless, A. R., Oleson, E. M., Baumann-Pickering, S., Simonis, A. E., Marchetti, J., Martin, S., et al. (2017). Acoustically monitoring the Hawai'i longline fishery for interactions with false killer whales. *Fisheries Research*, 190, 122-131.
- Bayram, H. M., Bayram, E., Ocak, M., Uzuner, M. B., Geneci, F., & Celik, H. H. (2017). Micro-computed Tomographic Evaluation of Dentinal Microcrack Formation after Using New Heat-treated Nickel-titanium Systems. *Journal of Endodontics*, 43(10), 1736-1739.
- Bazina, M., Cevidanes, L., Ruellas, A., Valiathan, M., Quereshy, F., Syed, A., et al. (2018). Precision and reliability of Dolphin 3-dimensional voxel-based superimposition. *American Journal of Orthodontics and Dentofacial Orthopedics*, 153(4), 599-606.
- Bazua-Duran, C., & Au, W. W. L. (2002). The whistles of Hawaiian spinner dolphins. *Journal of the Acoustical Society of America*, 112(6), 3064-3072.
- Bazua-Duran, C., & Au, W. W. L. (2004). Geographic variations in the whistles of spinner dolphins (*Stenella longirostris*) of the Main Hawai'ian Islands. *Journal of the Acoustical Society of America*, 116(6), 3757-3769.
- Bazzino, G., Gilly, W. F., Markaida, U., Salinas-Zavala, C. A., & Ramos-Castillejos, J. (2010). Horizontal movements, vertical-habitat utilization and diet of the jumbo squid (*Dosidicus gigas*) in the Pacific Ocean off Baja California Sur, Mexico. *Progress in Oceanography*, 86(1-2), 59-71.
- Beale, C. S., Stewart, J. D., Setyawan, E., Sianipar, A. B., & Erdmann, M. V. (2019). Population dynamics of oceanic manta rays (*Mobula birostris*) in the Raja Ampat Archipelago, West Papua, Indonesia, and the impacts of the El Nino-Southern Oscillation on their movement ecology. *Diversity and Distributions*, 25(9), 1472-1487.
- Beardsley, R. C., Epstein, A. W., Chen, C. S., Wishner, K. F., Macaulay, M. C., & Kenney, R. D. (1996). Spatial variability in zooplankton abundance near feeding right whales in the Great South Channel. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 43(7-8), 1601-1625.
- Bearzi, G., Bonizzoni, S., Agazzi, S., Gonzalvo, J., & Currey, R. J. C. (2011). Striped dolphins and short-beaked common dolphins in the Gulf of Corinth, Greece: Abundance estimates from dorsal fin photographs. *Marine Mammal Science*, 27(3), E165-E184.

- Bearzi, G., Kerem, D., Furey, N. B., Pitman, R. L., Rendell, L., & Reeves, R. R. (2018). Whale and dolphin behavioural responses to dead conspecifics. *Zoology*, 128, 1-15.
- Bearzi, G., Politi, E., Agazzi, S., & Azzellino, A. (2006). Prey depletion caused by overfishing and the decline of marine megafauna in eastern Ionian Sea coastal waters (central Mediterranean). *Biological Conservation*, 127(4), 373-382.
- Bearzi, G., Politi, E., Agazzi, S., Bruno, S., Costa, M., & Bonizzoni, S. (2005). Occurrence and present status of coastal dolphins (*Delphinus delphis* and *Tursiops truncatus*) in the eastern Ionian Sea. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 15(3), 243-257.
- Bearzi, G., Politi, E., & di Sciara, G. N. (1999). Diurnal behavior of free-ranging bottlenose dolphins in the Kvarneric (northern Adriatic Sea). *Marine Mammal Science*, 15(4), 1065-1097.
- Bearzi, M. (2006). California sea lions use dolphins to locate food. *Journal of Mammalogy*, 87(3), 606-617.
- Bearzi, M., Saylan, C. A., & Hwang, A. (2009). Ecology and comparison of coastal and offshore bottlenose dolphins (*Tursiops truncatus*) in California. *Marine and Freshwater Research*, 60(6), 584-593.
- Beasley, I., & Jefferson, T. A. (2002). Surface and dive times of finless porpoises in Hong Kong's coastal waters. *Raffles Bulletin of Zoology*, 125-129.
- Beavers, S. C., & Ramsey, F. L. (1998). Detectability analysis in transect surveys. *Journal of Wildlife Management*, 62(3), 948-957.
- Becker, E. A., Carretta, J. V., Forney, K. A., Barlow, J., Brodie, S., Hoopes, R., et al. (2020). Performance evaluation of cetacean species distribution models developed using generalized additive models and boosted regression trees. *Ecology and Evolution*, 10(12), 5759-5784.
- Becker, E. A., Forney, K. A., Ferguson, M. C., Foley, D. G., Smith, R. C., Barlow, J., et al. (2010). Comparing California Current cetacean-habitat models developed using in situ and remotely sensed sea surface temperature data. *Marine Ecology Progress Series*, 413, 163-183.
- Becker, E. A., Forney, K. A., Fiedler, P. C., Barlow, J., Chivers, S. J., Edwards, C. A., et al. (2016). Moving Towards Dynamic Ocean Management: How Well Do Modeled Ocean Products Predict Species Distributions? *Remote Sensing*, 8(2).
- Becker, E. A., Forney, K. A., Foley, D. G., Smith, R. C., Moore, T. J., & Barlow, J. (2014). Predicting seasonal density patterns of California cetaceans based on habitat models. *Endangered Species Research*, 23(1), 1-22.
- Becker, E. A., Forney, K. A., Redfern, J. V., Barlow, J., Jacox, M. G., Roberts, J. J., et al. (2019). Predicting cetacean abundance and distribution in a changing climate. *Diversity and Distributions*, 25(4), 626-643.
- Becker, P. T., Samadi, S., Zbinden, M., Hoyoux, C., Compere, P., & De Ridder, C. (2009). First insights into the gut microflora associated with an echinoid from wood falls environments. *Cahiers De Biologie Marine*, 50(4), 343-352.
- Beckley, L. E., Cliff, G., Smale, M. J., & Compagno, L. J. V. (1997). Recent strandings and sightings of whale sharks in South Africa. *Environmental Biology of Fishes*, 50(3), 343-348.
- Beedholm, K., & Mohl, B. (2006). Directionality of sperm whale sonar clicks and its relation to piston radiation theory. *Journal of the Acoustical Society of America*, 119(2), EL14-EL19.
- Beggan, C. D., & Whaler, K. A. (2009). Forecasting change of the magnetic field using core surface flows and ensemble Kalman filtering. *Geophysical Research Letters*, 36.

- Behrendorff, L., Leung, L. K. P., & Allen, B. L. (2018). Utilisation of stranded marine fauna washed ashore on K'gari (Fraser Island), Australia, by dingoes. *Australian Journal of Zoology*, 66(2), 128-138.
- Behrendorff, L., Leung, L. K. P., McKinnon, A., Hanger, J., Belonje, G., Tapply, J., et al. (2016). Insects for breakfast and whales for dinner: the diet and body condition of dingoes on Fraser Island (K'gari). *Scientific Reports*, 6.
- Bejder, L., & Dawson, S. (2001). Abundance, residency, and habitat utilisation of Hector's dolphins (*Cephalorhynchus hectori*) in Porpoise Bay, New Zealand. *New Zealand Journal of Marine and Freshwater Research*, 35(2), 277-287.
- Bejder, L., Samuels, A., Whitehead, H., Gales, N., Mann, J., Connor, R., et al. (2006). Decline in relative abundance of bottlenose dolphins exposed to long-term disturbance. *Conservation Biology*, 20(6), 1791-1798.
- Bejder, L., Videsen, S., Hermannsen, L., Simon, M., Hanf, D., & Madsen, P. T. (2019). Low energy expenditure and resting behaviour of humpback whale mother-calf pairs highlights conservation importance of sheltered breeding areas. *Scientific Reports*, 9.
- Bel'kovich, V. M., & Kreichi, S. A. (2004). Specific features of vowel-like signals of white whales. *Acoustical Physics*, 50(3), 288-294.
- Belikov, R. A., & Bel'kovich, V. M. (2006). High-pitched tonal signals of beluga whales (*Delphinapterus leucas*) in a summer assemblage off Solovetskii Island in the White Sea. *Acoustical Physics*, 52(2), 125-131.
- Bell, C. M., Hindell, M. A., & Burton, H. R. (1997). Estimation of body mass in the southern elephant seal, *Mirounga leonina*, by photogrammetry and morphometrics. *Marine Mammal Science*, 13(4), 669-682.
- Bell, R. K., & Harwood, L. A. (2012). Harvest-based Monitoring in the Inuvialuit Settlement Region: Steps for Success. *Arctic*, 65(4), 421-432.
- Belt, S. T., Vare, L. L., Masse, G., Manners, H. R., Price, J. C., MacLachlan, S. E., et al. (2010). Striking similarities in temporal changes to spring sea ice occurrence across the central Canadian Arctic Archipelago over the last 7000 years. *Quaternary Science Reviews*, 29(25-26), 3489-3504.
- Beltran, R. S., Ruscher-Hill, B., Kirkham, A. L., & Burns, J. M. (2018). An evaluation of three-dimensional photogrammetric and morphometric techniques for estimating volume and mass in Weddell seals *Leptonychotes weddellii*. *Plos One*, 13(1).
- Beltran-Pedreras, S., & Petrere, M. (2010). FISHERY ACTIVITY IMPACT ON THE SOTALIA POPULATIONS FROM THE AMAZON MOUTH.
- Beltran-Pedreras, S., Petrere, M., & Filgueiras-Henriques, L. A. (2010). ETHNOECOLOGY OF SOTALIA GUIANENSIS (GERVAIS, 1853) IN THE AMAZON ESTUARY.
- Ben Chehida, Y., Thumloup, J., Vishnyakova, K., Gol'din, P., & Fontaine, M. C. (2020). Genetic homogeneity in the face of morphological heterogeneity in the harbor porpoise from the Black Sea and adjacent waters (*Phocoena phocoena relicta*). *Heredity*, 124(3), 469-484.
- Benard, F., & Glotin, H. (2010). Automatic Indexing for Content Analysis of Whale Recordings and XML Representation. *Eurasip Journal on Advances in Signal Processing*.
- Benard-Caudal, F., Giraudet, P., & Glotin, H. (2010). Whale 3D monitoring using astrophysic NEMO ONDE two meters wide platform with state optimal filtering by Rao-Blackwell Monte Carlo data association. *Applied Acoustics*, 71(11), 994-999.

- Bender, C. E., Herzing, D. L., & Bjorklund, D. F. (2009). Evidence of teaching in atlantic spotted dolphins (*Stenella frontalis*) by mother dolphins foraging in the presence of their calves. *Animal Cognition*, 12(1), 43-53.
- Bene, M. C., & Faure, G. C. (1997). From Peyer's patches to tonsils - Specific stimulation with ribosomal immunotherapy. *Drugs*, 54, 24-28.
- Benjamins, S., Dale, A., van Geel, N., & Wilson, B. (2016). Riding the tide: use of a moving tidal-stream habitat by harbour porpoises. *Marine Ecology Progress Series*, 549, 275-288.
- Benke, H., Brager, S., Dahne, M., Gallus, A., Hansen, S., Honnef, C. G., et al. (2014). Baltic Sea harbour porpoise populations: status and conservation needs derived from recent survey results. *Marine Ecology Progress Series*, 495, 275-290.
- Benoit, J., Adnet, S., El Mabrouk, E., Khayati, H., Ali, M. B., Marivaux, L., et al. (2013). Cranial Remain from Tunisia Provides New Clues for the Origin and Evolution of Sirenia (Mammalia, Afrotheria) in Africa. *Plos One*, 8(1).
- Benoit-Bird, K. J., & Au, W. W. L. (2009). Phonation behavior of cooperatively foraging spinner dolphins. *Journal of the Acoustical Society of America*, 125(1), 539-546.
- Benoit-Bird, K. J., Au, W. W. L., & Kastelein, R. (2006). Testing the odontocete acoustic prey debilitation hypothesis: No stunning results. *Journal of the Acoustical Society of America*, 120(2), 1118-1123.
- Benoit-Bird, K. J., & McManus, M. A. (2014). A Critical Time Window for Organismal Interactions in a Pelagic Ecosystem. *Plos One*, 9(5).
- Benoit-Bird, K. J., Southall, B. L., & Moline, M. A. (2019). Dynamic foraging by Risso's dolphins revealed in four dimensions. *Marine Ecology Progress Series*, 632, 221-234.
- Benoit-Bird, K. J., Wursig, B., & McFadden, C. J. (2004). Dusky dolphin (*Lagenorhynchus obscurus*) foraging in two different habitats: Active acoustic detection of dolphins and their prey. *Marine Mammal Science*, 20(2), 215-231.
- Bensam, S. D., & Pandi, P. M. (2019). A hybrid MWOAL approach for fast and efficient maximum power point tracking in wind energy conversion systems. *Journal of Renewable and Sustainable Energy*, 11(3).
- Benson, R. B. J., Evans, M., & Druckenmiller, P. S. (2012). High Diversity, Low Disparity and Small Body Size in Plesiosaurs (Reptilia, Sauropterygia) from the Triassic-Jurassic Boundary. *Plos One*, 7(3).
- Benson, S. R., Croll, D. A., Marinovic, B. B., Chavez, F. P., & Harvey, J. T. (2002). Changes in the cetacean assemblage of a coastal upwelling ecosystem during El Nino 1997-98 and La Nina 1999. *Progress in Oceanography*, 54(1-4), 279-291.
- Bentaleb, I., Martin, C., Vrac, M., Mate, B., Mayzaud, P., Siret, D., et al. (2011). Foraging ecology of Mediterranean fin whales in a changing environment elucidated by satellite tracking and baleen plate stable isotopes. *Marine Ecology Progress Series*, 438, 285-302.
- Bentz, J., Dearden, P., & Calado, H. (2013). Strategies for marine wildlife tourism in small islands - the case of the Azores. *Journal of Coastal Research*, 874-879.
- Bentz, J., Lopes, F., Calado, H., & Dearden, P. (2016a). Managing marine wildlife tourism activities: Analysis of motivations and specialization levels of divers and whale watchers. *Tourism Management Perspectives*, 18, 74-83.
- Bentz, J., Lopes, F., Calado, H., & Dearden, P. (2016b). Sustaining marine wildlife tourism through linking Limits of Acceptable Change and zoning in the Wildlife Tourism Model. *Marine Policy*, 68, 100-107.

- Bentz, J., Rodrigues, A., Dearden, P., Calado, H., & Lopes, F. (2015). Crowding in marine environments: Divers and whale watchers in the Azores. *Ocean & Coastal Management*, 109, 77-85.
- Berchok, C. L., Bradley, D. L., & Gabrielson, T. B. (2006). St. Lawrence blue whale vocalizations revisited: Characterization of calls detected from 1998 to 2001. *Journal of the Acoustical Society of America*, 120(4), 2340-2354.
- Berga, A. S., Wright, A. J., Galatius, A., Sveegaard, S., & Teilmann, J. (2015). Do larger tag packages alter diving behavior in harbor porpoises? *Marine Mammal Science*, 31(2), 756-763.
- Bergler, C., Schroter, H., Cheng, R. X., Barth, V., Weber, M., Noth, E., et al. (2019). ORCA-SPOT: An Automatic Killer Whale Sound Detection Toolkit Using Deep Learning. *Scientific Reports*, 9.
- Bergman, T. J., & Beehner, J. C. (2015). Measuring social complexity. *Animal Behaviour*, 103, 203-209.
- Berke, S. K. (2010). Functional Groups of Ecosystem Engineers: A Proposed Classification with Comments on Current Issues. *Integrative and Comparative Biology*, 50(2), 147-157.
- Berline, L., Spitz, Y. H., Ashjian, C. J., Campbell, R. G., Maslowski, W., & Moore, S. E. (2008). Euphausiid transport in the Western Arctic Ocean. *Marine Ecology Progress Series*, 360, 163-178.
- Bernardino, A. F., & Smith, C. R. (2010). Community structure of infaunal macrobenthos around vestimentiferan thickets at the San Clemente cold seep, NE Pacific. *Marine Ecology-an Evolutionary Perspective*, 31(4), 608-621.
- Bernasconi, M., Nottestad, L., Axelsen, B. E., & Krakstad, J. O. (2011). Acoustic observations of dusky dolphins *Lagenorhynchus obscurus* hunting Cape horse mackerel *Trachurus capensis* off Namibia. *Marine Ecology Progress Series*, 429, 209-218.
- Bernasconi, M., Patel, R., & Nottestad, L. (2012). Behavioral Observations of Baleen Whales in Proximity of a Modern Fishing Vessel. In A. N. Popper & A. Hawkins (Eds.), *Effects of Noise on Aquatic Life* (Vol. 730, pp. 335-338).
- Bernasconi, M., Patel, R., Nottestad, L., Pedersen, G., & Brierley, A. S. (2013). The effect of depth on the target strength of a humpback whale (*Megaptera novaeangliae*). *Journal of the Acoustical Society of America*, 134(6), 4316-4322.
- Bernatchez, L., & Duchesne, P. (2000). Individual-based genotype analysis in studies of parentage and population assignment: how many loci, how many alleles? *Canadian Journal of Fisheries and Aquatic Sciences*, 57(1), 1-12.
- Beron-Vera, B., Pedraza, S. N., Raga, J. A., de Pertierra, A. G., Crespo, E. A., Alonso, M. K., et al. (2001). Gastrointestinal helminths of Commerson's dolphins *Cephalorhynchus commersonii* from central Patagonia and Tierra del Fuego. *Diseases of Aquatic Organisms*, 47(3), 201-208.
- Berta, A., Lanzetti, A., Ekdale, E. G., & Demere, T. A. (2016). From Teeth to Baleen and Raptorial to Bulk Filter Feeding in Mysticete Cetaceans: The Role of Paleontological, Genetic, and Geochemical Data in Feeding Evolution and Ecology. *Integrative and Comparative Biology*, 56(6), 1271-1284.
- Bertulli, C. G., Leeney, R. H., Barreau, T., & Matassa, D. S. (2016). Can whale-watching and whaling co-exist? Tourist perceptions in Iceland. *Journal of the Marine Biological Association of the United Kingdom*, 96(4), 969-977.
- Berumen, M. L., Braun, C. D., Cochran, J. E. M., Skomal, G. B., & Thorrold, S. R. (2014). Movement Patterns of Juvenile Whale Sharks Tagged at an Aggregation Site in the Red Sea. *Plos One*, 9(7).
- Besio, K., Johnston, L., & Longhurst, R. (2008). Sexy beasts and devoted mums: narrating nature through dolphin tourism. *Environment and Planning A*, 40(5), 1219-1234.

- Beslin, W. A. M., Whitehead, H., & Gero, S. (2018). Automatic acoustic estimation of sperm whale size distributions achieved through machine recognition of on-axis clicks. *Journal of the Acoustical Society of America*, 144(6), 3485-3495.
- Bessesen, B. L. (2015). Occurrence and distribution patterns of several marine vertebrates in Golfo Dulce, Costa Rica. *Revista De Biología Tropical*, 63, 261-272.
- Best, B. D., & Halpin, P. N. (2019). Minimizing wildlife impacts for offshore wind energy development: Winning tradeoffs for seabirds in space and cetaceans in time. *Plos One*, 14(5).
- Best, P. B. (1996). The external locations of harpoon wounds on minke whales taken in Antarctic commercial whaling operations, 1978/79 season. *Animal Welfare*, 5(1), 57-62.
- Best, P. B. (2006). The presence of right whales in summer on the West Coast of South Africa: the evidence from historical records. *African Journal of Marine Science*, 28(1), 159-166.
- Best, P. B. (2008). Nineteenth-century evidence for the Golfo de Panama as a migratory destination for southern humpback whales, including the first mention of singing. *Marine Mammal Science*, 24(3), 737-742.
- Best, P. B., Elwen, S. H., Palsboll, P. J., Thornton, M., Austin, E., & Vinding, K. (2015). Possible non-offspring nursing in the southern right whale, *Eubalaena australis*. *Journal of Mammalogy*, 96(2), 405-416.
- Best, P. B., Mate, B., & Lagerquist, B. (2015). Tag retention, wound healing, and subsequent reproductive history of southern right whales following satellite-tagging. *Marine Mammal Science*, 31(2), 520-539.
- Best, P. B., & Meyer, M. A. (2010). Neglected But Not Forgotten-Southern Africa's Dusky Dolphins.
- Best, P. B., Payne, R., Rowntree, V., Palazzo, J. T., & Both, M. D. (1993). LONG-RANGE MOVEMENTS OF SOUTH-ATLANTIC RIGHT WHALES *EUBALAENA-AUSTRALIS*. *Marine Mammal Science*, 9(3), 227-234.
- Best, P. B., Reeb, D., Rew, M. B., Palsboll, P. J., Schaeff, C., & Brandao, A. (2005). Biopsying southern right whales: Their reactions and effects on reproduction. *Journal of Wildlife Management*, 69(3), 1171-1180.
- Best, P. B., & Ross, G. J. B. (1996). Whale observations from the Knysna Heads, 1903-1906. *South African Journal of Marine Science-Suid-Afrikaanse Tydskrif Vir Seewetenskap*, 17, 305-308.
- Best, P. B., Schaeff, C. M., Reeb, D., & Palsboll, P. J. (2003). Composition and possible function of social groupings of southern right whales in South African waters. *Behaviour*, 140, 1469-1494.
- Best, P. B., Sekiguchi, K., & Findlay, K. P. (1995). A SUSPENDED MIGRATION OF HUMPBACK WHALES *MEGAPTERA-NOVAEANGLIAE* ON THE WEST-COAST OF SOUTH-AFRICA. *Marine Ecology Progress Series*, 118(1-3), 1-12.
- Bester, M. N., de Bruyn, P. J. N., Oosthuizen, W. C., Tosh, C. A., McIntyre, T., Reisinger, R. R., et al. (2011). The Marine Mammal Programme at the Prince Edward Islands: 38 years of research. *African Journal of Marine Science*, 33(3), 511-521.
- Bester, M. N., Hofmeyr, G. J. G., Kirkman, S. P., Chauke, L. F., De Bruyn, P. J. N., Ferreira, S. M., et al. (2006). The leopard seal at Marion Island, vagrant or seasonal transient? *South African Journal of Wildlife Research*, 36(2), 195-198.
- Bestley, S., Andrews-Goff, V., van Wijk, E., Rintoul, S. R., Double, M. C., & How, J. (2019). New insights into prime Southern Ocean forage grounds for thriving Western Australian humpback whales. *Scientific Reports*, 9.
- Betts, M. W. (2007). The Mackenzie Inuit whale bone industry: Raw material, tool manufacture, scheduling, and trade. *Arctic*, 60(2), 129-144.

- Betts, M. W., & Friesen, T. M. (2013). Archaeofaunal signatures of specialized bowhead whaling in the Western Canadian Arctic: a regional study. *Anthropozoologica*, 48(1), 53-73.
- Beverly, S., Curran, D., Musyl, M., & Molony, B. (2009). Effects of eliminating shallow hooks from tuna longline sets on target and non-target species in the Hawaii-based pelagic tuna fishery. *Fisheries Research*, 96(2-3), 281-288.
- Bezamat, C., Castilho, P. V., Simoes-Lopes, P. C., Ingram, S. N., & Daura-Jorge, F. G. (2019). Reproductive parameters and factors influencing calf survival of bottlenose dolphins that engage in a unique foraging cooperation with fishermen. *Marine Biology*, 167(1).
- Bezamat, C., Simoes-Lopes, P. C., Castilho, P. V., & Daura-Jorge, F. G. (2019). The influence of cooperative foraging with fishermen on the dynamics of a bottlenose dolphin population. *Marine Mammal Science*, 35(3), 825-842.
- Bezamat, C., Wedekin, L. L., & Simoes-Lopes, P. C. (2015). Potential ship strikes and density of humpback whales in the Abrolhos Bank breeding ground, Brazil. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 25(5), 712-725.
- Bhaskar, N., & Kumar, P. M. (2020). Optimal processing of nearest-neighbor user queries in crowdsourcing based on the whale optimization algorithm. *Soft Computing*, 24(17), 13037-13050.
- Bhiry, N., Delwaide, A., Allard, M., Begin, Y., Filion, L., Lavoie, M., et al. (2011). Environmental change in the Great Whale River region, Hudson Bay: Five decades of multidisciplinary research by Centre d'etudes nordiques (CEN). *Ecoscience*, 18(3), 182-203.
- Bianucci, G. (2013). SEPTIDELPHIS MORII, N. GEN. ET SP., FROM THE PLIOCENE OF ITALY: NEW EVIDENCE OF THE EXPLOSIVE RADIATION OF TRUE DOLPHINS (ODONTOCETI, DELPHINIDAE). *Journal of Vertebrate Paleontology*, 33(3), 722-740.
- Bianucci, G., Bosio, G., Malinverno, E., de Muizon, C., Villa, I. M., Urbina, M., et al. (2018). A new large squalodelphinid (Cetacea, Odontoceti) from Peru sheds light on the Early Miocene platanistoid disparity and ecology. *Royal Society Open Science*, 5(4).
- Bianucci, G., Collareta, A., Bosio, G., Landini, W., Gariboldi, K., Gioncada, A., et al. (2018). Taphonomy and palaeoecology of the lower Miocene marine vertebrate assemblage of Ullujaya (Chilcatay Formation, East Pisco Basin, southern Peru). *Palaeogeography Palaeoclimatology Palaeoecology*, 511, 256-279.
- Bianucci, G., Collareta, A., Post, K., Varola, A., & Lambert, O. (2016). A NEW RECORD OF MESSAPICETUS FROM THE PIETRA LECCESE (LATE MIOCENE, SOUTHERN ITALY): ANTITROPICAL DISTRIBUTION IN A FOSSIL BEAKED WHALE (CETACEA, ZIPHIIDAE). *Rivista Italiana Di Paleontologia E Stratigrafia*, 122(1), 63-74.
- Bianucci, G., de Muizon, C., Urbina, M., & Lambert, O. (2020). Extensive Diversity and Disparity of the Early Miocene Platanistoids (Cetacea, Odontoceti) in the Southeastern Pacific (Chilcatay Formation, Peru). *Life-Basel*, 10(3).
- Bianucci, G., Di Celma, C., Urbina, M., & Lambert, O. (2016). New beaked whales from the late Miocene of Peru and evidence for convergent evolution in stem and crown Ziphiidae (Cetacea, Odontoceti). *PeerJ*, 4.
- Bianucci, G., Gatt, M., Catanzariti, R., Sorbi, S., Bonavia, C. G., Curmi, R., et al. (2011). Systematics, biostratigraphy and evolutionary pattern of the Oligo-Miocene marine mammals from the Maltese Islands. *Geobios*, 44(6), 549-585.
- Bianucci, G., & Landini, W. (2002). Change in diversity, ecological significance and biogeographical relationships of the Mediterranean Miocene toothed whale fauna. *Geobios*, 35, 19-28.

Bianucci, G., Landini, W., & Buckeridge, J. (2006). Whale barnacles and Neogene cetacean migration routes. *New Zealand Journal of Geology and Geophysics*, 49(1), 115-120.

Bianucci, G., Llacer, S., Cardona, J. Q., Collareta, A., & Florit, A. R. (2019). A new beaked whale record from the upper Miocene of Menorca, Balearic Islands, based on CT-scan analysis of limestone slabs. *Acta Palaeontologica Polonica*, 64(2), 291-302.

Bianucci, G., Mijan, I., Lambert, O., Post, K., & Mateus, O. (2013). Bizarre fossil beaked whales (Odontoceti, Ziphiidae) fished from the Atlantic Ocean floor off the Iberian Peninsula. *Geodiversitas*, 35(1), 105-153.

Bilgmann, K., Moller, L. M., Harcourt, R. G., Kemper, C. M., & Beheregaray, L. B. (2011). The Use of Carcasses for the Analysis of Cetacean Population Genetic Structure: A Comparative Study in Two Dolphin Species. *Plos One*, 6(5).

Bilgmann, K., Parra, G. J., Holmes, L., Peters, K. J., Jonsen, I. D., & Moller, L. M. (2019). Abundance estimates and habitat preferences of bottlenose dolphins reveal the importance of two gulfs in South Australia. *Scientific Reports*, 9.

Bills, M. L., & Keith, E. O. (2012). Historical Abundance and Spatial Distribution of the Atlantic Bottlenose Dolphin (*Tursiops truncatus*) Along the Southeast Coast of the United States. *Aquatic Mammals*, 38(3), 290-300.

Bird, D. J., Hamid, I., Fox-Rosales, L., & Van Valkenburgh, B. (2020). Olfaction at depth: Cribriform plate size declines with dive depth and duration in aquatic arctoid carnivorans. *Ecology and Evolution*, 10(14), 6929-6953.

Bird, D. J., Murphy, W. J., Fox-Rosales, L., Hamid, I., Eagle, R. A., & Van Valkenburgh, B. (2018). Olfaction written in bone: cribriform plate size parallels olfactory receptor gene repertoires in Mammalia. *Proceedings of the Royal Society B-Biological Sciences*, 285(1874).

Birkely, S. R., & Gulliksen, B. (2003). Feeding ecology in five shrimp species (Decapoda, Caridea) from an Arctic Fjord (Isfjorden, Svalbard), with emphasis on *Sclerocrangon boreas* (Phipps, 1774). *Crustaceana*, 76, 699-715.

Birukou, I., Maillett, D. H., Birukova, A., & Olson, J. S. (2011). Modulating Distal Cavities in the alpha and beta Subunits of Human HbA Reveals the Primary Ligand Migration Pathway. *Biochemistry*, 50(34), 7361-7374.

Bisack, K. D., & Das, C. (2015). Understanding Non-compliance With Protected Species Regulations in the Northeast USA Gillnet Fishery. *Frontiers in Marine Science*, 2.

Bisconti, M. (2008). Morphology and phylogenetic relationships of a new eschrichtiid genus (Cetacea : Mysticeti) from the Early Pliocene of northern Italy. *Zoological Journal of the Linnean Society*, 153(1), 161-186.

Bisconti, M., & Bosselaers, M. E. J. (2020). A new balaenopterid species from the Southern North Sea Basin informs about phylogeny and taxonomy of *Burtinopsis* and *Protorqualus* (Cetacea, Mysticeti, Balaenopteridae). *Peerj*, 8.

Bisconti, M., Damarco, P., Mao, S. L. N., Pavia, M., & Carnevale, G. THE EARLIEST BALEEN WHALE FROM THE MEDITERRANEAN: LARGE-SCALE IMPLICATIONS OF AN EARLY MIOCENE THALASSOTHERIAN MYSTICETE FROM PIEDMONT, ITALY. *Papers in Palaeontology*.

Bisconti, M., Munsterman, D. K., Fraaije, R. H. B., Bosselaers, M. E. J., & Post, K. (2020). A new species of rorqual whale (Cetacea, Mysticeti, Balaenopteridae) from the Late Miocene of the Southern North Sea Basin and the role of the North Atlantic in the paleobiogeography of Archaebalaenoptera. *Peerj*, 8.

Bisconti, M., Munsterman, D. K., & Post, K. (2019). A new balaenopterid whale from the late Miocene of the Southern North Sea Basin and the evolution of balaenopterid diversity (Cetacea, Mysticeti). *Peerj*, 7.

- Bisconti, M., & Varola, A. (2006). The oldest Eschrichtiid Mysticete and a new morphological diagnosis of Eschrichtiidae (gray whales). *Rivista Italiana Di Paleontologia E Stratigrafia*, 112(3), 447-457.
- Bissonnette, A., Perry, S., Barrett, L., Mitani, J. C., Flinn, M., Gavrillets, S., et al. (2015). Coalitions in theory and reality: a review of pertinent variables and processes. *Behaviour*, 152(1), 1-56.
- Bittencourt, L., Carvalho, R. R., Lailson-Brito, J., & Azevedo, A. F. (2014). Underwater noise pollution in a coastal tropical environment. *Marine Pollution Bulletin*, 83(1), 331-336.
- Bittencourt, L., Lima, I. M. S., Andrade, L. G., Carvalho, R. R., Bisi, T. L., Lailson-Brito, J., et al. (2017). Underwater noise in an impacted environment can affect Guiana dolphin communication. *Marine Pollution Bulletin*, 114(2), 1130-1134.
- Bittencourt, L., Soares, W., de Lima, I. M. S., Pai, S., Lailson-Brito, J., Barreira, L. M., et al. (2018). Mapping cetacean sounds using a passive acoustic monitoring system towed by an autonomous Wave Glider in the Southwestern Atlantic Ocean. *Deep-Sea Research Part I-Oceanographic Research Papers*, 142, 58-68.
- Bjorge, A., Bekkby, T., Bakkestuen, V., & Framstad, E. (2002). Interactions between harbour seals, *Phoca vitulina*, and fisheries in complex coastal waters explored by combined Geographic Information System (GIS) and energetics modelling. *Ices Journal of Marine Science*, 59(1), 29-42.
- Bjorke, H. (2001). Predators of the squid *Gonatus fabricii* (Lichtenstein) in the Norwegian Sea. *Fisheries Research*, 52(1-2), 113-120.
- Blackmer, A. L., Anderson, S. K., & Weinrich, M. T. (2000). Temporal variability in features used to photo-identify humpback whales (*Megaptera novaeangliae*). *Marine Mammal Science*, 16(2), 338-354.
- Blackwell, S. B., McDonald, T. L., Kim, K. H., Aerts, L. A. M., Richardson, W. J., Greene, C. R., et al. (2012). Directionality of bowhead whale calls measured with multiple sensors. *Marine Mammal Science*, 28(1), 200-212.
- Blackwell, S. B., Nations, C. S., McDonald, T. L., Greene, C. R., Thode, A. M., Guerra, M., et al. (2013). Effects of airgun sounds on bowhead whale calling rates in the Alaskan Beaufort Sea. *Marine Mammal Science*, 29(4), E342-E365.
- Blackwell, S. B., Nations, C. S., McDonald, T. L., Thode, A. M., Mathias, D., Kim, K. H., et al. (2015). Effects of Airgun Sounds on Bowhead Whale Calling Rates: Evidence for Two Behavioral Thresholds. *Plos One*, 10(6).
- Blackwell, S. B., Nations, C. S., Thode, A. M., Kauffman, M. E., Conrad, A. S., Norman, R. G., et al. (2017). Effects of tones associated with drilling activities on bowhead whale calling rates. *Plos One*, 12(11).
- Blackwell, S. B., Richardson, W. J., Greene, C. R., & Streever, B. (2007). Bowhead whale (*Balaena mysticetus*) migration and calling behaviour in the Alaskan Beaufort sea, Autumn 2001-04: An acoustic localization study. *Arctic*, 60(3), 255-270.
- Blackwell, S. B., Tervo, O. M., Conrad, A. S., Sinding, M. H. S., Hansen, R. G., Ditlevsen, S., et al. (2018). Spatial and temporal patterns of sound production in East Greenland narwhals. *Plos One*, 13(6).
- Blair, H. B., Merchant, N. D., Friedlaender, A. S., Wiley, D. N., & Parks, S. E. (2016). Evidence for ship noise impacts on humpback whale foraging behaviour. *Biology Letters*, 12(8).
- Blanchard, A. L., Demchenko, N. L., Aerts, L. A. M., Yazvenko, S. B., Ivin, V. V., Shcherbakov, I., et al. (2019). Prey biomass dynamics in gray whale feeding areas adjacent to northeastern Sakhalin (the Sea of Okhotsk), Russia, 2001-2015. *Marine Environmental Research*, 145, 123-136.

- Blanchet, M. A., Biuw, M., Hofmeyr, G. J. G., de Bruyn, P. J. N., Lydersen, C., & Kovacs, K. M. (2013). At-sea behaviour of three krill predators breeding at Bouvetoya-Antarctic fur seals, macaroni penguins and chinstrap penguins. *Marine Ecology Progress Series*, 477, 285-302.
- Blasi, M. F., & Boitani, L. (2014). Complex Social Structure of an Endangered Population of Bottlenose Dolphins (*Tursiops truncatus*) in the Aeolian Archipelago (Italy). *Plos One*, 9(12).
- Blasi, M. F., Giuliani, A., & Boitani, L. (2015). Influence of Trammel Nets on the Behaviour and Spatial Distribution of Bottlenose Dolphins (*Tursiops truncatus*) in the Aeolian Archipelago, Southern Italy. *Aquatic Mammals*, 41(3), 295-310.
- Blazekovic, K., Pleic, I. L., Duras, M., Gomercic, T., & Mladineo, I. (2015). Three *Anisakis* spp. isolated from toothed whales stranded along the eastern Adriatic Sea coast. *International Journal for Parasitology*, 45(1), 17-31.
- Bloch, D., Desportes, G., Harvey, P., Lockyer, C., & Mikkelsen, B. (2012). Life History of Risso's Dolphin (*Grampus griseus*) (G. Cuvier, 1812) in the Faroe Islands. *Aquatic Mammals*, 38(3), 250-266.
- Bloch, D., Desportes, G., Zachariassen, M., & Christensen, I. (1996). The northern bottlenose whale in the Faroe Islands, 1584-1993. *Journal of Zoology*, 239, 123-140.
- Bloch, D., Heide-Jorgensen, M. P., Stefansson, E., Mikkelsen, B., Ofstad, L. H., Dietz, R., et al. (2003). Short-term movements of long-finned pilot whales *Globicephala melas* around the Faroe Islands. *Wildlife Biology*, 9(1), 47-58.
- Block, B. A., Costa, D. P., Boehlert, G. W., & Kochevar, R. E. (2002). Revealing pelagic habitat use: the tagging of Pacific pelagics program. *Oceanologica Acta*, 25(5), 255-266.
- Blois-Heulin, C., Crevel, M., Boye, M., & Lemasson, A. (2012). Visual laterality in dolphins: importance of the familiarity of stimuli. *Bmc Neuroscience*, 13.
- Blok, A. (2011). War of the Whales: Post-Sovereign Science and Agonistic Cosmopolitics in Japanese-Global Whaling Assemblages. *Science Technology & Human Values*, 36(1), 55-81.
- Bloodworth, B., & Marshall, C. D. (2005). Feeding kinematics of *Kogia* and *Tursiops* (Odontoceti : Cetacea): characterization of suction and ram feeding. *Journal of Experimental Biology*, 208(19), 3721-3730.
- Blouin, G. C., & Olson, J. S. (2010). The Stretching Frequencies of Bound Alkyl Isocyanides Indicate Two Distinct Ligand Orientations within the Distal Pocket of Myoglobin. *Biochemistry*, 49(24), 4968-4976.
- Blouin, G. C., Schweers, R. L., & Olson, J. S. (2010). Alkyl Isocyanides Serve as Transition State Analogues for Ligand Entry and Exit in Myoglobin. *Biochemistry*, 49(24), 4987-4997.
- Bluhm, B. A., Coyle, K. O., Konar, B., & Highsmith, R. (2007). High gray whale relative abundances associated with an oceanographic front in the south-central Chukchi Sea. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 54(23-26), 2919-2933.
- Boebel, O., Clarkson, P., Coates, R., Larter, R., O'Brien, P. E., Ploetz, J., et al. (2005). Risks posed to the Antarctic marine environment by acoustic instruments: a structured analysis. *Antarctic Science*, 17(4), 533-540.
- Boehlert, G. W., Costa, D. P., Crocker, D. E., Green, P., O'Brien, T., Levitus, S., et al. (2001). Autonomous pinniped environmental samplers: Using instrumented animals as oceanographic data collectors. *Journal of Atmospheric and Oceanic Technology*, 18(11), 1882-1893.
- Boersma, A. T., McCurry, M. R., & Pyenson, N. D. (2017). A new fossil dolphin *Dilophodelphis fordycei* provides insight into the evolution of supraorbital crests in Platanistoidea (Mammalia, Cetacea). *Royal Society Open Science*, 4(5).

Boersma, A. T., & Pyenson, N. D. (2015). *Albicetus oxymycterus*, a New Generic Name and Redescription of a Basal Physeteroid (Mammalia, Cetacea) from the Miocene of California, and the Evolution of Body Size in Sperm Whales. *Plos One*, 10(12).

Boersma, A. T., & Pyenson, N. D. (2016). *Arktocara yakataga*, a new fossil odontocete (Mammalia, Cetacea) from the Oligocene of Alaska and the antiquity of Platanistoidea. *Peerj*, 4.

Boessenecker, R. W. (2013). A new marine vertebrate assemblage from the Late Neogene Purisima Formation in Central California, part II: Pinnipeds and Cetaceans. *Geodiversitas*, 35(4), 815-940.

Boessenecker, R. W. (2018). A Middle Pleistocene Sea Otter from Northern California and the Antiquity of *Enhydra* in the Pacific Basin. *Journal of Mammalian Evolution*, 25(1), 27-35.

Boessenecker, R. W., Ehret, D. J., Long, D. J., Churchill, M., Martin, E., & Boessenecker, S. J. (2019). The Early Pliocene extinction of the mega-toothed shark *Otodus megalodon*: a view from the eastern North Pacific. *Peerj*, 7.

Boessenecker, R. W., & Fordyce, R. E. (2015a). A new genus and species of eomysticetid (Cetacea: Mysticeti) and a reinterpretation of "*Mauicetus*" *lophocephalus* Marples, 1956: Transitional baleen whales from the upper Oligocene of New Zealand. *Zoological Journal of the Linnean Society*, 175(3), 607-660.

Boessenecker, R. W., & Fordyce, R. E. (2015b). Anatomy, feeding ecology, and ontogeny of a transitional baleen whale: a new genus and species of Eomysticetidae (Mammalia: Cetacea) from the Oligocene of New Zealand. *Peerj*, 3.

Boessenecker, R. W., & Fordyce, R. E. (2017). Cosmopolitanism and Miocene survival of Eomysticetidae (Cetacea: Mysticeti) revealed by new fossils from New Zealand. *New Zealand Journal of Geology and Geophysics*, 60(2), 145-157.

Boessenecker, R. W., Fraser, D., Churchill, M., & Geisler, J. H. (2017). A toothless dwarf dolphin (Odontoceti: Xenorophidae) points to explosive feeding diversification of modern whales (Neoceti). *Proceedings of the Royal Society B-Biological Sciences*, 284(1861).

Boessenecker, R. W., Perry, F. A., & Geisler, J. H. (2015). Globicephaline whales from the Mio-Pliocene Purisima Formation of central California, USA. *Acta Palaeontologica Polonica*, 60(1), 113-122.

Bogumil, R., Hunter, C. L., Maurus, R., Tang, H. L., Lee, H., Lloyd, E., et al. (1994). FTIR ANALYSIS OF THE INTERACTION OF AZIDE WITH HORSE HEART MYOGLOBIN VARIANTS. *Biochemistry*, 33(24), 7600-7608.

Boisseau, O. (2005). Quantifying the acoustic repertoire of a population: The vocalizations of free-ranging bottlenose dolphins in Fiordland, New Zealand. *Journal of the Acoustical Society of America*, 117(4), 2318-2329.

Boisserie, J. R., Fisher, R. E., Lihoreau, F., & Weston, E. M. (2011). Evolving between land and water: key questions on the emergence and history of the Hippopotamidae (Hippopotamoidea, Cetancodonta, Cetartiodactyla). *Biological Reviews*, 86(3), 601-625.

Boldrocchi, G., Omar, M., Azzola, A., & Bettinetti, R. (2020). The ecology of the whale shark in Djibouti. *Aquatic Ecology*, 54(2), 535-551.

Bolt, H. E., Harvey, P. V., Mandleberg, L., & Foote, A. D. (2009). Occurrence of killer whales in Scottish inshore waters: temporal and spatial patterns relative to the distribution of declining harbour seal populations. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 19(6), 671-675.

Bonfil, R., Francis, M. P., Duffy, C., Manning, M. J., & O'Brien, S. (2010). Large-scale tropical movements and diving behavior of white sharks *Carcharodon carcharias* tagged off New Zealand. *Aquatic Biology*, 8(2), 115-123.

- Bonin, C. A., Lewallen, E. A., van Wijnen, A. J., Cremer, M. J., & Simoes-Lopes, P. C. (2017). Habitat Preference and Behaviour of the Guiana Dolphin (*Sotalia guianensis*) in a Well-Preserved Estuary off Southern Brazil. *Pakistan Journal of Zoology*, 49(6), 2235-2242.
- Bonizzoni, S., Furey, N. B., Pirotta, E., Valavanis, V. D., Wursig, B., & Bearzi, G. (2014). Fish farming and its appeal to common bottlenose dolphins: modelling habitat use in a Mediterranean embayment. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 24(5), 696-711.
- Bonizzoni, S., Furey, N. B., Santostasi, N. L., Eddy, L., Valavanis, V. D., & Bearzi, G. (2019). Modelling dolphin distribution within an Important Marine Mammal Area in Greece to support spatial management planning. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 29(10), 1665-1680.
- Bonnel, J., Thode, A. M., Blackwell, S. B., Kim, K., & Macrander, A. M. (2014). Range estimation of bowhead whale (*Balaena mysticetus*) calls in the Arctic using a single hydrophone. *Journal of the Acoustical Society of America*, 136(1), 145-155.
- Booth, C. G. (2020). Food for thought: Harbor porpoise foraging behavior and diet inform vulnerability to disturbance. *Marine Mammal Science*, 36(1), 195-208.
- Bopardikar, I., Sutaria, D., Sule, M., Jog, K., Patankar, V., & Klinck, H. (2018). Description and classification of Indian Ocean humpback dolphin (*Sousa plumbea*) whistles recorded off the Sindhudurg coast of Maharashtra, India. *Marine Mammal Science*, 34(3), 755-776.
- Bor, P. H. F., & Santos, M. B. (2003). Findings of elasmobranch eggs in the stomachs of sperm whales and other marine organisms. *Journal of the Marine Biological Association of the United Kingdom*, 83(6), 1351-1353.
- Borchers, D. L., & Cox, M. J. (2017). Distance sampling detection functions: 2D or not 2D? *Biometrics*, 73(2), 593-602.
- Borchers, D. L., & Langrock, R. (2015). Double-Observer Line Transect Surveys with Markov-Modulated Poisson Process Models for Animal Availability. *Biometrics*, 71(4), 1060-1069.
- Borchers, D. L., Zucchini, W., Heide-Jorgensen, M. P., Canadas, A., & Langrock, R. (2013). Using Hidden Markov Models to Deal with Availability Bias on Line Transect Surveys. *Biometrics*, 69(3), 703-713.
- Bordino, P., Mackay, A. I., Werner, T. B., Northridge, S. P., & Read, A. J. (2013). Franciscana bycatch is not reduced by acoustically reflective or physically stiffened gillnets. *Endangered Species Research*, 21(1), 1-12.
- Borisova, E. A., Filatova, O. A., Fedutin, I. D., Tiunov, A. V., Shpak, O. V., & Hoyt, E. (2020). Ecotype and geographical variation in carbon and nitrogen stable isotope values in western North Pacific killer whales (*Orcinus orca*). *Marine Mammal Science*, 36(3), 925-938.
- Borjesson, P., & Read, A. J. (2003). Variation in timing of conception between populations of the harbor porpoise. *Journal of Mammalogy*, 84(3), 948-955.
- Borkar, G. M., & Mahajan, A. R. (2017). A secure and trust based on-demand multipath routing scheme for self-organized mobile ad-hoc networks. *Wireless Networks*, 23(8), 2455-2472.
- Born, E. W., Dahlgaard, H., Riget, F. F., Dietz, R., Oien, N., & Haug, T. (2002). Regional variation of caesium-137 in minke whales *Balaenoptera acutorostrata* from West Greenland, the Northeast Atlantic and the North Sea. *Polar Biology*, 25(12), 907-913.
- Bornhold, B. D., Jay, C. V., McConnaughey, R., Rathwell, G., Rhynas, K., & Collins, W. (2005). Walrus foraging marks on the seafloor in Bristol Bay, Alaska: a reconnaissance survey. *Geo-Marine Letters*, 25(5), 293-299.

- Borobia, M., Siciliano, S., Lodi, L., & Hoek, W. (1991). DISTRIBUTION OF THE SOUTH-AMERICAN DOLPHIN *SOTALIA-FLUVIATILIS*. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 69(4), 1025-1039.
- Borsa, P. (2006). Marine mammal strandings in the New Caledonia region, Southwest Pacific. *Comptes Rendus Biologies*, 329(4), 277-288.
- Bort, J., Van Parijs, S. M., Stevick, P. T., Summers, E., & Todd, S. (2015). North Atlantic right whale *Eubalaena glacialis* vocalization patterns in the central Gulf of Maine from October 2009 through October 2010. *Endangered Species Research*, 26(3), 271-280.
- Bortolotto, G. A., Danilewicz, D., Hammond, P. S., Thomas, L., & Zerbini, A. N. (2017). Whale distribution in a breeding area: spatial models of habitat use and abundance of western South Atlantic humpback whales. *Marine Ecology Progress Series*, 585, 213-227.
- Borveto, F., Bravos, I. G., & Willemsen, A. (2020). Papillomaviruses infecting cetaceans exhibit signs of genome adaptation following a recombination event. *Virus Evolution*, 6(1).
- Bossley, M., Steiner, A., Brakes, P., Shrimpton, J., Foster, C., & Rendell, L. (2018). Tail walking in a bottlenose dolphin community: the rise and fall of an arbitrary cultural 'fad'. *Biology Letters*, 14(9).
- Bost, C. A., Cotte, C., Bailleul, F., Cherel, Y., Charrassin, J. B., Guinet, C., et al. (2009). The importance of oceanographic fronts to marine birds and mammals of the southern oceans. *Journal of Marine Systems*, 78(3), 363-376.
- Boswell, G. P., Franks, N. R., & Britton, N. F. (2001). Arms races and the evolution of big fierce societies. *Proceedings of the Royal Society B-Biological Sciences*, 268(1477), 1723-1730.
- Boswell, K. M., Rieucan, G., Vollenweider, J. J., Moran, J. R., Heintz, R. A., Blackburn, J. K., et al. (2016). Are spatial and temporal patterns in Lynn Canal overwintering Pacific herring related to top predator activity? *Canadian Journal of Fisheries and Aquatic Sciences*, 73(9), 1307-1318.
- Botcher, A., Gero, S., Beedholm, K., Whitehead, H., & Madsen, P. T. (2018). Variability of the inter-pulse interval in sperm whale clicks with implications for size estimation and individual identification. *Journal of the Acoustical Society of America*, 144(1), 365-374.
- Bouchett, P. J., Letessier, T. B., Caley, M. J., Nichol, S. L., Hemmi, J. M., & Meeuwig, J. J. (2020). Submerged Carbonate Banks Aggregate Pelagic Megafauna in Offshore Tropical Australia. *Frontiers in Marine Science*, 7.
- Bouffaut, L., Dreo, R., Labat, V., Boudraa, A. O., & Barruol, G. (2018). Passive stochastic matched filter for Antarctic blue whale call detection. *Journal of the Acoustical Society of America*, 144(2), 955-965.
- Bourdet, J., Kempton, R. H., Dyja-Person, V., Pironon, J., Gong, S., & Ross, A. S. (2020). Constraining the timing and evolution of hydrocarbon migration in the Bight Basin. *Marine and Petroleum Geology*, 114.
- Bouveroux, T., Kirkman, S. P., Conry, D., Vargas-Fonseca, O. A., & Pistorius, P. A. (2019). The first assessment of social organisation of the Indian Ocean humpback dolphin (*Sousa plumbea*) along the south coast of South Africa. *Canadian Journal of Zoology*, 97(10), 855-865.
- Bouveroux, T., Melly, B., McGregor, G., & Plon, S. (2018). Another dolphin in peril? Photo-identification, occurrence, and distribution of the endangered Indian Ocean humpback dolphin (*Sousa plumbea*) in Algoa Bay. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 28(3), 723-732.
- Bouveroux, T. N., Caputo, M., Froneman, P. W., & Plon, S. (2018). Largest reported groups for the Indo-Pacific bottlenose dolphin (*Tursiops aduncus*) found in Algoa Bay, South Africa: Trends and potential drivers. *Marine Mammal Science*, 34(3), 645-665.

- Bovy, K. M., Moss, M. L., Watson, J. E., White, F. J., Jones, T. T., Ulrich, H. A., et al. (2019). Evaluating Native American Bird Use and Bird Assemblage Variability along the Oregon Coast. *Journal of Island & Coastal Archaeology*, 14(3), 301-336.
- Bowers, M. T., Friedlaender, A. S., Janik, V. M., Nowacek, D. P., Quick, N. J., Southall, B. L., et al. (2018). Selective reactions to different killer whale call categories in two delphinid species. *Journal of Experimental Biology*, 221(11).
- Bowler, M. T., Griffiths, B. M., Gilmore, M. P., Wingfield, A., & Recharte, M. (2018). Potentially infanticidal behavior in the Amazon river dolphin (*Inia geoffrensis*). *Acta Ethologica*, 21(2), 141-145.
- Bowles, A. E., & Anderson, R. C. (2012). Behavioral Responses and Habituation of Pinnipeds and Small Cetaceans to Novel Objects and Simulated Fishing Gear With and Without a Pinger. *Aquatic Mammals*, 38(2), 161-188.
- Bowles, A. E., Smultea, M., Wursig, B., Demaster, D. P., & Palka, D. (1994). RELATIVE ABUNDANCE AND BEHAVIOR OF MARINE MAMMALS EXPOSED TO TRANSMISSIONS FROM THE HEARD ISLAND FEASIBILITY TEST. *Journal of the Acoustical Society of America*, 96(4), 2469-2484.
- Bowles, D., & Lonsdale, J. (1994). AN ANALYSIS OF BEHAVIOR AND KILLING TIMES RECORDED DURING A PILOT WHALE HUNT. *Animal Welfare*, 3(4), 285-304.
- Boyd, C., Barlow, J., Becker, E. A., Forney, K. A., Gerrodette, T., Moore, J. E., et al. (2018). Estimation of population size and trends for highly mobile species with dynamic spatial distributions. *Diversity and Distributions*, 24(1), 1-12.
- Boye, T. K., Simon, M., & Madsen, P. T. (2010). Habitat use of humpback whales in Godthaabsfjord, West Greenland, with implications for commercial exploitation. *Journal of the Marine Biological Association of the United Kingdom*, 90(8), 1529-1538.
- Boys, R. M., Oliveira, C., Perez-Jorgeo, S., Prieto, R., Steiner, L., & Silva, M. A. (2019). Multi-state open robust design applied to opportunistic data reveals dynamics of wide-ranging taxa: the sperm whale case. *Ecosphere*, 10(3).
- Braby, C. E., Pearse, V. B., Bain, B. A., & Vrijenhoek, R. C. (2009). Pycnogonid-cnidarian trophic interactions in the deep Monterey Submarine Canyon. *Invertebrate Biology*, 128(4), 359-363.
- Bradford, A. L., Weller, D. W., Ivashchenko, Y. V., Burdin, A. M., & Brownell, R. L. (2009). Anthropogenic scarring of western gray whales (*Eschrichtius robustus*). *Marine Mammal Science*, 25(1), 161-175.
- Bradford, A. L., Weller, D. W., Punt, A. E., Ivashchenko, Y. V., Burdin, A. M., VanBlaricom, G. R., et al. (2012). Leaner leviathans: body condition variation in a critically endangered whale population. *Journal of Mammalogy*, 93(1), 251-266.
- Bradley, A., Mennie, N., Bibby, P. A., & Cassaday, H. J. (2020). Some animals are more equal than others: Validation of a new scale to measure how attitudes to animals depend on species and human purpose of use. *Plos One*, 15(1).
- Bradshaw, C. J. A., Fitzpatrick, B. M., Steinberg, C. C., Brook, B. W., & Meekan, M. G. (2008). Decline in whale shark size and abundance at Ningaloo Reef over the past decade: The world's largest fish is getting smaller. *Biological Conservation*, 141(7), 1894-1905.
- Bradshaw, P. J., Broderick, A. C., Carreras, C., Inger, R., Fuller, W., Snape, R., et al. (2017). Satellite tracking and stable isotope analysis highlight differential recruitment among foraging areas in green turtles. *Marine Ecology Progress Series*, 582, 201-214.

- Brady, B., Hedwig, D., Trygonis, V., & Gerstein, E. (2020). Classification of Florida manatee (*Trichechus manatus latirostris*) vocalizations. *Journal of the Acoustical Society of America*, 147(3), 1597-1606.
- Braga, H. D., Pardal, M. A., & Azeiteiro, U. M. (2017). Sharing fishers' ethnoecological knowledge of the European pilchard (*Sardina pilchardus*) in the westernmost fishing community in Europe. *Journal of Ethnobiology and Ethnomedicine*, 13.
- Braga, L. C. M., Silva, A. C. F., Buono, V. T. L., & Bahia, M. G. D. (2014). Impact of Heat Treatments on the Fatigue Resistance of Different Rotary Nickel-titanium Instruments. *Journal of Endodontics*, 40(9), 1494-1497.
- Brager, S., & Brager, Z. (2018). Range Utilization and Movement Patterns of Coastal Hector's Dolphins (*Cephalorhynchus hectors*). *Aquatic Mammals*, 44(6), 633-642.
- Brager, S., Harraway, J. A., & Manly, B. F. J. (2003). Habitat selection in a coastal dolphin species (*Cephalorhynchus hectori*). *Marine Biology*, 143(2), 233-244.
- Brager, S., Wursig, B., Acevedo, A., & Henningsen, T. (1994). ASSOCIATION PATTERNS OF BOTTLE-NOSED DOLPHINS (*TURSIOPS-TRUNCATUS*) IN GALVESTON BAY, TEXAS. *Journal of Mammalogy*, 75(2), 431-437.
- Brager, Z., Gonzalvo, J., Agazzi, S., & Bearzi, G. (2016). Identification of Bottlenose Dolphin (*Tursiops truncatus*) Prey Using Fish Scale Analysis. *Aquatic Mammals*, 42(1), 63-73.
- Braithwaite, J. E., Meeuwig, J. J., & Jenner, K. C. S. (2012). Estimating Cetacean Carrying Capacity Based on Spacing Behaviour. *Plos One*, 7(12).
- Braithwaite, J. E., Meeuwig, J. J., Letessier, T. B., Jenner, K. C. S., & Brierley, A. S. (2015). From sea ice to blubber: linking whale condition to krill abundance using historical whaling records. *Polar Biology*, 38(8), 1195-1202.
- Brand, D., Edelist, D., Goffman, O., Hadar, N., Scheinin, A., & Kerem, D. Common dolphins, common in neritic waters off southern Israel, demonstrate uncommon dietary habits. *Aquatic Conservation-Marine and Freshwater Ecosystems*.
- Brand, L. R., Esperante, R., Chadwick, A. V., Porras, O. P., & Alomia, M. (2004). Fossil whale preservation implies high diatom accumulation rate in the Miocene-Pliocene Pisco Formation of Peru. *Geology*, 32(2), 165-168.
- Brando, S., Kooistra, N., & Hosey, G. (2019). Pre and post session behaviour of captive bottlenose dolphins *Tursiops truncatus* involved in "Swim-with-Dolphin" events. *Journal of Zoo and Aquarium Research*, 7(4), 195-202.
- Brandt, A., Bathmann, U., Brix, S., Cisewski, B., Flores, H., Gocke, C., et al. (2011). Maud Rise - a snapshot through the water column. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 58(19-20), 1962-1982.
- Brandt, M. J., Hansen, S., Diederichs, A., & Nehls, G. (2014). Do man-made structures and water depth affect the diel rhythms in click recordings of harbor porpoises (*Phocoena phocoena*)? *Marine Mammal Science*, 30(3), 1109-1121.
- Branstetter, B. K., Bakhtiari, K., Black, A., Trickey, J. S., Finneran, J. J., & Aihara, H. (2016). Energetic and informational masking of complex sounds by a bottlenose dolphin (*Tursiops truncatus*). *Journal of the Acoustical Society of America*, 140(3), 1904-1917.
- Branstetter, B. K., Black, A., & Bakhtiari, K. (2013). Discrimination of mixed-directional whistles by a bottlenose dolphin (*Tursiops truncatus*). *Journal of the Acoustical Society of America*, 134(3), 2274-2285.

Branstetter, B. K., Bowman, V. F., Houser, D. S., Tormey, M., Banks, P., Finneran, J. J., et al. (2018). Effects of vibratory pile driver noise on echolocation and vigilance in bottlenose dolphins (*Tursiops truncatus*). *Journal of the Acoustical Society of America*, 143(1), 429-439.

Braulik, G. T. (2006). Status assessment of the Indus River dolphin, *Platanista gangetica minor*, March-April 2001. *Biological Conservation*, 129(4), 579-590.

Braulik, G. T., Arshad, M., Noureen, U., & Northridge, S. P. (2014). Habitat Fragmentation and Species Extirpation in Freshwater Ecosystems; Causes of Range Decline of the Indus River Dolphin (*Platanista gangetica minor*). *Plos One*, 9(7).

Braulik, G. T., Kasuga, M., Wittich, A., Kiszka, J. J., MacCaulay, J., Gillespie, D., et al. (2018). Cetacean rapid assessment: An approach to fill knowledge gaps and target conservation across large data deficient areas. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 28(1), 216-230.

Braulik, G. T., Reichert, A. P., Ehsan, T., Khan, S., Northridge, S. P., Alexander, J. S., et al. (2012). Habitat use by a freshwater dolphin in the low-water season. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 22(4), 533-546.

Braun, C. D., Skomal, G. B., Thorrold, S. R., & Berumen, M. L. (2014). Diving Behavior of the Reef Manta Ray Links Coral Reefs with Adjacent Deep Pelagic Habitats. *Plos One*, 9(2).

Breed, G. A., Matthews, C. J. D., Marcoux, M., Higdon, J. W., LeBlanc, B., Petersen, S. D., et al. (2017). Sustained disruption of narwhal habitat use and behavior in the presence of Arctic killer whales. *Proceedings of the National Academy of Sciences of the United States of America*, 114(10), 2628-2633.

Breen, P., Brown, S., Reid, D., & Rogan, E. (2016). Modelling cetacean distribution and mapping overlap with fisheries in the northeast Atlantic. *Ocean & Coastal Management*, 134, 140-149.

Breen, P., Pirotta, E., Allcock, A. L., Bennison, A., Boisseau, O. J., Bouch, P., et al. (2020). Insights into the habitat of deep diving odontocetes around a canyon system in the northeast Atlantic ocean from a short multidisciplinary survey. *Deep-Sea Research Part I-Oceanographic Research Papers*, 159.

Brehmer, P., Josse, E., & Nottestad, L. (2012). Evidence that whales (*Balaenoptera borealis*) visit drifting fish aggregating devices: do their presence affect the processes underlying fish aggregation? *Marine Ecology-an Evolutionary Perspective*, 33(2), 176-182.

Breitzke, M., Boebel, O., El Naggar, S., Jokat, W., & Werner, B. (2008). Broad-band calibration of marine seismic sources used by R/V Polarstern for academic research in polar regions. *Geophysical Journal International*, 174(2), 505-524.

Brennan, C. E., Maps, F., Gentleman, W. C., Plourde, S., Lavoie, D., Chasse, J., et al. (2019). How transport shapes copepod distributions in relation to whale feeding habitat: Demonstration of a new modelling framework. *Progress in Oceanography*, 171, 1-21.

Breusing, K., & Linke, K. (2003). Behavior of dolphins towards adults and children during swim-with-dolphin programs and towards children with disabilities during therapy sessions. *Anthrozoos*, 16(4), 315-331.

Breusing, K., Linke, K., Busch, M., Matthes, I., & van der Woude, S. E. (2005). Impact of different groups of swimmers on dolphins in swim-with-the-dolphin programs in two settings. *Anthrozoos*, 18(4), 409-429.

Breusing, K., Linke, K., & Todt, D. (2003). Can dolphins heal by ultrasound? *Journal of Theoretical Biology*, 225(1), 99-105.

- Brereton, T., Jones, D., Leeves, K., Lewis, K., Davies, R., & Russel, T. (2018). Population structure, mobility and conservation of common bottlenose dolphin off south-west England from photo-identification studies. *Journal of the Marine Biological Association of the United Kingdom*, 98(5), 1055-1063.
- Breton-Honeyman, K., Hammill, M. O., Furgal, C. M., & Hickie, B. (2016). Inuit Knowledge of beluga whale (*Delphinapterus leucas*) foraging ecology in Nunavik (Arctic Quebec), Canada. *Canadian Journal of Zoology*, 94(10), 713-726.
- Brillant, S. W., Vanderlaan, A. S. M., Rangeley, R. W., & Taggart, C. T. (2015). Quantitative estimates of the movement and distribution of North Atlantic right whales along the northeast coast of North America. *Endangered Species Research*, 27(2), 141-154.
- Brillinger, D. R., & Stewart, B. S. (2010). Stochastic modeling of particle movement with application to marine biology and oceanography. *Journal of Statistical Planning and Inference*, 140(12), 3597-3607.
- Bristow, C. S., Jol, H. M., Augustinus, P., & Wallis, I. (2010). Slipfaceless 'whaleback' dunes in a polar desert, Victoria Valley, Antarctica: Insights from ground penetrating radar. *Geomorphology*, 114(3), 361-372.
- Brock, M. W., Lebaric, Z. N., Neumeister, H., DeTomaso, A., & Gilly, W. F. (2001). Temperature-dependent expression of a squid Kv1 channel in Sf9 cells and functional comparison with the native delayed rectifier. *Journal of Membrane Biology*, 180(2), 147-161.
- Brodie, D. C., & Dunn, R. A. (2015). Low frequency baleen whale calls detected on ocean-bottom seismometers in the Lau basin, southwest Pacific Ocean. *Journal of the Acoustical Society of America*, 137(1), 53-62.
- Brodie, S., Hobday, A. J., Smith, J. A., Everett, J. D., Taylor, M. D., Gray, C. A., et al. (2015). Modelling the oceanic habitats of two pelagic species using recreational fisheries data. *Fisheries Oceanography*, 24(5), 463-477.
- Brodie, S., Litherland, L., Stewart, J., Schilling, H. T., Pepperell, J. G., & Suthers, I. M. (2018). Citizen science records describe the distribution and migratory behaviour of a piscivorous predator, *Pomatomus saltatrix*. *ICES Journal of Marine Science*, 75(5), 1573-1582.
- Broker, K., Gailey, G., Muir, J., & Racca, R. (2015). Monitoring and impact mitigation during a 4D seismic survey near a population of gray whales off Sakhalin Island, Russia. *Endangered Species Research*, 28(3), 187-208.
- Broker, K. C. (2019). An Overview of Potential Impacts of Hydrocarbon Exploration and Production on Marine Mammals and Associated Monitoring and Mitigation Measures. *Aquatic Mammals*, 45(6), 576-611.
- Broker, K. C. A., Gailey, G., Tyurneva, O. Y., Yakovlev, Y. M., Sychenko, O., Dupont, J. M., et al. (2020). Site-fidelity and spatial movements of western North Pacific gray whales on their summer range off Sakhalin, Russia. *Plos One*, 15(8).
- Brondo, K. V. (2019). Entanglements in multispecies voluntourism: conservation and Utiia's affect economy. *Journal of Sustainable Tourism*, 27(4), 590-607.
- Brook, F. M. (2001). Ultrasonographic imaging of the reproductive organs of the female bottlenose dolphin, *Tursiops truncatus aduncas*. *Reproduction*, 121(3), 419-428.
- Brough, T., Rayment, W., Slooten, E., & Dawson, S. (2020). Spatiotemporal distribution of foraging in a marine predator: behavioural drivers of hotspot formation. *Marine Ecology Progress Series*, 635, 187-202.
- Brough, T. E., Henderson, S., Guerra, M., & Dawson, S. M. (2016). Factors influencing heterogeneity in female reproductive success in a Critically Endangered population of bottlenose dolphins. *Endangered Species Research*, 29(3), 255-270.

- Brower, A. A., Ferguson, M. C., Schonberg, S. V., Jewett, S. C., & Clarke, J. T. (2017). Gray whale distribution relative to benthic invertebrate biomass and abundance: Northeastern Chukchi Sea 2009-2012. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 144, 156-174.
- Brown, C. E., Nelson, R. D., & Fingas, M. F. (1996). Recovery of the Irving Whale oil barge: Overflights with the laser environmental airborne fluorosensor. *Spill Science & Technology Bulletin*, 3(4), 231-234.
- Brown, D. M., Sieswerda, P. L., & Parsons, E. C. M. (2019). Potential encounters between humpback whales (*Megaptera novaeangliae*) and vessels in the New York Bight apex, USA. *Marine Policy*, 106.
- Brown, J., & Erdle, S. (2009). Amphibians, Reptiles, Birds and Mammals of the York River. *Journal of Coastal Research*, 111-117.
- Brown, K., Capus, C., Pailhas, Y., Petillot, Y., & Lane, D. (2011). The Application of Bioinspired Sonar to Cable Tracking on the Seafloor. *Eurasip Journal on Advances in Signal Processing*.
- Brown, M., & Corkeron, P. (1995). POD CHARACTERISTICS OF MIGRATING HUMPBACK WHALES (*MEGAPTERA-NOVAEANGLIAE*) OFF THE EAST AUSTRALIAN COAST. *Behaviour*, 132, 163-179.
- Brown, M. R., Corkeron, P. J., Hale, P. T., Schultz, K. W., & Bryden, M. M. (1994). BEHAVIORAL-RESPONSES OF EAST AUSTRALIAN HUMPBACK WHALES *MEGAPTERA-NOVAEANGLIAE* TO BIOPSY SAMPLING. *Marine Mammal Science*, 10(4), 391-400.
- Brown, M. R., Corkeron, P. J., Hale, P. T., Schultz, K. W., & Bryden, M. M. (1995). EVIDENCE FOR A SEX-SEGREGATED MIGRATION IN THE HUMPBACK WHALE (*MEGAPTERA-NOVAEANGLIAE*). *Proceedings of the Royal Society B-Biological Sciences*, 259(1355), 229-234.
- Brown, M. W., Kraus, S. D., Gaskin, D. E., & White, B. N. (1994). SEXUAL COMPOSITION AND ANALYSIS OF REPRODUCTIVE FEMALES IN THE NORTH-ATLANTIC RIGHT WHALE, *EUBALAENIA-GLACIALIS*, POPULATION. *Marine Mammal Science*, 10(3), 253-265.
- Brown, R. (2014). Rethinking Behavioral Evolution. In G. Barker, E. Desjardins & T. Pearce (Eds.), *Entangled Life: Organism and Environment in the Biological and Social Sciences* (Vol. 4, pp. 237-260).
- Brown, S., Reid, D., & Rogan, E. (2014). Characteristics of Fishing Operations, Environment and Life History Contributing to Small Cetacean Bycatch in the Northeast Atlantic. *Plos One*, 9(8).
- Brown, T. M., Luque, S., Sjare, B., Fisk, A. T., Helbing, C. C., & Reimer, K. J. (2014). Satellite Telemetry Informs PCB Source Apportionment in a Mobile, High Trophic Level Marine Mammal: The Ringed Seal (*Pusa hispida*). *Environmental Science & Technology*, 48(22), 13110-13119.
- Brown, T. M., & Takada, H. (2017). Indicators of Marine Pollution in the North Pacific Ocean. *Archives of Environmental Contamination and Toxicology*, 73(2), 171-175.
- Browne, G. H. (1995). Sedimentation patterns during the Neogene in Marlborough, New Zealand. *Journal of the Royal Society of New Zealand*, 25(4), 459-483.
- Brownell, R. L., Ralls, K., Baumann-Pickering, S., & Poole, M. M. (2009). Behavior of melon-headed whales, *Peponocephala electra*, near oceanic islands. *Marine Mammal Science*, 25(3), 639-658.
- Browning, C. L., Rolland, R. M., & Kraus, S. D. (2010). Estimated calf and perinatal mortality in western North Atlantic right whales (*Eubalaena glacialis*). *Marine Mammal Science*, 26(3), 648-662.
- Browning, N. E., Dold, C., I-Fan, J., & Worthy, G. A. J. (2014). Isotope turnover rates and diet-tissue discrimination in skin of ex situ bottlenose dolphins (*Tursiops truncatus*). *Journal of Experimental Biology*, 217(2), 214-221.

Brownstein, C. D. (2018). Trace fossils on dinosaur bones reveal ecosystem dynamics along the coast of eastern North America during the latest Cretaceous. *Peerj*, 6.

Bruce, B. D. (1992). PRELIMINARY-OBSERVATIONS ON THE BIOLOGY OF THE WHITE SHARK, *CARCHARODON-CARCHARIAS*, IN SOUTH AUSTRALIAN WATERS. *Australian Journal of Marine and Freshwater Research*, 43(1), 1-11.

Bruce, E., Albright, L., Sheehan, S., & Blewitt, M. (2014). Distribution patterns of migrating humpback whales (*Megaptera novaeangliae*) in Jervis Bay, Australia: A spatial analysis using geographical citizen science data. *Applied Geography*, 54, 83-95.

Brunnschweiler, J. M., Baensch, H., Pierce, S. J., & Sims, D. W. (2009). Deep-diving behaviour of a whale shark *Rhincodon typus* during long-distance movement in the western Indian Ocean. *Journal of Fish Biology*, 74(3), 706-714.

Brunoldi, M., Bozzini, G., Casale, A., Corvisiero, P., Grosso, D., Magnoli, N., et al. (2016). A Permanent Automated Real-Time Passive Acoustic Monitoring System for Bottlenose Dolphin Conservation in the Mediterranean Sea. *Plos One*, 11(1).

Brunori, M. (2000). Structural dynamics of myoglobin. *Biophysical Chemistry*, 86(2-3), 221-230.

Brunori, M., Bourgeois, D., & Vallone, B. (2004). The structural dynamics of myoglobin. *Journal of Structural Biology*, 147(3), 223-234.

Brusa, J. L., Young, R. F., & Swanson, T. (2016). Abundance, Ranging Patterns, and Social Behavior of Bottlenose Dolphins (*Tursiops truncatus*) in an Estuarine Terminus. *Aquatic Mammals*, 42(1), 109-121.

Buchan, S. J., Huckle-Gaete, R., Rendell, L., & Stafford, K. M. (2014). A new song recorded from blue whales in the Corcovado Gulf, Southern Chile, and an acoustic link to the Eastern Tropical Pacific. *Endangered Species Research*, 23(3), 241-252.

Buchan, S. J., & Quinones, R. A. (2016). First insights into the oceanographic characteristics of a blue whale feeding ground in northern Patagonia, Chile. *Marine Ecology Progress Series*, 554, 183-199.

Buckeridge, J. S., Chan, B. K. K., & Lin, J. P. (2019). Paleontological Studies of Whale Barnacles in Taiwan Reveal New Cetacean Migration Routes in the Western Pacific Since the Miocene. *Zoological Studies*, 58.

Buckman, K. L., Lane, O., Kotnik, J., Bratkic, A., Sprovieri, F., Horvat, M., et al. (2018). Spatial and taxonomic variation of mercury concentration in low trophic level fauna from the Mediterranean Sea. *Ecotoxicology*, 27(10), 1341-1352.

Buckstaff, K. C. (2004). Effects of watercraft noise on the acoustic behavior of bottlenose dolphins, *Tursiops truncatus*, in Sarasota Bay, Florida. *Marine Mammal Science*, 20(4), 709-725.

Buckstaff, K. C., Wells, R. S., Gannon, J. G., & Nowacek, D. P. (2013). Responses of Bottlenose Dolphins (*Tursiops truncatus*) to Construction and Demolition of Coastal Marine Structures. *Aquatic Mammals*, 39(2), 174-186.

Budnikova, L. L., & Blokhin, S. A. (2012). Food contents of the eastern gray whale *Eschrichtius robustus* Lilljeborg, 1861 in the Mechigmensky bay of the Bering Sea. *Russian Journal of Marine Biology*, 38(2), 149-155.

Buono, M. R., & Cozzuol, M. A. (2013). A NEW BEAKED WHALE (CETACEA, ODONTOCETI) FROM THE LATE MIOCENE OF PATAGONIA, ARGENTINA. *Journal of Vertebrate Paleontology*, 33(4), 986-997.

- Buono, M. R., Dozo, M. T., Marx, F. G., & Fordyce, R. E. (2014). A Late Miocene potential neobalaenine mandible from Argentina sheds light on the origins of the living pygmy right whale. *Acta Palaeontologica Polonica*, 59(4), 787-793.
- Buono, M. R., Fernandez, M. S., Cozzuol, M. A., Cuitino, J. I., & Fitzgerald, E. M. G. (2017). The early Miocene balaenid *Morenocetus parvus* from Patagonia (Argentina) and the evolution of right whales. *Peerj*, 5.
- Buono, M. R., Fernandez, M. S., Fordyce, R. E., & Reidenberg, J. S. (2015). Anatomy of nasal complex in the southern right whale, *Eubalaena australis* (Cetacea, Mysticeti). *Journal of Anatomy*, 226(1), 81-92.
- Burchardt, L. S., & Knornschild, M. (2020). Comparison of methods for rhythm analysis of complex animals' acoustic signals. *Plos Computational Biology*, 16(4).
- Burd, B. J., & Thomson, R. E. (2015). The importance of hydrothermal venting to water-column secondary production in the northeast Pacific. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 121, 85-94.
- Burgess, K. B., Couturier, L. I. E., Marshall, A. D., Richardson, A. J., Weeks, S. J., & Bennett, M. B. (2016). Manta birostris, predator of the deep? Insight into the diet of the giant manta ray through stable isotope analysis. *Royal Society Open Science*, 3(11).
- Burgess, W. C., Tyack, P. L., Le Boeuf, B. J., & Costa, D. P. (1998). A programmable acoustic recording tag and first results from free-ranging northern elephant seals. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 45(7), 1327-1351.
- Burham, R. E., Palm, R. S., Duffus, D. A., Mouy, X., & Riera, A. (2016). The combined use of visual and acoustic data collection techniques for winter killer whale (*Orcinus orca*) observations. *Global Ecology and Conservation*, 8, 24-30.
- Burks, C. M., Driggers, W. B., & Mullin, K. D. (2006). Abundance and distribution of whale sharks (*Rhincodon typus*) in the northern Gulf of Mexico. *Fishery Bulletin*, 104(4), 579-584.
- Burnell, S. R., & Bryden, M. M. (1997). Coastal residence periods and reproductive timing in southern right whales, *Eubalaena australis*. *Journal of Zoology*, 241, 613-621.
- Burnham, R., Duffus, D., & Mouy, X. (2018). Gray Whale (*Eschrichtius robustus*) Call Types Recorded During Migration off the West Coast of Vancouver Island. *Frontiers in Marine Science*, 5.
- Burnham, R. E. (2019). Fin Whale Call Presence and Type used to Describe Temporal Distribution and Possible Area Use of Clayoquot Sound. *Northwest Science*, 93(1), 66-74.
- Burnham, R. E., & Duffus, D. A. Maternal behaviors of gray whales (*Eschrichtius robustus*) on a summer foraging site. *Marine Mammal Science*.
- Burnham, R. E., & Duffus, D. A. (2020). The use of passive acoustic monitoring as a census tool of gray whale (*Eschrichtius robustus*) migration. *Ocean & Coastal Management*, 188.
- Burnham, R. E., Duffus, D. A., & Mouy, X. (2019). The presence of large whale species in Clayoquot Sound and its offshore waters. *Continental Shelf Research*, 177, 15-23.
- Burns, D., Brooks, L., Harrison, P., Franklin, T., Franklin, W., Paton, D., et al. (2014). Migratory movements of individual humpback whales photographed off the eastern coast of Australia. *Marine Mammal Science*, 30(2), 562-578.
- Burrows, J. A., Johnston, D. W., Straley, J. M., Chenoweth, E. M., Ware, C., Curtice, C., et al. (2016). Prey density and depth affect the fine-scale foraging behavior of humpback whales *Megaptera novaeangliae* in Sitka Sound, Alaska, USA. *Marine Ecology Progress Series*, 561, 245-260.

- Burtenshaw, J. C., Oleson, E. M., Hildebrand, J. A., McDonald, M. A., Andrew, R. K., Howe, B. M., et al. (2004). Acoustic and satellite remote sensing of blue whale seasonality and habitat in the Northeast Pacific. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 51(10-11), 967-986.
- Buscaino, G., Buffa, G., Sara, G., Bellante, A., Tonello, A. J., Hardt, F. A. S., et al. (2009). Pinger affects fish catch efficiency and damage to bottom gill nets related to bottlenose dolphins. *Fisheries Science*, 75(3), 537-544.
- Buscaino, G., Ceraulo, M., Pieretti, N., Corrias, V., Farina, A., Filiciotto, F., et al. (2016). Temporal patterns in the soundscape of the shallow waters of a Mediterranean marine protected area. *Scientific Reports*, 6.
- Bussert, R. (2010). Exhumed erosional landforms of the Late Palaeozoic glaciation in northern Ethiopia: Indicators of ice-flow direction, palaeolandscape and regional ice dynamics. *Gondwana Research*, 18(2-3), 356-369.
- Bustamante, P., Caurant, F., Fowler, S. W., & Miramand, P. (1998). Cephalopods as a vector for the transfer of cadmium to top marine predators in the north-east Atlantic Ocean. *Science of the Total Environment*, 220(1), 71-80.
- Butler, J., Butler, M. J., & Gaff, H. (2017). Snap, crackle, and pop: Acoustic-based model estimation of snapping shrimp populations in healthy and degraded hard-bottom habitats. *Ecological Indicators*, 77, 377-385.
- Butterworth, A., Brakes, P., Vail, C. S., & Reiss, D. (2013). A Veterinary and Behavioral Analysis of Dolphin Killing Methods Currently Used in the "Drive Hunt" in Taiji, Japan. *Journal of Applied Animal Welfare Science*, 16(2), 184-204.
- Bux, F., Bhagwandin, A., Fuxe, K., & Manger, P. R. (2010). Organization of cholinergic, putative catecholaminergic and serotonergic nuclei in the diencephalon, midbrain and pons of sub-adult male giraffes. *Journal of Chemical Neuroanatomy*, 39(3), 189-203.
- Byrd, B. L., & Hohn, A. A. (2010). Challenges of Documenting *Tursiops truncatus* Montagu (Bottlenose Dolphin) Bycatch in the Stop Net Fishery along Bogue Banks, North Carolina. *Southeastern Naturalist*, 9(1), 47-62.
- Byrd, B. L., Hohn, A. A., Lovewell, G. N., Barco, S. G., Friedlaender, A., Harms, C. A., et al. (2014). Strandings as indicators of marine mammal biodiversity and human interactions off the coast of North Carolina. *Fishery Bulletin*, 112(1), 1-23.
- Byrnes, T., Buckley, R., Howes, M., & Arthur, J. M. (2016). Environmental management of boating related impacts by commercial fishing, sailing and diving tour boat operators in Australia. *Journal of Cleaner Production*, 111, 383-398.
- Bystriansky, J. S., Frick, N. T., Richards, J. G., Schulte, P. M., & Ballantyne, J. S. (2007). Wild Arctic char (*Salvelinus alpinus*) upregulate gill Na⁺,K⁺-ATPase during freshwater migration. *Physiological and Biochemical Zoology*, 80(3), 270-282.
- Cabrera, A. A., Hoekendijk, J. P. A., Aguilar, A., Barco, S. G., Berrow, S., Bloch, D., et al. (2019). Fin whale (*Balaenoptera physalus*) mitogenomics: A cautionary tale of defining sub-species from mitochondrial sequence monophyly. *Molecular Phylogenetics and Evolution*, 135, 86-97.
- Caceres, M. O., & Caceres-Saez, I. (2013). Calculating effective growth rate from a random Leslie model: Application to incidental mortality analysis. *Ecological Modelling*, 251, 312-322.
- Cade, D. E., Barr, K. R., Calambokidis, J., Friedlaender, A. S., & Goldbogen, J. A. (2018). Determining forward speed from accelerometer jiggle in aquatic environments. *Journal of Experimental Biology*, 221(2).
- Cade, D. E., Friedlaender, A. S., Calambokidis, J., & Goldbogen, J. A. (2016). Kinematic Diversity in Rorqual Whale Feeding Mechanisms. *Current Biology*, 26(19), 2617-2624.

- Cade, D. E., Levenson, J. J., Cooper, R., de la Parra, R., Webb, D. H., & Dove, A. D. M. (2020). Whale sharks increase swimming effort while filter feeding, but appear to maintain high foraging efficiencies. *Journal of Experimental Biology*, 223(11).
- Cafaro, V., Angeletti, D., Bellisario, B., Macali, A., Carere, C., & Alessi, J. (2016). Habitat overlap between bottlenose dolphins and seabirds: a pilot study to identify high-presence coastal areas in the Tyrrhenian Sea. *Journal of the Marine Biological Association of the United Kingdom*, 96(4), 891-901.
- Cagnazzi, D., Broadhurst, M. K., & Reichelt-Brushett, A. (2019). Metal contamination among endangered, threatened and protected marine vertebrates off south-eastern Australia. *Ecological Indicators*, 107.
- Cagua, E. F., Cochran, J. E. M., Rohner, C. A., Prebble, C. E. M., Sinclair-Taylor, T. H., Pierce, S. J., et al. (2015). Acoustic telemetry reveals cryptic residency of whale sharks. *Biology Letters*, 11(4).
- Cagua, E. F., Collins, N., Hancock, J., & Rees, R. (2014). Whale shark economics: a valuation of wildlife tourism in South Ari Atoll, Maldives. *Peerj*, 2.
- Cai, Y. Y., Chia, N. K. H., Thalmann, D., Kee, N. K. N., Zheng, J. M., & Thalmann, N. M. (2013). Design and Development of a Virtual Dolphinarium for Children With Autism. *Ieee Transactions on Neural Systems and Rehabilitation Engineering*, 21(2), 208-217.
- Caillat, M., Cordes, L., Thompson, P., Matthiopoulos, J., & Smout, S. (2019). Use of state-space modelling to identify ecological covariates associated with trends in pinniped demography. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 29, 101-118.
- Caira, J. N., & Jensen, K. (2009). ERECTION OF A NEW ONCHOBOTHRIID GENUS (CESTODA: TETRAPHYLLIDEA) AND THE DESCRIPTION OF FIVE NEW SPECIES FROM WHALER SHARKS (CARCHARHINIDAE). *Journal of Parasitology*, 95(4), 924-940.
- Calambokidis, J., Barlow, J., Ford, J. K. B., Chandler, T. E., & Douglas, A. B. (2009). Insights into the population structure of blue whales in the Eastern North Pacific from recent sightings and photographic identification. *Marine Mammal Science*, 25(4), 816-832.
- Calambokidis, J., Fahlbusch, J. A., Szesciorka, A. R., Southall, B. L., Cade, D. E., Friedlaender, A. S., et al. (2019). Differential Vulnerability to Ship Strikes Between Day and Night for Blue, Fin, and Humpback Whales Based on Dive and Movement Data From Medium Duration Archival Tags. *Frontiers in Marine Science*, 6.
- Calambokidis, J., Munger, L. M., Soldevilla, M. S., Ferguson, M. C., Havron, A. M., Camachots, D. L., et al. (2014). Seasonal distribution and abundance of cetaceans off Southern California estimated from CalCOFI cruise data from 2004 to 2008. *Fishery Bulletin*, 112(2-3), 198-220.
- Calambokidis, J., Schorr, G. S., Steiger, G. H., Francis, J., Bakhtiari, M., Marshal, G., et al. (2007). Insights into the underwater diving, feeding, and calling behavior of blue whales from a suction-cup-attached video-imaging tag (CRITTERCAM). *Marine Technology Society Journal*, 41(4), 19-29.
- Calambokidis, J., Steiger, G. H., Curtice, C., Harrison, J., Ferguson, M. C., Becker, E., et al. (2015). Biologically Important Areas for Selected Cetaceans Within US Waters - West Coast Region. *Aquatic Mammals*, 41(1), 39-53.
- Calambokidis, J., Steiger, G. H., Ellifrit, D. K., Troutman, B. L., & Bowlby, C. E. (2004). Distribution and abundance of humpback whales (*Megaptera novaeangliae*) and other marine mammals off the northern Washington coast. *Fishery Bulletin*, 102(4), 563-580.
- Calambokidis, J., Steiger, G. H., Rasmussen, K., Urban, J., Balcomb, K. C., de Guevara, P. L., et al. (2000). Migratory destinations of humpback whales that feed off California, Oregon and Washington. *Marine Ecology Progress Series*, 192, 295-304.

- Calambokidis, J., Steiger, G. H., Straley, J. M., Herman, L. M., Cerchio, S., Salden, D. R., et al. (2001). Movements and population structure of humpback whales in the North Pacific. *Marine Mammal Science*, 17(4), 769-794.
- Caldwell, M. (2016). Historical Seasonal Density and Distribution Patterns of *Tursiops truncatus* in Northeast Florida. *Aquatic Mammals*, 42(1), 74-88.
- Caldwell, M. W., & Lee, M. S. Y. (2001). Live birth in Cretaceous marine lizards (mosasauroids). *Proceedings of the Royal Society B-Biological Sciences*, 268(1484), 2397-2401.
- Calich, H., Estevanez, M., & Hammerschlag, N. (2018). Overlap between highly suitable habitats and longline gear management areas reveals vulnerable and protected regions for highly migratory sharks. *Marine Ecology Progress Series*, 602, 183-195.
- Camara, P., Carvalho-Silva, M., Pinto, O. H. B., Amorim, E. T., Henriques, D. K., da Silva, T. H., et al. Diversity and Ecology of Chlorophyta (Viridiplantae) Assemblages in Protected and Non-protected Sites in Deception Island (Antarctica, South Shetland Islands) Assessed Using an NGS Approach. *Microbial Ecology*.
- Camargo, F. S., Rollo, M. M., Giampaoli, V., & Bellini, C. (2006). Whistle variability in South Atlantic spinner dolphins from the Fernando de Noronha Archipelago off Brazil. *Journal of the Acoustical Society of America*, 120(6), 4071-4079.
- Campana, I., Angeletti, D., Crosti, R., Di Miccoli, V., & Arcangeli, A. (2018). Seasonal patterns of floating macro-litter across the Western Mediterranean Sea: a potential threat for cetacean species. *Rendiconti Lincei-Scienze Fisiche E Naturali*, 29(2), 453-467.
- Campana, I., Angeletti, D., Crosti, R., Luperini, C., Ruvolo, A., Alessandrini, A., et al. (2017). Seasonal characterisation of maritime traffic and the relationship with cetacean presence in the Western Mediterranean Sea. *Marine Pollution Bulletin*, 115(1-2), 282-291.
- Campana, I., Crosti, R., Angeletti, D., Carosso, L., David, L., Di-Meglio, N., et al. (2015). Cetacean response to summer maritime traffic in the Western Mediterranean Sea. *Marine Environmental Research*, 109, 1-8.
- Campana, S. E., Dorey, A., Fowler, M., Joyce, W., Wang, Z. L., Wright, D., et al. (2011). Migration Pathways, Behavioural Thermoregulation and Overwintering Grounds of Blue Sharks in the Northwest Atlantic. *Plos One*, 6(2).
- Campbell, G. S., Thomas, L., Whitaker, K., Douglas, A. B., Calambokidis, J., & Hildebrand, J. A. (2015). Inter-annual and seasonal trends in cetacean distribution, density and abundance off southern California. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 112, 143-157.
- Campos, B., Toledo, G. A. D., Feitosa, I. C. S., Souto, A. S., & Alves, R. R. D. (2010). BEHAVIOURAL REPERTOIRE OF *SOTALIA GUIANENSIS* (CETACEA: DELPHINIDAE) IN BAIA FORMOSA, RIO GRANDE DO NORTE, BRAZIL, WITH EMPHASIS IN FORAGING STRATEGIES.
- Canadas, A., de Soto, N., Aissi, M., Arcangeli, A., Azzolin, M., B-Nagy, A., et al. (2018). The challenge of habitat modelling for threatened low density species using heterogeneous data: The case of Cuvier's beaked whales in the Mediterranean. *Ecological Indicators*, 85, 128-136.
- Canadas, A., & Sagarminaga, R. (2000). The northeastern Alboran Sea, an important breeding and feeding ground for the long-finned pilot whale (*Globicephala melas*) in the Mediterranean Sea. *Marine Mammal Science*, 16(3), 513-529.
- Canadas, A., Sagarminaga, R., & Garcia-Tiscar, S. (2002). Cetacean distribution related with depth and slope in the Mediterranean waters off southern Spain. *Deep-Sea Research Part I-Oceanographic Research Papers*, 49(11), 2053-2073.

- Canadas, A., & Vazquez, J. A. (2014). Conserving Cuvier's beaked whales in the Alboran Sea (SW Mediterranean): Identification of high density areas to be avoided by intense man-made sound. *Biological Conservation*, 178, 155-162.
- Canadas, A., & Vazquez, J. A. (2017). Common dolphins in the Alboran Sea: Facing a reduction in their suitable habitat due to an increase in Sea surface temperature. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 141, 306-318.
- Canapa, A., Marota, I., Rollo, F., & Olmo, E. (1996). Phylogenetic analysis of Veneridae (Bivalvia): Comparison of molecular and palaeontological data. *Journal of Molecular Evolution*, 43(5), 517-522.
- Canese, S., Cardinali, A., Fortuna, C. M., Giusti, M., Lauriano, G., Salvati, E., et al. (2006). The first identified winter feeding ground of fin whales (*Balaenoptera physalus*) in the Mediterranean Sea. *Journal of the Marine Biological Association of the United Kingdom*, 86(4), 903-907.
- Cannell, B., Ropert-Coudert, Y., Radford, B., & Kato, A. (2020). The diving behaviour of little penguins in Western Australia predisposes them to risk of injury by watercraft. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 30(3), 461-474.
- Canning, C., Crain, D., Eaton, T. S., Nuessly, K., Friedlaender, A., Hurst, T., et al. (2011). Population-level lateralized feeding behaviour in North Atlantic humpback whales, *Megaptera novaeangliae*. *Animal Behaviour*, 82(4), 901-909.
- Cantor, M., Eguiguren, A., Merlen, G., & Whitehead, H. (2017). Galapagos sperm whales (*Physeter macrocephalus*): waxing and waning over three decades. *Canadian Journal of Zoology*, 95(9), 645-652.
- Cantor, M., & Farine, D. R. (2018). Simple foraging rules in competitive environments can generate socially structured populations. *Ecology and Evolution*, 8(10), 4978-4991.
- Cantor, M., Whitehead, H., Gero, S., & Rendell, L. (2016). Cultural turnover among Galapagos sperm whales. *Royal Society Open Science*, 3(10).
- Cao, D. M., Song, L. M., Zhang, Y., Lv, K. K., & Hu, Z. X. (2011). Environmental preferences of *Alopias superciliosus* and *Alopias vulpinus* in waters near Marshall Islands. *New Zealand Journal of Marine and Freshwater Research*, 45(1), 103-119.
- Capella, J. J., Abramson, J. Z., Vilina, Y. A., & Gibbons, J. (2014). Observations of killer whales (*Orcinus orca*) in the fjords of Chilean Patagonia. *Polar Biology*, 37(10), 1533-1539.
- Capella, J. J., Felix, F., Florez-Gonzalez, L., Gibbons, J., Haase, B., & Guzman, H. M. (2018). Geographic and temporal patterns of non-lethal attacks on humpback whales by killer whales in the eastern South Pacific and the Antarctic Peninsula. *Endangered Species Research*, 37, 207-218.
- Capella, J. J., Gibbons, J., Florez-Gonzalez, L., Llano, M., Valladares, C., Sabaj, V., et al. (2008). Migratory round-trip of individually identified humpback whales at the Strait of Magellan: clues on transit times and phylopatry to destinations. *Revista Chilena De Historia Natural*, 81(4), 547-560.
- Capello, M., Robert, M., Soria, M., Potin, G., Itano, D., Holland, K., et al. (2015). A Methodological Framework to Estimate the Site Fidelity of Tagged Animals Using Passive Acoustic Telemetry. *Plos One*, 10(8).
- Capello, M., Soria, M., Cotel, P., Potin, G., Dagorn, L., & Freon, P. (2012). The heterogeneous spatial and temporal patterns of behavior of small pelagic fish in an array of Fish Aggregating Devices (FADs). *Journal of Experimental Marine Biology and Ecology*, 430, 56-62.
- Cappiello, B. M., Hill, H. M., & Bolton, T. T. (2018). Solitary, observer, parallel, and social object play in the bottlenose dolphin (*Tursiops truncatus*). *Behavioural Processes*, 157, 453-458.

- Capus, C., Pailhas, Y., Brown, K., Lane, D. M., Moore, P. W., & Houser, D. (2007). Bio-inspired wideband sonar signals based on observations of the bottlenose dolphin (*Tursiops truncatus*). *Journal of the Acoustical Society of America*, 121(1), 594-604.
- Caputo, M., Froneman, P. W., du Preez, D., Thompson, G., & Plon, S. (2017). Long-term trends in cetacean occurrence during the annual sardine run off the Wild Coast, South Africa. *African Journal of Marine Science*, 39(1), 83-94.
- Caraveo-Patino, J., Hobson, K. A., & Soto, L. A. (2007). Feeding ecology of gray whales inferred from stable-carbon and nitrogen isotopic analysis of baleen plates. *Hydrobiologia*, 586, 17-25.
- Caraveo-Patino, J., & Soto, L. A. (2005). Stable carbon isotope ratios for the gray whale (*Eschrichtius robustus*) in the breeding grounds of Baja California Sur, Mexico. *Hydrobiologia*, 539, 99-107.
- Cardenas-Palomo, N., Herrera-Silveira, J., Velazquez-Abunader, I., Reyes, O., & Ordonez, U. (2015). Distribution and feeding habitat characterization of whale sharks *Rhincodon typus* in a protected area in the north Caribbean Sea. *Journal of Fish Biology*, 86(2), 668-686.
- Cardenas-Palomo, N., Norena-Barroso, E., Herrera-Silveira, J., Galvan-Magana, F., & Hacoheh-Domene, A. (2018). Feeding habits of the whale shark (*Rhincodon typus*) inferred by fatty acid profiles in the northern Mexican Caribbean. *Environmental Biology of Fishes*, 101(11), 1599-1612.
- Cardenas-Torres, N., Enriquez-Andrade, R., & Rodriguez-Dowdell, N. (2007). Community-based management through ecotourism in Bahia de los Angeles, Mexico. *Fisheries Research*, 84(1), 114-118.
- Cardoso, J., Francisco, A., de Souza, S. P., & Siciliano, S. (2019). Rough-Toothed Dolphins (*Steno bredanensis*) Along Southeastern Brazil: Report of an Anomalous Pigmented Juvenile and Description of Social and Feeding Behaviors. *Aquatic Mammals*, 45(1), 30-36.
- Carlson, J. K., Ribera, M. M., Conrath, C. L., Heupel, M. R., & Burgess, G. H. (2010). Habitat use and movement patterns of bull sharks *Carcharhinus leucas* determined using pop-up satellite archival tags. *Journal of Fish Biology*, 77(3), 661-675.
- Carlstrom, J., Berggren, P., Dinnetz, F., & Borjesson, P. (2002). A field experiment using acoustic alarms (pingers) to reduce harbour porpoise by-catch in bottom-set gillnets. *Ices Journal of Marine Science*, 59(4), 816-824.
- Carlstrom, J., Berggren, P., & Tregenza, N. J. C. (2009). Spatial and temporal impact of pingers on porpoises. *Canadian Journal of Fisheries and Aquatic Sciences*, 66(1), 72-82.
- Carlucci, R., Bas, A. A., Liebig, P., Reno, V., Santacesaria, F. C., Bellomo, S., et al. (2020). Residency patterns and site fidelity of *Grampus griseus* (Cuvier, 1812) in the Gulf of Taranto (Northern Ionian Sea, Central-Eastern Mediterranean Sea). *Mammal Research*, 65(3), 445-455.
- Carlucci, R., Ricci, P., Cipriano, G., & Fanizza, C. (2018). Abundance, activity and critical habitat of the striped dolphin *Stenella coeruleoalba* in the Gulf of Taranto (northern Ionian Sea, central Mediterranean Sea). *Aquatic Conservation-Marine and Freshwater Ecosystems*, 28(2), 324-336.
- Carman, V. G., Piola, A., O'Brien, T. D., Tormosov, D. D., & Acha, E. M. (2019). Circumpolar frontal systems as potential feeding grounds of Southern Right whales. *Progress in Oceanography*, 176.
- Carone, E., Pardo, M. A., Atkinson, S., Mashburn, K., Perez-Puig, H., Enriquez-Paredes, L., et al. (2019). Sex steroid hormones and behavior reveal seasonal reproduction in a resident fin whale population. *Conservation Physiology*, 7.

- Carr, R. K., & Jackson, G. (2018). A preliminary note of egg-case oviparity in a Devonian placoderm fish. *Acta Geologica Polonica*, 68(3), 381-389.
- Carrasquillo-Casado, B., Alsina-Guerrero, M., Cardona-Maldonado, M. A., Williams, E. H., & Mignucci-Giannoni, A. A. (2002). Fatal pneumonia and pleuritis caused by an agujon beak penetration in a bottlenose dolphin from Puerto Rico. *Journal of Aquatic Animal Health*, 14(1), 65-67.
- Carretta, J. V. (2018). A machine-learning approach to assign species to 'unidentified' entangled whales. *Endangered Species Research*, 36, 89-98.
- Carretta, J. V., Forney, K. A., & Laake, J. L. (1998). Abundance of southern California coastal bottlenose dolphins estimated from tandem aerial surveys. *Marine Mammal Science*, 14(4), 655-675.
- Carrier, D. R., Deban, S. M., & Otterstrom, J. (2002). The face that sank the Essex: potential function of the spermaceti organ in aggression. *Journal of Experimental Biology*, 205(12), 1755-1763.
- Carrillo-Briceno, J. D., Villafana, J. A., De Gracia, C., Flores-Alcivar, F. F., Kindlimann, R., & Abella, J. (2020). Diversity and paleoenvironmental implications of an elasmobranch assemblage from the Oligocene-Miocene boundary of Ecuador. *Peerj*, 8.
- Carroll, E. L., Gallego, R., Sewell, M. A., Zeldis, J., Ranjard, L., Ross, H. A., et al. (2019). Multi-locus DNA metabarcoding of zooplankton communities and scat reveal trophic interactions of a generalist predator. *Scientific Reports*, 9.
- Carroll, E. L., Rayment, W. J., Alexander, A. M., Baker, C. S., Patenaude, N. J., Steel, D., et al. (2014). Reestablishment of former wintering grounds by New Zealand southern right whales. *Marine Mammal Science*, 30(1), 206-220.
- Carroll, G., Hedley, S., Bannister, J., Ensor, P., & Harcourt, R. (2014). No evidence for recovery in the population of sperm whale bulls off Western Australia, 30 years post-whaling. *Endangered Species Research*, 24(1), 33-43.
- Carroll, G. M., George, J. C., Lowry, L. F., & Coyle, K. O. (1987). BOWHEAD WHALE (*BALAENA MYSTICETUS*) FEEDING NEAR POINT-BARROW, ALASKA, DURING THE 1985 SPRING MIGRATION. *Arctic*, 40(2), 105-110.
- Carroll, G. M., & Smithhisler, J. R. (1980). OBSERVATIONS OF BOWHEAD WHALES DURING SPRING MIGRATION. *Marine Fisheries Review*, 42(9-10), 80-85.
- Carroll, M. J., Butler, A., Owen, E., Ewing, S. R., Cole, T., Green, J. A., et al. (2015). Effects of sea temperature and stratification changes on seabird breeding success. *Climate Research*, 66(1), 75-89.
- Cartwright, R., Gillespie, B., LaBonte, K., Mangold, T., Venema, A., Eden, K., et al. (2012). Between a Rock and a Hard Place: Habitat Selection in Female-Calf Humpback Whale (*Megaptera novaeangliae*) Pairs on the Hawaiian Breeding Grounds. *Plos One*, 7(5).
- Cartwright, R., Newton, C., West, K. M., Rice, J., Niemeyer, M., Burek, K., et al. (2016). Tracking the Development of Muscular Myoglobin Stores in Mysticete Calves. *Plos One*, 11(1).
- Caruso, F., Alonge, G., Bellia, G., De Domenico, E., Grammatta, R., Larosa, G., et al. (2017). Long-Term Monitoring of Dolphin Biosonar Activity in Deep Pelagic Waters of the Mediterranean Sea. *Scientific Reports*, 7.
- Caruso, F., Dong, L. J., Lin, M. L., Liu, M. M., Gong, Z. N., Xu, W. X., et al. (2020). Monitoring of a Nearshore Small Dolphin Species Using Passive Acoustic Platforms and Supervised Machine Learning Techniques. *Frontiers in Marine Science*, 7.

- Caruso, F., Dong, L. J., Lin, M. L., Liu, M. M., Xu, W. X., & Li, S. H. (2020). Influence of acoustic habitat variation on Indo-Pacific humpback dolphin (*Sousa chinensis*) in shallow waters of Hainan Island, China. *Journal of the Acoustical Society of America*, 147(6), 3871-3882.
- Caruso, F., Sciacca, V., Bellia, G., De Domenico, E., Larosa, G., Papale, E., et al. (2015). Size Distribution of Sperm Whales Acoustically Identified during Long Term Deep-Sea Monitoring in the Ionian Sea. *Plos One*, 10(12).
- Carvalho, I., Brito, C., dos Santos, M. E., & Rosenbaum, H. C. (2011). The waters of Sao Tome: a calving ground for West African humpback whales? *African Journal of Marine Science*, 33(1), 91-97.
- Carvalho, I., Loo, J., Collins, T., Barendse, J., Pomilla, C., Leslie, M. S., et al. (2014). Does temporal and spatial segregation explain the complex population structure of humpback whales on the coast of West Africa? *Marine Biology*, 161(4), 805-819.
- Casazza, T. L., & Ross, S. W. (2008). Fishes associated with pelagic Sargassum and open water lacking Sargassum in the Gulf Stream off North Carolina. *Fishery Bulletin*, 106(4), 348-363.
- Cascao, I., Domokos, R., Lammers, M. O., Santos, R. S., & Silva, M. A. (2019). Seamount effects on the diel vertical migration and spatial structure of micronekton. *Progress in Oceanography*, 175, 1-13.
- Cascao, I., Lammers, M. O., Prieto, R., Santos, R. S., & Silva, M. A. (2020). Temporal patterns in acoustic presence and foraging activity of oceanic dolphins at seamounts in the Azores. *Scientific Reports*, 10(1).
- Cashman, T. J., & Fitzgibbon, A. W. (2013). What Shape Are Dolphins? Building 3D Morphable Models from 2D Images. *Ieee Transactions on Pattern Analysis and Machine Intelligence*, 35(1), 232-244.
- Cassle, S. E., Jensen, E. D., Smith, C. R., Meegan, J. M., Johnson, S. P., Lutmerding, B., et al. (2013). DIAGNOSIS AND SUCCESSFUL TREATMENT OF A LUNG ABSCESS ASSOCIATED WITH BRUCELLA SPECIES INFECTION IN A BOTTLENOSE DOLPHIN (*TURSIOPS TRUNCATUS*). *Journal of Zoo and Wildlife Medicine*, 44(2), 495-499.
- Cassoff, R. M., Moore, K. M., McLellan, W. A., Barco, S. G., Rotstein, D. S., & Moore, M. J. (2011). Lethal entanglement in baleen whales. *Diseases of Aquatic Organisms*, 96(3), 175-185.
- Castelblanco-Martinez, D. N., Morales-Vela, B., Slone, D. H., Padilla-Saldivar, J. A., Reid, J. P., & Hernandez-Arana, H. A. (2015). Inferring spatial and temporal behavioral patterns of free-ranging manatees using saltwater sensors of telemetry tags. *Mammalian Biology*, 80(1), 21-30.
- Castellini, M. (2000). History of polar whaling: insights into the physiology of the great whales. *Comparative Biochemistry and Physiology a-Molecular and Integrative Physiology*, 126(2), 153-159.
- Castellini, M. (2012). Life Under Water: Physiological Adaptations to Diving and Living at Sea. *Comprehensive Physiology*, 2(3), 1889-1919.
- Castellote, M., Clark, C. W., & Lammers, M. O. (2012). Acoustic and behavioural changes by fin whales (*Balaenoptera physalus*) in response to shipping and airgun noise. *Biological Conservation*, 147(1), 115-122.
- Castellote, M., Leeney, R. H., O'Corry-Crowe, G., Lauhakangas, R., Kovacs, K. M., Lucey, W., et al. (2013). Monitoring white whales (*Delphinapterus leucas*) with echolocation loggers. *Polar Biology*, 36(4), 493-509.
- Castellote, M., Small, R. J., Lammers, M. O., Jenniges, J. J., Mondragon, J., & Atkinson, S. (2016). Dual instrument passive acoustic monitoring of belugas in Cook Inlet, Alaska. *Journal of the Acoustical Society of America*, 139(5), 2697-2707.

- Castriota, L., Pipitone, C., Campagnuolo, S., Romanelli, M., Potoschi, A., & Andaloro, F. (2007). Diet of *Coryphaena hippurus* (Coryphaenidae) associated with FADs in the Ionian and Southern Tyrrhenian Seas. *Cybium*, 31(4), 435-441.
- Castro, A. L. F., Stewart, B. S., Wilson, S. G., Hueter, R. E., Meekan, M. G., Motta, P. J., et al. (2007). Population genetic structure of Earth's largest fish, the whale shark (*Rhincodon typus*). *Molecular Ecology*, 16(24), 5183-5192.
- Cates, K. A., Atkinson, S., Pack, A. A., Straley, J. M., Gabriele, C. M., & Yin, S. (2020). Corticosterone in central North Pacific male humpback whales (*Megaptera novaeangliae*): Pairing sighting histories with endocrine markers to assess stress. *General and Comparative Endocrinology*, 296.
- Cazau, D., Adam, O., Aubin, T., Laitman, J. T., & Reidenberg, J. S. (2016). A study of vocal nonlinearities in humpback whale songs: from production mechanisms to acoustic analysis. *Scientific Reports*, 6.
- Cecchetti, A., Stockin, K. A., Gordon, J., & Azevedo, J. M. N. (2018). Short-term effects of tourism on the behaviour of common dolphins (*Delphinus delphis*) in the Azores. *Journal of the Marine Biological Association of the United Kingdom*, 98(5), 1187-1196.
- Centelleghé, C., Carraro, L., Gonzalvo, J., Rosso, M., Esposti, E., Gili, C., et al. (2020). The use of Unmanned Aerial Vehicles (UAVs) to sample the blow microbiome of small cetaceans. *Plos One*, 15(7).
- Cerchio, S. (1998). Estimates of humpback whale abundance off Kauai, 1989 to 1993: evaluating biases associated with sampling the Hawaiian Islands breeding assemblage. *Marine Ecology Progress Series*, 175, 23-34.
- Cerchio, S., Andrianantenaina, B., Lindsay, A., Rekdahl, M., Andrianarivelo, N., & Rasoloarijao, T. (2015). Omura's whales (*Balaenoptera omurai*) off northwest Madagascar: ecology, behaviour and conservation needs. *Royal Society Open Science*, 2(10).
- Cerchio, S., Gabriele, C. M., Norris, T. F., & Herman, L. M. (1998). Movements of humpback whales between Kauai and Hawaii: implications for population structure and abundance estimation in the Hawaiian Islands. *Marine Ecology Progress Series*, 175, 13-22.
- Cerchio, S., Jacobsen, J. K., & Norris, T. F. (2001). Temporal and geographical variation in songs of humpback whales, *Megaptera novaeangliae*: synchronous change in Hawaiian and Mexican breeding assemblages. *Animal Behaviour*, 62, 313-329.
- Cerchio, S., Trudelle, L., Zerbini, A. N., Charrassin, J. B., Geyer, Y., Mayer, F. X., et al. (2016). Satellite telemetry of humpback whales off Madagascar reveals insights on breeding behavior and long-range movements within the southwest Indian Ocean. *Marine Ecology Progress Series*, 562, 193-209.
- Cerchio, S., Yamada, T. K., & Brownell, R. L. (2019). Global Distribution of Omura's Whales (*Balaenoptera omurai*) and Assessment of Range-Wide Threats. *Frontiers in Marine Science*, 6.
- Ceriani, S. A., Roth, J. D., Sasso, C. R., McClellan, C. M., James, M. C., Haas, H. L., et al. (2014). Modeling and mapping isotopic patterns in the Northwest Atlantic derived from loggerhead sea turtles. *Ecosphere*, 5(9).
- Certain, G., Ridoux, V., van Canneyt, O., & Bretagnolle, V. (2008). Delphinid spatial distribution and abundance estimates over the shelf of the Bay of Biscay. *Ices Journal of Marine Science*, 65(4), 656-666.
- Chabot, C. L., & Allen, L. G. (2009). Global population structure of the tope (*Galeorhinus galeus*) inferred by mitochondrial control region sequence data. *Molecular Ecology*, 18(3), 545-552.
- Chalcobsky, A., Crespo, E. A., & Coscarella, M. A. (2020). Short-term effects of whale watching boats on the movement patterns of southern right whales in Peninsula Valdes, Patagonia, Argentina. *Marine Environmental Research*, 157.

- Chaloupka, M., Osmond, M., & Kaufman, G. (1999). Estimating seasonal abundance trends and survival probabilities of humpback whales in Hervey Bay (east coast Australia). *Marine Ecology Progress Series*, 184, 291-301.
- Chambault, P., Albertsen, C. M., Patterson, T. A., Hansen, R. G., Tervo, O., Laidre, K. L., et al. (2018). Sea surface temperature predicts the movements of an Arctic cetacean: the bowhead whale. *Scientific Reports*, 8.
- Chambault, P., de Thoisy, B., Huguin, M., Martin, J., Bonola, M., Etienne, D., et al. (2018). Connecting paths between juvenile and adult habitats in the Atlantic green turtle using genetics and satellite tracking. *Ecology and Evolution*, 8(24), 12790-12802.
- Chan, K. W., Lo, C., Chu, C. S., Chin, L. T., Wang, Y. T., & Yang, W. C. (2016). Development of a Colloidal Gold-based Immunochromatographic Test Strip for Detection of Cetacean Myoglobin. *Jove-Journal of Visualized Experiments*(113).
- Chandrasekar, K., Saravanane, N., Cubelio, S. S., & Sudhakar, M. (2020). Observation of whale shark, *Rhincodon typus* (Smith, 1828) off Goa, northern Arabian sea. *Indian Journal of Geo-Marine Sciences*, 49(4), 548-552.
- Chang, B., Myeong, J., Virot, E., Clanet, C., Kim, H. Y., & Jung, S. (2019). Jumping dynamics of aquatic animals. *Journal of the Royal Society Interface*, 16(152).
- Chanvallon, S., Blois-Heulin, C., de Latour, P. R., & Lemasson, A. (2017). Spontaneous approaches of divers by free-ranging orcas (*Orcinus orca*): age- and sex-differences in exploratory behaviours and visual laterality. *Scientific Reports*, 7.
- Charif, R. A., Mellinger, D. K., Dunsmore, K. J., Fristrup, K. M., & Clark, C. W. (2002). Estimated source levels of fin whale (*Balaenoptera physalus*) vocalizations: Adjustments for surface interference. *Marine Mammal Science*, 18(1), 81-98.
- Charif, R. A., Rahaman, A., Muirhead, C. A., Pitzrick, M. S., Warde, A. M., Hall, J., et al. (2013). Bowhead whale acoustic activity in the southeast Beaufort Sea during late summer 2008-2010. *Journal of the Acoustical Society of America*, 134(6), 4323-4334.
- Charif, R. A., Shiu, Y., Muirhead, C. A., Clark, C. W., Parks, S. E., & Rice, A. N. (2020). Phenological changes in North Atlantic right whale habitat use in Massachusetts Bay. *Global Change Biology*, 26(2), 734-745.
- Charles, W. D., Hazin, H., & Travassos, P. (2020). Interactions between cetaceans and the tuna/swordfish pelagic longline fishery in the tropical western Atlantic Ocean. *Fisheries Research*, 226.
- Charlton, C., Ward, R., McCauley, R. D., Brownell, R. L., Guggenheimer, S., Kent, C. P. S., et al. (2019). Southern right whales (*Eubalaena australis*) return to a former wintering calving ground: Fowlers Bay, South Australia. *Marine Mammal Science*, 35(4), 1438-1462.
- Charry, B., Marcoux, M., & Humphries, M. M. (2018). Aerial photographic identification of narwhal (*Monodon monoceros*) newborns and their spatial proximity to the nearest adult female. *Arctic Science*, 4(4), 513-524.
- Chavez-Rosales, S., Palka, D. L., Garrison, L. P., & Josephson, E. A. (2019). Environmental predictors of habitat suitability and occurrence of cetaceans in the western North Atlantic Ocean. *Scientific Reports*, 9.
- Chechina, O. N. (2007). Dynamics of development of locomotion of the bottlenose dolphin (*Tursiops truncatus ponticus* Baravash, 1940) in early ontogenesis. *Journal of Evolutionary Biochemistry and Physiology*, 43(4), 427-432.
- Chechina, O. N. (2009). Formation of behavior in bottle-nosed dolphin newborns under conditions of an oceanarium: Heterochrony of involvement of various types of afferentiation. *Biology Bulletin*, 36(5), 489-492.

- Chechina, O. N., Kovalenko, Y. V., Kulagina, O. A., & Mikhailenko, A. A. (2004). Development of locomotion in sea lions *Eumetopias jubatus* in early ontogenesis. *Journal of Evolutionary Biochemistry and Physiology*, 40(1), 66-71.
- Chen, C. L. (2011). From catching to watching: Moving towards quality assurance of whale/dolphin watching tourism in Taiwan. *Marine Policy*, 35(1), 10-17.
- Chen, F., Shapiro, G. I., Bennett, K. A., Ingram, S. N., Thompson, D., Vincent, C., et al. (2017). Shipping noise in a dynamic sea: a case study of grey seals in the Celtic Sea. *Marine Pollution Bulletin*, 114(1), 372-383.
- Chen, H. S., Zhai, K., Chen, J. L., Chen, Y. L., Wen, H. J., Chen, S. F., et al. (2008). A preliminary investigation on genetic diversity of *Sousa chinensis* in the Pearl River Estuary and Xiamen of Chinese waters. *Journal of Genetics and Genomics*, 35(8), 491-497.
- Chen, I., Yu, H. Y., Yang, W. C., Nishida, S., Isobe, T., Tanabe, S., et al. (2014). The "Southern form" of short-finned pilot whale (*Globicephala macrorhynchus*) in tropical west Pacific Ocean off Taiwan. *Raffles Bulletin of Zoology*, 62, 188-199.
- Chen, J., Pack, A. A., Au, W. W. L., & Stimpert, A. K. (2016). Measurements of humpback whale song sound levels received by a calf in association with a singer. *Journal of the Acoustical Society of America*, 140(5), 4010-4015.
- Chen, L., & Xu, Z. R. (2016). A three-dimensional nickel-doped reduced graphene oxide composite for selective separation of hemoglobin with a high adsorption capacity. *Rsc Advances*, 6(61), 56278-56286.
- Chen, L., & Yang, G. (2009). A genomic scanning using AFLP to detect candidate loci under selection in the finless porpoise (*Neophocaena phocaenoides*). *Genes & Genetic Systems*, 84(4), 307-313.
- Chen, L. C., Lin, S. N., & Chen, H. H. (2004). Thermal stability and denaturation rate of myoglobin from various species of fish. *Fisheries Science*, 70(2), 293-298.
- Chen, M. H., Zhuang, M. F., Chou, L. S., Liu, J. Y., Shih, C. C., & Chen, C. Y. (2017). Tissue concentrations of four Taiwanese toothed cetaceans indicating the silver and cadmium pollution in the western Pacific Ocean. *Marine Pollution Bulletin*, 124(2), 993-1000.
- Chen, M. M., Fontaine, M. C., Ben Chehida, Y., Zheng, J. S., Labbe, F., Mei, Z. G., et al. (2017). Genetic footprint of population fragmentation and contemporary collapse in a freshwater cetacean. *Scientific Reports*, 7.
- Chen, M. M., Yu, D. P., Lian, Y. X., & Liu, Z. G. (2020). Population abundance and habitat preference of the Yangtze finless porpoise in the highest density section of the Yangtze River. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 30(6), 1088-1097.
- Chen, M. M., Zheng, J. S., Wu, M., Ruan, R., Zhao, Q. Z., & Wang, D. (2014). Genetic Diversity and Population Structure of the Critically Endangered Yangtze Finless Porpoise (*Neophocaena asiaorientalis asiaorientalis*) as Revealed by Mitochondrial and Microsatellite DNA. *International Journal of Molecular Sciences*, 15(7), 11307-11323.
- Chen, Y. X., Vepa, R., & Shaheed, M. H. (2018). Enhanced and speedy energy extraction from a scaled-up pressure retarded osmosis process with a whale optimization based maximum power point tracking. *Energy*, 153, 618-627.
- Cheneval, O., Blake, R. W., Trites, A. W., & Chan, K. H. S. (2007). Turning maneuvers in Steller sea lions (*Eumatopias jubatus*). *Marine Mammal Science*, 23(1), 94-109.
- Cheng, I. N. Y., Cheung, L. T. O., Chow, A. S. Y., Fok, L., & Cheang, C. C. (2018). The roles interpretative programmes in supporting the sustainable operation of the nature-based activities. *Journal of Cleaner Production*, 200, 380-389.

- Cheng, Z. L., Pine, M. K., Huang, S. L., Wang, D., Wu, H. P., & Wang, K. X. (2018). A case of epimeletic behavior and associated acoustic records of Indo-Pacific humpback dolphins (*Sousa chinensis*). *Journal of Mammalogy*, 99(5), 1112-1119.
- Chenoweth, E. M., Gabriele, C. M., & Hill, D. F. (2011). Tidal influences on humpback whale habitat selection near headlands. *Marine Ecology Progress Series*, 423, 279-289.
- Chenoweth, E. M., Straley, J. M., McPhee, M. V., Atkinson, S., & Reifstahl, S. (2017). Humpback whales feed on hatchery-released juvenile salmon. *Royal Society Open Science*, 4(7).
- Chentanez, N., Muller, M., & Kim, T. Y. (2015). Coupling 3D Eulerian, Heightfield and Particle Methods for Interactive Simulation of Large Scale Liquid Phenomena. *Ieee Transactions on Visualization and Computer Graphics*, 21(10), 1116-1128.
- Cherel, Y., & Duhamel, G. (2004). Antarctic jaws: cephalopod prey of sharks in Kerguelen waters. *Deep-Sea Research Part I-Oceanographic Research Papers*, 51(1), 17-31.
- Cherel, Y., Xavier, J. C., de Grissac, S., Trouve, C., & Weimerskirch, H. (2017). Feeding ecology, isotopic niche, and ingestion of fishery-related items of the wandering albatross *Diomedea exulans* at Kerguelen and Crozet Islands. *Marine Ecology Progress Series*, 565, 197-215.
- Chereskin, E., Beck, L., Gamboa-Poveda, M. P., Palacios-Alfaro, J. D., Monge-Arias, R., Chase, A. R., et al. (2019). Song structure and singing activity of two separate humpback whales populations wintering off the coast of Cano Island in Costa Rica. *Journal of the Acoustical Society of America*, 146(6), EL509-EL515.
- Chernetsky, A. D., & Krasnova, V. V. (2018). The Structure of the Reproductive Gathering of Beluga Whales, *Delphinapterus leucas* (Pallas, 1776), off Solovetsky Island (White Sea) as Inferred from Results of Photo Identification in 2007-2013. *Russian Journal of Marine Biology*, 44(5), 394-403.
- Chetboul, V., Lichtenberger, J., Mellin, M., Mercera, B., Hoffmann, A. C., Chaix, G., et al. (2012). Within-day and between-day variability of transthoracic anatomic M-mode echocardiography in the awake bottlenose dolphin (*Tursiops truncatus*). *Journal of Veterinary Cardiology*, 14(4), 511-518.
- Cheung, L. T. O., Ma, A. T. H., Chow, A. S. Y., Lee, J. C. K., Fok, L., Cheng, I. N. Y., et al. (2019). Contingent valuation of dolphin watching activities in South China: The difference between local and non-local participants. *Science of the Total Environment*, 684, 340-350.
- Chim, C. K., & Tan, K. S. (2012). Recognition of individual knobby sea stars *Protoreaster nodosus* (L., 1758) using aboral surface characteristics. *Journal of Experimental Marine Biology and Ecology*, 430, 48-55.
- Chin, S. J., Wilde, F., Neuhaus, M., Schramm, A., Gellrich, N. C., & Rana, M. (2017). Accuracy of virtual surgical planning of orthognathic surgery with aid of CAD/CAM fabricated surgical splintd-A novel 3D analyzing algorithm. *Journal of Cranio-Maxillofacial Surgery*, 45(12), 1962-1970.
- China, A., & Korutcheva, E. (2013). Intelligence and embodiment: A statistical mechanics approach. *Neural Networks*, 40, 52-72.
- Chion, C., Lamontagne, P., Turgeon, S., Parrott, L., Landry, J. A., Marceau, D. J., et al. (2011). Eliciting cognitive processes underlying patterns of human-wildlife interactions for agent-based modelling. *Ecological Modelling*, 222(14), 2213-2226.
- Chivers, S. J., Perryman, W. L., Lynn, M. S., West, K., & Brownell, R. L. (2018). "Northern" Form Short-Finned Pilot Whales (*Globicephala niacrorhynchus*) Inhabit the Eastern Tropical Pacific Ocean. *Aquatic Mammals*, 44(4), 357-366.

- Choi, M. A. (2017). The whale multiple: Spatial formations of whale tourism in Jangsaengpo, South Korea. *Environment and Planning a-Economy and Space*, 49(11), 2536-2557.
- Cholewiak, D., Clark, C. W., Ponirakis, D., Frankel, A., Hatch, L. T., Risch, D., et al. (2018). Communicating amidst the noise: modeling the aggregate influence of ambient and vessel noise on baleen whale communication space in a national marine sanctuary. *Endangered Species Research*, 36, 59-75.
- Cholewiak, D., DeAngelis, A. I., Palka, D., Corkeron, P. J., & Van Parijs, S. M. (2017). Beaked whales demonstrate a marked acoustic response to the use of shipboard echosounders. *Royal Society Open Science*, 4(12).
- Chou, E., Antunes, R., Sardelis, S., Stafford, K. M., West, L., Spagnoli, C., et al. (2020). Seasonal variation in Arctic marine mammal acoustic detection in the northern Bering Sea. *Marine Mammal Science*, 36(2), 522-547.
- Chou, E., Kershaw, F., Maxwell, S. M., Collins, T., Strindberg, S., & Rosenbaum, H. C. (2020). Distribution of breeding humpback whale habitats and overlap with cumulative anthropogenic impacts in the Eastern Tropical Atlantic. *Diversity and Distributions*, 26(5), 549-564.
- Choudhary, S. K., Smith, B. D., Dey, S., & Prakash, S. (2006). Conservation and biomonitoring in the Vikramshila Gangetic Dolphin Sanctuary, Bihar, India. *Oryx*, 40(2), 189-197.
- Choy, E. S., Sheehan, B., Haulena, M., Rosenber, B., Roth, J. D., & Loseto, L. L. (2019). A comparison of diet estimates of captive beluga whales using fatty acid mixing models with their true diets. *Journal of Experimental Marine Biology and Ecology*, 516, 132-139.
- Christal, J., & Whitehead, H. (1997). Aggregations of mature male sperm whales on the Galapagos Islands breeding ground. *Marine Mammal Science*, 13(1), 59-69.
- Christensen, J. T., & Richardson, K. (2008). Stable isotope evidence of long-term changes in the North Sea food web structure. *Marine Ecology Progress Series*, 368, 1-8.
- Christiansen, F., Bertulli, C. G., Rasmussen, M. H., & Lusseau, D. (2015). Estimating Cumulative Exposure of Wildlife to Non-Lethal Disturbance Using Spatially Explicit Capture-Recapture Models. *Journal of Wildlife Management*, 79(2), 311-324.
- Christiansen, F., Dawson, S. M., Durban, J. W., Fearnbach, H., Miller, C. A., Bejder, L., et al. (2020). Population comparison of right whale body condition reveals poor state of the North Atlantic right whale. *Marine Ecology Progress Series*, 640, 1-16.
- Christiansen, F., Dujon, A. M., Sprogis, K. R., Arnould, J. P. Y., & Bejder, L. (2016). Noninvasive unmanned aerial vehicle provides estimates of the energetic cost of reproduction in humpback whales. *Ecosphere*, 7(10).
- Christiansen, F., & Lusseau, D. (2015). Linking Behavior to Vital Rates to Measure the Effects of Non-Lethal Disturbance on Wildlife. *Conservation Letters*, 8(6), 424-431.
- Christiansen, F., McHugh, K. A., Bejder, L., Siegal, E. M., Lusseau, D., McCabe, E. B., et al. (2016). Food provisioning increases the risk of injury in a long-lived marine top predator. *Royal Society Open Science*, 3(12).
- Christiansen, F., Nielsen, M. L. K., Charlton, C., Bejder, L., & Madsen, P. T. (2020). Southern right whales show no behavioral response to low noise levels from a nearby unmanned aerial vehicle. *Marine Mammal Science*, 36(3), 953-963.
- Christiansen, F., Rasmussen, M., & Lusseau, D. (2013). Whale watching disrupts feeding activities of minke whales on a feeding ground. *Marine Ecology Progress Series*, 478, 239-+.
- Christiansen, F., Rasmussen, M. H., & Lusseau, D. (2013). Inferring activity budgets in wild animals to estimate the consequences of disturbances. *Behavioral Ecology*, 24(6), 1415-1425.

- Christiansen, F., Rasmussen, M. H., & Lusseau, D. (2014). Inferring energy expenditure from respiration rates in minke whales to measure the effects of whale watching boat interactions. *Journal of Experimental Marine Biology and Ecology*, 459, 96-104.
- Christiansen, F., Rojano-Donate, L., Madsen, P. T., & Beider, L. (2016). Noise Levels of Multi-Rotor Unmanned Aerial Vehicles with Implications for Potential Underwater Impacts on Marine Mammals. *Frontiers in Marine Science*, 3.
- Christiansen, F., Sironi, M., Moore, M. J., Di Martino, M., Ricciardi, M., Warick, H. A., et al. (2019). Estimating body mass of free-living whales using aerial photogrammetry and 3D volumetrics. *Methods in Ecology and Evolution*, 10(12), 2034-2044.
- Christiansen, F., Sprogis, K. R., Gross, J., Castrillon, J., Warick, H. A., Leunissen, E., et al. (2020). Variation in outer blubber lipid concentration does not reflect morphological body condition in humpback whales. *Journal of Experimental Biology*, 223(8).
- Christiansen, F., Vivier, F., Charlton, C., Ward, R., Amerson, A., Burnell, S., et al. (2018). Maternal body size and condition determine calf growth rates in southern right whales. *Marine Ecology Progress Series*, 592, 267-281.
- Christman, C. L., Citta, J. J., Quakenbush, L. T., Clarke, J. T., Rone, B. K., Shea, R. A., et al. (2013). Presence and behavior of bowhead whales (*Balaena mysticetus*) in the Alaskan Beaufort Sea in July 2011. *Polar Biology*, 36(12), 1851-1856.
- Chun, S. W., Bae, J. Y., & Kim, J. D. (1995). PROTEIN SEPARATION AND FOCUSING IN A TRANSIENT PH GRADIENT COLUMN. *Separation Science and Technology*, 30(10), 2101-2125.
- Churchill, M., Geisler, J. H., Beatty, B. L., & Goswami, A. (2018). Evolution of cranial telescoping in echolocating whales (Cetacea: Odontoceti). *Evolution*, 72(5), 1092-1108.
- Churnside, J. H., Brown, E. D., Parker-Stetter, S., Horne, J. K., Hunt, G. L., Hillgruber, N., et al. (2011). Airborne Remote Sensing of a Biological Hot Spot in the Southeastern Bering Sea. *Remote Sensing*, 3(3), 621-637.
- Ciancio, J. E., Venerus, L. A., Trobbiani, G. A., Beltramino, L. E., Gleiss, A. C., Wright, S., et al. (2016). Extreme roll angles in Argentine sea bass: Could refuge ease posture and buoyancy control of marine coastal fishes? *Marine Biology*, 163(4).
- Cillari, T., Allegra, A., Andaloro, F., Gristina, M., Milisenda, G., & Sinopoli, M. (2018). The use of echo-sounder buoys in Mediterranean Sea: A new technological approach for a sustainable FADs fishery. *Ocean & Coastal Management*, 152, 70-76.
- Ciner, B., Wang, Y., & Parker, W. (2016). Oxygen isotopic variations in modern cetacean teeth and bones: implications for ecological, paleoecological, and paleoclimatic studies. *Science Bulletin*, 61(1), 92-104.
- Cipriano, F., & Webber, M. (2010). *Dusky Dolphin Life History and Demography*.
- Cisneros, A. E. H. (2018). A new group of late Oligocene mysticetes from Mexico. *Palaeontologia Electronica*, 21(1).
- Cisneros, A. E. H., Barba, G. G., & Fordyce, R. E. (2017). Oligocene cetaceans from Baja California Sur, Mexico. *Boletín De La Sociedad Geológica Mexicana*, 69(1), 149-173.
- Cisneros-Montemayor, A. M., Townsel, A., Gonzales, C. M., Haas, A. R., Navarro-Holm, E. E., Salorio-Zuniga, T., et al. (2020). Nature-based marine tourism in the Gulf of California and Baja California Peninsula: Economic benefits and key species. *Natural Resources Forum*, 44(2), 111-128.

- Citta, J. J., Okkonen, S. R., Quakenbush, L. T., Maslowski, W., Osinski, R., George, J. C., et al. (2018). Oceanographic characteristics associated with autumn movements of bowhead whales in the Chukchi Sea. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 152, 121-131.
- Citta, J. J., Quakenbush, L. T., George, J. C., Small, R. J., Heide-Jorgensen, M. P., Brower, H., et al. (2012). Winter Movements of Bowhead Whales (*Balaena mysticetus*) in the Bering Sea. *Arctic*, 65(1), 13-34.
- Citta, J. J., Suydam, R. S., Quakenbush, L. T., Frost, K. J., & O'Corry-Crowe, G. M. (2013). Dive Behavior of Eastern Chukchi Beluga Whales (*Delphinapterus leucas*), 1998-2008. *Arctic*, 66(4), 389-406.
- Claeson, K. M., Sarr, R., Hill, R. V., Sow, E. H., Malou, R., & O'Leary, M. A. (2015). New fossil scombrid (Pelagia: Scombridae) fishes preserved as predator and prey from the Eocene of Senegal. *Proceedings of the Academy of Natural Sciences of Philadelphia*, 164, 133-147.
- Clapham, P. J., Leatherwood, S., Szczepaniak, I., & Brownell, R. L. (1997). Catches of humpback and other whales from shore stations at Moss Landing and Trinidad, California, 1919-1926. *Marine Mammal Science*, 13(3), 368-394.
- Clapham, P. J., Leimkuhler, E., Gray, B. K., & Mattila, D. K. (1995). DO HUMPBACK WHALES EXHIBIT LATERALIZED BEHAVIOR. *Animal Behaviour*, 50, 73-82.
- Clapham, P. J., & Mattila, D. K. (1993). REACTIONS OF HUMPBACK WHALES TO SKIN BIOPSY SAMPLING ON A WEST-INDIES BREEDING GROUND. *Marine Mammal Science*, 9(4), 382-391.
- Clapham, P. J., & Palsboll, P. J. (1997). Molecular analysis of paternity shows promiscuous mating in female humpback whales (*Megaptera novaengliae*, Borowski). *Proceedings of the Royal Society B-Biological Sciences*, 264(1378), 95-98.
- Clapham, P. J., Palsboll, P. J., Mattila, D. K., & Vasquez, O. (1992). COMPOSITION AND DYNAMICS OF HUMPBACK WHALE COMPETITIVE GROUPS IN THE WEST-INDIES. *Behaviour*, 122, 182-194.
- Clark, C. W., & Altman, N. S. (2006). Acoustic detections of blue whale (*Balaenoptera musculus*) and fin whale (*B. physalus*) sounds during a SURTASS LFA exercise. *Ieee Journal of Oceanic Engineering*, 31(1), 120-128.
- Clark, C. W., Brown, M. W., & Corkeron, P. (2010). Visual and acoustic surveys for North Atlantic right whales, *Eubalaena glacialis*, in Cape Cod Bay, Massachusetts, 2001-2005: Management implications. *Marine Mammal Science*, 26(4), 837-854.
- Clark, C. W., & Clapham, P. J. (2004). Acoustic monitoring on a humpback whale (*Megaptera novaeangliae*) feeding ground shows continual singing into late spring. *Proceedings of the Royal Society B-Biological Sciences*, 271(1543), 1051-1057.
- Clark, C. W., & Ellison, W. T. (2000). Calibration and comparison of the acoustic location methods used during the spring migration of the bowhead whale, *Balaena mysticetus*, off Pt. Barrow, Alaska, 1984-1993. *Journal of the Acoustical Society of America*, 107(6), 3509-3517.
- Clark, E., & Nelson, D. R. (1997). Young whale sharks, *Rhincodon typus*, feeding on a copepod bloom near La Paz, Mexico. *Environmental Biology of Fishes*, 50(1), 63-73.
- Clark, J. M., & Agnew, D. J. (2010). ESTIMATING THE IMPACT OF DEPREDATION BY KILLER WHALES AND SPERM WHALES ON LONGLINE FISHING FOR TOOTHFISH (*DISSOSTICHUS ELEGINOIDES*) AROUND SOUTH GEORGIA. *Ceamlr Science*, 17, 163-178.
- Clark, N. A., Williams, M., Hill, D. J., Quilty, P. G., Smellie, J. L., Zalasiewicz, J., et al. (2013). Fossil proxies of near-shore sea surface temperatures and seasonality from the late Neogene Antarctic shelf. *Naturwissenschaften*, 100(8), 699-722.

- Clarke, J. T., Ferguson, M. C., Curtice, C., & Harrison, J. (2015). Biologically Important Areas for Cetaceans Within US Waters - Arctic Region. *Aquatic Mammals*, 41(1), 94-103.
- Clarke, J. T., Ferguson, M. C., Willoughby, A. L., & Brower, A. A. (2018). Bowhead and Beluga Whale Distributions, Sighting Rates, and Habitat Associations in the Western Beaufort Sea in Summer and Fall 2009-16, with Comparison to 1982-91. *Arctic*, 71(2), 115-138.
- Clarke, J. T., Kennedy, A. S., & Ferguson, M. C. (2016). Bowhead and Gray Whale Distributions, Sighting Rates, and Habitat Associations in the Eastern Chukchi Sea, Summer and Fall 2009-15, with a Retrospective Comparison to 1982-91. *Arctic*, 69(4), 359-377.
- Clarke, M. R. (2003). Production and control of sound by the small sperm whales, *Kogia breviceps* and *K. sima* and their implications for other Cetacea. *Journal of the Marine Biological Association of the United Kingdom*, 83(2), 241-263.
- Clarke, M. R., Martins, H. R., & Pascoe, P. (1993). THE DIET OF SPERM WHALES (*PHYSETER-MACROCEPHALUS LINNAEUS* 1758) OFF THE AZORES. *Philosophical Transactions of the Royal Society of London Series B-Biological Sciences*, 339(1287), 67-82.
- Clarkson, J., Christiansen, F., Awbery, T., Abbiss, L., Nikpaljevic, N., & Akkaya, A. (2020). Non-targeted tourism affects the behavioural budgets of bottlenose dolphins *Tursiops truncatus* in the South Adriatic (Montenegro). *Marine Ecology Progress Series*, 638, 165-176.
- Clausen, K. T., Wahlberg, M., Beedholm, K., Deruiter, S., & Madsen, P. T. (2010). CLICK COMMUNICATION IN HARBOUR PORPOISES *PHOCOENA PHOCOENA*. *Bioacoustics-the International Journal of Animal Sound and Its Recording*, 20(1), 1-28.
- Clay, T. A., Mangel, J. C., Alfaro-Shigueto, J., Hodgson, D. J., & Godley, B. J. (2018). Distribution and Habitat Use of a Cryptic Small Cetacean, the Burmeister's Porpoise, Monitored From a Small-Scale Fishery Platform. *Frontiers in Marine Science*, 5.
- Cleary, A. C., Durbin, E. G., Casas, M. C., & Zhou, M. (2016). Winter distribution and size structure of Antarctic krill *Euphausia superba* populations in-shore along the West Antarctic Peninsula. *Marine Ecology Progress Series*, 552, 115-129.
- Cleary, A. C., Durbin, E. G., & Rynearson, T. A. (2012). Krill feeding on sediment in the Gulf of Maine (North Atlantic). *Marine Ecology Progress Series*, 455, 157-172.
- Clegg, I. L. K., & Delfour, F. (2018). Can We Assess Marine Mammal Welfare in Captivity and in the Wild? Considering the Example of Bottlenose Dolphins. *Aquatic Mammals*, 44(2), 181-200.
- Clegg, I. L. K., Rodel, H. G., Boivin, X., & Delfour, F. (2018). Looking forward to interacting with their caretakers: dolphins' anticipatory behaviour indicates motivation to participate in specific events. *Applied Animal Behaviour Science*, 202, 85-93.
- Clegg, I. L. K., Rodel, H. G., & Delfour, F. (2017). Bottlenose dolphins engaging in more social affiliative behaviour judge ambiguous cues more optimistically. *Behavioural Brain Research*, 322, 115-122.
- Cleguer, C., Garrigue, C., Fuentes, M., Everingham, Y., Hagihara, R., Hamann, M., et al. (2017). Drivers of change in the relative abundance of dugongs in New Caledonia. *Wildlife Research*, 44(4), 365-376.
- Clemente, J., Christiansen, F., Pirotta, E., Steckler, D., Wahlberg, M., & Pearson, H. C. (2018). Effects of whale watching on the activity budgets of humpback whales, *Megaptera novaeangliae* (Borowski, 1781), on a feeding ground. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 28(4), 810-820.

- Clementz, M. T., Fordyce, R. E., Peek, S. L., & Fox, D. L. (2014). Ancient marine isoscapes and isotopic evidence of bulk-feeding by Oligocene cetaceans. *Palaeogeography Palaeoclimatology Palaeoecology*, 400, 28-40.
- Clementz, M. T., Goswami, A., Gingerich, P. D., & Koch, P. L. (2006). Isotopic records from early whales and sea cows: Contrasting patterns of ecological transition. *Journal of Vertebrate Paleontology*, 26(2), 355-370.
- Cliff, G., Anderson-Reade, M. D., Aitken, A. P., Charter, G. E., & Peddemors, V. M. (2007). Aerial census of whale sharks (*Rhincodon typus*) on the northern KwaZulu-Natal coast, South Africa. *Fisheries Research*, 84(1), 41-46.
- Cloekaert, A., Verger, J. M., Grayon, M., Paquet, J. Y., Garin-Bastuji, B., Foster, G., et al. (2001). Classification of *Brucella* spp. isolated from marine mammals by DNA polymorphism at the omp2 locus. *Microbes and Infection*, 3(9), 729-738.
- Clothier, P. J., McElroy, G. K., Blanksby, B. A., & Payne, W. (2000). A comparison and analysis of traditional and modified freestyle tumble turns by age-group swimmers. *Journal of Human Movement Studies*, 38(2), 93-108.
- Cloyed, C. S., Hieb, E. E., Collins, M. K., DaCosta, K. P., & Carmichael, R. H. (2019). Linking Use of Ship Channels by West Indian Manatees (*Trichechus manatus*) to Seasonal Migration and Habitat Use. *Frontiers in Marine Science*, 6.
- Clua, E., Chauvet, C., Read, T., Werry, J. M., & Lee, S. Y. (2013). Behavioural patterns of a Tiger Shark (*Galeocerdo cuvier*) feeding aggregation at a blue whale carcass in Prony Bay, New Caledonia. *Marine and Freshwater Behaviour and Physiology*, 46(1), 1-20.
- Clua, E., & Grosvalet, F. (2001). Mixed-species feeding aggregation of dolphins, large tunas and seabirds in the Azores. *Aquatic Living Resources*, 14(1), 11-18.
- Clua, E. E., Manire, C. A., & Garrigue, C. (2014). Biological Data of Pygmy Killer Whale (*Feresa attenuata*) from a Mass Stranding in New Caledonia (South Pacific) Associated with Hurricane Jim in 2006. *Aquatic Mammals*, 40(2), 162-172.
- Cochran, J. E. M., Braun, C. D., Cagua, E. F., Campbell, M. F., Hardenstine, R. S., Kattan, A., et al. (2019). Multi-method assessment of whale shark (*Rhincodon typus*) residency, distribution, and dispersal behavior at an aggregation site in the Red Sea. *Plos One*, 14(9).
- Cockcroft, V. G., & Peddemors, V. M. (1990). SEASONAL DISTRIBUTION AND DENSITY OF COMMON DOLPHINS DELPHINUS-DELPHIS OFF THE SOUTH-EAST COAST OF SOUTHERN AFRICA. *South African Journal of Marine Science-Suid-Afrikaanse Tydskrif Vir Seewetenskap*, 9, 371-377.
- Cohen, J., Arkhipov, A., Braun, R., & Schulten, K. (2006). Imaging the migration pathways for O-2, CO, NO, and Xe inside myoglobin. *Biophysical Journal*, 91(5), 1844-1857.
- Cohen, R. C. Z., Cleary, P. W., & Mason, B. R. (2012). Simulations of dolphin kick swimming using smoothed particle hydrodynamics. *Human Movement Science*, 31(3), 604-619.
- Cole, T. V. N., Hamilton, P., Henry, A. G., Duley, P., Pace, R. M., White, B. N., et al. (2013). Evidence of a North Atlantic right whale *Eubalaena glacialis* mating ground. *Endangered Species Research*, 21(1), 55-64.
- Collareta, A. (2020). Discovery of complementary males in a Pliocene accumulation of *Chelonibia testudinaria* (LINNAEUS, 1758), with some notes on the evolution of androdioecy in turtle barnacles. *Neues Jahrbuch Fur Geologie Und Palaontologie-Abhandlungen*, 297(2), 193-203.
- Collareta, A., Di Cencio, A., Ricci, R., & Bianucci, G. (2020). The shark-toothed dolphin *Squalodon* (Cetacea: Odontoceti) from the remarkable Montagna della Majella marine vertebrate assemblage (Bolognano Formation, central Italy). *Carnets De Geologie*, 20(2), 19-28.

- Collareta, A., Insacco, G., Reitano, A., Catanzariti, R., Bosselaers, M., Montes, M., et al. (2018). Fossil whale barnacles from the lower Pleistocene of Sicily shed light on the coeval Mediterranean cetacean fauna. *Carnets De Geologie*, 18(2), 9-22.
- Collareta, A., Lambert, O., de Muizon, C., Urbina, M., & Bianucci, G. (2017). *Koristocetus pescei* gen. et sp nov., a diminutive sperm whale (Cetacea: Odontoceti: Kogiidae) from the late Miocene of Peru. *Fossil Record*, 20(2), 259-278.
- Collareta, A., Landini, W., Chacaltana, C., Valdivia, W., Altamirano-Sierra, A., Urbina-Schmitt, M., et al. (2017). A WELL PRESERVED SKELETON OF THE FOSSIL SHARK COSMOPOLITODUS HASTALIS FROM THE LATE MIOCENE OF PERU, FEATURING FISH REMAINS AS FOSSILIZED STOMACH CONTENTS. *Rivista Italiana Di Paleontologia E Stratigrafia*, 123(1), 11-22.
- Collareta, A., Landini, W., Lambert, O., Post, K., Tinelli, C., Di Celma, C., et al. (2015). Piscivory in a Miocene Cetotheriidae of Peru: first record of fossilized stomach content for an extinct baleen-bearing whale. *Science of Nature*, 102(11-12).
- Collareta, A., Marean, C. W., Jerardino, A., & Bosselaers, M. (2017). *Cetopirus complanatus* (Cirripedia: Coronulidae) from the late Middle Pleistocene human settlement of Pinnacle Point 13B (Mossel Bay, South Africa). *Zootaxa*, 4237(2), 393-400.
- Collareta, A., Regattieri, E., Zanchetta, G., Lambert, O., Catanzariti, R., Bosselaers, M., et al. (2018). New insights on ancient cetacean movement patterns from oxygen-isotope analyses of a Mediterranean Pleistocene whale barnacle. *Neues Jahrbuch Fur Geologie Und Palaontologie-Abhandlungen*, 288(2), 143-159.
- Collareta, A., Reitano, A., Rosso, A., Sanfilippo, R., Bosselaers, M., Bianucci, G., et al. (2019). The oldest platylepadid turtle barnacle (Cirripedia, Coronuloidea): a new species of *Platylepas* from the Lower Pleistocene of Italy. *European Journal of Taxonomy*, 516, 1-17.
- Collet, J., Richard, G., Janc, A., Guinet, C., & Weimerskirch, H. (2018). Influence of depredating cetaceans on albatross attraction and attendance patterns at fishing boats. *Marine Ecology Progress Series*, 605, 49-59.
- Collins, M. A., & Villanueva, R. (2006). Taxonomy, ecology and behaviour of the cirrate octopods. In R. N. Gibson, R. J. A. Atkinson & J. D. M. Gordon (Eds.), *Oceanography and Marine Biology - an Annual Review*, Vol 44 (Vol. 44, pp. 277-+).
- Coltrain, J. B. (2009). Sealing, whaling and caribou revisited: additional insights from the skeletal isotope chemistry of eastern Arctic foragers. *Journal of Archaeological Science*, 36(3), 764-775.
- Compton, R., Banks, A., Goodwin, L., & Hooker, S. K. (2007). Pilot cetacean survey of the sub-Arctic North Atlantic utilizing a cruise-ship platform. *Journal of the Marine Biological Association of the United Kingdom*, 87(1), 321-325.
- Compton, R., Goodwin, L., Handy, R., & Abbott, V. (2008). A critical examination of worldwide guidelines for minimising the disturbance to marine mammals during seismic surveys. *Marine Policy*, 32(3), 255-262.
- Condet, M., & Dulau-Drouot, V. (2016). Habitat selection of two island-associated dolphin species from the south-west Indian Ocean. *Continental Shelf Research*, 125, 18-27.
- Connor, R. C., & Krutzen, M. (2015). Male dolphin alliances in Shark Bay: changing perspectives in a 30-year study. *Animal Behaviour*, 103, 223-235.
- Connor, R. C., & Smolker, R. A. (1996). 'Pop' goes the dolphin: A vocalization male bottlenose dolphins produce during consortships. *Behaviour*, 133, 643-662.

- Conry, D. S., Pistorius, P. A., Plon, S., & Hofmeyr, G. J. G. (2016). Sexual dimorphism in striped dolphin (*Stenella coeruleoalba*) crania from South Africa. *Marine Mammal Science*, 32(4), 1254-1271.
- Constantine, R. (2001). Increased avoidance of swimmers by wild bottlenose dolphins (*Tursiops truncatus*) due to long-term exposure to swim-with-dolphin tourism. *Marine Mammal Science*, 17(4), 689-702.
- Constantine, R., & Bejder, L. (2008). Managing the Whale- and Dolphin-watching Industry: Time for a Paradigm Shift.
- Constantine, R., Jackson, J. A., Steel, D., Baker, C. S., Brooks, L., Burns, D., et al. (2012). Abundance of humpback whales in Oceania using photo-identification and microsatellite genotyping. *Marine Ecology Progress Series*, 453, 249-261.
- Constantine, R., Johnson, M., Riekkola, L., Jervis, S., Kozmian-Ledward, L., Dennis, T., et al. (2015). Mitigation of vessel-strike mortality of endangered Bryde's whales in the Hauraki Gulf, New Zealand. *Biological Conservation*, 186, 149-157.
- Constantine, R., Russell, K., Gibbs, N., Childerhouse, S., & Baker, C. S. (2007). Photo-identification of humpback whales (*Megaptera novaeangliae*) in New Zealand waters and their migratory connections to breeding grounds of oceania. *Marine Mammal Science*, 23(3), 715-720.
- Cook, M. L. H., Sayigh, L. S., Blum, J. E., & Wells, R. S. (2004). Signature-whistle production in undisturbed free-ranging bottlenose dolphins (*Tursiops truncatus*). *Proceedings of the Royal Society B-Biological Sciences*, 271(1543), 1043-1049.
- Cooke, S. J., Iverson, S. J., Stokesbury, M. J. W., Hinch, S. G., Fisk, A. T., VanderZwaag, D. L., et al. (2011). Ocean Tracking Network Canada: A Network Approach to Addressing Critical Issues in Fisheries and Resource Management with Implications for Ocean Governance. *Fisheries*, 36(12), 583-592.
- Coomber, F., Moulins, A., Tepsich, P., & Rosso, M. (2016). Sexing free-ranging adult Cuvier's beaked whales (*Ziphius cavirostris*) using natural marking thresholds and pigmentation patterns. *Journal of Mammalogy*, 97(3), 879-890.
- Coombs, E. J., Deaville, R., Sabin, R. C., Allan, L., O'Connell, M., Berrow, S., et al. (2019). What can cetacean stranding records tell us? A study of UK and Irish cetacean diversity over the past 100 years. *Marine Mammal Science*, 35(4), 1527-1555.
- Cooper, K. L. (2019). Developmental and Evolutionary Allometry of the Mammalian Limb Skeleton. *Integrative and Comparative Biology*, 59(5), 1356-1368.
- Cooper, L. N., Sedano, N., Johansson, S., May, B., Brown, J. D., Holliday, C. M., et al. (2008). Hydrodynamic performance of the minke whale (*Balaenoptera acutorostrata*) flipper. *Journal of Experimental Biology*, 211(12), 1859-1867.
- Cooren, F. (2001). Translation and articulation in the organization of coalitions: The Great Whale River case. *Communication Theory*, 11(2), 178-200.
- Cooren, F., & Sanders, R. E. (2002). Implicatures: a schematic approach. *Journal of Pragmatics*, 34(8), 1045-1067.
- Copping, A., Hanna, L., Van Cleve, B., Blake, K., & Anderson, R. M. (2015). Environmental Risk Evaluation System-an Approach to Ranking Risk of Ocean Energy Development on Coastal and Estuarine Environments. *Estuaries and Coasts*, 38, S287-S302.
- Coppola, N., Alessio, L., Gualdieri, L., Pisaturo, M., Sagnelli, C., Minichini, C., et al. (2017). Hepatitis B virus infection in undocumented immigrants and refugees in Southern Italy: demographic, virological, and clinical features. *Infectious Diseases of Poverty*, 6.

- Corkeron, P. J. (1995). HUMPBACK WHALES (MEGAPTERA-NOVAEANGLIAE) IN HERVEY BAY, QUEENSLAND - BEHAVIOR AND RESPONSES TO WHALE-WATCHING VESSELS. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 73(7), 1290-1299.
- Corkeron, P. J. (2009). Reconsidering the science of scientific whaling. *Marine Ecology Progress Series*, 375, 305-309.
- Corkeron, P. J., Brown, M., Slade, R. W., & Bryden, M. M. (1994). HUMPBACK WHALES, MEGAPTERA-NOVAEANGLIAE (CETACEA, BALAENOPTERIDAE), IN HERVEY BAY, QUEENSLAND. *Wildlife Research*, 21(3), 293-305.
- Corkeron, P. J., Ensor, P., & Matsuoka, K. (1999). Observations of blue whales feeding in Antarctic waters. *Polar Biology*, 22(3), 213-215.
- Corkeron, P. J., & Martin, A. R. (2004). Ranging and diving behaviour of two 'offshore' bottlenose dolphins, *Tursiops* sp., off eastern Australia. *Journal of the Marine Biological Association of the United Kingdom*, 84(2), 465-468.
- Cornick, L. A., Inglis, S. D., Willis, K., & Horning, M. (2006). Effects of increased swimming costs on foraging behavior and efficiency of captive Steller sea lions: Evidence for behavioral plasticity in the recovery phase of dives. *Journal of Experimental Marine Biology and Ecology*, 333(2), 306-314.
- Correia, A. M., Gil, A., Valente, R., Rosso, M., Pierce, G. J., & Sousa-Pinto, I. (2019). Distribution and habitat modelling of common dolphins (*Delphinus delphis*) in the eastern North Atlantic. *Journal of the Marine Biological Association of the United Kingdom*, 99(6), 1443-1457.
- Cortes, J., Sanchez-Jimenez, A., Rodriguez-Arrieta, J. A., Quiros-Barrantes, G., Gonzalez, P. C., & Blum, S. (2012). Elasmobranchs observed in deepwaters (45-330m) at Isla del Coco National Park, Costa Rica (Eastern Tropical Pacific). *Revista De Biologia Tropical*, 60, 257-273.
- Cortopassi, K. A., & Bradbury, J. W. (2006). Contact call diversity in wild orange-fronted parakeet pairs, *Aratinga canicularis*. *Animal Behaviour*, 71, 1141-1154.
- Coscarella, M. A., & Crespo, E. A. (2010). Feeding aggregation and aggressive interaction between bottlenose (*Tursiops truncatus*) and Commerson's dolphins (*Cephalorhynchus commersonii*) in Patagonia, Argentina. *Journal of Ethology*, 28(1), 183-187.
- Coscarella, M. A., Dans, S. L., Degradi, M., Garaffo, G. V., & Crespo, E. A. (2012). Bottlenose dolphins at the southern extreme of the south-western Atlantic: local population decline? *Journal of the Marine Biological Association of the United Kingdom*, 92(8), 1843-1849.
- Coscarella, M. A., Pedraza, S. N., & Crespo, E. A. (2010). Behavior and seasonal variation in the relative abundance of Commerson's dolphin (*Cephalorhynchus commersonii*) in northern Patagonia, Argentina. *Journal of Ethology*, 28(3), 463-470.
- Cosens, S. E., & Blouw, A. (2003). Size- and age-class segregation of bowhead whales summering in northern Foxe Basin: A photogrammetric analysis. *Marine Mammal Science*, 19(2), 284-296.
- Cosens, S. E., & Dueck, L. P. (1991). GROUP-SIZE AND ACTIVITY PATTERNS OF BELUGAS (*DELPHINAPTERUS-LEUCAS*) AND NARWHALS (*MONODON-MONOCEROS*) DURING SPRING MIGRATION IN LANCASTER SOUND. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 69(6), 1630-1635.
- Cosens, S. E., & Dueck, L. P. (1993). ICEBREAKER NOISE IN LANCASTER SOUND, NWT, CANADA - IMPLICATIONS FOR MARINE MAMMAL BEHAVIOR. *Marine Mammal Science*, 9(3), 285-300.

- Cosens, S. E., & Innes, S. (2000). Distribution and numbers of bowhead whales (*Balaena mysticetus*) in northwestern Hudson Bay in August 1995. *Arctic*, 53(1), 36-41.
- Cosens, S. E., Qamukaq, T., Parker, B., Dueck, L. P., & Anardjuak, B. (1997). The distribution and numbers of Bowhead Whales, *Balaena mysticetus*, in northern Foxe Basin in 1994. *Canadian Field-Naturalist*, 111(3), 381-388.
- Cosentino, M., Guarato, F., Tougaard, J., Nairn, D., Jackson, J. C., & Windmill, J. F. C. (2019). Porpoise click classifier (PorCC): A high-accuracy classifier to study harbour porpoises (*Phocoena phocoena*) in the wild. *Journal of the Acoustical Society of America*, 145(6), 3427-3434.
- Coss, R. G., McCowan, B., & Ramakrishnan, U. (2007). Threat-related acoustical differences in alarm calls by wild bonnet macaques (*Macaca radiata*) elicited by python and leopard models. *Ethology*, 113(4), 352-367.
- Costa, D. P., Crocker, D. E., Gedamke, J., Webb, P. M., Houser, D. S., Blackwell, S. B., et al. (2003). The effect of a low-frequency sound source (acoustic thermometry of the ocean climate) on the diving behavior of juvenile northern elephant seals, *Mirounga angustirostris*. *Journal of the Acoustical Society of America*, 113(2), 1155-1165.
- Costa-Urrutia, P., Sanvito, S., Victoria-Cota, N., Enriquez-Paredes, L., & Gendron, D. (2013). Fine-Scale Population Structure of Blue Whale Wintering Aggregations in the Gulf of California. *Plos One*, 8(3).
- Costidis, A. M., & Rommel, S. A. (2016). The Extracranial Arterial System in the Heads of Beaked Whales, With Implications on Diving Physiology and Pathogenesis. *Journal of Morphology*, 277(1), 5-33.
- Cote, J., Bocedi, G., Debeffe, L., Chudzinska, M. E., Weigang, H. C., Dytham, C., et al. (2017). Behavioural synchronization of large-scale animal movements - disperse alone, but migrate together? *Biological Reviews*, 92(3), 1275-1296.
- Cotte, C., d'Ovidio, F., Chaigneau, A., Levy, M., Taupier-Letage, I., Mate, B., et al. (2011). Scale-dependent interactions of Mediterranean whales with marine dynamics. *Limnology and Oceanography*, 56(1), 219-232.
- Cotte, C., Guinet, C., Taupier-Letage, I., Mate, B., & Petiau, E. (2009). Scale-dependent habitat use by a large free-ranging predator, the Mediterranean fin whale. *Deep-Sea Research Part I-Oceanographic Research Papers*, 56(5), 801-811.
- Couet, P., Gally, F., Canonne, C., & Besnard, A. Joint estimation of survival and breeding probability in female dolphins and calves with uncertainty in state assignment. *Ecology and Evolution*.
- Couto, A., Queiroz, N., Ketchum, J. T., Sampaio, E., Furtado, M., Cid, A. A., et al. (2018). Smooth hammerhead sharks (*Sphyrna zygaena*) observed off the Portuguese southern coast. *Environmental Biology of Fishes*, 101(8), 1261-1268.
- Couto, A., Queiroz, N., Relvas, P., Baptista, M., Furtado, M., Castro, J., et al. (2017). Occurrence of basking shark *Cetorhinus maximus* in southern Portuguese waters: a two-decade survey. *Marine Ecology Progress Series*, 564, 77-86.
- Covic, N., & Lacevic, B. (2020). Wingsuit Flying Search-A Novel Global Optimization Algorithm. *Ieee Access*, 8, 53883-53900.
- Cowan, D. F., & Curry, B. E. (2008). Histopathology of the alarm reaction in small odontocetes. *Journal of Comparative Pathology*, 139(1), 24-33.
- Cowings, P. S., Kellar, M. A., Folen, R. A., Toscano, W. B., & Burge, J. D. (2001). Autogenic feedback training exercise and pilot performance: Enhanced functioning under search-and-rescue flying conditions. *International Journal of Aviation Psychology*, 11(3), 303-315.

- Cowling, M., Kirkwood, R., Boren, L. J., & Scarpaci, C. (2014). The effects of seal-swim activities on the New Zealand fur seal (*Arctophoca australis forsteri*) in the Bay of Plenty, New Zealand, and recommendations for a sustainable tourism industry. *Marine Policy*, 45, 39-44.
- Cox, T. M., Read, A. J., Swanner, D., Urian, K., & Waples, D. (2004). Behavioral responses of bottlenose dolphins, *Tursiops truncatus*, to gillnets and acoustic alarms. *Biological Conservation*, 115(2), 203-212.
- Cozzi, B., Bagnoli, P., Acocella, F., & Costantino, M. L. (2005). Structure and biomechanical properties of the trachea of the striped dolphin *Stenella coeruleoalba*: Evidence for evolutionary adaptations to diving. *Anatomical Record Part a-Discoveries in Molecular Cellular and Evolutionary Biology*, 284A(1), 500-510.
- Cozzi, B., Panin, M., Butti, C., Podesta, M., & Zotti, A. (2010). Bone Density Distribution Patterns in the Rostrum of Delphinids and Beaked Whales: Evidence of Family-Specific Evolutionary Traits. *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 293(2), 235-242.
- Cradock-Henry, N. A., Fountain, J., & Buelow, F. (2018). Transformations for Resilient Rural Futures: The Case of Kaikura, Aotearoa-New Zealand. *Sustainability*, 10(6).
- Craig, A. S., & Herman, L. M. (2000). Habitat preferences of female humpback whales *Megaptera novaeangliae* in the Hawaiian Islands are associated with reproductive status. *Marine Ecology Progress Series*, 193, 209-216.
- Craig, A. S., Herman, L. M., Gabriele, C. M., & Pack, A. A. (2003). Migratory timing of humpback whales (*Megaptera novaeangliae*) in the central North Pacific varies with age, sex and reproductive status. *Behaviour*, 140, 981-1001.
- Craig, A. S., Herman, L. M., & Pack, A. A. (2002). Male mate choice and male-male competition coexist in the humpback whale (*Megaptera novaeangliae*). *Canadian Journal of Zoology*, 80(4), 745-755.
- Craig, A. S., Herman, L. M., Pack, A. A., & Waterman, J. O. (2014). Habitat segregation by female humpback whales in Hawaiian waters: avoidance of males? *Behaviour*, 151(5), 613-631.
- Crance, J. L., Berchok, C. L., & Keating, J. L. (2017). Gunshot call production by the North Pacific right whale *Eubalaena japonica* in the southeastern Bering Sea. *Endangered Species Research*, 34, 251-267.
- Crane, N. L., & Lashkari, K. (1996). Sound production of gray whales, *Eschrichtius robustus*, along their migration route: A new approach to signal analysis. *Journal of the Acoustical Society of America*, 100(3), 1878-1886.
- Cranford, T. W. (1999). The sperm whale's nose: Sexual selection on a grand scale? *Marine Mammal Science*, 15(4), 1133-1157.
- Crawford, R. J. M., Underhill, L. G., Raubenheimer, C. M., Dyer, B. M., & Martin, J. (1992). TOP PREDATORS IN THE BENGUELA ECOSYSTEM - IMPLICATIONS OF THEIR TROPHIC POSITION. *South African Journal of Marine Science-Suid-Afrikaanse Tydskrif Vir Seewetenskap*, 12, 675-687.
- Cremer, M. J., Holz, A. C., Bordino, P., Wells, R. S., & Simoes-Lopes, P. C. (2017). Social sounds produced by franciscana dolphins, *Pontoporia blainvillei* (Cetartiodactyla, Pontoporiidae). *Journal of the Acoustical Society of America*, 141(3), 2047-2054.
- Cremer, M. J., & Simoes-Lopes, P. C. (2005). The occurrence of *Pontoporia blainvillei* (Gervais ex d'Orbigny) (Cetacea, Pontoporiidae) in an estuarine area in southern Brazil. *Revista Brasileira De Zoologia*, 22(3), 717-723.
- Cremer, M. J., Simoes-Lopes, P. C., & Pires, J. S. R. (2009). Occupation Pattern of a Harbor Inlet by the Estuarine Dolphin, *Sotalia guianensis* (P. J. Van Beneden, 1864) (Cetacea, Delphinidae). *Brazilian Archives of Biology and Technology*, 52(3), 765-774.

- Cribb, N., & Seuront, L. (2016). Changes in the behavioural complexity of bottlenose dolphins along a gradient of anthropogenically-impacted environments in South Australian coastal waters: Implications for conservation and management strategies. *Journal of Experimental Marine Biology and Ecology*, 482, 118-127.
- Croll, D. A., Acevedo-Gutierrez, A., Tershy, B. R., & Urban-Ramirez, J. (2001). The diving behavior of blue and fin whales: is dive duration shorter than expected based on oxygen stores? *Comparative Biochemistry and Physiology a-Molecular and Integrative Physiology*, 129(4), 797-809.
- Croll, D. A., Clark, C. W., Calambokidis, J., Ellison, W. T., & Tershy, B. R. (2001). Effect of anthropogenic low-frequency noise on the foraging ecology of Balaenoptera whales. *Animal Conservation*, 4, 13-27.
- Croll, D. A., Newton, K. M., Weng, K., Galvan-Magana, F., O'Sullivan, J., & Dewar, H. (2012). Movement and habitat use by the spine-tail devil ray in the Eastern Pacific Ocean. *Marine Ecology Progress Series*, 465, 193-200.
- Croll, D. A., Tershy, B. R., Hewitt, R. P., Demer, D. A., Fiedler, P. C., Smith, S. E., et al. (1998). An integrated approach to the foraging ecology of marine birds and mammals. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 45(7), 1353-+.
- Crook, D. A., Koster, W. M., Macdonald, J. I., Nicol, S. J., Belcher, C. A., Dawson, D. R., et al. (2010). Catadromous migrations by female tupong (*Pseudaphritis urvillii*) in coastal streams in Victoria, Australia. *Marine and Freshwater Research*, 61(4), 474-483.
- Crowe, L. M., O'Brien, O., Curtis, T. H., Leiter, S. M., Kenney, R. D., Duley, P., et al. (2018). Characterization of large basking shark *Cetorhinus maximus* aggregations in the western North Atlantic Ocean. *Journal of Fish Biology*, 92(5), 1371-1384.
- Croxall, J. P., & Wood, A. G. (2002). The importance of the Patagonian Shelf for top predator species breeding at South Georgia. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 12(1), 101-118.
- Crum, N., Gowan, T., Krzystan, A., & Martin, J. (2019). Quantifying risk of whale-vessel collisions across space, time, and management policies. *Ecosphere*, 10(4).
- Crunchant, A. S., Borchers, D., Kuhl, H., & Piel, A. (2020). Listening and watching: Do camera traps or acoustic sensors more efficiently detect wild chimpanzees in an open habitat? *Methods in Ecology and Evolution*, 11(4), 542-552.
- Cruz, M. J., Jordao, V. L., Pereira, J. G., Santos, R. S., & Silva, M. A. (2014). Risso's dolphin depredation in the Azorean hand-jig squid fishery: assessing the impacts and evaluating effectiveness of acoustic deterrents. *ICES Journal of Marine Science*, 71(9), 2608-2620.
- Cruz, M. J., Machete, M., Menezes, G., Rogan, E., & Silva, M. A. (2018). Estimating common dolphin bycatch in the pole-and-line tuna fishery in the Azores. *PeerJ*, 6.
- Cruz, M. J., Menezes, G., Machete, M., & Silva, M. A. (2016). Predicting Interactions between Common Dolphins and the Pole-and-Line Tuna Fishery in the Azores. *Plos One*, 11(11).
- Cubaynes, H. C., Fretwell, P. T., Bamford, C., Gerrish, L., & Jackson, J. A. (2019). Whales from space: Four mysticete species described using new VHR satellite imagery. *Marine Mammal Science*, 35(2), 466-491.
- Cubaynes, H. C., Rees, W. G., Jackson, J. A., Moore, M., Sformo, T. L., McLellan, W. A., et al. Spectral reflectance of whale skin above the sea surface: a proposed measurement protocol. *Remote Sensing in Ecology and Conservation*.
- Cuhra, M. (2019). Observations of water-flea *Daphnia magna* and avian fecalia in rock pools: is traditional natural history reporting still relevant for science? *Journal of Natural History*, 53(5-6), 315-334.

- Cuitino, J. I., Dozo, M. T., del Rio, C. J., Buono, M. R., Palazzesi, L., Fuentes, S., et al. (2017). Miocene Marine Transgressions: Paleoenvironments and Paleobiodiversity. In P. Bouza & A. Bilmes (Eds.), *Late Cenozoic of Peninsula Valdes, Patagonia, Argentina: an Interdisciplinary Approach* (pp. 47-84).
- Culik, B., von Dorrien, C., Muller, V., & Conrad, M. (2015). Synthetic communication signals influence wild harbour porpoise (*Phocoena phocoena*) behaviour. *Bioacoustics-the International Journal of Animal Sound and Its Recording*, 24(3), 201-221.
- Culik, B. M., Koschinski, S., Tregenza, N., & Ellis, G. M. (2001). Reactions of harbor porpoises *Phocoena phocoena* and herring *Clupea harengus* to acoustic alarms. *Marine Ecology Progress Series*, 211, 255-260.
- Culloch, R. M., Anderwald, P., Brandecker, A., Haberlin, D., McGovern, B., Pinfield, R., et al. (2016). Effect of construction-related activities and vessel traffic on marine mammals. *Marine Ecology Progress Series*, 549, 231-242.
- Culloch, R. M., Foley, A., Haberlin, D., McGovern, B., Pinfield, R., Jessopp, M., et al. (2020). Occurrence, site-fidelity and abundance of bottlenose dolphins (*Tursiops truncatus*) in Broadhaven bay, northwest Ireland during long-term construction of a gas pipeline. *Regional Studies in Marine Science*, 34.
- Cunningham, P. A., Huijbens, E. H., & Wearing, S. L. (2012). From whaling to whale watching: examining sustainability and cultural rhetoric. *Journal of Sustainable Tourism*, 20(1), 143-161.
- Cupane, A., Leone, M., Vitrano, E., Cordone, L., Hiltbold, U. R., Winterhalter, K. H., et al. (1993). STRUCTURE-DYNAMICS-FUNCTION RELATIONSHIPS IN ASIAN ELEPHANT (ELEPHAS-MAXIMUS) MYOGLOBIN - AN OPTICAL SPECTROSCOPY AND FLASH-PHOTOLYSIS STUDY ON FUNCTIONALLY IMPORTANT MOTIONS. *Biophysical Journal*, 65(6), 2461-2472.
- Cure, C., Antunes, R., Alves, A. C., Visser, F., Kvadsheim, P. H., & Miller, P. J. O. (2013). Responses of male sperm whales (*Physeter macrocephalus*) to killer whale sounds: implications for anti-predator strategies. *Scientific Reports*, 3.
- Cure, C., Antunes, R., Samarra, F., Alves, A. C., Visser, F., Kvadsheim, P. H., et al. (2012). Pilot Whales Attracted to Killer Whale Sounds: Acoustically-Mediated Interspecific Interactions in Cetaceans. *Plos One*, 7(12).
- Cure, C., Isojunno, S., Vester, H. I., Visser, F., Oudejans, M., Biassoni, N., et al. (2019). Evidence for discrimination between feeding sounds of familiar fish and unfamiliar mammal-eating killer whale ecotypes by long-finned pilot whales. *Animal Cognition*, 22(5), 863-882.
- Cure, C., Isojunno, S., Visser, F., Wensveen, P. J., Sivle, L. D., Kvadsheim, P. H., et al. (2016). Biological significance of sperm whale responses to sonar: comparison with anti-predator responses. *Endangered Species Research*, 31, 89-102.
- Cure, C., Sivle, L. D., Visser, F., Wensveen, P. J., Isojunno, S., Harris, C. M., et al. (2015). Predator sound playbacks reveal strong avoidance responses in a fight strategist baleen whale. *Marine Ecology Progress Series*, 526, 267-282.
- Currie, J. J., Stack, S. H., Brignac, K. C., & Lynch, J. M. (2019). Nearshore sea surface macro marine debris in Maui County, Hawaii: Distribution, drivers, and polymer composition. *Marine Pollution Bulletin*, 138, 70-83.
- Curtice, C., Johnston, D. W., Ducklow, H., Gales, N., Halpin, P. N., & Friedlaender, A. S. (2015). Modeling the spatial and temporal dynamics of foraging movements of humpback whales (*Megaptera novaeangliae*) in the Western Antarctic Peninsula. *Movement Ecology*, 3.
- Curtin, P., & Papworth, S. (2018). Increased information and marketing to specific individuals could shift conservation support to less popular species. *Marine Policy*, 88, 101-107.

- Curtin, S., Richards, S., & Westcott, S. (2009). Tourism and grey seals in south Devon: management strategies, voluntary controls and tourists' perceptions of disturbance. *Current Issues in Tourism*, 12(1), 59-81.
- Curtis, K. R., Howe, B. M., & Mercer, J. A. (1999). Low-frequency ambient sound in the North Pacific: Long time series observations. *Journal of the Acoustical Society of America*, 106(6), 3189-3200.
- Curtis, T. H., Kelly, J. T., Menard, K. L., Laroche, R. K., Jones, R. E., & Klimley, A. P. (2006). Observations on the behavior of white sharks scavenging from a whale carcass at Point Reyes, California. *California Fish and Game*, 92(3), 113-124.
- Curtis, T. H., McCandless, C. T., Carlson, J. K., Skomal, G. B., Kohler, N. E., Natanson, L. J., et al. (2014). Seasonal Distribution and Historic Trends in Abundance of White Sharks, *Carcharodon carcharias*, in the Western North Atlantic Ocean. *Plos One*, 9(6).
- Cusano, D. A., Conger, L. A., Van Parijs, S. M., & Parks, S. E. (2019). Implementing conservation measures for the North Atlantic right whale: considering the behavioral ontogeny of mother-calf pairs. *Animal Conservation*, 22(3), 228-237.
- Cusick, J. A., & Herzog, D. L. (2014). The Dynamic of Aggression: How Individual and Group Factors Affect the Long-Term Interspecific Aggression Between Two Sympatric Species of Dolphin. *Ethology*, 120(3), 287-303.
- Cypriano-Souza, A. L., da Silva, T. F., Engel, M. H., & Bonatto, S. L. (2018). Effective population size and the genetic consequences of commercial whaling on the humpback whales (*Megaptera novaeangliae*) from Southwestern Atlantic Ocean. *Genetics and Molecular Biology*, 41(1), 253-262.
- D'Agostino, V. C., Degradi, M., Santinelli, N., Sastre, V., Dans, S. L., & Hoffmeyer, M. S. (2018). The seasonal dynamics of plankton communities relative to the foraging of the southern right whale (*Eubalaena australis*) in northern Patagonian gulfs, Peninsula Valdes, Argentina. *Continental Shelf Research*, 164, 45-57.
- D'Agostino, V. C., Hoffmeyer, M. S., & Degradi, M. (2016). Faecal analysis of southern right whales (*Eubalaena australis*) in Peninsula Valdes calving ground, Argentina: *Calanus australis*, a key prey species. *Journal of the Marine Biological Association of the United Kingdom*, 96(4), 859-868.
- D'Agostino, V. C., Krock, B., Degradi, M., Sastre, V., Santinelli, N., Krohn, T., et al. (2019). Occurrence of Toxicogenic Microalgal Species and Phycotoxin Accumulation in Mesozooplankton in Northern Patagonian Gulfs, Argentina. *Environmental Toxicology and Chemistry*, 38(10), 2209-2223.
- D'Amico, A., Bergamasco, A., Zanasca, P., Carniel, S., Nacini, E., Portunato, N., et al. (2003). Qualitative correlation of marine mammals with physical and biological parameters in the Ligurian Sea. *Icee Journal of Oceanic Engineering*, 28(1), 29-43.
- D'Lima, C., Marsh, H., Hamann, M., Sinha, A., & Arthur, R. (2014). Positive Interactions Between Irrawaddy Dolphins and Artisanal Fishers in the Chilika Lagoon of Eastern India are Driven by Ecology, Socioeconomics, and Culture. *Ambio*, 43(5), 614-624.
- Dadswell, M. J., & Rulifson, R. A. (1994). MACROTIDAL ESTUARIES - A REGION OF COLLISION BETWEEN MIGRATORY MARINE ANIMALS AND TIDAL POWER DEVELOPMENT. *Biological Journal of the Linnean Society*, 51(1-2), 93-113.
- Dagorn, L., Pincock, D., Girard, C., Holland, K., Taquet, M., Sancho, G., et al. (2007). Satellite-linked acoustic receivers to observe behavior of fish in remote areas. *Aquatic Living Resources*, 20(4), 307-312.
- Dahlgren, T. G., Glover, A. G., Baco, A., & Smith, C. R. (2004). Fauna of whale falls: systematics and ecology of a new polychaete (Annelida : Chrysopetalidae) from the deep Pacific Ocean. *Deep-Sea Research Part I-Oceanographic Research Papers*, 51(12), 1873-1887.

- Dahlheim, M. E., & White, P. A. (2010). Ecological aspects of transient killer whales *Orcinus orca* as predators in southeastern Alaska. *Wildlife Biology*, 16(3), 308-322.
- Dahlin, C. R., Young, A. M., Cordier, B., Mundry, R., & Wright, T. F. (2014). A test of multiple hypotheses for the function of call sharing in female budgerigars, *Melopsittacus undulatus*. *Behavioral Ecology and Sociobiology*, 68(1), 145-161.
- Dailey, M. D., Gulland, F. M. D., Lowenstine, L. J., Silvagni, P., & Howard, D. (2000). Prey, parasites and pathology associated with the mortality of a juvenile gray whale (*Eschrichtius robustus*) stranded along the northern California coast. *Diseases of Aquatic Organisms*, 42(2), 111-117.
- Dailey, M. D., & Vogelbein, W. K. (1991). PARASITE FAUNA OF 3 SPECIES OF ANTARCTIC WHALES WITH REFERENCE TO THEIR USE AS POTENTIAL STOCK INDICATORS. *Fishery Bulletin*, 89(3), 355-365.
- Dalebout, M. L., Russell, K. G., Little, M. J., & Ensor, P. (2004). Observations of live Gray's beaked whales (*Mesoplodon grayi*) in Mahurangi Harbour, North Island, New Zealand, with a summary of at-sea sightings. *Journal of the Royal Society of New Zealand*, 34(4), 347-356.
- Dalebout, M. L., Van Helden, A., Van Waerebeek, K., & Baker, C. S. (1998). Molecular genetic identification of southern hemisphere beaked whales (Cetacea : Ziphiidae). *Molecular Ecology*, 7(6), 687-694.
- Dalla Rosa, L., Felix, F., Stevick, P. T., Secchi, E. R., Allen, J. M., Chater, K., et al. (2012). Feeding grounds of the eastern South Pacific humpback whale population include the South Orkney Islands. *Polar Research*, 31.
- Dalla Rosa, L., Ford, J. K. B., & Trites, A. W. (2012). Distribution and relative abundance of humpback whales in relation to environmental variables in coastal British Columbia and adjacent waters. *Continental Shelf Research*, 36, 89-104.
- Dalla Rosa, L., Secchi, E. R., Maia, Y. G., Zerbini, A. N., & Heide-Jorgensen, M. P. (2008). Movements of satellite-monitored humpback whales on their feeding ground along the Antarctic Peninsula. *Polar Biology*, 31(7), 771-781.
- Dalstra, H. J. (2014). Structural evolution of the Mount Wall region in the Hamersley province, Western Australia and its control on hydrothermal alteration and formation of high-grade iron deposits. *Journal of Structural Geology*, 67, 268-292.
- Damien, J., Adam, O., Cazau, D., White, P., Laitman, J. T., & Reidenberg, A. J. S. (2019). Anatomy and Functional Morphology of the Mysticete Rorqual Whale Larynx: Phonation Positions of the U-Fold. *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 302(5), 703-717.
- Danielsson, J., & Meuwly, M. (2007). Molecular dynamics simulations of CN- dynamics and spectroscopy in myoglobin. *Chemphyschem*, 8(7), 1077-1084.
- Danilewicz, D., Moreno, I. B., Ott, P. H., Tavares, M., Azevedo, A. F., Secchi, E. R., et al. (2010). Abundance estimate for a threatened population of franciscana dolphins in southern coastal Brazil: uncertainties and management implications. *Journal of the Marine Biological Association of the United Kingdom*, 90(8), 1649-1657.
- Danilewicz, D., Moreno, I. B., Tavares, M., & Sucunza, F. (2017). Southern right whales (*Eubalaena australis*) off Torres, Brazil: group characteristics, movements, and insights into the role of the Brazilian-Uruguayan wintering ground. *Mammalia*, 81(3), 225-234.
- Danise, S., Cavalazzi, B., Dominici, S., Westall, F., Monechi, S., & Guioli, S. (2012). Evidence of microbial activity from a shallow water whale fall (Voghera, northern Italy). *Palaeogeography Palaeoclimatology Palaeoecology*, 317, 13-26.
- Danise, S., & Dominici, S. (2014). A record of fossil shallow- water whale falls from Italy. *Lethaia*, 47(2), 229-243.

- Danishevskaya, A. Y., Filatova, O. A., Samarra, F. I. P., Miller, P. J. O., Ford, J. K. B., Yurk, H., et al. (2020). Crowd intelligence can discern between repertoires of killer whale ecotypes. *Bioacoustics-the International Journal of Animal Sound and Its Recording*, 29(1), 15-27.
- Dans, S. L., Crespo, E. A., & Coscarella, M. A. (2017). Wildlife tourism: Underwater behavioral responses of South American sea lions to swimmers. *Applied Animal Behaviour Science*, 188, 91-96.
- Dans, S. L., Crespo, E. A., Koen-Alonso, M., Markowitz, T. M., Vera, B. B., & Dahood, A. D. (2010). Dusky Dolphin Trophic Ecology: Their Role in the Food Web.
- Dans, S. L., Crespo, E. A., Pedraza, S. N., Degradi, M., & Garaffo, G. V. (2008). Dusky dolphin and tourist interaction: effect on diurnal feeding behavior. *Marine Ecology Progress Series*, 369, 287-296.
- Dans, S. L., Degradi, M., Pedraza, S. N., & Crespo, E. A. (2012). Effects of Tour Boats on Dolphin Activity Examined with Sensitivity Analysis of Markov Chains. *Conservation Biology*, 26(4), 708-716.
- Dans, S. L., Reyes, L. M., Pedraza, S. N., Raga, J. A., & Crespo, E. A. (1999). Gastrointestinal helminths of the dusky dolphin, *Lagenorhynchus obscurus* (Gray, 1828), off Patagonia, in the southwestern Atlantic. *Marine Mammal Science*, 15(3), 649-660.
- Dares, L. E., Araujo-Wang, C., Yang, S. C., & Wang, J. Y. (2017). Spatiotemporal heterogeneity in densities of the Taiwanese humpback dolphin (*Sousa chinensis taiwanensis*). *Estuarine Coastal and Shelf Science*, 187, 110-117.
- Darling, J. D. (2015). Low frequency, ca. 40 Hz, pulse trains recorded in the humpback whale assembly in Hawaii. *Journal of the Acoustical Society of America*, 138(5), EL452-EL458.
- Darling, J. D., Acebes, J. M. V., & Yamaguchi, M. (2014). Similarity yet a range of differences between humpback whale songs recorded in the Philippines, Japan and Hawaii in 2006. *Aquatic Biology*, 21(2), 93-107.
- Darling, J. D., & Berube, M. (2001). Interactions of singing humpback whales with other males. *Marine Mammal Science*, 17(3), 570-584.
- Darling, J. D., Goodwin, B., Goodoni, M. K., Taufmann, A. J., & Taylor, M. G. (2019). Humpback whale calls detected in tropical ocean basin between known Mexico and Hawaii breeding assemblies. *Journal of the Acoustical Society of America*, 145(6), EL534-EL540.
- Darling, J. D., Keogh, K. E., & Steeves, T. E. (1998). Gray whale (*Eschrichtius robustus*) habitat utilization and prey species off Vancouver Island, BC. *Marine Mammal Science*, 14(4), 692-720.
- Darling, J. D., & McSweeney, D. J. (1985). OBSERVATIONS ON THE MIGRATIONS OF NORTH PACIFIC HUMPBACK WHALES (MEGAPTERA-NOVAEANGLIAE). *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 63(2), 308-314.
- Darling, J. D., & Mori, K. (1993). RECENT OBSERVATIONS OF HUMPBACK WHALES (MEGAPTERA-NOVAEANGLIAE) IN JAPANESE WATERS OFF OGASAWARA AND OKINAWA. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 71(2), 325-333.
- Darnis, G., Wold, A., Falk-Petersen, S., Graeve, M., & Fortier, L. (2019). Could offspring predation offset the successful reproduction of the arctic copepod *Calanus hyperboreus* under reduced sea-ice cover conditions? *Progress in Oceanography*, 170, 107-118.
- Darwent, J., Mason, O. K., Hoffecker, J. F., & Darwent, C. M. (2013). 1,000 YEARS OF HOUSE CHANGE AT CAPE ESPENBERG, ALASKA: A CASE STUDY IN HORIZONTAL STRATIGRAPHY. *American Antiquity*, 78(3), 433-455.

- Das, K., Holleville, O., Ryan, C., Berrow, S., Gilles, A., Ody, D., et al. (2017). Isotopic niches of fin whales from the Mediterranean Sea and the Celtic Sea (North Atlantic). *Marine Environmental Research*, 127, 75-83.
- Das, K., Lepoint, G., Leroy, Y., & Bouquegneau, J. M. (2003). Marine mammals from the southern North Sea: feeding ecology data from delta C-13 and delta N-15 measurements. *Marine Ecology Progress Series*, 263, 287-298.
- Das, S., Erinjery, J. J., Desai, N., Mohan, K., Kumara, H. N., & Singh, M. (2019). Deceased-Infant Carrying in Nonhuman Anthropoids: Insights From Systematic Analysis and Case Studies of Bonnet Macaques (*Macaca radiata*) and Lion-Tailed Macaques (*Macaca silenus*). *Journal of Comparative Psychology*, 133(2), 156-170.
- Daskalov, G. M. (2002). Overfishing drives atrophic cascade in the Black Sea. *Marine Ecology Progress Series*, 225, 53-63.
- Dassenakis, M., Paraskevopoulou, V., Cartalis, C., Adaktilou, N., & Katsiabani, K. (2012). Remote sensing in coastal water monitoring: Applications in the eastern Mediterranean Sea (IUPAC Technical Report). *Pure and Applied Chemistry*, 84(2), 335-375.
- Dassis, M., Rodriguez, D. H., Rodriguez, E., de Leon, A. P., & Castro, E. (2016). The electrocardiogram of anaesthetized southern sea lion (*Otaria flavescens*) females. *Journal of Veterinary Cardiology*, 18(1), 71-78.
- Daura-Jorge, F. G., Cantor, M., Ingram, S. N., Lusseau, D., & Simoes-Lopes, P. C. (2012). The structure of a bottlenose dolphin society is coupled to a unique foraging cooperation with artisanal fishermen. *Biology Letters*, 8(5), 702-705.
- Daura-Jorge, F. G., Ingram, S. N., & Simoes-Lopes, P. C. (2013). Seasonal abundance and adult survival of bottlenose dolphins (*Tursiops truncatus*) in a community that cooperatively forages with fishermen in southern Brazil. *Marine Mammal Science*, 29(2), 293-311.
- Daura-Jorge, F. G., Rossi-Santos, M. R., Wedekin, L. L., & Simoes-Lopes, P. C. (2007). Behavioral patterns and movement intensity of *Sotalia guianensis* (P. J. van Beneden) (Cetacea, Delphinidae) in two different areas on the Brazilian coast. *Revista Brasileira De Zoologia*, 24(2), 265-270.
- Daura-Lorge, F. G., Wedekin, L. L., Piacentini, V. D., & Simoes-Lopes, P. C. (2005). Seasonal and daily patterns of group size, cohesion and activity of the estuarine dolphin, *Sotalia gulanensis* (P.) van Beneden (Cetacea, Delphinidae), in southern Brazil. *Revista Brasileira De Zoologia*, 22(4), 1014-1021.
- Davenport, J., Irons, J. K., Moore, P. G., Lonsdale, F., Rogerson, C., Mordan, P., et al. (1995). THE MARINE ECOLOGY OF THE LAGUNA SAN-RAFAEL (SOUTHERN CHILE) - ICE SCOUR AND OPPORTUNISM. *Estuarine Coastal and Shelf Science*, 41(1), 21-37.
- Davenport, L. C. (2010). Aid to a Declining Matriarch in the Giant Otter (*Pteronura brasiliensis*). *Plos One*, 5(6).
- Davies, K. T. A., Brown, M. W., Hamilton, P. K., Knowlton, A. R., Taggart, C. T., & Vanderlaan, A. S. M. (2019). Variation in North Atlantic right whale *Eubalaena glacialis* occurrence in the Bay of Fundy, Canada, over three decades. *Endangered Species Research*, 39, 159-171.
- Davies, K. T. A., Ross, T., & Taggart, C. T. (2013). Tidal and subtidal currents affect deep aggregations of right whale prey, *Calanus* spp., along a shelf-basin margin. *Marine Ecology Progress Series*, 479, 263-+.
- Davies, K. T. A., Vanderlaan, A. S. M., Smedbol, R. K., & Taggart, C. T. (2015). Oceanographic connectivity between right whale critical habitats in Canada and its influence on whale abundance indices during 1987-2009. *Journal of Marine Systems*, 150, 80-90.
- Davis, D., Banks, S., Birtles, A., Valentine, P., & Cuthill, M. (1997). Whale sharks in Ningaloo Marine Park: managing tourism in an Australian marine protected area. *Tourism Management*, 18(5), 259-271.

- Davis, G. E., Baumgartner, M. F., Bonnell, J. M., Bell, J., Berchok, C., Thornton, J. B., et al. (2017). Long-term passive acoustic recordings track the changing distribution of North Atlantic right whales (*Eubalaena glacialis*) from 2004 to 2014. *Scientific Reports*, 7.
- Davis, G. E., Baumgartner, M. F., Corkeron, P. J., Bell, J., Berchok, C., Bonnell, J. M., et al. (2020). Exploring movement patterns and changing distributions of baleen whales in the western North Atlantic using a decade of passive acoustic data. *Global Change Biology*, 26(9), 4812-4840.
- Davis, R. W., David, J. H. M., Meyer, M. A., Sekiguchi, K., Best, P. B., Dassis, M., et al. (2014). Home range and diving behaviour of Heaviside's dolphins monitored by satellite off the west coast of South Africa. *African Journal of Marine Science*, 36(4), 455-466.
- Davis, R. W., Jaquet, N., Gendron, D., Markaida, U., Bazzino, G., & Gilly, W. (2007). Diving behavior of sperm whales in relation to behavior of a major prey species, the jumbo squid, in the Gulf of California, Mexico. *Marine Ecology Progress Series*, 333, 291-302.
- Davis, R. W., Ortega-Ortiz, J. G., Ribic, C. A., Evans, W. E., Biggs, D. C., Ressler, P. H., et al. (2002). Cetacean habitat in the northern oceanic Gulf of Mexico. *Deep-Sea Research Part I-Oceanographic Research Papers*, 49(1), 121-142.
- Davis, R. W., Worthy, G. A. J., Wursig, B., & Lynn, S. K. (1996). Diving behavior and at-sea movements of an Atlantic spotted dolphin in the Gulf of Mexico. *Marine Mammal Science*, 12(4), 569-581.
- Davoren, G. (2013). Distribution of marine predator hotspots explained by persistent areas of prey. *Marine Biology*, 160(12), 3043-3058.
- Davoren, G. K. (2007). Effects of gill-net fishing on marine birds in a biological hotspot in the northwest Atlantic. *Conservation Biology*, 21(4), 1032-1045.
- Davoren, G. K., Garthe, S., Montevecchi, W. A., & Benvenuti, S. (2010). Influence of prey behaviour and other predators on the foraging activities of a marine avian predator in a Low Arctic ecosystem. *Marine Ecology Progress Series*, 404, 275-287.
- Dawson, S. M. (1991). CLICKS AND COMMUNICATION - THE BEHAVIORAL AND SOCIAL CONTEXTS OF HECTOR DOLPHIN VOCALIZATIONS. *Ethology*, 88(4), 265-276.
- de Albuquerque, M. P., Putzke, J., Schunemann, A. L., Vieira, F. C. B., Victoria, F. D., & Pereira, A. B. (2018). Colonisation of stranded whale bones by lichens and mosses at Hennequin Point, King George Island, Antarctica. *Polar Record*, 54(1), 29-35.
- de Andrade, L. G., Bisi, T. L., Lailson-Brito, J., & Azevedo, A. D. (2017). Burst pulses of Guiana dolphin (*Sotalia guianensis*) in southeastern Brazil. *Journal of the Acoustical Society of America*, 141(4), 2947-2956.
- de Andrade, L. G., Lima, I. M. S., Macedo, H. D., de Carvalho, R. R., Lailson-Brito, J., Flach, L., et al. (2015). Variation in Guiana dolphin (*Sotalia guianensis*) whistles: using a broadband recording system to analyze acoustic parameters in three areas of southeastern Brazil. *Acta Ethologica*, 18(1), 47-57.
- de Boer, M. N. (2010a). Cetacean distribution and relative abundance in offshore Gabonese waters. *Journal of the Marine Biological Association of the United Kingdom*, 90(8), 1613-1621.
- de Boer, M. N. (2010b). Spring distribution and density of minke whale *Balaenoptera acutorostrata* along an offshore bank in the central North Sea. *Marine Ecology Progress Series*, 408, 265-274.
- de Boer, M. N., Janinhoff, N., Nijs, G., & Verdaat, H. (2019). Encouraging encounters: unusual aggregations of bowhead whales *Balaena mysticetus* in the western Fram Strait. *Endangered Species Research*, 39, 51-62.

- de Boer, M. N., Jones, D., & Jones, H. (2017). Ocean Wanderers: Extralimital Encounters with Bowhead Whales (*Balaena mysticetus*) in Temperate European Shallow Waters. *Aquatic Mammals*, 43(3), 279-288.
- de Boer, M. N., Saulino, J. T., Van Waerebeek, K., & Aarts, G. (2016). Under Pressure: Cetaceans and Fisheries Co-occurrence off the Coasts of Ghana and Cote d'Ivoire (Gulf of Guinea). *Frontiers in Marine Science*, 3.
- de Boer, M. N., Simmonds, M. P., Reijnders, P. J. H., & Aarts, G. (2014). The Influence of Topographic and Dynamic Cyclic Variables on the Distribution of Small Cetaceans in a Shallow Coastal System. *Plos One*, 9(1).
- de Bruyn, P. J. N., Tosh, C. A., Oosthuizen, W. C., Bester, M. N., & Arnould, J. P. Y. (2009). Bathymetry and frontal system interactions influence seasonal foraging movements of lactating subantarctic fur seals from Marion Island. *Marine Ecology Progress Series*, 394, 263-276.
- De Carli, R. C., Silva, F. J. L., & Silva, J. M. (2018). Daily patterns in aerial activity by spinner dolphins in Fernando de Noronha. *Journal of the Marine Biological Association of the United Kingdom*, 98(5), 1151-1157.
- de Carvalho, M. S., Rossi-Santos, M. R., Santos-Neto, E., & Baracho, C. G. (2018). Opportunistic Sightings of Dolphins (MAMMALIA, CETACEA, DELPHINIDAE) in the North Coast of Bahia State, Northeastern Brazil, Between 2001 and 2006. In M. R. RossiSantos & C. W. Finkl (Eds.), *Advances in Marine Vertebrate Research in Latin America: Technological Innovation and Conservation* (Vol. 22, pp. 197-220).
- de Castro, R. L., Dans, S. L., Coscarella, M. A., & Crespo, E. A. (2013). Living in an estuary: Commerson's dolphin (*Cephalorhynchus commersonii* (Lacepede, 1804)), habitat use and behavioural pattern at the Santa Cruz River, Patagonia, Argentina. *Latin American Journal of Aquatic Research*, 41(5), 985-991.
- De Castro, R. L., Dans, S. L., & Crespo, E. A. (2016). Spatial genetic structure of dusky dolphin, *Lagenorhynchus obscurus*, along the argentine coast: preserve what scale? *Aquatic Conservation-Marine and Freshwater Ecosystems*, 26(1), 173-183.
- de Castro, R. L., Vales, D. G., Degradi, M., Garcia, N., Fernandez, M., & Crespo, E. A. (2014). First record of cestode cysts of *Phyllobothrium delphini* (Phyllobothriidae) from dusky dolphins (*Lagenorhynchus obscurus*) off Argentine coast. *Hidrobiologica*, 24(3), 307-310.
- de Francesco, M. C., & Loy, A. (2016). Intra- and Interspecific Interactions as Proximate Determinants of Sexual Dimorphism and Allometric Trajectories in the Bottlenose Dolphin *Tursiops truncatus* (Cetacea, Odontoceti, Delphinidae). *Plos One*, 11(10).
- de Freitas, M., Jensen, F. H., Tyne, J., Bejder, L., & Madsen, P. T. (2015). Echolocation parameters of Australian humpback dolphins (*Sousa sahulensis*) and Indo-Pacific bottlenose dolphins (*Tursiops aduncus*) in the wild. *Journal of the Acoustical Society of America*, 137(6), 3033-3041.
- de Guevara, P. L., Lavaniegos, B. E., & Heckel, G. (2008). Fin whales (*Balaenoptera physalus*) foraging on daytime surface swarms of the euphausiid *Nyctiphanes simplex* in Ballenas Channel, Gulf of California, Mexico. *Journal of Mammalogy*, 89(3), 559-566.
- De Jesus, M., Heckel, G., Breiwick, J. M., & Reilly, S. B. (2014). Migration timing and distance from shore of southbound eastern Pacific gray whales (*Eschrichtius robustus*) off Ensenada, Baja California, Mexico. *Marine Mammal Science*, 30(2), 674-690.
- de Jonge, V. N., Schuckel, U., & Baird, D. (2019). Effects of spatial scale, species aggregation and balancing on carbon flows and ecological network analysis indicators of food webs. *Marine Ecology Progress Series*, 613, 15-47.
- de Kort, D., Altrichter, M., Cortez, S., & Camino, M. (2018). Collared peccary (*Pecari tajacu*) behavioral reactions toward a dead member of the herd. *Ethology*, 124(2), 131-134.

- de la Gala-Hernandez, S. R., Heckel, G., & Sumich, J. L. (2008). Comparative swimming effort of migrating gray whales (*Eschrichtius robustus*) and calf cost of transport along Costa Azul, Baja California, Mexico. *Canadian Journal of Zoology*, 86(4), 307-313.
- de la Vega, C., Lebreton, B., Lehnert, K., Asmus, R., Siebert, U., & Asmus, H. (2018). Stable isotope composition and parasitic infections of harbor seal young-of-the-year used as prey-based diet indicators. *Marine Mammal Science*, 34(1), 7-26.
- de Lima, I. M. S., de Andrade, L. G., de Carvalho, R. R., Lailson-Brito, J., & Azevedo, A. D. (2012). Characteristics of whistles from rough-toothed dolphins (*Steno bredanensis*) in Rio de Janeiro coast, southeastern Brazil. *Journal of the Acoustical Society of America*, 131(5), 4173-4181.
- de Moura, J. F., Merico, A., Montone, R. C., Silva, J., Seixas, T. G., Godoy, J. M. D., et al. (2015). Assessment of trace elements, POPs, Po-210 and stable isotopes (N-15 and C-13) in a rare filter-feeding shark: The megamouth. *Marine Pollution Bulletin*, 95(1), 402-406.
- De Oliveira, L. V., & Monteiro-Filho, E. L. A. (2008). Individual identification and habitat use of the estuarine dolphin *Sotalia guianensis* (Cetacea : Delphinidae) in Cananeia, south-eastern Brazil, using video images. *Journal of the Marine Biological Association of the United Kingdom*, 88(6), 1199-1205.
- de Quiros, Y. B., Gonzalez-Diaz, O., Arbelo, M., Sierra, E., Sacchini, S., & Fernandez, A. (2012). Decompression vs. decomposition: distribution, amount and gas composition of bubbles in stranded marine mammals. *Frontiers in Physiology*, 3.
- De Robertis, A., & Ormseth, O. A. (2019). Inshore acoustic surveys in the eastern and central Gulf of Alaska. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 165, 255-267.
- De Rock, P., Elwen, S. H., Roux, J. P., Leeney, R. H., James, B. S., Visser, V., et al. (2019). Predicting large-scale habitat suitability for cetaceans off Namibia using MinxEnt. *Marine Ecology Progress Series*, 619, 149-167.
- de Sa, A. L. A., Breaux, B., Burlamaqui, T. C. T., Deiss, T. C., Sena, L., Criscitiello, M. F., et al. (2019). The Marine Mammal Class II Major Histocompatibility Complex Organization. *Frontiers in Immunology*, 10.
- de Segura, A. G., Crespo, E. A., Pedraza, S. N., Hammond, P. S., & Raga, J. A. (2006). Abundance of small cetaceans in waters of the central Spanish Mediterranean. *Marine Biology*, 150(1), 149-160.
- De Segura, A. G., Hammond, P. S., & Raga, J. A. (2008). Influence of environmental factors on small cetacean distribution in the Spanish Mediterranean. *Journal of the Marine Biological Association of the United Kingdom*, 88(6), 1185-1192.
- de Silva-Davila, R., & Palomares-Garcia, J. R. (1998). Unusual larval growth production of *Nyctiphanes simplex* in Bahia de la Paz, Baja California Sur, Mexico. *Journal of Crustacean Biology*, 18(3), 490-498.
- de Soto, N. A., Madsen, P. T., Tyack, P., Arranz, P., Marrero, J., Fais, A., et al. (2012). No shallow talk: Cryptic strategy in the vocal communication of Blainville's beaked whales. *Marine Mammal Science*, 28(2), E75-E92.
- de Soto, N. A., Martin, V., Silva, M., Edler, R., Reyes, C., Carrillo, M., et al. (2017). True's beaked whale (*Mesoplodon mirus*) in Macaronesia. *PeerJ*, 5.
- de Stephanis, R., Cornulier, T., Verborgh, P., Sierra, J. S., Gimeno, N. P., & Guinet, C. (2008). Summer spatial distribution of cetaceans in the Strait of Gibraltar in relation to the oceanographic context. *Marine Ecology Progress Series*, 353, 275-288.
- de Stephanis, R., Garcia-Tiscar, S., Verborgh, P., Esteban-Pavo, R., Perez, S., Minvielle-Sebastia, L., et al. (2008). Diet of the social groups of long-finned pilot whales (*Globicephala melas*) in the Strait of Gibraltar. *Marine Biology*, 154(4), 603-612.

- De Stephanis, R., Gimenez, J., Esteban, R., Gauffier, P., Garcia-Tiscar, S., Sinding, M. H. S., et al. (2015). Mobbing-like behavior by pilot whales towards killer whales: a response to resource competition or perceived predation risk? *Acta Ethologica*, 18(1), 69-78.
- de Vos, A., Christiansen, F., Harcourt, R. G., & Pattiaratchi, C. B. (2013). Surfacing characteristics and diving behaviour of blue whales in Sri Lankan waters. *Journal of Experimental Marine Biology and Ecology*, 449, 149-153.
- de Vos, A., Faux, C. E., Marthick, J., Dickinson, J., & Jarman, S. N. (2018). New Determination of Prey and Parasite Species for Northern Indian Ocean Blue Whales. *Frontiers in Marine Science*, 5.
- De Weerd, J., Ramos, E. A., & Cheeseman, T. (2020). Northernmost records of Southern Hemisphere humpback whales (*Megaptera novaeangliae*) migrating from the Antarctic Peninsula to the Pacific coast of Nicaragua. *Marine Mammal Science*, 36(3), 1015-1021.
- Deakos, M. H. (2012). The reproductive ecology of resident manta rays (*Manta alfredi*) off Maui, Hawaii, with an emphasis on body size. *Environmental Biology of Fishes*, 94(2), 443-456.
- Deakos, M. H., Baker, J. D., & Bejder, L. (2011). Characteristics of a manta ray *Manta alfredi* population off Maui, Hawaii, and implications for management. *Marine Ecology Progress Series*, 429, 245-260.
- DeAngelis, A. I., Stanistreet, J. E., Baumann-Pickering, S., & Cholewiak, D. M. (2018). A description of echolocation clicks recorded in the presence of True's beaked whale (*Mesoplodon mirus*). *Journal of the Acoustical Society of America*, 144(5), 2691-2700.
- DeAngelis, A. I., Valtierra, R., Van Parijs, S. M., & Cholewiak, D. (2017). Using multipath reflections to obtain dive depths of beaked whales from a towed hydrophone array. *Journal of the Acoustical Society of America*, 142(2), 1078-1087.
- Dearolf, J. L. (2003). Diaphragm muscle development in bottlenose dolphins (*Tursiops truncatus*). *Journal of Morphology*, 256(1), 79-88.
- Debrot, A. O., de Leon, R., Esteban, N., & Meesters, H. W. G. (2013). Observations on the whale shark (*Rhincodon typus*) in the Dutch Caribbean. *Caribbean Journal of Science*, 47(2-3), 344-349.
- Debrot, A. O., Esteban, N., Bervoets, T., Hoetjes, P. C., & Scheidat, M. (2013). Marine Mammals of the Northeastern Caribbean Windward Dutch Islands: Saba, St. Eustatius, St. Maarten, and the Saba Bank. *Caribbean Journal of Science*, 47(2-3), 159-172.
- Deconto, L. S., & Monteiro, E. L. A. (2013). High initial and minimum frequencies of *Sotalia guianensis* whistles in the southeast and south of Brazil. *Journal of the Acoustical Society of America*, 134(5), 3899-3904.
- Dede, A., Ozturk, A. A., Akamatsu, T., Tonay, A. M., & Ozturk, B. (2014). Long-term passive acoustic monitoring revealed seasonal and diel patterns of cetacean presence in the Istanbul Strait. *Journal of the Marine Biological Association of the United Kingdom*, 94(6), 1195-1202.
- Deecke, V. B., Barrett-Lennard, L. G., Spong, P., & Ford, J. K. B. (2010). The structure of stereotyped calls reflects kinship and social affiliation in resident killer whales (*Orcinus orca*). *Naturwissenschaften*, 97(5), 513-518.
- Deecke, V. B., Ford, J. K. B., & Slater, P. J. B. (2005). The vocal behaviour of mammal-eating killer whales: communicating with costly calls. *Animal Behaviour*, 69, 395-405.
- Deecke, V. B., & Janik, V. M. (2006). Automated categorization of bioacoustic signals: Avoiding perceptual pitfalls. *Journal of the Acoustical Society of America*, 119(1), 645-653.

- Deecke, V. B., Nykanen, M., Foote, A. D., & Janik, V. M. (2011). Vocal behaviour and feeding ecology of killer whales *Orcinus orca* around Shetland, UK. *Aquatic Biology*, 13(1), 79-U186.
- Defran, R. H., & Weller, D. W. (1999). Occurrence, distribution, site fidelity, and school size of bottlenose dolphins (*Tursiops truncatus*) off San Diego, California. *Marine Mammal Science*, 15(2), 366-380.
- Defran, R. H., Weller, D. W., Kelly, D. L., & Espinosa, M. A. (1999). Range characteristics of Pacific coast bottlenose dolphins (*Tursiops truncatus*) in the Southern California Bight. *Marine Mammal Science*, 15(2), 381-393.
- Degrati, M., Coscarella, M. A., Crespo, E. A., & Dans, S. L. (2019). Dusky dolphin group dynamics and association patterns in Peninsula Valdes, Argentina. *Marine Mammal Science*, 35(2), 416-433.
- Degrati, M., Dans, S. L., Garaffo, G. V., Cabreira, A. G., Machado, F. C., & Crespo, E. A. (2013). Sequential foraging of dusky dolphins with an inspection of their prey distribution. *Marine Mammal Science*, 29(4), 691-704.
- Degrati, M., Dans, S. L., Garaffo, G. V., & Crespo, E. A. (2012). Diving for food: a switch of foraging strategy of dusky dolphins in Argentina. *Journal of Ethology*, 30(3), 361-367.
- Degrati, M., Dans, S. L., Pedraza, S. N., Crespo, E. A., & Garaffo, G. V. (2008). DIURNAL BEHAVIOR OF DUSKY DOLPHINS, *LAGENORHYNCHUS OBSCURUS*, IN GOLFO NUEVO, ARGENTINA. *Journal of Mammalogy*, 89(5), 1241-1247.
- deHart, P. A. P., & Picco, C. M. (2015). Stable oxygen and hydrogen isotope analyses of bowhead whale baleen as biochemical recorders of migration and arctic environmental change. *Polar Science*, 9(2), 235-248.
- Delaney, D. G., Johnson, R., Bester, M. N., & Gennari, E. (2012). Accuracy of Using Visual Identification of White Sharks to Estimate Residency Patterns. *Plos One*, 7(4).
- Delarue, J., Laurinolli, M., & Martin, B. (2009). Bowhead whale (*Balaena mysticetus*) songs in the Chukchi Sea between October 2007 and May 2008. *Journal of the Acoustical Society of America*, 126(6), 3319-3328.
- Delarue, J., Laurinolli, M., & Martin, B. (2011). Acoustic Detections of Beluga Whales in the Northeastern Chukchi Sea, July 2007 to July 2008. *Arctic*, 64(1), 15-24.
- Delarue, J., Todd, S. K., Van Parijs, S. M., & Iorio, L. (2009). Geographic variation in Northwest Atlantic fin whale (*Balaenoptera physalus*) song: Implications for stock structure assessment. *Journal of the Acoustical Society of America*, 125(3), 1774-1782.
- Delefosse, M., Rahbek, M. L., Roesen, L., & Clausen, K. T. (2018). Marine mammal sightings around oil and gas installations in the central North Sea. *Journal of the Marine Biological Association of the United Kingdom*, 98(5), 993-1001.
- Delfour, F. (2007). Hawaiian spinner dolphins and the growing dolphin watching activity in Oahu. *Journal of the Marine Biological Association of the United Kingdom*, 87(1), 109-112.
- Delfour, F., & Aulagnier, S. (1997). Bubbleblow in beluga whales (*Delphinapterus leucas*): A play activity? *Behavioural Processes*, 40(2), 183-186.
- Delfour, F., & Marten, K. (2006). Lateralized visual behavior in bottlenose dolphins (*Tursiops truncatus*) performing audio-visual tasks: The right visual field advantage. *Behavioural Processes*, 71(1), 41-50.
- Della Penna, A., & Gaube, P. (2020). Mesoscale Eddies Structure Mesopelagic Communities. *Frontiers in Marine Science*, 7.

- Dellabianca, N., Scioscia, G., Schiavini, A., & Rey, A. R. (2012). Occurrence of hourglass dolphin (*Lagenorhynchus cruciger*) and habitat characteristics along the Patagonian Shelf and the Atlantic Ocean sector of the Southern Ocean. *Polar Biology*, 35(12), 1921-1927.
- Dellabianca, N. A., Hohn, A. A., Goodall, R. N. P., Pousa, J. L., Macleod, C. D., & Lima, M. (2012). Influence of climate oscillations on dentinal deposition in teeth of Commerson's dolphin. *Global Change Biology*, 18(8), 2477-2486.
- Demetrio, M. S., Marliere, D. A. A., Barbosa, S. D., Pereira, R. A., & da Silveira, H. M. Different Modalities to Record and Transfer Natural Head Position to Virtual Planning in Orthognathic Surgery: Case Reports of Asymmetric Patients. *Journal of Maxillofacial & Oral Surgery*.
- Denardo, C., Dougherty, M., Hastie, G., Leaper, R., Wilson, B., & Thompson, P. M. (2001). A new technique to measure spatial relationships within groups of free-ranging coastal cetaceans. *Journal of Applied Ecology*, 38(4), 888-895.
- Dennison, S., Moore, M. J., Fahlman, A., Moore, K., Sharp, S., Harry, C. T., et al. (2012). Bubbles in live-stranded dolphins. *Proceedings of the Royal Society B-Biological Sciences*, 279(1732), 1396-1404.
- Denuncio, P., Bastida, R., Dassis, M., Giardino, G., Gerpe, M., & Rodriguez, D. (2011). Plastic ingestion in Franciscana dolphins, *Pontoporia blainvillei* (Gervais and d'Orbigny, 1844), from Argentina. *Marine Pollution Bulletin*, 62(8), 1836-1841.
- DeRuiter, S. L., Bahr, A., Blanchet, M. A., Hansen, S. F., Kristensen, J. H., Madsen, P. T., et al. (2009). Acoustic behaviour of echolocating porpoises during prey capture. *Journal of Experimental Biology*, 212(19), 3100-3107.
- DeRuiter, S. L., Boyd, I. L., Claridge, D. E., Clark, C. W., Gagnon, C., Southall, B. L., et al. (2013). Delphinid whistle production and call matching during playback of simulated military sonar. *Marine Mammal Science*, 29(2), E46-E59.
- DeRuiter, S. L., Hansen, M., Koopman, H. N., Westgate, A. J., Tyack, P. L., & Madsen, P. T. (2010). Propagation of narrow-band-high-frequency clicks: Measured and modeled transmission loss of porpoise-like clicks in porpoise habitats. *Journal of the Acoustical Society of America*, 127(1), 560-567.
- DeRuiter, S. L., Southall, B. L., Calambokidis, J., Zimmer, W. M. X., Sadykova, D., Falcone, E. A., et al. (2013). First direct measurements of behavioural responses by Cuvier's beaked whales to mid-frequency active sonar. *Biology Letters*, 9(4).
- DeRuiter, S. L., Tyack, P. L., Lin, Y. T., Newhall, A. E., & Lynch, J. F. (2006). Modeling acoustic propagation of airgun array pulses recorded on tagged sperm whales (*Physeter macrocephalus*). *Journal of the Acoustical Society of America*, 120(6), 4100-4114.
- Derville, S., Constantine, R., Baker, C. S., Oremus, M., & Torres, L. G. (2016). Environmental correlates of nearshore habitat distribution by the Critically Endangered M(a)over-barui dolphin. *Marine Ecology Progress Series*, 551, 261-275.
- Derville, S., Torres, L. G., Albertson, R., Andrews, O., Baker, C. S., Carzon, P., et al. (2019). Whales in warming water: Assessing breeding habitat diversity and adaptability in Oceania's changing climate. *Global Change Biology*, 25(4), 1466-1481.
- Derville, S., Torres, L. G., Dodmont, R., Perard, V., & Garrigue, C. (2019). From land and sea, long-term data reveal persistent humpback whale (*Megaptera novaeangliae*) breeding habitat in New Caledonia. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 29(10), 1697-1711.
- Derville, S., Torres, L. G., & Garrigue, C. (2018). Social segregation of humpback whales in contrasted coastal and oceanic breeding habitats. *Journal of Mammalogy*, 99(1), 41-54.

- deSwart, R. L., Ross, P. S., Voss, J. G., & Osterhaus, A. (1996). Impaired immunity in harbour seals (*Phoca vitulina*) fed environmentally contaminated herring. *Veterinary Quarterly*, 18, S127-S128.
- Deutsch, S., Pearson, H., & Wursig, B. (2014). Development of leaps in dusky dolphin (*Lagenorhynchus obscurus*) calves. *Behaviour*, 151(11), 1555-1577.
- Devlin, C. L. (2019). William Scoresby as an Arctic physical oceanographer. *Archives of Natural History*, 46(1), 33-43.
- Dewaele, L., Peredo, C. M., Meyvisch, P., & Louwye, S. (2018). Diversity of late Neogene Monachinae (Carnivora, Phocidae) from the North Atlantic, with the description of two new species. *Royal Society Open Science*, 5(3).
- Dewar, H., Mous, P., Domeier, M., Muljadi, A., Pet, J., & Whitty, J. (2008). Movements and site fidelity of the giant manta ray, *Manta birostris*, in the Komodo Marine Park, Indonesia. *Marine Biology*, 155(2), 121-133.
- Dewar, H., Wilson, S. G., Hyde, J. R., Snodgrass, O. E., Leising, A., Lams, C. H., et al. (2018). Basking Shark (*Cetorhinus maximus*) Movements in the Eastern North Pacific Determined Using Satellite Telemetry. *Frontiers in Marine Science*, 5.
- Di Azevedo, M. I. N., Carvalho, V. L., & Iniguez, A. M. (2017). Integrative taxonomy of anisakid nematodes in stranded cetaceans from Brazilian waters: an update on parasite's hosts and geographical records. *Parasitology Research*, 116(11), 3105-3116.
- Di Benedetto, A. P. M., & Awabdi, D. R. (2014). How marine debris ingestion differs among megafauna species in a tropical coastal area. *Marine Pollution Bulletin*, 88(1-2), 86-90.
- Di Benedetto, A. P. M., & Ramos, R. M. A. (2004). Biology of the marine tucuxi dolphin (*Sotalia fluviatilis*) in south-eastern Brazil. *Journal of the Marine Biological Association of the United Kingdom*, 84(6), 1245-1250.
- Di Benedetto, A. P. M., Tavares, M. T. M., & Monteiro, L. R. (2018). Isotopic niche of the catfishes *Bagre bagre* and *Genidens barbatus* in a coastal area of south-eastern Brazil. *Biota Neotropica*, 18(3).
- Di Celma, C., Malinverno, E., Collareta, A., Bosio, G., Gariboldi, K., Lambert, O., et al. (2018). Facies analysis, stratigraphy and marine vertebrate assemblage of the lower Miocene Chilcatay Formation at Ullujaya (Pisco basin, Peru). *Journal of Maps*, 14(2), 257-268.
- Di Celma, C., Pierantoni, P. P., Malinverno, E., Collareta, A., Lambert, O., Landini, W., et al. (2019). Allostratigraphy and paleontology of the lower Miocene Chilcatay Formation in the Zamaca area, East Pisco basin, southern Peru. *Journal of Maps*, 15(2), 393-405.
- Di Cristofaro, R. G. R., Giner, L., & Mayoral, J. R. (2013). Comparative Study of the Cutting Efficiency and Working Life of Carbide Burs. *Journal of Prosthodontics-Implant Esthetic and Reconstructive Dentistry*, 22(5), 391-396.
- Di Iorio, L., & Clark, C. W. (2010). Exposure to seismic survey alters blue whale acoustic communication. *Biology Letters*, 6(1), 51-54.
- di Sciara, G. N., Lauriano, G., Pierantonio, N., Canadas, A., Donovan, G., & Panigada, S. (2015). The Devil We Don't Know: Investigating Habitat and Abundance of Endangered Giant Devil Rays in the North-Western Mediterranean Sea. *Plos One*, 10(11).
- Di Tullio, J. C., Fruet, P. F., & Secchi, E. R. (2015). Identifying critical areas to reduce bycatch of coastal common bottlenose dolphins *Tursiops truncatus* in artisanal fisheries of the subtropical western South Atlantic. *Endangered Species Research*, 29(1), 35-50.

- Di Tullio, J. C., Gandra, T. B. R., Zerbini, A. N., & Secchi, E. R. (2016). Diversity and Distribution Patterns of Cetaceans in the Subtropical Southwestern Atlantic Outer Continental Shelf and Slope. *Plos One*, 11(5).
- Dias, L. A., Herzing, D., & Flach, L. (2009). Aggregations of Guiana dolphins (*Sotalia guianensis*) in Sepetiba Bay, Rio de Janeiro, south-eastern Brazil: distribution patterns and ecological characteristics. *Journal of the Marine Biological Association of the United Kingdom*, 89(5), 967-973.
- Diaz, J., Gallart, J., & Gaspa, O. (2007). Atypical seismic signals at the Galicia Margin, North Atlantic Ocean, related to the resonance of subsurface fluid-filled cracks. *Tectonophysics*, 433(1-4), 1-13.
- Diaz-Aguirre, F., Parra, G. J., Passadore, C., & Moller, L. (2018). Kinship influences social bonds among male southern Australian bottlenose dolphins (*Tursiops cf. australis*). *Behavioral Ecology and Sociobiology*, 72(12).
- Diaz-Aguirre, F., Parra, G. J., Passadore, C., & Moller, L. (2019). Genetic relatedness delineates the social structure of southern Australian bottlenose dolphins. *Behavioral Ecology*, 30(4), 948-959.
- Diaz-Delgado, J., Groch, K. R., Ramos, H. G. C., Colosio, A. C., Alves, B. F., Pena, H. F. J., et al. (2020). Fatal Systemic Toxoplasmosis by a Novel Non-archetypal *Toxoplasma gondii* in a Bryde's Whale (*Balaenoptera edeni*). *Frontiers in Marine Science*, 7.
- Dicken, M. L. (2008). First observations of young of the year and juvenile great white sharks (*Carcharodon carcharias*) scavenging from a whale carcass. *Marine and Freshwater Research*, 59(7), 596-602.
- Dicken, M. L. (2014). Socio-economic aspects of the Sodwana Bay SCUBA diving industry, with a specific focus on sharks. *African Journal of Marine Science*, 36(1), 39-47.
- Dicken, M. L., & Booth, A. J. (2013). Surveys of white sharks (*Carcharodon carcharias*) off bathing beaches in Algoa Bay, South Africa. *Marine and Freshwater Research*, 64(6), 530-539.
- Dicken, M. L., Hussey, N. E., Christiansen, H. M., Smale, M. J., Nkabi, N., Cliff, G., et al. (2017). Diet and trophic ecology of the tiger shark (*Galeocerdo cuvier*) from South African waters. *Plos One*, 12(6).
- Dicken, M. L., Kock, A. A., & Hardenberg, M. (2015). First observations of dusky sharks (*Carcharhinus obscurus*) attacking a humpback whale (*Megaptera novaeangliae*) calf. *Marine and Freshwater Research*, 66(12), 1211-1215.
- Dielforder, A., & Hetzel, R. (2014). The deglaciation history of the Simplon region (southern Swiss Alps) constrained by Be-10 exposure dating of ice-molded bedrock surfaces. *Quaternary Science Reviews*, 84, 26-38.
- Dietz, R., Heide-Jorgensen, M. P., Richard, P., Orr, J., Laidre, K., & Schmidt, H. C. (2008). Movements of narwhals (*Monodon monoceros*) from Admiralty Inlet monitored by satellite telemetry. *Polar Biology*, 31(11), 1295-1306.
- Dietz, R., Heide-Jorgensen, M. P., Richard, P. R., & Acquarone, M. (2001). Summer and fall movements of narwhals (*Monodon monoceros*) from northeastern Baffin Island towards northern Davis Strait. *Arctic*, 54(3), 244-261.
- Dietz, R., & Heide-Jorgensen, M. P. (1995). Movements and swimming speed of narwhals, *Monodon monoceros*, equipped with satellite transmitters in Melville Bay, northwest Greenland. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 73(11), 2106-2119.
- Dill, L. M., Dill, E. S., & Charles, D. (2003). Feeding preferences of the monkey mia dolphins: Results from a simultaneous choice protocol. *Marine Mammal Science*, 19(4), 650-660.
- DiNella, H., Couch, W. J., Parker, Q. A., & Paturel, G. (1997). Unveiling a connection between large-scale structures behind the southern Milky Way. *Monthly Notices of the Royal Astronomical Society*, 287(2), 472-480.

- Dines, S., & Gennari, E. (2020). First observations of white sharks (*Carcharodon carcharias*) attacking a live humpback whale (*Megaptera novaeangliae*). *Marine and Freshwater Research*, 71(9), 1205-1210.
- Dinis, A., Alves, F., Nicolau, C., Ribeiro, C., Kaufmann, M., Canadas, A., et al. (2016). Bottlenose dolphin *Tursiops truncatus* group dynamics, site fidelity, residency and movement patterns in the Madeira Archipelago (North-East Atlantic). *African Journal of Marine Science*, 38(2), 151-160.
- Diogou, N., Klinck, H., Frantzis, A., Nystuen, J. A., Papathanassiou, E., & Katsanevakis, S. (2019). Year-round acoustic presence of sperm whales (*Physeter macrocephalus*) and baseline ambient ocean sound levels in the Greek Seas. *Mediterranean Marine Science*, 20(1), 208-221.
- Diogou, N., Palacios, D. M., Nieukirk, S. L., Nystuen, J. A., Papathanassiou, E., Katsanevakis, S., et al. (2019). Sperm whale (*Physeter macrocephalus*) acoustic ecology at Ocean Station PAPA in the Gulf of Alaska - Part 1: Detectability and seasonality. *Deep-Sea Research Part I-Oceanographic Research Papers*, 150.
- Diogou, N., Palacios, D. M., Nystuen, J. A., Papathanassiou, E., Katsanevakis, S., & Klinck, H. (2019). Sperm whale (*Physeter macrocephalus*) acoustic ecology at Ocean Station PAPA in the Gulf of Alaska - Part 2: Oceanographic drivers of interannual variability. *Deep-Sea Research Part I-Oceanographic Research Papers*, 150.
- Ditsche, P., & Summers, A. (2019). Learning from Northern clingfish (*Gobiesox maeandricus*): bioinspired suction cups attach to rough surfaces. *Philosophical Transactions of the Royal Society B-Biological Sciences*, 374(1784).
- Dittmann, S., Dawson, S., Rayment, W., Webster, T., & Slooten, E. (2016). Hector's dolphin movement patterns in response to height and direction of ocean swell. *New Zealand Journal of Marine and Freshwater Research*, 50(2), 228-239.
- Dizon, A. E., Leduc, C. A., & Leduc, R. G. (1994). INTRASPECIFIC STRUCTURE OF THE NORTHERN RIGHT WHALE DOLPHIN (*LISSODELPHIS-BOREALIS*) - THE POWER OF AN ANALYSIS OF MOLECULAR VARIATION FOR DIFFERENTIATING GENETIC STOCKS. *California Cooperative Oceanic Fisheries Investigations Reports*, 35, 61-67.
- do Amaral, K. B., Alvares, D. J., Heinzmann, L., Borges-Martins, M., Siciliano, S., & Moreno, I. B. (2015). Ecological niche modeling of *Stenella* dolphins (Cetartiodactyla: Delphinidae) in the southwestern Atlantic Ocean. *Journal of Experimental Marine Biology and Ecology*, 472, 166-179.
- Doh, Y., Delfour, F., Augier, E., Glotin, H., Graff, C., & Adam, O. (2018). Bottlenose dolphin (*Tursiops truncatus*) sonar slacks off before touching a non-alimentary target. *Behavioural Processes*, 157, 337-345.
- Doherty, P. D., Baxter, J. M., Godley, B. J., Graham, R. T., Hall, G., Hall, J., et al. (2019). Seasonal changes in basking shark vertical space use in the north-east Atlantic. *Marine Biology*, 166(10).
- Doksaeter, L., Godo, O. R., Olsen, E., Nottestad, L., & Patel, R. (2009). Ecological studies of marine mammals using a seabed-mounted echosounder. *Ices Journal of Marine Science*, 66(6), 1029-1036.
- Doksaeter, L., Olsen, E., Nottestad, L., & Ferno, A. (2008). Distribution and feeding ecology of dolphins along the Mid-Atlantic Ridge between Iceland and the Azores. *Deep-Sea Research Part I-Topical Studies in Oceanography*, 55(1-2), 243-253.
- Dole, J. A., & Sun, M. (1992). FIELD AND GENETIC SURVEY OF THE ENDANGERED BUTTE COUNTY MEADOWFOAM LIMNANTHES-FLOCCOSA SUBSP CALIFORNICA (LIMNANTHACEAE). *Conservation Biology*, 6(4), 549-558.
- Dolman, S. J., Hodgins, N. K., MacLeod, C. D., Pierce, G. J., & Weir, C. R. (2014). Harbour porpoises (*Phocoena phocoena*) and minke whales (*Balaenoptera acutorostrata*) observed during land-based surveys in The Minch, north-west Scotland. *Journal of the Marine Biological Association of the United Kingdom*, 94(6), 1185-1194.

- Dolman, S. J., & Jasny, M. (2015). Evolution of Marine Noise Pollution Management. *Aquatic Mammals*, 41(4), 357-374.
- Dolphin, T. J., Vincent, C. E., Coughlan, C., & Rees, J. M. (2007). Variability in Sandbank Behaviour at Decadal and Annual Time-Scales and Implications for Adjacent Beaches. *Journal of Coastal Research*, 731-737.
- Dolphin, W. F. (1996). Auditory evoked responses to amplitude modulated stimuli consisting of multiple envelope components. *Journal of Comparative Physiology a-Neuroethology Sensory Neural and Behavioral Physiology*, 179(1), 113-121.
- Dolphin, W. F., Au, W. W. L., Nachtigall, P. E., & Pawloski, J. (1995). MODULATION RATE TRANSFER-FUNCTIONS TO LOW-FREQUENCY CARRIERS IN 3 SPECIES OF CETACEANS. *Journal of Comparative Physiology a-Neuroethology Sensory Neural and Behavioral Physiology*, 177(2), 235-245.
- Dombroski, J. R. G., Parks, S. E., Flores, P. A. C., Lopez, L. M. M., Shorter, K. A., & Groch, K. R. (2020). Animal-borne tags provide insights into the acoustic communication of southern right whales (*Eubalaena australis*) on the calving grounds. *Journal of the Acoustical Society of America*, 147(6), EL498-EL503.
- Dombroski, J. R. G., Parks, S. E., Groch, K. R., Flores, P. A. C., & Sousa-Lima, R. S. (2016). Vocalizations produced by southern right whale (*Eubalaena australis*) mother-calf pairs in a calving ground off Brazil. *Journal of the Acoustical Society of America*, 140(3), 1850-1857.
- Domeier, M. L. (2012). Revisiting Spawning Aggregations: Definitions and Challenges. In Y. S. DeMitcheson & P. L. Colin (Eds.), *Reef Fish Spawning Aggregations: Biology, Research and Management* (Vol. 35, pp. 1-20).
- Domenici, P., Batty, R. S., Simila, T., & Ogam, E. (2000). Killer whales (*Orcinus orca*) feeding on schooling herring (*Clupea harengus*) using underwater tail-slaps: Kinematic analyses of field observations. *Journal of Experimental Biology*, 203(2), 283-294.
- Domenici, P., Wilson, A. D. M., Kurvers, R., Marras, S., Herbert-Read, J. E., Steffensen, J. F., et al. (2014). How sailfish use their bills to capture schooling prey. *Proceedings of the Royal Society B-Biological Sciences*, 281(1784).
- Dominello, T., & Sirovic, A. (2016). Seasonality of Antarctic minke whale (*Balaenoptera bonaerensis*) calls off the western Antarctic Peninsula. *Marine Mammal Science*, 32(3), 826-838.
- Dominguez-Sanchez, C. A., Acevedo-Whitehouse, K. A., & Gendron, D. (2018). Effect of drone-based blow sampling on blue whale (*Balaenoptera musculus*) behavior. *Marine Mammal Science*, 34(3), 841-850.
- Dominici, S., Cioppi, E., Danise, S., Betocchi, U., Gallai, G., Tangocci, F., et al. (2009). Mediterranean fossil whale falls and the adaptation of mollusks to extreme habitats. *Geology*, 37(9), 815-818.
- Dominici, S., Danise, S., & Benvenuti, M. (2018). Pliocene stratigraphic paleobiology in Tuscany and the fossil record of marine megafauna. *Earth-Science Reviews*, 176, 277-310.
- Domit, C., Broadhurst, M. K., & Bornatowski, H. (2017). Interactions between *Manta birostris* and *Sotalia guianensis* in a World Heritage listed Brazilian estuary. *Journal of Fish Biology*, 91(4), 1236-1240.
- Dong, E. Q., Zhang, Y., Song, Z. C., Zhang, T. Y., Cai, C., & Fang, N. X. (2019). Physical modeling and validation of porpoises' directional emission via hybrid metamaterials. *National Science Review*, 6(5), 921-928.
- Dong, J. C., Song, Z. C., Li, S. H., Gong, Z. N., Li, K., Zhang, P. J., et al. (2017). Acoustic properties of a short-finned pilot whale head with insight into temperature influence on tissues' sound velocity. *Journal of the Acoustical Society of America*, 142(4), 1901-1912.

- Dong, L. J., Wang, D., Wang, K. X., Li, S. H., Dong, S. Y., Zhao, X. J., et al. (2011). Passive acoustic survey of Yangtze finless porpoises using a cargo ship as a moving platform. *Journal of the Acoustical Society of America*, 130(4), 2285-2292.
- Dong, L. J., Wang, D., Wang, K. X., Li, S. H., Mei, Z. G., Wang, S. Y., et al. (2015). Yangtze finless porpoises along the main channel of Poyang Lake, China: Implications for conservation. *Marine Mammal Science*, 31(2), 612-628.
- Doniol-Valcroze, T., Berteaux, D., Larouche, P., & Sears, R. (2007). Influence of thermal fronts on habitat selection by four rorqual whale species in the Gulf of St. Lawrence. *Marine Ecology Progress Series*, 335, 207-216.
- Doniol-Valcroze, T., Lesage, V., Giard, J., & Michaud, R. (2011). Optimal foraging theory predicts diving and feeding strategies of the largest marine predator. *Behavioral Ecology*, 22(4), 880-888.
- Donovan, C. R., Harris, C. M., Milazzo, L., Harwood, J., Marshall, L., & Williams, R. (2017). A simulation approach to assessing environmental risk of sound exposure to marine mammals. *Ecology and Evolution*, 7(7), 2101-2111.
- Dooley, A. C., Fraser, N. C., & Luo, Z. X. (2004). The earliest known member of the rorqual-gray whale clade (Mammalia, Xetacea). *Journal of Vertebrate Paleontology*, 24(2), 453-463.
- Dooley, C. T., Ferrer, T., Pagan, H., & O'Corry-Crowe, G. M. (2018). Bridging immunogenetics and immunoproteomics: Model positional scanning library analysis for Major Histocompatibility Complex class II DQ in *Tursiops truncatus*. *Plos One*, 13(8).
- Dornelas, M., Madin, E. M. P., Bunce, M., DiBattista, J. D., Johnson, M., Madin, J. S., et al. (2019). Towards a macroscope: Leveraging technology to transform the breadth, scale and resolution of macroecological data. *Global Ecology and Biogeography*, 28(12), 1937-1948.
- Dorning, J., & Harris, S. (2019). Understanding the intricacy of canid social systems: Structure and temporal stability of red fox (*Vulpes vulpes*) groups. *Plos One*, 14(9).
- dos Santos, R. A., & Haimovici, M. (2001). Cephalopods in the diet of marine mammals stranded or incidentally caught along southeastern and southern Brazil (21-34 degrees S). *Fisheries Research*, 52(1-2), 99-112.
- dos Santos, U. A., Alvarez, M. R., Schilling, A. C., Strenzel, G. M. R., & Le Pendu, Y. (2010). Spatial distribution and activities of the estuarine dolphin *Sotalia guianensis* (van Beneden, 1864) (Cetacea, Delphinidae) in Pontal Bay, Ilheus, Bahia, Brazil. *Biota Neotropica*, 10(2), 67-73.
- Double, M. C., Andrews-Goff, V., Jenner, K. C. S., Jenner, M. N., Laverick, S. M., Branch, T. A., et al. (2014). Migratory Movements of Pygmy Blue Whales (*Balaenoptera musculus brevicauda*) between Australia and Indonesia as Revealed by Satellite Telemetry. *Plos One*, 9(4).
- Douglas, A. B., Calambokidis, J., Raverty, S., Jeffries, S. J., Lambourn, D. M., & Norman, S. A. (2008). Incidence of ship strikes of large whales in Washington State. *Journal of the Marine Biological Association of the United Kingdom*, 88(6), 1121-1132.
- Douglas, L. A., Dawson, S. M., & Jaquet, N. (2005). Click rates and silences of sperm whales at Kaikoura, New Zealand. *Journal of the Acoustical Society of America*, 118(1), 523-529.
- Douglas, M. E., Schnell, G. D., Hough, D. J., & Perrin, W. F. (1992). GEOGRAPHIC-VARIATION IN CRANIAL MORPHOLOGY OF SPINNER DOLPHINS *STENELLA-LONGIROSTRIS* IN THE EASTERN TROPICAL PACIFIC-OCEAN. *Fishery Bulletin*, 90(1), 54-76.

Doyle, L. R., McCowan, B., Hanser, S. F., Chyba, C., Bucci, T., & Blue, J. E. (2008). Applicability of Information Theory to the Quantification of Responses to Anthropogenic Noise by Southeast Alaskan Humpback Whales. *Entropy*, 10(2), 33-46.

Drea, C. M., & Carter, A. N. (2009). Cooperative problem solving in a social carnivore. *Animal Behaviour*, 78(4), 967-977.

Dreier, M., Wolfling, K., Duvén, E., Giralt, S., Beutel, M. E., & Müller, K. W. (2017). Free-to-play: About addicted Whales, at risk Dolphins and healthy Minnows. *Monetization design and Internet Gaming Disorder. Addictive Behaviors*, 64, 328-333.

Drennan, R., Wiklund, H., Rouse, G. W., Georgieva, M. N., Wu, X. W., Kobayashi, G., et al. (2019). Taxonomy and phylogeny of mud owls (Annelida: Sternaspidae), including a new synonymy and new records from the Southern Ocean, North East Atlantic Ocean and Pacific Ocean: challenges in morphological delimitation. *Marine Biodiversity*, 49(6), 2659-2697.

Dreo, R., Bouffaut, L., Leroy, E., Barruol, G., & Samaran, F. (2019). Baleen whale distribution and seasonal occurrence revealed by an ocean bottom seismometer network in the Western Indian Ocean. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 161, 132-144.

Dresser, B. K., & Kneib, R. T. (2007). Site fidelity and movement patterns of wild subadult red drum, *Sciaenops ocellatus* (Linnaeus), within a salt marsh-dominated estuarine landscape. *Fisheries Management and Ecology*, 14(3), 183-190.

Dretler, S. P. (2001). The stone cone: A new generation of basketry. *Journal of Urology*, 165(5), 1593-1596.

Drouot, V., Gannier, A., & Goold, J. C. (2004). Summer social distribution of sperm whales (*Physeter macrocephalus*) in the Mediterranean Sea. *Journal of the Marine Biological Association of the United Kingdom*, 84(3), 675-680.

Drouot, V., Goold, J. C., & Gannier, A. (2004). Regional diversity in the social vocalizations of sperm whale in the Mediterranean Sea. *Revue D Ecologie-La Terre Et La Vie*, 59(4), 545-558.

Drouot-Dulau, V., & Gannier, A. (2007). Movements of sperm whale in the western Mediterranean Sea: preliminary photo-identification results. *Journal of the Marine Biological Association of the United Kingdom*, 87(1), 195-200.

Druckenmiller, M. L., Citta, J. J., Ferguson, M. C., Clarke, J. T., George, J. C., & Quakenbush, L. (2018). Trends in sea-ice cover within bowhead whale habitats in the Pacific Arctic. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 152, 95-107.

Druckenmiller, M. L., Eicken, H., George, J. C., & Brower, L. (2010). Assessing the Shorefast Ice: Inupiat Whaling Trails off Barrow, Alaska.

Druon, J. N., Helaouet, P., Beaugrand, G., Fromentin, J. M., Palialexis, A., & Hoepffner, N. (2019). Satellite-based indicator of zooplankton distribution for global monitoring. *Scientific Reports*, 9.

Druon, J. N., Panigada, S., David, L., Gannier, A., Mayol, P., Arcangeli, A., et al. (2012). Potential feeding habitat of fin whales in the western Mediterranean Sea: an environmental niche model. *Marine Ecology Progress Series*, 464, 289-U333.

Druskat, A., Ghosh, R., Castrillon, J., & Nash, S. M. B. (2019). Sex ratios of migrating southern hemisphere humpback whales: A new sentinel parameter of ecosystem health. *Marine Environmental Research*, 151.

Dudgeon, C. L., Dunlop, R. A., & Noad, M. J. (2018). Modelling heterogeneity in detection probabilities in land and aerial abundance surveys in humpback whales (*Megaptera novaeangliae*). *Population Ecology*, 60(4), 371-387.

- Dudgeon, C. L., Noad, M. J., & Lanyon, J. M. (2008). Abundance and demography of a seasonal aggregation of zebra sharks *Stegostoma fasciatum*. *Marine Ecology Progress Series*, 368, 269-281.
- Dudzinski, K. M., Gregg, J. D., Paulos, R. D., & Kuczaj, S. A. (2010). A comparison of pectoral fin contact behaviour for three distinct dolphin populations. *Behavioural Processes*, 84(2), 559-567.
- Dudzinski, K. M., Yeater, D., Bolton, T., Eskelinen, H., & Hill, H. (2018). Defining Creativity and Confirming Understanding of the Concept in Dolphins: Research and Training Perspectives. *Aquatic Mammals*, 44(4), 426-436.
- Duffield, D. W., Haldiman, J. T., & Henk, W. G. (1992). SURFACE-MORPHOLOGY OF THE FOREBRAIN OF THE BOWHEAD WHALE, *BALAENA-MYSTICETUS*. *Marine Mammal Science*, 8(4), 354-378.
- Duffus, D. A. (1996). The recreational use of grey whales in southern Clayoquot sound, Canada. *Applied Geography*, 16(3), 179-190.
- Duffy, C. A. J. (2002). Distribution, seasonality, lengths, and feeding behaviour of whale sharks (*Rhincodon typus*) observed in New Zealand waters. *New Zealand Journal of Marine and Freshwater Research*, 36(3), 565-570.
- Duffy-Echevarria, E. E., Connor, R. C., & Aubin, D. J. S. (2008). Observations of strand-feeding behavior by bottlenose dolphins (*Tursiops truncatus*) in Bull Creek, South Carolina. *Marine Mammal Science*, 24(1), 202-206.
- Duignan, P. J., House, C., Geraci, J. R., Early, G., Copland, H. G., Walsh, M. T., et al. (1995). MORBILLIVIRUS INFECTION IN 2 SPECIES OF PILOT WHALES (*GLOBICEPHALA* SP) FROM THE WESTERN ATLANTIC. *Marine Mammal Science*, 11(2), 150-162.
- Duignan, P. J., House, C., Odell, D. K., Wells, R. S., Hansen, L. J., Walsh, M. T., et al. (1996). Morbillivirus infection in bottlenose dolphins: Evidence for recurrent epizootics in the western Atlantic and Gulf of Mexico. *Marine Mammal Science*, 12(4), 499-515.
- Dukino, R. D., Swain, M. V., Loo, C. E., Bristow, N., & England, B. M. (1995). FRACTURE-BEHAVIOR OF 3 AUSTRALIAN IRON-ORES. *Transactions of the Institution of Mining and Metallurgy Section C-Mineral Processing and Extractive Metallurgy*, 104, C11-C19.
- Dulau, V., Estrade, V., & Fayan, J. (2017). Identifying key demographic parameters of a small island-associated population of Indo-Pacific bottlenose dolphins (Reunion, Indian Ocean). *Plos One*, 12(6).
- Dulau, V., Pinet, P., Geyer, Y., Fayan, J., Mongin, P., Cottarel, G., et al. (2017). Continuous movement behavior of humpback whales during the breeding season in the southwest Indian Ocean: on the road again! *Movement Ecology*, 5.
- Dulau-Drouot, V., Boucaud, V., & Rota, B. (2008). Cetacean diversity off La Reunion Island (France). *Journal of the Marine Biological Association of the United Kingdom*, 88(6), 1263-1272.
- Dumond, M., & Lee, D. S. (2013). Dolphin and Union Caribou Herd Status and Trend. *Arctic*, 66(3), 329-337.
- Dungan, S. Z., Hung, S. K., Wang, J. Y., & White, B. N. (2012). Two social communities in the Pearl River Estuary population of Indo-Pacific humpback dolphins (*Sousa chinensis*). *Canadian Journal of Zoology*, 90(8), 1031-1043.
- Dungan, S. Z., Wang, J. Y., Araujo, C. C., Yang, S. C., & White, B. N. (2016). Social structure in a critically endangered Indo-Pacific humpback dolphin (*Sousa chinensis*) population. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 26(3), 517-529.
- Dunkin, R. C., McLellan, W. A., Blum, J. E., & Pabst, D. A. (2005). The ontogenetic changes in the thermal properties of blubber from Atlantic bottlenose dolphin *Tursiops truncatus*. *Journal of Experimental Biology*, 208(8), 1469-1480.

- Dunlop, R. A. (2017). Potential motivational information encoded within humpback whale non-song vocal sounds. *Journal of the Acoustical Society of America*, 141(3), 2204-2213.
- Dunlop, R. A., Cato, D. H., & Noad, M. J. (2014). Evidence of a Lombard response in migrating humpback whales (*Megaptera novaeangliae*). *Journal of the Acoustical Society of America*, 136(1), 430-437.
- Dunlop, R. A., Cato, D. H., Noad, M. J., & Stokes, D. M. (2013). Source levels of social sounds in migrating humpback whales (*Megaptera novaeangliae*). *Journal of the Acoustical Society of America*, 134(1), 706-714.
- Dunlop, R. A., McCauley, R. D., & Noad, M. J. (2020). Ships and air guns reduce social interactions in humpback whales at greater ranges than other behavioral impacts. *Marine Pollution Bulletin*, 154.
- Dunlop, R. A., & Mellor, A. (2008). PROBABLE ACOUSTIC RECORDINGS OF SPERM WHALES (*PHYSETER MACROCEPHALUS*) ALONG THE NORTH ANTRIM COAST, NORTHERN IRELAND. *Biology and Environment-Proceedings of the Royal Irish Academy*, 108B(3), 135-141.
- Dunlop, R. A., Noad, M. J., Cato, D. H., Kniest, E., Miller, P. J. O., Smith, J. N., et al. (2013). Multivariate analysis of behavioural response experiments in humpback whales (*Megaptera novaeangliae*). *Journal of Experimental Biology*, 216(5), 759-770.
- Dunlop, R. A., Noad, M. J., Cato, D. H., & Stokes, D. (2007). The social vocalization repertoire of east Australian migrating humpback whales (*Megaptera novaeangliae*). *Journal of the Acoustical Society of America*, 122(5), 2893-2905.
- Dunlop, R. A., Noad, M. J., McCauley, R. D., Kniest, E., Paton, D., & Cato, D. H. (2015). The Behavioural Response of Humpback Whales (*Megaptera novaeangliae*) to a 20 Cubic Inch Air Gun. *Aquatic Mammals*, 41(4), 412-433.
- Dunlop, R. A., Noad, M. J., McCauley, R. D., Kniest, E., Slade, R., Paton, D., et al. (2016). Response of humpback whales (*Megaptera novaeangliae*) to ramp-up of a small experimental air gun array. *Marine Pollution Bulletin*, 103(1-2), 72-83.
- Dunlop, R. A., Noad, M. J., McCauley, R. D., Kniest, E., Slade, R., Paton, D., et al. (2017). The behavioural response of migrating humpback whales to a full seismic airgun array. *Proceedings of the Royal Society B-Biological Sciences*, 284(1869).
- Dunn, C., Hickmott, L., Talbot, D., Boyd, I., & Rendell, L. (2013). Mid-frequency broadband sounds of Blainville's beaked whales. *Bioacoustics-the International Journal of Animal Sound and Its Recording*, 22(2), 153-163.
- Dunn, C. A., Tyack, P., Miller, P. J. O., & Rendell, L. (2017). Short first click intervals in echolocation trains of three species of deep diving odontocetes. *Journal of the Acoustical Society of America*, 141(2), 900-907.
- Dunn, R. A., & Hernandez, O. (2009). Tracking blue whales in the eastern tropical Pacific with an ocean-bottom seismometer and hydrophone array. *Journal of the Acoustical Society of America*, 126(3), 1084-1094.
- Dunphy-Daly, M. M., Heithaus, M. R., & Claridge, D. E. (2008). Temporal variation in dwarf sperm whale (*Kogia sima*) habitat use and group size off Great Abaco Island, Bahamas. *Marine Mammal Science*, 24(1), 171-182.
- Dunshea, G. (2009). DNA-Based Diet Analysis for Any Predator. *Plos One*, 4(4).
- Dunton, K. H., Grebmeier, J. M., & Trefry, J. H. (2014). The benthic ecosystem of the northeastern Chukchi Sea: An overview of its unique biogeochemical and biological characteristics. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 102, 1-8.

- Duperron, S., Pottier, M. A., Leger, N., Gaudron, S. M., Puillandre, N., Le Prieur, S., et al. (2013). A tale of two chitons: is habitat specialisation linked to distinct associated bacterial communities? *Fems Microbiology Ecology*, 83(3), 552-567.
- Dupont, S., Puncher, G., & Calosi, P. (2015). Bird is the word - on the importance of ethical and effective scientific communication. *Journal of the Marine Biological Association of the United Kingdom*, 95(5), 863-870.
- Durand, J. D., Collet, A., Chow, S., Guinand, B., & Borsa, P. (2005). Nuclear and mitochondrial DNA markers indicate unidirectional gene flow of Indo-Pacific to Atlantic bigeye tuna (*Thunnus obesus*) populations, and their admixture off southern Africa. *Marine Biology*, 147(2), 313-322.
- Durban, J. W., Fearnbach, H., Burrows, D. G., Ylitalo, G. M., & Pitman, R. L. (2017). Morphological and ecological evidence for two sympatric forms of Type B killer whale around the Antarctic Peninsula. *Polar Biology*, 40(1), 231-236.
- Durban, J. W., & Pitman, R. L. (2012). Antarctic killer whales make rapid, round-trip movements to subtropical waters: evidence for physiological maintenance migrations? *Biology Letters*, 8(2), 274-277.
- Durbin, E. G., Campbell, R. G., Gilman, S. L., & Durbin, A. G. (1995). DIEL FEEDING-BEHAVIOR AND INGESTION RATE IN THE COPEPOD *CALANUS-FINMARCHICUS* IN THE SOUTHERN GULF OF MAINE DURING LATE SPRING. *Continental Shelf Research*, 15(4-5), 539-570.
- Durden, W. N., O'Corry-Crowe, G., Shippee, S., Jablonski, T., Rodgers, S., Mazzoil, M., et al. (2019). Small-Scale Movement Patterns, Activity Budgets, and Association Patterns of Radio-Tagged Indian River Lagoon Bottlenose Dolphins (*Tursiops truncatus*). *Aquatic Mammals*, 45(1), 66-87.
- Durette-Morin, D., Davies, K. T. A., Johnson, H. D., Brown, M. W., Moors-Murphy, H., Martin, B., et al. (2019). Passive acoustic monitoring predicts daily variation in North Atlantic right whale presence and relative abundance in Roseway Basin, Canada. *Marine Mammal Science*, 35(4), 1280-1303.
- Duyck, J., Finn, C., Hutcheon, A., Vera, P., Salas, J., & Ravela, S. (2015). Sloop: A pattern retrieval engine for individual animal identification. *Pattern Recognition*, 48(4), 1059-1073.
- Dwyer, S. L., Pawley, M. D. M., Clement, D. M., & Stockin, K. A. (2020). Modelling habitat use suggests static spatial exclusion zones are a non-optimal management tool for a highly mobile marine mammal. *Marine Biology*, 167(5).
- Dyrdal, D. (2019). 'Whaling and the Extermination of the Great Whale': Norwegian and British Debate about Whale Stocks in Antarctica, 1913-1939. *Environment and History*, 25(1), 87-115.
- Dyuusekina, A. E., Dolgikh, D. A., Samatova, E. N., Tiktopulo, E. I., Balobanov, V. A., & Bychkova, V. E. (2008). pH-induced equilibrium unfolding of apomyoglobin: Substitutions at conserved Trp14 and Met131 and non-conserved Val17 positions. *Biochemistry-Moscow*, 73(6), 693-701.
- Dziak, R. P., Bohnenstiehl, D. R., Stafford, K. M., Matsumoto, H., Park, M., Lee, W. S., et al. (2015). Sources and Levels of Ambient Ocean Sound near the Antarctic Peninsula. *Plos One*, 10(4).
- Dziak, R. P., Haxel, J. H., Matsumoto, H., Lau, T. K., Heimlich, S., Nieukirk, S., et al. (2017). Ambient Sound at Challenger Deep, Mariana Trench. *Oceanography*, 30(2), 186-197.
- Ebdon, P., Riekkola, L., & Constantine, R. (2020). Testing the efficacy of ship strike mitigation for whales in the Hauraki Gulf, New Zealand. *Ocean & Coastal Management*, 184.
- Ebert, M. B., Marigo, J., Neto, G. G., Cremer, M. J., & da Silva, R. J. *Ogmogaster antarctica* (Digenea: Notocotylidae) infecting a dwarf minke whale *Balaenoptera acutorostrata* (Cetartiodactyla: Balaenopteridae) from the southwestern Atlantic Ocean. *Biologia*.

- Ebert, M. B., Muller, M. I., Marigo, J., Valente, A. L. S., Cremer, M. J., & da Silva, R. J. (2017). A new Synthesium species (Digenea: Brachycladiidae) from the bottlenose dolphin *Tursiops truncatus* (Cetacea: Delphinidae) in Southwestern Atlantic waters. *Parasitology Research*, 116(5), 1443-1452.
- Eckert, S. A., & Stewart, B. S. (2001). Telemetry and satellite tracking of whale sharks, *Rhincodon typus*, in the Sea of Cortez, Mexico, and the north Pacific Ocean. *Environmental Biology of Fishes*, 60(1-3), 299-308.
- Edds, P. L., Odell, D. K., & Tershy, B. R. (1993). VOCALIZATIONS OF A CAPTIVE JUVENILE AND FREE-RANGING ADULT-CALF PAIRS OF BRYDE WHALES, *BALAENOPTERA-EDENI*. *Marine Mammal Science*, 9(3), 269-284.
- Edwards, H. H., Martin, J., Deutsch, C. J., Muller, R. G., Koslovsky, S. M., Smith, A. J., et al. (2016). Influence of Manatees' Diving on Their Risk of Collision with Watercraft. *Plos One*, 11(4).
- Edwards, H. H., & Schnell, G. D. (2001). Status and ecology of *Sotalia fluviatilis* in the Cayos Miskito Reserve, Nicaragua. *Marine Mammal Science*, 17(3), 445-472.
- Edwards, R. L., & Livingstone, R. (1960). OBSERVATIONS ON THE BEHAVIOR OF THE PORPOISE *DELPHINUS-DELPHIS*. *Science*, 132(3418), 35-36.
- Egi, S. M. (2009). Design of an acoustic telemetry system for rebreathers. *Undersea & Hyperbaric Medicine*, 36(1), 65-71.
- Eguiguren, A., Pirotta, E., Cantor, M., Rendell, L., & Whitehead, H. (2019). Habitat use of culturally distinct Galapagos sperm whale *Physeter macrocephalus* clans. *Marine Ecology Progress Series*, 609, 257-270.
- Eierman, L. E., & Connor, R. C. (2014). Foraging behavior, prey distribution, and microhabitat use by bottlenose dolphins *Tursiops truncatus* in a tropical atoll. *Marine Ecology Progress Series*, 503, 279-288.
- Eierman, L. E., Laccetti, K., Melillo-Sweeting, K., & Kaplan, J. D. (2019). Interspecies pectoral fin contact between bottlenose dolphins and Atlantic spotted dolphins off Bimini, The Bahamas. *Animal Behaviour*, 157, 167-176.
- Eisenmann, P., Fry, B., Holyoake, C., Coughran, D., Nicol, S., & Nash, S. B. (2016). Isotopic Evidence of a Wide Spectrum of Feeding Strategies in Southern Hemisphere Humpback Whale Baleen Records. *Plos One*, 11(5).
- Eisfeld, S. M., Simmonds, M. P., & Stansfield, L. R. (2010). Behavior of a Solitary Sociable Female Bottlenose Dolphin (*Tursiops truncatus*) off the Coast of Kent, Southeast England. *Journal of Applied Animal Welfare Science*, 13(1), 31-45.
- Ekdale, E. G. (2016). Morphological Variation Among the Inner Ears of Extinct and Extant Baleen Whales (Cetacea: Mysticeti). *Journal of Morphology*, 277(12), 1599-1615.
- Ekdale, E. G., & Racicot, R. A. (2015). Anatomical evidence for low frequency sensitivity in an archaeocete whale: comparison of the inner ear of *Zygorhiza kochii* with that of crown Mysticeti. *Journal of Anatomy*, 226(1), 22-39.
- El Adli, J. J., & Demere, T. A. (2015). On the Anatomy of the Temporomandibular Joint and the Muscles That Act Upon It: Observations on the Gray Whale, *Eschrichtius robustus*. *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 298(4), 680-690.
- Elliott, B. W., Read, A. J., Godley, B. J., Nelms, S. E., & Nowacek, D. P. (2019). Critical information gaps remain in understanding impacts of industrial seismic surveys on marine vertebrates. *Endangered Species Research*, 39, 247-254.
- Elliott, K. H., Davoren, G. K., & Gaston, A. J. (2007). The influence of buoyancy, and drag on the dive behaviour of an Arctic seabird, the Thick-billed Murre. *Canadian Journal of Zoology*, 85(3), 352-361.

- Elliott, R. G., Dawson, S. M., & Henderson, S. (2011). Acoustic monitoring of habitat use by bottlenose dolphins in Doubtful Sound, New Zealand. *New Zealand Journal of Marine and Freshwater Research*, 45(4), 637-649.
- Elliott, R. G., Dawson, S. M., & Rayment, W. J. (2012). Optimizing T-pod settings and testing range of detection for bottlenose dolphins in Doubtful Sound, New Zealand. *Journal of the Marine Biological Association of the United Kingdom*, 92(8), 1901-1907.
- Elliott, S. M., Ashjian, C. J., Feng, Z. X., Jones, B., Chen, C. S., & Zhang, Y. (2017). Physical control of the distributions of a key Arctic copepod in the Northeast Chukchi Sea. *Deep-Sea Research Part Ii-Topical Studies in Oceanography*, 144, 37-51.
- Ellis, J. M. S. (2008). DECAY OF APPARENT INDIVIDUAL DISTINCTIVENESS IN THE BEGGING CALLS OF ADULT FEMALE WHITE-THROATED MAGPIE-JAYS. *Condor*, 110(4), 648-657.
- Elliser, C. R., & Herzing, D. L. (2012). Community structure and cluster definition of Atlantic spotted dolphins, *Stenella frontalis*, in the Bahamas. *Marine Mammal Science*, 28(4), E486-E502.
- Elliser, C. R., MacIver, K. H., & Green, M. (2018). Group characteristics, site fidelity, and photo-identification of harbor porpoises, *Phocoena phocoena*, in Burrows Pass, Fidalgo Island, Washington. *Marine Mammal Science*, 34(2), 365-384.
- Elmegaard, S. L., McDonald, B. I., & Madsen, P. T. (2019). Drivers of the dive response in trained harbour porpoises (*Phocoena phocoena*). *Journal of Experimental Biology*, 222(19).
- Elnaghy, A. M. (2014). Cyclic fatigue resistance of ProTaper Next nickel-titanium rotary files. *International Endodontic Journal*, 47(11), 1034-1039.
- Elshebiny, T., Morcos, S., Mohammad, A., Queresby, F., & Valiathan, M. (2019). Accuracy of Three-Dimensional Soft Tissue Prediction in Orthognathic Cases Using Dolphin Three-Dimensional Software. *Journal of Craniofacial Surgery*, 30(2), 525-528.
- Elvarsson, B. T. (2015). Evaluating stock structure hypotheses using genetically determined close relatives: a simulation study on North Atlantic fin whales. *Ices Journal of Marine Science*, 72(2), 661-669.
- Elwen, S., Meyer, M. A., Best, P. B., Kotze, P. G. H., Thornton, M., & Swanson, S. (2006). Range and movements of female heaviside's dolphins (*Cephalorhynchus heavisidii*), as determined by satellite-linked telemetry. *Journal of Mammalogy*, 87(5), 866-877.
- Elwen, S. H., & Best, P. B. (2004). Environmental factors influencing the distribution of southern right whales (*Eubalaena australis*) on the south coast of South Africa II: Within bay distribution. *Marine Mammal Science*, 20(3), 583-601.
- Elwen, S. H., Best, P. B., Reeb, D., & Thornton, M. (2009). Diurnal movements and behaviour of Heaviside's dolphins, *Cephalorhynchus heavisidii*, with some comparative data for dusky dolphins, *Lagenorhynchus obscurus*. *South African Journal of Wildlife Research*, 39(2), 143-154.
- Elwen, S. H., & Leeney, R. H. (2011). Interactions between leatherback turtles and killer whales in Namibian waters, including possible predation. *South African Journal of Wildlife Research*, 41(2), 205-209.
- Elwen, S. H., Thornton, M., Reeb, D., & Best, P. B. (2010). Near-shore distribution of Heaviside's (*Cephalorhynchus heavisidii*) and dusky dolphins (*Lagenorhynchus obscurus*) at the southern limit of their range in South Africa. *African Zoology*, 45(1), 78-91.

- Elwen, S. H., Tonachella, N., Barendse, J., Collins, T., Best, P. B., Rosenbaum, H. C., et al. (2014). Humpback whales off Namibia: occurrence, seasonality, and a regional comparison of photographic catalogs and scarring. *Journal of Mammalogy*, 95(5), 1064-1076.
- Embley, R. W., Tamura, Y., Merle, S. G., Sato, T., Ishizuka, O., Chadwick, W. W., et al. (2014). Eruption of South Sarigan Seamount, Northern Mariana Islands Insights into Hazards from Submarine Volcanic Eruptions. *Oceanography*, 27(2), 24-31.
- Embling, C. B., Gillibrand, P. A., Gordon, J., Shrimpton, J., Stevick, P. T., & Hammond, P. S. (2010). Using habitat models to identify suitable sites for marine protected areas for harbour porpoises (*Phocoena phocoena*). *Biological Conservation*, 143(2), 267-279.
- Emmons, C. K., Hard, J. J., Dahlheim, M. E., & Waite, J. M. (2019). Quantifying variation in killer whale (*Orcinus orca*) morphology using elliptical Fourier analysis. *Marine Mammal Science*, 35(1), 5-21.
- Endress, A. D., Carden, S., Versace, E., & Hauser, M. D. (2010). The apes' edge: positional learning in chimpanzees and humans. *Animal Cognition*, 13(3), 483-495.
- Engel, M. H., Fagundes, N. J. R., Rosenbaum, H. C., Leslie, M. S., Ott, P. H., Schmitt, R., et al. (2008). Mitochondrial DNA diversity of the Southwestern Atlantic humpback whale (*Megaptera novaeangliae*) breeding area off Brazil, and the potential connections to Antarctic feeding areas. *Conservation Genetics*, 9(5), 1253-1262.
- Engelbrecht, T. M., Kock, A. A., & O'Riain, M. J. (2019). Running scared: when predators become prey. *Ecosphere*, 10(1).
- Erbe, C. (2002). Underwater noise of whale-watching boats and potential effects on killer whales (*Orcinus orca*), based on an acoustic impact model. *Marine Mammal Science*, 18(2), 394-418.
- Erbe, C. (2013). UNDERWATER PASSIVE ACOUSTIC MONITORING & NOISE IMPACTS ON MARINE FAUNA-A WORKSHOP REPORT. *Acoustics Australia*, 41(1), 113-119.
- Erbe, C. (2015). The Maskogram: A Tool to Illustrate Zones of Masking. *Aquatic Mammals*, 41(4), 434-443.
- Erbe, C., Dunlop, R., & Dolman, S. (2018). Effects of Noise on Marine Mammals. In H. Slabbekoorn, R. J. Dooling, A. N. Popper & R. R. Fay (Eds.), *Effects of Anthropogenic Noise on Animals* (Vol. 66, pp. 277-309).
- Erbe, C., & King, A. R. (2008). Automatic detection of marine mammals using information entropy. *Journal of the Acoustical Society of America*, 124(5), 2833-2840.
- Erbe, C., Salgado-Kent, C., de Winter, S., Marley, S., & Ward, R. (2020). Matching Signature Whistles with Photo-Identification of Indo-Pacific Bottlenose Dolphins (*Tursiops aduncus*) in the Fremantle Inner Harbour, Western Australia. *Acoustics Australia*, 48(1), 23-38.
- Erber, C., & Simao, S. M. (2004). Analysis of whistles produced by the Tucuxi dolphin *Sotalia fluviatilis* from Sepetiba Bay, Brazil. *Anais Da Academia Brasileira De Ciencias*, 76(2), 381-385.
- Erbs, F., Elwen, S. H., & Gridley, T. (2017). Automatic classification of whistles from coastal dolphins of the southern African subregion. *Journal of the Acoustical Society of America*, 141(4), 2489-2500.
- Eriksen, N., Miller, L. A., Tougaard, J., & Helweg, D. A. (2005). Cultural change in the songs of humpback whales (*Megaptera novaeangliae*) from Tonga. *Behaviour*, 142, 305-328.
- Erismann, B., Heyman, W., Kobara, S., Ezer, T., Pittman, S., Aburto-Oropeza, O., et al. (2017). Fish spawning aggregations: where well-placed management actions can yield big benefits for fisheries and conservation. *Fish and Fisheries*, 18(1), 128-144.

- Ernak, J., Brightwell, K., & Gibson, Q. (2017). Multi-level dolphin alliances in northeastern Florida offer comparative insight into pressures shaping alliance formation. *Journal of Mammalogy*, 98(4), 1096-1104.
- Ersts, P. J., Pomilla, C., Kiszka, J., Cerchio, S., Rosenbaum, H. C., Vely, M., et al. (2011). Observations of individual humpback whales utilising multiple migratory destinations in the south-western Indian Ocean. *African Journal of Marine Science*, 33(2), 333-338.
- Ersts, P. J., & Rosenbaum, H. C. (2003). Habitat preference reflects social organization of humpback whales (*Megaptera novaeangliae*) on a wintering ground. *Journal of Zoology*, 260, 337-345.
- Escalle, L., Murua, H., Amande, J. M., Arregui, I., Chavance, P., de Molina, A. D., et al. (2016). Post-capture survival of whale sharks encircled in tuna purse-seine nets: tagging and safe release methods. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 26(4), 782-789.
- Esch, H. C., Sayigh, L. S., Blum, J. E., & Wells, R. S. (2009). WHISTLES AS POTENTIAL INDICATORS OF STRESS IN BOTTLENOSE DOLPHINS (*TURSIOPS TRUNCATUS*). *Journal of Mammalogy*, 90(3), 638-650.
- Eskelinen, H. C., Winship, K. A., Jones, B. L., Ames, A. E. M., & Kuczaj, S. A. (2016). Acoustic behavior associated with cooperative task success in bottlenose dolphins (*Tursiops truncatus*). *Animal Cognition*, 19(4), 789-797.
- Eskesen, I. G., Teilmann, J., Geertsen, B. M., Desportes, G., Riget, F., Dietz, R., et al. (2009). Stress level in wild harbour porpoises (*Phocoena phocoena*) during satellite tagging measured by respiration, heart rate and cortisol. *Journal of the Marine Biological Association of the United Kingdom*, 89(5), 885-892.
- Eskesen, I. G., Wahlberg, M., Simon, M., & Larsen, O. N. (2011). Comparison of echolocation clicks from geographically sympatric killer whales and long-finned pilot whales. *Journal of the Acoustical Society of America*, 130(1), 9-12.
- Espanol-Jimenez, S., & van der Schaar, M. (2018). First record of humpback whale songs in Southern Chile: Analysis of seasonal and diel variation. *Marine Mammal Science*, 34(3), 718-733.
- Esperante, R., Brand, L. R., Chadwick, A. V., & Poma, O. (2015). Taphonomy and paleoenvironmental conditions of deposition of fossil whales in the diatomaceous sediments of the Miocene/Pliocene Pisco Formation, southern Peru-A new fossil-lagerstatte. *Palaeogeography Palaeoclimatology Palaeoecology*, 417, 337-370.
- Espinoza-Rodriguez, N., De Turris-Morales, K., Shimada, T., & Barrios-Garrido, H. (2019). Guiana Dolphin (*Sotalia guianensis*) in the southern Gulf of Venezuela: Seasonal distribution, group size, and habitat use. *Regional Studies in Marine Science*, 32.
- Estabrook, B. J., Ponirakis, D. W., Clark, C. W., & Rice, A. N. (2016). Widespread spatial and temporal extent of anthropogenic noise across the northeastern Gulf of Mexico shelf ecosystem. *Endangered Species Research*, 30, 267-282.
- Esteban, R., Verborgh, P., Gauffier, P., Gimenez, J., Afan, I., Canadas, A., et al. (2014). Identifying key habitat and seasonal patterns of a critically endangered population of killer whales. *Journal of the Marine Biological Association of the United Kingdom*, 94(6), 1317-1325.
- Esteban, R., Verborgh, P., Gauffier, P., Gimenez, J., Foote, A. D., & de Stephanis, R. (2016). Maternal kinship and fisheries interaction influence killer whale social structure. *Behavioral Ecology and Sociobiology*, 70(1), 111-122.
- Esteban, R., Verborgh, P., Gauffier, P., Gimenez, J., Guinet, C., & de Stephanis, R. (2016). Dynamics of killer whale, bluefin tuna and human fisheries in the Strait of Gibraltar. *Biological Conservation*, 194, 31-38.

- Esteban, R., Verborgh, P., Gauffier, P., Gimenez, J., Martin, V., Perez-Gil, M., et al. (2016). Using a multi-disciplinary approach to identify a critically endangered killer whale management unit. *Ecological Indicators*, 66, 291-300.
- Estrade, V., & Dulau, V. (2020). Abundance and site fidelity of bottlenose dolphins off a remote oceanic island (Reunion Island, southwest Indian Ocean). *Marine Mammal Science*, 36(3), 871-896.
- Etienne, R. S., Haegeman, B., Stadler, T., Aze, T., Pearson, P. N., Purvis, A., et al. (2012). Diversity-dependence brings molecular phylogenies closer to agreement with the fossil record. *Proceedings of the Royal Society B-Biological Sciences*, 279(1732), 1300-1309.
- Etnoyer, P., Canny, D., Mate, B. R., Morgan, L. E., Ortega-Ortiz, J. G., & Nichols, W. J. (2006). Sea-surface temperature gradients across blue whale and sea turtle foraging trajectories off the Baja California Peninsula, Mexico. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 53(3-4), 340-358.
- Evacitas, F. C., Kao, W. Y., Worthy, G. A. J., & Chou, L. S. (2017). Annual variability in dentin N-15 and C-13 reveal sex differences in weaning age and feeding habits in Risso's dolphins (*Grampus griseus*). *Marine Mammal Science*, 33(3), 748-770.
- Evans, K., Thresher, R., Warneke, R. M., Bradshaw, C. J. A., Pook, M., Thiele, D., et al. (2005). Periodic variability in cetacean strandings: links to large-scale climate events. *Biology Letters*, 1(2), 147-150.
- Ezer, T., Hobbs, R., & Oey, L. Y. (2008). ON THE Movement OF Beluga Whales IN COOK INLET, ALASKA: Simulations of Tidal and Environmental Impacts Using a Hydrodynamic Inundation Model. *Oceanography*, 21(4), 186-195.
- Fahlke, J. M. (2012). Bite marks revisited - evidence for middle-to-late Eocene *Basilosaurus isis* predation on *Dorudon atrox* (both Cetacea, Basilosauridae). *Palaeontologia Electronica*, 15(3).
- Fahlman, A., Epple, A., Garcia-Parraga, D., Robeck, T., Haulena, M., Piscitelli-Doshkov, M., et al. (2019). Characterizing respiratory capacity in belugas (*Delphinapterus leucas*). *Respiratory Physiology & Neurobiology*, 260, 63-69.
- Fahlman, A., Jensen, F. H., Tyack, P. L., & Wells, R. S. (2018). Modeling Tissue and Blood Gas Kinetics in Coastal and Offshore Common Bottlenose Dolphins, *Tursiops truncatus*. *Frontiers in Physiology*, 9.
- Fahlman, A., Moore, M. J., Trites, A. W., Rosen, D. A. S., Haulena, M., Waller, N., et al. (2016). Dive, food, and exercise effects on blood microparticles in Steller sea lions (*Eumetopias jubatus*): exploring a biomarker for decompression sickness. *American Journal of Physiology-Regulatory Integrative and Comparative Physiology*, 310(7), R596-R601.
- Fais, A., Johnson, M., Wilson, M., Soto, N. A., & Madsen, P. T. (2016). Sperm whale predator-prey interactions involve chasing and buzzing, but no acoustic stunning. *Scientific Reports*, 6.
- Fais, A., Lewis, T. P., Zitterbart, D. P., Alvarez, O., Tejedor, A., & Soto, N. A. (2016). Abundance and Distribution of Sperm Whales in the Canary Islands: Can Sperm Whales in the Archipelago Sustain the Current Level of Ship-Strike Mortalities? *Plos One*, 11(3).
- Fais, A., Soto, N. A., Johnson, M., Perez-Gonzalez, C., Miller, P. J. O., & Madsen, P. T. (2015). Sperm whale echolocation behaviour reveals a directed, prior-based search strategy informed by prey distribution. *Behavioral Ecology and Sociobiology*, 69(4), 663-674.
- Falcone, E. A., Schorr, G. S., Douglas, A. B., Calambokidis, J., Henderson, E., McKenna, M. F., et al. (2009). Sighting characteristics and photo-identification of Cuvier's beaked whales (*Ziphius cavirostris*) near San Clemente Island, California: a key area for beaked whales and the military? *Marine Biology*, 156(12), 2631-2640.

- Falcone, E. A., Schorr, G. S., Watwood, S. L., DeRuiter, S. L., Zerbini, A. N., Andrews, R. D., et al. (2017). Diving behaviour of Cuvier's beaked whales exposed to two types of military sonar. *Royal Society Open Science*, 4(8).
- Fall, J., & Skern-Mauritzen, M. (2014). White-beaked dolphin distribution and association with prey in the Barents Sea. *Marine Biology Research*, 10(10), 957-971.
- Fallows, C., Gallagher, A. J., & Hammerschlag, N. (2013). White Sharks (*Carcharodon carcharias*) Scavenging on Whales and Its Potential Role in Further Shaping the Ecology of an Apex Predator. *Plos One*, 8(4).
- Fan, J. J., Li, Y., Liao, Y. L., Jiang, W., Wang, L. F., Jia, Q., et al. (2019). Second Path Planning for Unmanned Surface Vehicle Considering the Constraint of Motion Performance. *Journal of Marine Science and Engineering*, 7(4).
- Fan, J. J., Liao, Y. L., Li, Y., Jiang, Q. Q., Wang, L. F., & Jiang, W. (2019). Formation Control of Multiple Unmanned Surface Vehicles Using the Adaptive Null-Space-Based Behavioral Method. *Ieee Access*, 7, 87647-87657.
- Fan, Y., Wang, P. J., Heidari, A. A., Wang, M. J., Zhao, X. H., Chen, H. L., et al. (2020). Rationalized fruit fly optimization with sine cosine algorithm: A comprehensive analysis. *Expert Systems with Applications*, 157.
- Fang, L., Li, S. H., Wang, K. X., Wang, Z. T., Shi, W. J., & Wang, D. (2015). Echolocation signals of free-ranging Indo-Pacific humpback dolphins (*Sousa chinensis*) in Sanniang Bay, China. *Journal of the Acoustical Society of America*, 138(3), 1346-1352.
- Faria, D. M., da Silva, J. M., Costa, L. P., Paiva, S. R., Marino, C. L., Rollo, M. M., et al. (2020). Low mtDNA diversity in a highly differentiated population of spinner dolphins (*Stenella longirostris*) from the Fernando de Noronha Archipelago, Brazil. *Plos One*, 15(4).
- Faria, M. A., DeWeerd, J., Pace, F., & Mayer, F. X. (2013). Observation of a Humpback Whale (*Megaptera novaeangliae*) Birth in the Coastal Waters of Sainte Marie Island, Madagascar. *Aquatic Mammals*, 39(3), 296-305.
- Farmer, N. A., Baker, K., Zeddies, D. G., Denes, S. L., Noren, D. P., Garrison, L. P., et al. (2018). Population consequences of disturbance by offshore oil and gas activity for endangered sperm whales (*Physeter macrocephalus*). *Biological Conservation*, 227, 189-204.
- Farmer, N. A., Gowan, T. A., Powell, J. R., & Zoodsma, B. J. (2016). Evaluation of Alternatives to Winter Closure of Black Sea Bass Pot Gear: Projected Impacts on Catch and Risk of Entanglement with North Atlantic Right Whales *Eubalaena glacialis*. *Marine and Coastal Fisheries*, 8(1), 202-221.
- Farmer, N. A., Noren, D. P., Fougères, E. M., Machernis, A., & Baker, K. (2018). Resilience of the endangered sperm whale *Physeter macrocephalus* to foraging disturbance in the Gulf of Mexico, USA: a bioenergetic approach. *Marine Ecology Progress Series*, 589, 241-261.
- Favaro, L., Briefer, E. F., & McElligott, A. G. (2014). Artificial Neural Network Approach for Revealing Individuality, Group Membership and Age Information in Goat Kid Contact Calls. *Acta Acustica United with Acustica*, 100(4), 782-789.
- Favaro, L., Gnone, G., & Pessani, D. (2013). Postnatal Development of Echolocation Abilities in a Bottlenose Dolphin (*Tursiops truncatus*): Temporal Organization. *Zoo Biology*, 32(2), 210-215.
- Fazio, A., Arguelles, M. B., & Bertellotti, M. (2015). Change in southern right whale breathing behavior in response to gull attacks. *Marine Biology*, 162(2), 267-273.
- Fazio, A., Bertellotti, M., & Villanueva, C. (2012). Kelp gulls attack Southern right whales: a conservation concern? *Marine Biology*, 159(9), 1981-1990.

- Fazioli, K., & Mintzer, V. (2020). Short-term Effects of Hurricane Harvey on Bottlenose Dolphins (*Tursiops truncatus*) in Upper Galveston Bay, TX. *Estuaries and Coasts*, 43(5), 1013-1031.
- Fearey, J., Elwen, S. H., James, B. S., & Gridley, T. (2019). Identification of potential signature whistles from free-ranging common dolphins (*Delphinus delphis*) in South Africa. *Animal Cognition*, 22(5), 777-789.
- Fearnbach, H., Durban, J. W., Ellifrit, D. K., & Pitman, R. L. (2019). Abundance of Type A killer whales (*Orcinus orca*) in the coastal waters off the western Antarctic Peninsula. *Polar Biology*, 42(8), 1477-1488.
- Fearnbach, H., Durban, J. W., Ellifrit, D. K., Waite, J. M., Matkin, C. O., Lunsford, C. R., et al. (2014). Spatial and social connectivity of fish-eating "Resident" killer whales (*Orcinus orca*) in the northern North Pacific. *Marine Biology*, 161(2), 459-472.
- Fedak, M. A., Lovell, P., & McConnell, B. J. (1996). MAMVIS: A marine mammal behaviour visualization system. *Journal of Visualization and Computer Animation*, 7(3), 141-147.
- Feduccia, A. (2003). 'Big bang' for tertiary birds? *Trends in Ecology & Evolution*, 18(4), 172-176.
- Feldman, R. A., Shank, T. M., Black, M. B., Baco, A. R., Smith, C. R., & Vrijenhoek, R. C. (1998). Vestimentiferan on a whale fall. *Biological Bulletin*, 194(2), 116-119.
- Felix, F., Calderon, A., Vintimilla, M., & Bayas-Rea, R. A. (2017). Decreasing population trend in coastal bottlenose dolphin (*Tursiops truncatus*) from the Gulf of Guayaquil, Ecuador. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 27(4), 856-866.
- Felix, F., & Guzman, H. M. (2014). Satellite Tracking and Sighting Data Analyses of Southeast Pacific Humpback Whales (*Megaptera novaeangliae*): Is the Migratory Route Coastal or Oceanic? *Aquatic Mammals*, 40(4), 329-340.
- Fellner, W., Bauer, G. B., Stamper, S. A., Losch, B. A., & Dahood, A. (2013). The development of synchronous movement by bottlenose dolphins (*Tursiops truncatus*). *Marine Mammal Science*, 29(3), E203-E225.
- Feng, A. S., Narins, P. M., Xu, C. H., Lin, W. Y., Yu, Z. L., Qiu, Q., et al. (2006). Ultrasonic communication in frogs. *Nature*, 440(7082), 333-336.
- Fenton, M. B. (2013). Questions, ideas and tools: lessons from bat echolocation. *Animal Behaviour*, 85(5), 869-879.
- Ferguson, M. C., Curtice, C., & Harrison, J. (2015). Biologically Important Areas for Cetaceans Within US Waters - Gulf of Alaska Region. *Aquatic Mammals*, 41(1), 65-78.
- Ferguson, M. C., Waite, J. M., Curtice, C., Clarke, J. T., & Harrison, J. (2015). Biologically Important Areas for Cetaceans Within US Waters - Aleutian Islands and Bering Sea Region. *Aquatic Mammals*, 41(1), 79-93.
- Ferguson, S. H., Dueck, L., Loseto, L. L., & Luque, S. P. (2010). Bowhead whale *Balaena mysticetus* seasonal selection of sea ice. *Marine Ecology Progress Series*, 411, 285-297.
- Ferguson, S. H., Higdon, J. W., & Chmelnitsky, E. G. (2010). The Rise of Killer Whales as a Major Arctic Predator.
- Fernandes, L., & Rossi-Santos, M. R. (2018). An Integrated Framework to Assess the Carrying Capacity of Humpback Whale-Watching Tourism in Praia do Forte, Northeastern Brazil. In M. R. RossiSantos & C. W. Finkl (Eds.), *Advances in Marine Vertebrate Research in Latin America: Technological Innovation and Conservation* (Vol. 22, pp. 41-73).
- Fernandez, M., Yesson, C., Gannier, A., Miller, P. I., & Azevedo, J. M. N. (2018). A matter of timing: how temporal scale selection influences cetacean ecological niche modelling. *Marine Ecology Progress Series*, 595, 217-231.

- Fernandez, R., Pierce, G. J., Macleod, C. D., Brownlow, A., Reid, R. J., Rogan, E., et al. (2014). Strandings of northern bottlenose whales, *Hyperoodon ampullatus*, in the north-east Atlantic: seasonality and diet. *Journal of the Marine Biological Association of the United Kingdom*, 94(6), 1109-1116.
- Fernandez, R., Schubert, M., Vargas-Velazquez, A. M., Brownlow, A., Vikingsson, G. A., Siebert, U., et al. (2016). A genomewide catalogue of single nucleotide polymorphisms in white-beaked and Atlantic white-sided dolphins. *Molecular Ecology Resources*, 16(1), 266-276.
- Fernando, P., & Lande, R. (2000). Molecular genetic and behavioral analysis of social organization in the Asian elephant (*Elephas maximus*). *Behavioral Ecology and Sociobiology*, 48(1), 84-91.
- Ferrari, T. E. (2014). Magnets, magnetic field fluctuations and geomagnetic disturbances impair the homing ability of honey bees (*Apis mellifera*). *Journal of Apicultural Research*, 53(4), 452-465.
- Ferreira-Cardoso, S., Delsuc, F., & Hautier, L. (2019). Evolutionary Tinkering of the Mandibular Canal Linked to Convergent Regression of Teeth in Placental Mammals. *Current Biology*, 29(3), 468-+.
- Fertl, D. (1994). OCCURRENCE PATTERNS AND BEHAVIOR OF BOTTLE-NOSED DOLPHINS (*TURSIOPS TRUNCATUS*) IN THE GALVESTON SHIP CHANNEL, TEXAS. *Texas Journal of Science*, 46(4), 299-317.
- Fessler, D. M. T., & Holbrook, C. (2016). Synchronized behavior increases assessments of the formidability and cohesion of coalitions. *Evolution and Human Behavior*, 37(6), 502-509.
- Festa, F., Pagnoni, M., Valerio, R., Rodolfo, D., Saccucci, M., d'Attilio, M., et al. (2012). Orbital Volume and Surface After Le Fort III Advancement in Syndromic Craniosynostosis. *Journal of Craniofacial Surgery*, 23(3), 789-792.
- Fettermann, T., Fiori, L., Bader, M., Doshi, A., Breen, D., Stockin, K. A., et al. (2019). Behaviour reactions of bottlenose dolphins (*Tursiops truncatus*) to multirotor Unmanned Aerial Vehicles (UAVs). *Scientific Reports*, 9.
- Feunteun, A., de Schrevel, C., Verhaegen, M., Chevallier, D., Duchemin, M., Ziani, N., et al. (2018). First evaluation of the cookie-cutter sharks (*Isistius* sp.) predation pattern on different cetacean species in Martinique. *Environmental Biology of Fishes*, 101(5), 749-759.
- Fewster, R. M., & Patenaude, N. J. (2009). Cubic Splines for Estimating the Distribution of Residence Time Using Individual Resightings Data (Vol. 3).
- Feyrer, L. J., & Duffus, D. A. (2011). Predatory disturbance and prey species diversity: the case of gray whale (*Eschrichtius robustus*) foraging on a multi-species mysid (family Mysidae) community. *Hydrobiologia*, 678(1), 37-47.
- Feyrer, L. J., & Duffus, D. A. (2015). Threshold foraging by gray whales in response to fine scale variations in mysid density. *Marine Mammal Science*, 31(2), 560-578.
- Feyrer, L. J., Zhao, S. T., Whitehead, H., & Matthews, C. J. D. (2020). Prolonged maternal investment in northern bottlenose whales alters our understanding of beaked whale reproductive life history. *Plos One*, 15(6).
- Fiedler, P. C., Barlow, J., & Gerrodette, T. (1998). Dolphin prey abundance determined from acoustic backscatter data in eastern Pacific surveys. *Fishery Bulletin*, 96(2), 237-247.
- Fiedler, P. C., Chavez, F. P., Behringer, D. W., & Reilly, S. B. (1992). PHYSICAL AND BIOLOGICAL EFFECTS OF LOS-NINOS IN THE EASTERN TROPICAL PACIFIC, 1986-1989. *Deep-Sea Research Part a-Oceanographic Research Papers*, 39(2A), 199-219.

- Fiedler, P. C., Redfern, J. V., Forney, K. A., Palacios, D. M., Sheredy, C., Rasmussen, K., et al. (2018). Prediction of Large Whale Distributions: A Comparison of Presence-Absence and Presence-Only Modeling Techniques. *Frontiers in Marine Science*, 5.
- Fiedler, P. C., Redfern, J. V., Van Noord, J., Hall, C., Pitman, R. L., & Ballance, L. T. (2013). Effects of a tropical cyclone on a pelagic ecosystem from the physical environment to top predators. *Marine Ecology Progress Series*, 484, 1-16.
- Fiedler, P. C., Reilly, S. B., Hewitt, R. P., Demer, D., Philbrick, V. A., Smith, S., et al. (1998). Blue whale habitat and prey in the California Channel Islands. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 45(8-9), 1781-1801.
- Field, D. J., Boessenecker, R., Racicot, R. A., Asbjornsdottir, L., Jonasson, K., Hsiang, A. Y., et al. (2017). THE OLDEST MARINE VERTEBRATE FOSSIL FROM THE VOLCANIC ISLAND OF ICELAND: A PARTIAL RIGHT WHALE SKULL FROM THE HIGH LATITUDE PIOCENE TJORNES FORMATION. *Palaeontology*, 60(2), 141-148.
- Figueiredo, I., & Weir, C. R. (2014). Blue whales *Balaenoptera musculus* off Angola: recent sightings and evaluation of whaling data. *African Journal of Marine Science*, 36(2), 269-278.
- Filatova, O. A., Borisova, E. A., Shpak, O. V., Meschersky, I. G., Tiunov, A. V., Goncharov, A. A., et al. (2015). Reproductively isolated ecotypes of killer whales *Orcinus orca* in the seas of the Russian Far East. *Biology Bulletin*, 42(7), 674-681.
- Filatova, O. A., Fedutin, I. D., Burdin, A. M., & Hoyt, E. (2011). Responses of Kamchatkan fish-eating killer whales to playbacks of conspecific calls. *Marine Mammal Science*, 27(2), E26-E42.
- Filatova, O. A., Guzev, M. A., Fedutin, I. D., Burdin, A. M., & Hoyt, E. (2013). Dependence of Killer Whale (*Orcinus orca*) Acoustic Signals on the Type of Activity and Social Context. *Biology Bulletin*, 40(9), 790-796.
- Filatova, O. A., Miller, P. J. O., Yurk, H., Samarra, F. I. P., Hoyt, E., Ford, J. K. B., et al. (2015). Killer whale call frequency is similar across the oceans, but varies across sympatric ecotypes. *Journal of the Acoustical Society of America*, 138(1), 251-257.
- Filby, N. E., Bossley, M., & Stockin, K. A. (2013). Behaviour of free-ranging short-beaked common dolphins (*Delphinus delphis*) in Gulf St Vincent, South Australia. *Australian Journal of Zoology*, 61(4), 291-300.
- Filby, N. E., Stockin, K. A., & Scarpaci, C. (2014). Long-term responses of Burrunan dolphins (*Tursiops australis*) to swim-with dolphin tourism in Port Phillip Bay, Victoria, Australia: A population at risk. *Global Ecology and Conservation*, 2, 62-71.
- Filby, N. E., Stockin, K. A., & Scarpaci, C. (2015). Social science as a vehicle to improve dolphin-swim tour operation compliance? *Marine Policy*, 51, 40-47.
- Filby, N. E., Stockin, K. A., & Scarpaci, C. (2017). Can Marine Protected Areas be developed effectively without baseline data? A case study for Burrunan dolphins (*Tursiops australis*). *Marine Policy*, 77, 152-163.
- Filhol, S., & Sturm, M. (2015). Snow bedforms: A review, new data, and a formation model. *Journal of Geophysical Research-Earth Surface*, 120(9), 1645-1669.
- Filla, G. D., & Monteiro, E. L. D. (2009). Monitoring tourism schooners observing estuarine dolphins (*Sotalia guianensis*) in the Estuarine Complex of Cananea, south-east Brazil. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 19(7), 772-778.
- Fillmann, G., Readman, J. W., Tolosa, I., Bartocci, J., Villeneuve, J. P., Cattini, C., et al. (2002). Persistent organochlorine residues in sediments from the Black Sea. *Marine Pollution Bulletin*, 44(2), 122-133.

- Filmlalter, J. D., Dagorn, L., Cowley, P. D., & Taquet, M. (2011). FIRST DESCRIPTIONS OF THE BEHAVIOR OF SILKY SHARKS, *CARCHARHINUS FALCIFORMIS*, AROUND DRIFTING FISH AGGREGATING DEVICES IN THE INDIAN OCEAN. *Bulletin of Marine Science*, 87(3), 325-337.
- Findlay, K. P., & Best, P. B. (1996a). Assessment of heterogeneity in sighting probabilities of humpback whales within viewing range of Cape Vidal, South Africa. *Marine Mammal Science*, 12(3), 335-353.
- Findlay, K. P., & Best, P. B. (1996b). Estimates of the numbers of humpback whales observed migrating past Cape Vidal, South Africa, 1988-1991. *Marine Mammal Science*, 12(3), 354-370.
- Findlay, K. P., & Best, P. B. (2016). Distribution and seasonal abundance of large cetaceans in the Durban whaling grounds off KwaZulu-Natal, South Africa, 1972-1975. *African Journal of Marine Science*, 38(2), 249-262.
- Findlay, K. P., Best, P. B., & Meyer, M. A. (2011). Migrations of humpback whales past Cape Vidal, South Africa, and an estimate of the population increase rate (1988-2002). *African Journal of Marine Science*, 33(3), 375-392.
- Findlay, K. P., Best, P. B., Ross, G. J. B., & Cockcroft, V. G. (1992). THE DISTRIBUTION OF SMALL ODONTOCETE CETACEANS OFF THE COASTS OF SOUTH-AFRICA AND NAMIBIA. *South African Journal of Marine Science-Suid-Afrikaanse Tydskrif Vir Seewetenskap*, 12, 237-270.
- Findlay, K. P., Cockcroft, V. G., & Guissamulo, A. T. (2011). Dugong abundance and distribution in the Bazaruto Archipelago, Mozambique. *African Journal of Marine Science*, 33(3), 441-452.
- Findlay, K. P., Seakamela, S. M., Meyer, M. A., Kirkman, S. P., Barendse, J., Cade, D. E., et al. (2017). Humpback whale "super-groups" - A novel low-latitude feeding behaviour of Southern Hemisphere humpback whales (*Megaptera novaeangliae*) in the Benguela Upwelling System. *Plos One*, 12(3).
- Finkler, W., & Higham, J. E. S. (2020). Stakeholder perspectives on sustainable whale watching: a science communication approach. *Journal of Sustainable Tourism*, 28(4), 535-549.
- Finkler, W., Higham, J. E. S., Leon, B., & Aitken, R. E. Bridging the void: science communication videos for sustainable whale watching. *International Journal of Science Education Part B-Communication and Public Engagement*.
- Finkler, W., & Leon, B. (2019). The power of storytelling and video: a visual rhetoric for science communication. *Jcom-Journal of Science Communication*, 18(5).
- Finn, J., Tregenza, T., & Norman, M. (2009). Preparing the Perfect Cuttlefish Meal: Complex Prey Handling by Dolphins. *Plos One*, 4(1).
- Finneran, J. J., Carder, D. A., Dear, R., Belting, T., McBain, J., Dalton, L., et al. (2005). Pure tone audiograms and possible aminoglycoside-induced hearing loss in belugas (*Delphinapterus leucas*). *Journal of the Acoustical Society of America*, 117(6), 3936-3943.
- Finneran, J. J., & Houser, D. S. (2006). Comparison of in-air evoked potential and underwater behavioral hearing thresholds in four bottlenose dolphins (*Tursiops truncatus*). *Journal of the Acoustical Society of America*, 119(5), 3181-3192.
- Finneran, J. J., & Houser, D. S. (2007). Bottlenose dolphin (*Tursiops truncatus*) steady-state evoked responses to multiple simultaneous sinusoidal amplitude modulated tones. *Journal of the Acoustical Society of America*, 121(3), 1775-1782.
- Finneran, J. J., Houser, D. S., Blasko, D., Hicks, C., Hudson, J., & Osborn, M. (2008). Estimating bottlenose dolphin (*Tursiops truncatus*) hearing thresholds from single and multiple simultaneous auditory evoked potentials. *Journal of the Acoustical Society of America*, 123(1), 542-551.

- Fiore, G., Anderson, E., Garborg, C. S., Murray, M., Johnson, M., Moore, M. J., et al. (2017). From the track to the ocean: Using flow control to improve marine bio-logging tags for cetaceans. *Plos One*, 12(2).
- Fiori, C., Giancardo, L., Aissi, M., Alessi, J., & Vassallo, P. (2014). Geostatistical modelling of spatial distribution of sperm whales in the Pelagos Sanctuary based on sparse count data and heterogeneous observations. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 24, 41-49.
- Fiori, L., Doshi, A., Martinez, E., Orams, M. B., & Bollard-Breen, B. (2017). The Use of Unmanned Aerial Systems in Marine Mammal Research. *Remote Sensing*, 9(6).
- Fiori, L., Martinez, E., Bader, M. K. F., Orams, M. B., & Bollard, B. (2020). Insights into the use of an unmanned aerial vehicle (UAV) to investigate the behavior of humpback whales (*Megaptera novaeangliae*) in Vava'u, Kingdom of Tonga. *Marine Mammal Science*, 36(1), 209-223.
- Fiori, L., Martinez, E., Orams, M. B., & Bollard, B. (2019). Effects of whale-based tourism in Vava'u, Kingdom of Tonga: Behavioural responses of humpback whales to vessel and swimming tourism activities. *Plos One*, 14(7).
- Fiori, L., Martinez, E., Orams, M. B., & Bollard, B. (2020). Using Unmanned Aerial Vehicles (UAVs) to assess humpback whale behavioral responses to swim-with interactions in Vava'u, Kingdom of Tonga. *Journal of Sustainable Tourism*, 28(11), 1743-1761.
- Firestone, J., Lyons, S. B., Wang, C., & Corbett, J. J. (2008). Statistical modeling of North Atlantic right whale migration along the mid-Atlantic region of the eastern seaboard of the United States. *Biological Conservation*, 141(1), 221-232.
- Fish, F. E. (1998). Comparative kinematics and hydrodynamics of odontocete cetaceans: Morphological and ecological correlates with swimming performance. *Journal of Experimental Biology*, 201(20), 2867-2877.
- Fish, F. E. (2016). Secondary Evolution of Aquatic Propulsion in Higher Vertebrates: Validation and Prospect. *Integrative and Comparative Biology*, 56(6), 1285-1297.
- Fish, F. E. (2020). Advantages of aquatic animals as models for bio-inspired drones over present AUV technology. *Bioinspiration & Biomimetics*, 15(2).
- Fish, F. E., Beneski, J. T., & Ketten, D. R. (2007). Examination of the three-dimensional geometry of cetacean flukes using computed tomography scans: Hydrodynamic implications. *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 290(6), 614-623.
- Fish, F. E., Hurley, J., & Costa, D. P. (2003). Maneuverability by the sea lion *Zalophus californianus*: turning performance of an unstable body design. *Journal of Experimental Biology*, 206(4), 667-674.
- Fish, F. E., Nicastro, A. J., & Weihs, D. (2006). Dynamics of the aerial maneuvers of spinner dolphins. *Journal of Experimental Biology*, 209(4), 590-598.
- Fish, F. E., Williams, T. M., Sherman, E., Moon, Y. E., Wu, V., & Wei, T. (2018). Experimental Measurement of Dolphin Thrust Generated during a Tail Stand Using DPIV. *Fluids*, 3(2).
- Fisher, J. T., Pasztor, C., Wilson, A., Volpe, J. P., & Anholt, B. R. (2014). Recolonizing sea otters spatially segregate from pinnipeds on the Canadian Pacific coastline: The implications of segregation for species conservation. *Biological Conservation*, 177, 148-155.
- Fitch, W. T. (2005). The evolution of music in comparative perspective. In G. Avanzini, S. Koelsch, L. Lopez & M. Majno (Eds.), *Neurosciences and Music II: from Perception to Performance* (Vol. 1060, pp. 29-49).

- Flach, L., Alonso, M. B., Marinho, T., Van Waerebeek, K., & Van Bresseem, M. F. (2019). Clinical signs in free-ranging Guiana dolphins *Sotalia guianensis* during a morbillivirus epidemic: case study in Sepetiba Bay, Brazil. *Diseases of Aquatic Organisms*, 133(3), 175-180.
- Flach, L., Flach, P. A., & Chiarello, A. G. (2008). Aspects of behavioral ecology of *Sotalia guianensis* in Sepetiba Bay, southeast Brazil. *Marine Mammal Science*, 24(3), 503-515.
- Fleishman, E., Costa, D. P., Harwood, J., Kraus, S., Moretti, D., New, L. F., et al. (2016). Monitoring population-level responses of marine mammals to human activities. *Marine Mammal Science*, 32(3), 1004-1021.
- Fletcher, N. H. (2014). *Animal Bioacoustics*.
- Fletcher, S., LeBoeuf, B. J., Costa, D. P., Tyack, P. L., & Blackwell, S. B. (1996). Onboard acoustic recording from diving northern elephant seals. *Journal of the Acoustical Society of America*, 100(4), 2531-2539.
- Flinn, R. D., Trites, A. W., Gregr, E. J., & Perry, R. I. (2002). Diets of fin, sei, and sperm whales in British Columbia: An analysis of commercial whaling records, 1963-1967. *Marine Mammal Science*, 18(3), 663-679.
- Flores, M. S. Z., Ortega-Garcia, S., & Klett-Traulsen, A. (2008). Interannual and seasonal variation of dolphinfish (*Coryphaena hippurus*) catch rates in the Southern Gulf of California, Mexico. *Fisheries Research*, 94(1), 13-17.
- Florez-Gonzalez, L., Capelia, J., Haase, B., Bravo, G. A., Felix, F., & Gerrodette, T. (1998). Changes in winter destinations and the northernmost record of Southeastern Pacific humpback whales. *Marine Mammal Science*, 14(1), 189-196.
- Foffa, D., Young, M. T., Stubbs, T. L., Dexter, K. G., & Brusatte, S. L. (2018). The long-term ecology and evolution of marine reptiles in a Jurassic seaway. *Nature Ecology & Evolution*, 2(10), 1548-1555.
- Fogel, M. L., Tuross, N., Johnson, B. J., & Miller, G. H. (1997). Biogeochemical record of ancient humans. *Organic Geochemistry*, 27(5-6), 275-287.
- Folkow, L. P., & Blix, A. S. (1992). METABOLIC RATES OF MINKE WHALES (BALAENOPTERA-ACUTOROSTRATA) IN COLD WATER. *Acta Physiologica Scandinavica*, 146(1), 141-150.
- Folpp, H., & Lowry, M. (2006). Factors affecting recreational catch rates associated with a fish aggregating device (FAD) off the NSW coast, Australia. *Bulletin of Marine Science*, 78(1), 185-193.
- Fontaine, M., Carravieri, A., Simon-Bouhet, B., Bustamante, P., Gasco, N., Bailleul, F., et al. (2015). Ecological tracers and at-sea observations document the foraging ecology of southern long-finned pilot whales (*Globicephala melas edwardii*) in Kerguelen waters. *Marine Biology*, 162(1), 207-219.
- Fontaine, M. C., Snirc, A., Frantzis, A., Koutrakis, E., Ozturk, B., Ozturk, A. A., et al. (2012). History of expansion and anthropogenic collapse in a top marine predator of the Black Sea estimated from genetic data. *Proceedings of the National Academy of Sciences of the United States of America*, 109(38), E2569-E2576.
- Fontaine, M. C., Tolley, K. A., Michaux, J. R., Birkun, A., Ferreira, M., Jauniaux, T., et al. (2010). Genetic and historic evidence for climate-driven population fragmentation in a top cetacean predator: the harbour porpoises in European water. *Proceedings of the Royal Society B-Biological Sciences*, 277(1695), 2829-2837.
- Fontanella, J. E., Fish, F. E., Barchi, E. I., Campbell-Malone, R., Nichols, R. H., DiNenno, N. K., et al. (2013). Two- and three-dimensional geometries of batoids in relation to locomotor mode. *Journal of Experimental Marine Biology and Ecology*, 446, 273-281.
- Fontes, J., McGinty, N., Machete, M., & Afonso, P. (2020). Whale shark-tuna associations, insights from a small pole-and-line fishery from the mid-north Atlantic. *Fisheries Research*, 229.

- Foord, C. S., Rowe, K. M. C., & Robb, K. (2019). Cetacean biodiversity, spatial and temporal trends based on stranding records (1920-2016), Victoria, Australia. *Plos One*, 14(10).
- Foot, N. J., Orgeig, S., Donnellan, S., Bertozzi, T., & Daniels, C. B. (2007). Positive selection in the N-terminal extramembrane domain of lung surfactant protein C (SP-C) in marine mammals. *Journal of Molecular Evolution*, 65(1), 12-22.
- Foote, A. D. (2012). Investigating ecological speciation in non-model organisms: a case study of killer whale ecotypes. *Evolutionary Ecology Research*, 14(4), 447-465.
- Foote, A. D., Griffin, R. M., Howitt, D., Larsson, L., Miller, P. J. O., & Hoelzel, A. R. (2006). Killer whales are capable of vocal learning. *Biology Letters*, 2(4), 509-512.
- Foote, A. D., Hofreiter, M., & Morin, P. A. (2012). Ancient DNA from marine mammals: Studying long-lived species over ecological and evolutionary timescales. *Annals of Anatomy-Anatomischer Anzeiger*, 194(1), 112-120.
- Foote, A. D., Kaschner, K., Schultze, S. E., Garilao, C., Ho, S. Y. W., Post, K., et al. (2013). Ancient DNA reveals that bowhead whale lineages survived Late Pleistocene climate change and habitat shifts. *Nature Communications*, 4.
- Foote, A. D., Newton, J., Avila-Arcos, M. C., Kampmann, M. L., Samaniego, J. A., Post, K., et al. (2013). Tracking niche variation over millennial timescales in sympatric killer whale lineages. *Proceedings of the Royal Society B-Biological Sciences*, 280(1768).
- Foote, A. D., Osborne, R. W., & Hoelzel, A. R. (2008). Temporal and contextual patterns of killer whale (*Orcinus orca*) call type production. *Ethology*, 114(6), 599-606.
- Forcada, J., Aguilar, A., Hammon, P., Pastor, X., & Aguilar, R. (1996). Distribution and abundance of fin whales (*Balaenoptera physalus*) in the western Mediterranean sea during the summer. *Journal of Zoology*, 238, 23-34.
- Ford, J. H., Bravington, M. V., & Robbins, J. (2012). Incorporating individual variability into mark-recapture models. *Methods in Ecology and Evolution*, 3(6), 1047-1054.
- Ford, J. K. B. (1991). VOCAL TRADITIONS AMONG RESIDENT KILLER WHALES (*ORCINUS-ORCA*) IN COASTAL WATERS OF BRITISH-COLUMBIA. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 69(6), 1454-1483.
- Ford, J. K. B. (2005). First records of long-beaked Common Dolphins, *Delphinus capensis*, in Canadian waters. *Canadian Field-Naturalist*, 119(1), 110-113.
- Ford, J. K. B., Durban, J. W., Ellis, G. M., Towers, J. R., Pilkington, J. F., Barrett-Lennard, L. G., et al. (2013). New insights into the northward migration route of gray whales between Vancouver Island, British Columbia, and southeastern Alaska. *Marine Mammal Science*, 29(2), 325-337.
- Ford, J. K. B., & Ellis, G. M. (2006). Selective foraging by fish-eating killer whales *Orcinus orca* in British Columbia. *Marine Ecology Progress Series*, 316, 185-199.
- Ford, J. K. B., Ellis, G. M., Barrett-Lennard, L. G., Morton, A. B., Palm, R. S., & Balcomb, K. C. (1998). Dietary specialization in two sympatric populations of killer whales (*Orcinus orca*) in coastal British Columbia and adjacent waters. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 76(8), 1456-1471.
- Ford, J. K. B., Ellis, G. M., Matkin, C. O., Wetklo, M. H., Barrett-Lennard, L. G., & Withler, R. E. (2011). Shark predation and tooth wear in a population of northeastern Pacific killer whales. *Aquatic Biology*, 11(3), 213-224.

- Fordyce, R. E., Quilty, P. G., & Daniels, J. (2002). *Australodelphis mirus*, a bizarre new toothless ziphild-like fossil dolphin (Cetacea : Delphinidae) from the Pliocene of Vestfold Hills, East Antarctica. *Antarctic Science*, 14(1), 37-54.
- Forestell, P. H. (1993). IF LEVIATHAN HAS A FACE, DOES GAIA HAVE A SOUL - INCORPORATING ENVIRONMENTAL-EDUCATION IN MARINE ECOTOURISM PROGRAMS. *Ocean & Coastal Management*, 20(3), 267-282.
- Forman, S. L., Lubinski, D., Miller, G. H., Matishov, G. G., Korsun, S., Snyder, J., et al. (1996). Postglacial emergence of western Franz Josef Land, Russia, and retreat of the Barents Sea ice sheet. *Quaternary Science Reviews*, 15(1), 77-90.
- Forney, K. A., & Barlow, J. (1998). Seasonal patterns in the abundance and distribution of California cetaceans, 1991-1992. *Marine Mammal Science*, 14(3), 460-489.
- Forney, K. A., Becker, E. A., Foley, D. G., Barlow, J., & Oleson, E. M. (2015). Habitat-based models of cetacean density and distribution in the central North Pacific. *Endangered Species Research*, 27(1), 1-20.
- Forney, K. A., Southall, B. L., Slooten, E., Dawson, S., Read, A. J., Baird, R. W., et al. (2017). Nowhere to go: noise impact assessments for marine mammal populations with high site fidelity. *Endangered Species Research*, 32, 391-413.
- Forsterra, G., & Haussermann, V. (2012). Report on blue whales sightings (*Balaenoptera musculus* Linnaeus, 1758) in a narrow fjord during autumn-winter in southern Chile (Mammalia, Cetacea, Balaenopteridae). *Spixiana*, 35(2), 237-245.
- Fortuna, C. M., Canadas, A., Holcer, D., Brecciaroli, B., Donovan, G. P., Lazar, B., et al. (2018). The Coherence of the European Union Marine Natura 2000 Network for Wide-Ranging Charismatic Species: A Mediterranean Case Study. *Frontiers in Marine Science*, 5.
- Fortuna, C. M., Kell, L., Holcer, D., Canese, S., Filidei, E., Mackelworth, P., et al. (2014). Summer distribution and abundance of the giant devil ray (*Mobula mobular*) in the Adriatic Sea: Baseline data for an iterative management framework. *Scientia Marina*, 78(2), 227-237.
- Fortune, S. M. E., Ferguson, S. H., Trites, A. W., LeBlanc, B., LeMay, V., Hudson, J. M., et al. (2020). Seasonal diving and foraging behaviour of Eastern Canada-West Greenland bowhead whales. *Marine Ecology Progress Series*, 643, 197-217.
- Fortune, S. M. E., Koski, W. R., Higdon, J. W., Trites, A. W., Baumgartner, M. F., & Ferguson, S. H. (2017). Evidence of molting and the function of "rocknosing" behavior in bowhead whales in the eastern Canadian Arctic. *Plos One*, 12(11).
- Fortune, S. M. E., Trites, A. W., Mayo, C. A., Rosen, D. A. S., & Hamilton, P. K. (2013). Energetic requirements of North Atlantic right whales and the implications for species recovery. *Marine Ecology Progress Series*, 478, 253-272.
- Foskolos, I., de Soto, N. A., Madsen, P. T., & Johnson, M. (2019). Deep-diving pilot whales make cheap, but powerful, echolocation clicks with 50 μ L of air. *Scientific Reports*, 9.
- Fossette, S., Abrahms, B., Hazen, E. L., Bograd, S. J., Zilliacus, K. M., Calambokidis, J., et al. (2017). Resource partitioning facilitates coexistence in sympatric cetaceans in the California Current. *Ecology and Evolution*, 7(21), 9085-9097.
- Fossette, S., Heide-Jorgensen, M. P., Jensen, M. V., Kiszka, J., Bernbe, M., Bertrand, N., et al. (2014). Humpback whale (*Megaptera novaeangliae*) post breeding dispersal and southward migration in the western Indian Ocean. *Journal of Experimental Marine Biology and Ecology*, 450, 6-14.

- Fossi, M. C., Marsili, L., Baini, M., Giannetti, M., Coppola, D., Guerranti, C., et al. (2016). Fin whales and microplastics: The Mediterranean Sea and the Sea of Cortez scenarios. *Environmental Pollution*, 209, 68-78.
- Fossi, M. C., Panti, C., Marsili, L., Maltese, S., Coppola, D., Jimenez, B., et al. (2014). Could feeding habit and migratory behaviour be the causes of different toxicological hazard to cetaceans of Gulf of California (Mexico)? *Environmental Science and Pollution Research*, 21(23), 13353-13366.
- Fossi, M. C., Romeo, T., Baini, M., Panti, C., Marsili, L., Campani, T., et al. (2017). Plastic Debris Occurrence, Convergence Areas and Fin Whales Feeding Ground in the Mediterranean Marine Protected Area Pelagos Sanctuary: A Modeling Approach. *Frontiers in Marine Science*, 4.
- Fournet, M. E. H., Gabriele, C. M., Culp, D. C., Sharpe, F., Mellinger, D. K., & Klinck, H. (2018). Some things never change: multi-decadal stability in humpback whale calling repertoire on Southeast Alaskan foraging grounds. *Scientific Reports*, 8.
- Fournet, M. E. H., Matthews, L. P., Gabriele, C. M., Haver, S., Mellinger, D. K., & Klinck, H. (2018). Humpback whales *Megaptera novaeangliae* alter calling behavior in response to natural sounds and vessel noise. *Marine Ecology Progress Series*, 607, 251-268.
- Fourriere, M., Alvarado, J. J., Cortes, J., Taylor, M. H., Ayala-Bocos, A., Azofeifa-Solano, J. C., et al. (2019). Energy flow structure and role of keystone groups in shallow water environments in Isla del Coco, Costa Rica, Eastern Tropical Pacific. *Ecological Modelling*, 396, 74-85.
- Fox, A. G., & Young, R. F. (2012). Foraging interactions between wading birds and strand-feeding bottlenose dolphins (*Tursiops truncatus*) in a coastal salt marsh. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 90(6), 744-752.
- Fox, S., Foisy, I., Venegas, R. D., Pastoriza, B. E. G., Graham, R. T., Hoffmayer, E. R., et al. (2013). Population structure and residency of whale sharks *Rhincodon typus* at Utila, Bay Islands, Honduras. *Journal of Fish Biology*, 83(3), 574-587.
- Fraija-Fernandez, N., Ramos-Espla, A. A., Raduan, M. A., Blanco, C., Raga, J. A., & Aznar, F. J. (2018). Consumption of pelagic tunicates by cetacean calves in the Mediterranean Sea. *Mediterranean Marine Science*, 19(2), 383-387.
- Fraker, M. A. (2013). Killer Whale (*Orcinus orca*) Deaths in Prince William Sound, Alaska, 1985-1990. *Human and Ecological Risk Assessment*, 19(1), 28-52.
- Franci, G., & Berta, A. (2018). Relative Growth of the Skull of the Common Minke Whale (*Balaenoptera acutorostrata*) Using a 3D Laser Surface Scanner. *Aquatic Mammals*, 44(5), 529-537.
- Frankel, A. S., & Clark, C. W. (1998). Results of low-frequency playback of M-sequence noise to humpback whales, *Megaptera novaeangliae*, in Hawai'i. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 76(3), 521-535.
- Frankel, A. S., & Clark, C. W. (2002). Atoc and other factors affecting the distribution and abundance of humpback whales (*Megaptera novaeangliae*) off the north shore of Kauai. *Marine Mammal Science*, 18(3), 644-662.
- Frankel, A. S., Clark, C. W., Herman, L. M., & Gabriele, C. M. (1995). SPATIAL-DISTRIBUTION, HABITAT UTILIZATION, AND SOCIAL INTERACTIONS OF HUMPBACK WHALES, MEGAPTERA-NOVAEANGLIAE, OFF HAWAII, DETERMINED USING ACOUSTIC AND VISUAL TECHNIQUES. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 73(6), 1134-1146.
- Frankel, A. S., & Stein, P. J. Gray whales hear and respond to signals from a 21-25 kHz active sonar. *Marine Mammal Science*.

- Frankel, A. S., & Yin, S. (2010). A description of sounds recorded from melon-headed whales (*Peponocephala electra*) off Hawai'i. *Journal of the Acoustical Society of America*, 127(5), 3248-3255.
- Franklin, T., Franklin, W., Brooks, L., & Harrison, P. (2018). Site-specific female-biased sex ratio of humpback whales (*Megaptera novaeangliae*) during a stopover early in the southern migration. *Canadian Journal of Zoology*, 96(6), 533-544.
- Franklin, T., Franklin, W., Brooks, L., Harrison, P., Baverstock, P., & Clapham, P. (2011). Seasonal changes in pod characteristics of eastern Australian humpback whales (*Megaptera novaeangliae*), Hervey Bay 1992-2005. *Marine Mammal Science*, 27(3), E134-E152.
- Frantzis, A. (2018). A long and deep step in range expansion of an alien marine mammal in the Mediterranean: First record of the Indian Ocean humpback dolphin *Sousa plumbea* (G. Cuvier, 1829) in the Greek Seas. *Bioinvasions Records*, 7(1), 83-87.
- Frantzis, A., Airoidi, S., Notarbartolo-di-Sciara, G., Johnson, C., & Mazzariol, S. (2011). Inter-basin movements of Mediterranean sperm whales provide insight into their population structure and conservation. *Deep-Sea Research Part I-Oceanographic Research Papers*, 58(4), 454-459.
- Fraser, W. R., Trivelpiece, W. Z., Ainley, D. G., & Trivelpiece, S. G. (1992). INCREASES IN ANTARCTIC PENGUIN POPULATIONS - REDUCED COMPETITION WITH WHALES OR A LOSS OF SEA ICE DUE TO ENVIRONMENTAL WARMING. *Polar Biology*, 11(8), 525-531.
- Frasier, K. E., Roch, M. A., Soldevilla, M. S., Wiggins, S. M., Garrison, L. P., & Hildebrand, J. A. (2017). Automated classification of dolphin echolocation click types from the Gulf of Mexico. *Plos Computational Biology*, 13(12).
- Frasier, K. E., Wiggins, S. M., Harris, D., Marques, T. A., Thomas, L., & Hildebrand, J. A. (2016). Delphinid echolocation click detection probability on near-seafloor sensors. *Journal of the Acoustical Society of America*, 140(3), 1918-1930.
- Frasier, T. R., Hamilton, P. K., Brown, M. W., Conger, L. A., Knowlton, A. R., Marx, M. K., et al. (2007). Patterns of male reproductive success in a highly promiscuous whale species: the endangered North Atlantic right whale. *Molecular Ecology*, 16(24), 5277-5293.
- Fregosi, S., Harris, D. V., Matsumoto, H., Mellinger, D. K., Negretti, C., Moretti, D. J., et al. (2020). Comparison of fin whale 20 Hz call detections by deep-water mobile autonomous and stationary recorders. *Journal of the Acoustical Society of America*, 147(2), 961-977.
- Freitas, C., Lydersen, C., Fedak, M. A., & Kovacs, K. M. (2008). A simple new algorithm to filter marine mammal Argos locations. *Marine Mammal Science*, 24(2), 315-325.
- Freschi, A., Cau, S., Monegatti, P., & Roveri, M. (2019). Chronostratigraphic distribution of cetaceans in the Pliocene of Northern Apennines (Italy): palaeoecological implications. *Palaeogeography Palaeoclimatology Palaeoecology*, 526, 13-27.
- Frid, A., Burns, J., Baker, G. G., & Thorne, R. E. (2009). Predicting synergistic effects of resources and predators on foraging decisions by juvenile Steller sea lions. *Oecologia*, 158(4), 775-786.
- Friedlaender, A. S., Bowers, M. T., Cade, D., Hazen, E. L., Stimpert, A. K., Allen, A. N., et al. The advantages of diving deep: Fin whales quadruple their energy intake when targeting deep krill patches. *Functional Ecology*.
- Friedlaender, A. S., Bowers, M. T., Cade, D., Hazen, E. L., Stimpert, A. K., Allen, A. N., et al. (2020). The advantages of diving deep: Fin whales quadruple their energy intake when targeting deep krill patches. *Functional Ecology*, 34(2), 497-506.

- Friedlaender, A. S., Fraser, W. R., Patterson, D., Qian, S. S., & Halpin, P. N. (2008). The effects of prey demography on humpback whale (*Megaptera novaeangliae*) abundance around Anvers Island, Antarctica. *Polar Biology*, 31(10), 1217-1224.
- Friedlaender, A. S., Goldbogen, J. A., Nowacek, D. P., Read, A. J., Johnston, D., & Gales, N. (2014). Feeding rates and under-ice foraging strategies of the smallest lunge filter feeder, the Antarctic minke whale (*Balaenoptera bonaerensis*). *Journal of Experimental Biology*, 217(16), 2851-2854.
- Friedlaender, A. S., Hazen, E. L., Goldbogen, J. A., Stimpert, A. K., Calambokidis, J., & Southall, B. L. (2016). Prey-mediated behavioral responses of feeding blue whales in controlled sound exposure experiments. *Ecological Applications*, 26(4), 1075-1085.
- Friedlaender, A. S., Hazen, E. L., Nowacek, D. P., Halpin, P. N., Ware, C., Weinrich, M. T., et al. (2009). Diel changes in humpback whale *Megaptera novaeangliae* feeding behavior in response to sand lance *Ammodytes* spp. behavior and distribution. *Marine Ecology Progress Series*, 395, 91-100.
- Friedlaender, A. S., Johnston, D. W., Fraser, W. R., Burns, J., Halpin, P. N., & Costa, D. P. (2011). Ecological niche modeling of sympatric krill predators around Marguerite Bay, Western Antarctic Peninsula. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 58(13-16), 1729-1740.
- Friedlaender, A. S., Johnston, D. W., Tyson, R. B., Kaltenberg, A., Goldbogen, J. A., Stimpert, A. K., et al. (2016). Multiple-stage decisions in a marine central-place forager. *Royal Society Open Science*, 3(5).
- Friedlaender, A. S., Lawson, G. L., & Halpin, P. N. (2009). Evidence of resource partitioning between humpback and minke whales around the western Antarctic Peninsula. *Marine Mammal Science*, 25(2), 402-415.
- Friedlaender, A. S., Tyson, R. B., Stimpert, A. K., Read, A. J., & Nowacek, D. P. (2013). Extreme diel variation in the feeding behavior of humpback whales along the western Antarctic Peninsula during autumn. *Marine Ecology Progress Series*, 494, 281-289.
- Friedland, K. D., Manning, J. P., Link, J. S., Gilbert, J. R., Gilbert, A. T., & O'Connell, A. F. (2012). Variation in wind and piscivorous predator fields affecting the survival of Atlantic salmon, *Salmo salar*, in the Gulf of Maine. *Fisheries Management and Ecology*, 19(1), 22-35.
- Fripp, D. (2005). Bubblestream whistles are not representative of a bottlenose dolphin's vocal repertoire. *Marine Mammal Science*, 21(1), 29-44.
- Fripp, D., Owen, C., Quintana-Rizzo, E., Shapiro, A., Buckstaff, K., Jankowski, K., et al. (2005). Bottlenose dolphin (*Tursiops truncatus*) calves appear to model their signature whistles on the signature whistles of community members. *Animal Cognition*, 8(1), 17-26.
- Fristrup, K. M., Hatch, L. T., & Clark, C. W. (2003). Variation in humpback whale (*Megaptera novaeangliae*) song length in relation to low-frequency sound broadcasts. *Journal of the Acoustical Society of America*, 113(6), 3411-3424.
- Frost, K. J., Russell, R. B., & Lowry, L. F. (1992). KILLER WHALES, *ORCINUS-ORCA*, IN THE SOUTHEASTERN BERING SEA - RECENT SIGHTINGS AND PREDATION ON OTHER MARINE MAMMALS. *Marine Mammal Science*, 8(2), 110-119.
- Frouin-Mouy, H., Kowarski, K., Martin, B., & Broker, K. (2017). Seasonal Trends in Acoustic Detection of Marine Mammals in Baffin Bay and Melville Bay, Northwest Greenland. *Arctic*, 70(1), 59-76.
- Frouin-Mouy, H., Tenorio-Halle, L., Thode, A., Swartz, S., & Urban, J. (2020). Using two drones to simultaneously monitor visual and acoustic behaviour of gray whales (*Eschrichtius robustus*) in Baja California, Mexico. *Journal of Experimental Marine Biology and Ecology*, 525.

- Fruet, P. F., Genoves, R. C., Moller, L. M., Botta, S., & Secchi, E. R. (2015). Using mark-recapture and stranding data to estimate reproductive traits in female bottlenose dolphins (*Tursiops truncatus*) of the Southwestern Atlantic Ocean. *Marine Biology*, 162(3), 661-673.
- Fruet, P. F., Secchi, E. R., Di Tullio, J. C., Simoes-Lopes, P. C., Daura-Jorge, F., Costa, A. P. B., et al. (2017). Genetic divergence between two phenotypically distinct bottlenose dolphin ecotypes suggests separate evolutionary trajectories. *Ecology and Evolution*, 7(21), 9131-9143.
- Fu, Y. Q., & Kloepper, L. N. (2018). A systematic method for isolating, tracking and discriminating time-frequency components of bat echolocation calls. *Journal of the Acoustical Society of America*, 143(2), 716-726.
- Fujihashi, T., Saruwatari, S., & Watanabe, T. (2018). Multiview Video Transmission Over Underwater Acoustic Path. *Ieee Transactions on Multimedia*, 20(8), 2166-2181.
- Fujii, J. A., McLeish, D., Brooks, A. J., Gaskell, J., & Van Houston, K. S. (2018). Limb-use by foraging marine turtles, an evolutionary perspective. *Peerj*, 6.
- Fujioka, E., & Halpin, P. N. (2014). Spatio-temporal assessments of biodiversity in the high seas. *Endangered Species Research*, 24(2), 181-190.
- Fujioka, E., Kot, C. Y., Wallace, B. P., Best, B. D., Moxley, J., Cleary, J., et al. (2014). Data integration for conservation: Leveraging multiple data types to advance ecological assessments and habitat modeling for marine megavertebrates using OBIS-SEAMAP. *Ecological Informatics*, 20, 13-26.
- Fujioka, K., Tokunaga, W., Yokose, H., Kasahara, J., Sato, T., Miura, R., et al. (2005). Hahajima Seamount: An enigmatic tectonic block at the junction between the Izu-Bonin and Mariana trenches. *Island Arc*, 14(4), 616-622.
- Fujiwara, M., & Caswell, H. (2001). Demography of the endangered North Atlantic right whale. *Nature*, 414(6863), 537-541.
- Fujiwara, Y., Jimi, N., Sumida, P. Y. G., Kawato, M., & Kitazato, H. (2019). New species of bone-eating worm *Osedax* from the abyssal South Atlantic Ocean (Annelida, Siboglinidae). *Zookeys*(814), 53-69.
- Fujiwara, Y., Kawato, M., Yamamoto, T., Yamanaka, T., Sato-Okoshi, W., Noda, C., et al. (2007). Three-year investigations into sperm whale-fall ecosystems in Japan. *Marine Ecology-an Evolutionary Perspective*, 28(1), 219-232.
- Fullard, K. J., Early, G., Heide-Jorgensen, M. P., Bloch, D., Rosing-Asvid, A., & Amos, W. (2000). Population structure of long-finned pilot whales in the North Atlantic: a correlation with sea surface temperature? *Molecular Ecology*, 9(7), 949-958.
- Fumagalli, M., Cesario, A., Costa, M., di Sciara, G. N., Harraway, J., & Slooten, E. (2019). Population ecology and the management of whale watching operations on a data-deficient dolphin population. *Ecology and Evolution*, 9(18), 10442-10456.
- Furukawa, S., Kawabe, R., Ohshimo, S., Fujioka, K., Nishihara, G. N., Tsuda, Y., et al. (2011). Vertical movement of dolphinfish *Coryphaena hippurus* as recorded by acceleration data-loggers in the northern East China Sea. *Environmental Biology of Fishes*, 92(1), 89-99.
- Furukawa, S., Tsuda, Y., Nishihara, G. N., Fujioka, K., Ohshimo, S., Tomoe, S., et al. (2014). Vertical movements of Pacific bluefin tuna (*Thunnus orientalis*) and dolphinfish (*Coryphaena hippurus*) relative to the thermocline in the northern East China Sea. *Fisheries Research*, 149, 86-91.
- Fury, C. A., Ruckstuhl, K. E., & Harrison, P. L. (2013). Spatial and Social Sexual Segregation Patterns in Indo-Pacific Bottlenose Dolphins (*Tursiops aduncus*). *Plos One*, 8(1).

- Gabriele, C. M., Neilson, J. L., Straley, J. M., Baker, C. S., Cedarleaf, J. A., & Saracco, J. F. (2017). Natural history, population dynamics, and habitat use of humpback whales over 30 years on an Alaska feeding ground. *Ecosphere*, 8(1).
- Gabriele, C. M., Ponirakis, D. W., Clark, C. W., Womble, J. N., & Vanselow, P. B. S. (2018). Underwater Acoustic Ecology Metrics in an Alaska Marine Protected Area Reveal Marine Mammal Communication Masking and Management Alternatives. *Frontiers in Marine Science*, 5.
- Gadig, O. B. F., & Gomes, U. L. (2002). First report on embryos of *Isistius brasiliensis*. *Journal of Fish Biology*, 60(5), 1322-1325.
- Gailey, G., Sychenko, O., McDonald, T., Racca, R., Rutenko, A., & Broker, K. (2016). Behavioural responses of western gray whales to a 4-D seismic survey off northeastern Sakhalin Island, Russia. *Endangered Species Research*, 30, 53-71.
- Gailey, G., Sychenko, O., Tyurneva, O., Yakovlev, Y., Vertyankin, V., van der Wolf, P., et al. (2020). Effects of sea ice on growth rates of an endangered population of gray whales. *Scientific Reports*, 10(1).
- Gailey, G., Wursig, B., & McDonald, T. L. (2007). Abundance, behavior, and movement patterns of western gray whales in relation to a 3-D seismic survey, Northeast Sakhalin Island, Russia. *Environmental Monitoring and Assessment*, 134(1-3), 75-91.
- Galatius, A. (2005). Bilateral directional asymmetry of the appendicular skeleton of the harbor porpoise (*Phocoena phocoena*). *Marine Mammal Science*, 21(3), 401-410.
- Gales, R., Alderman, R., Thalmann, S., & Carlyon, K. (2012). Satellite tracking of long-finned pilot whales (*Globicephala melas*) following stranding and release in Tasmania, Australia. *Wildlife Research*, 39(6), 520-531.
- Galezo, A. A., Krzyszczyk, E., & Mann, J. (2018). Sexual segregation in Indo-Pacific bottlenose dolphins is driven by female avoidance of males. *Behavioral Ecology*, 29(2), 377-386.
- Gallagher, A. J., Papastamatiou, Y. P., & Barnett, A. (2018). Apex predatory sharks and crocodiles simultaneously scavenge a whale carcass. *Journal of Ethology*, 36(2), 205-209.
- Gallon, S. L., Sparling, C. E., Georges, J. Y., Fedak, M. A., Biuw, M., & Thompson, D. (2007). How fast does a seal swim? Variations in swimming behaviour under differing foraging conditions. *Journal of Experimental Biology*, 210(18), 3285-3294.
- Gandolfi, M. G., Shabankare, A. K., Zamparini, F., & Prati, C. (2017). Properties of a novel polydimethylsiloxane endodontic sealer. *Giornale Italiano Di Endodonzia*, 31(1), 35-43.
- Ganley, L. C., Brault, S., & Mayo, C. A. (2019). What we see is not what there is: estimating North Atlantic right whale *Eubalaena glacialis* local abundance. *Endangered Species Research*, 38, 101-113.
- Gannier, A., Petiau, E., Dulau, V., & Rendell, L. (2012). Foraging dives of sperm whales in the north-western Mediterranean Sea. *Journal of the Marine Biological Association of the United Kingdom*, 92(8), 1799-1808.
- Gannier, A., & Praca, E. (2007). SST fronts and the summer sperm whale distribution in the north-west Mediterranean Sea. *Journal of the Marine Biological Association of the United Kingdom*, 87(1), 187-193.
- Gannon, D. P. (2007). Acoustic behavior of Atlantic Croaker, *Micropogonias undulatus* (Sciaenidae). *Copeia*(1), 193-204.

- Gannon, D. P., Barros, N. B., Nowacek, D. P., Read, A. J., Waples, D. M., & Wells, R. S. (2005). Prey detection by bottlenose dolphins, *Tursiops truncatus*: an experimental test of the passive listening hypothesis. *Animal Behaviour*, 69, 709-720.
- Gannon, D. P., & Waples, D. M. (2004). Diets of coastal bottlenose dolphins from the US mid-Atlantic coast differ by habitat. *Marine Mammal Science*, 20(3), 527-545.
- Gao, G. F., & Zhou, K. Y. (1991). THE NUMBER OF FIBERS AND RANGE OF FIBER DIAMETERS IN THE COCHLEAR NERVE OF 3 ODONTOCETE SPECIES. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 69(9), 2360-2364.
- Gao, H. T., & Zhu, W. C. (2020). Numerical Investigation of Bionic Rudder With Leading-Edge Protuberances. *Journal of Offshore Mechanics and Arctic Engineering-Transactions of the Asme*, 142(1).
- Garaffo, G. V., Dans, S. L., Crespo, E. A., Degradi, M., Giudici, P., & Gagliardini, D. A. (2010). Dusky dolphin: modeling habitat selection. *Journal of Mammalogy*, 91(1), 54-65.
- Garaffo, G. V., Dans, S. L., Pedraza, S. N., Crespo, E. A., & Degradi, M. (2007). Habitat use by dusky dolphin in patagonia: how predictable is their location? *Marine Biology*, 152(1), 165-177.
- Garaffo, G. V., Dans, S. L., Pedraza, S. N., Degradi, M., Schiavini, A., Gonzalez, R., et al. (2011). Modeling habitat use for dusky dolphin and Commerson's dolphin in Patagonia. *Marine Ecology Progress Series*, 421, 217-227.
- Garcia, H. A., Couture, T., Galor, A., Topple, J. M., Huang, W., Tiwari, D., et al. (2020). Comparing Performances of Five Distinct Automatic Classifiers for Fin Whale Vocalizations in Beamformed Spectrograms of Coherent Hydrophone Array. *Remote Sensing*, 12(2).
- Garcia, H. A., Zhu, C. Y., Schinault, M. E., Kaplan, A. I., Handegard, N. O., Godo, O. R., et al. (2019). Temporal-spatial, spectral, and source level distributions of fin whale vocalizations in the Norwegian Sea observed with a coherent hydrophone array. *Ices Journal of Marine Science*, 76(1), 268-283.
- Garcia, J., Self-Sullivan, C., & Funicelli, N. A. (2017). Changes in Bottlenose Dolphin (*Tursiops truncatus*) Distribution and Behavior in the Drowned Cayes, Belize, and Correlation to Human Impacts. *Aquatic Mammals*, 43(6), 661-672.
- Garcia, L. G., Pierce, G. J., Autret, E., & Torres-Palenzuela, J. M. (2018). Multi-scale habitat preference analyses for Azorean blue whales. *Plos One*, 13(9).
- Garcia-Barcelona, S., Varela, J. L., Diez-Garcia, I. P., Pauly-Salinas, M., & Baez, J. C. (2019). NEW RECORDS OF BIRDS IN STOMACH CONTENTS OF MARINE APEX PREDATORS FROM THE NORTH ATLANTIC OCEAN AND MEDITERRANEAN SEA. *Vie Et Milieu-Life and Environment*, 69(2-3), 153-157.
- Garcia-Baron, I., Authier, M., Caballero, A., Vazquez, J. A., Santos, M. B., Murcia, J. L., et al. (2019). Modelling the spatial abundance of a migratory predator: A call for transboundary marine protected areas. *Diversity and Distributions*, 25(3), 346-360.
- Garcia-Baron, I., Santos, M. B., Saavedra, C., Astarloa, A., Valeiras, J., Barcelona, S. G., et al. (2020). Essential ocean variables and high value biodiversity areas: Targets for the conservation of marine megafauna. *Ecological Indicators*, 117.
- Garcia-Cegarra, A. M., Villagra, D., Gallardo, D. I., & Pacheco, A. S. (2019). Statistical dependence for detecting whale-watching effects on humpback whales. *Journal of Wildlife Management*, 83(2), 467-477.
- Garcia-Garin, O., Aguilar, A., Borrell, A., Gozalbes, P., Lobo, A., Penades-Suay, J., et al. (2020). Who's better at spotting? A comparison between aerial photography and observer-based methods to monitor floating marine litter and marine mega-fauna. *Environmental Pollution*, 258.

- Garcia-Godos, I., Van Waerebeek, K., Alfaro-Shigueto, J., & Mangel, J. C. (2013). Entanglements of Large Cetaceans in Peru: Few Records but High Risk. *Pacific Science*, 67(4), 523-532.
- Garcia-Morales, R., Perez-Lezama, E. L., & Shirasago-German, B. (2017). Influence of environmental variability on distribution and relative abundance of baleen whales (suborder Mysticeti) in the Gulf of California. *Marine Ecology- an Evolutionary Perspective*, 38(6).
- Garcia-Parraga, D., Brook, F., Crespo-Picazo, J. L., Alvaro, T., Valls, M., Penades, M., et al. (2014). Recurrent umbilical cord accidents in a bottlenose dolphin *Tursiops truncatus*. *Diseases of Aquatic Organisms*, 108(2), 177-180.
- Garcia-Rodriguez, A. I., Bowen, B. W., Domning, D., Mignucci-Giannoni, A. A., Marmontel, M., Montoya-Ospina, R. A., et al. (1998). Phylogeography of the West Indian manatee (*Trichechus manatus*): how many populations and how many taxa? *Molecular Ecology*, 7(9), 1137-1149.
- Garcia-Rojas, M. I., Jenner, K. C. S., Gill, P. C., Jenner, M. N. M., Sutton, A. L., & McCauley, R. D. (2018). Environmental evidence for a pygmy blue whale aggregation area in the Subtropical Convergence Zone south of Australia. *Marine Mammal Science*, 34(4), 901-923.
- Gard, R. (1974). AERIAL CENSUS OF GRAY WHALES IN BAJA-CALIFORNIA-LAGOONS, 1970 AND 1973, WITH NOTES ON BEHAVIOR, MORTALITY AND CONSERVATION. *California Fish and Game*, 60(3), 132-143.
- Gardner, R. A., Vancantfort, T. E., & Gardner, B. T. (1992). CATEGORICAL REPLIES TO CATEGORICAL QUESTIONS BY CROSS-FOSTERED CHIMPANZEES. *American Journal of Psychology*, 105(1), 27-57.
- Gardner, S. C., & Chavez-Rosales, S. (2000). Changes in the relative abundance and distribution of gray whales (*Eschrichtius robustus*) in Magdalena Bay, Mexico during an El Nino event. *Marine Mammal Science*, 16(4), 728-738.
- Gariboldi, K., Gioncada, A., Bosio, G., Malinverno, E., Di Celma, C., Tinelli, C., et al. (2015). The dolomite nodules enclosing fossil marine vertebrates in the East Pisco Basin, Peru: Field and petrographic insights into the Lagerstätt formation. *Palaeogeography Palaeoclimatology Palaeoecology*, 438, 81-95.
- Garland, E. C., Berchok, C. L., & Castellote, M. (2015). Temporal peaks in beluga whale (*Delphinapterus leucas*) acoustic detections in the northern Bering, northeastern Chukchi, and western Beaufort Seas: 2010-2011. *Polar Biology*, 38(5), 747-754.
- Garland, E. C., Castellote, M., & Berchok, C. L. (2015). Beluga whale (*Delphinapterus leucas*) vocalizations and call classification from the eastern Beaufort Sea population. *Journal of the Acoustical Society of America*, 137(6), 3054-3067.
- Garland, E. C., Gedamke, J., Rekdahl, M. L., Noad, M. J., Garrigue, C., & Gales, N. (2013). Humpback Whale Song on the Southern Ocean Feeding Grounds: Implications for Cultural Transmission. *Plos One*, 8(11).
- Garland, E. C., Goldizen, A. W., Lilley, M. S., Rekdahl, M. L., Garrigue, C., Constantine, R., et al. (2015). Population structure of humpback whales in the western and central South Pacific Ocean as determined by vocal exchange among populations. *Conservation Biology*, 29(4), 1198-1207.
- Garrigue, C., Clapham, P. J., Geyer, Y., Kennedy, A. S., & Zerbini, A. N. (2015). Satellite tracking reveals novel migratory patterns and the importance of seamounts for endangered South Pacific humpback whales. *Royal Society Open Science*, 2(11).

- Garrigue, C., & Gill, P. C. (1994). OBSERVATIONS OF HUMPBACK WHALES MEGAPTERA-NOVAEANGLIAE IN NEW CALEDONIAN WATERS DURING 1991-1993. *Biological Conservation*, 70(3), 211-218.
- Garrigue, C., Zerbini, A. N., Geyer, Y., Heide-Jorgensen, M. P., Hanaoka, W., & Clapham, P. (2010). Movements of satellite-monitored humpback whales from New Caledonia. *Journal of Mammalogy*, 91(1), 109-115.
- Garrod, A., Fandel, A. D., Wingfield, J. E., Fouda, L., Rice, A. N., & Bailey, H. (2018). Validating automated click detector dolphin detection rates and investigating factors affecting performance. *Journal of the Acoustical Society of America*, 144(2), 931-939.
- Garroway, C. J., Bowman, J., & Wilson, P. J. (2013). Complex social structure of southern flying squirrels is related to spatial proximity but not kinship. *Behavioral Ecology and Sociobiology*, 67(1), 113-122.
- Garroway, C. J., & Broders, H. G. (2007). Nonrandom association patterns at northern long-eared bat maternity roosts. *Canadian Journal of Zoology*, 85(9), 956-964.
- Gaskin, D. E. (1992). STATUS OF THE HARBOR PORPOISE, PHOCOENA-PHOCOENA, IN CANADA. *Canadian Field-Naturalist*, 106(1), 36-54.
- Gaskin, D. E., Yamamoto, S., & Kawamura, A. (1993). HARBOR PORPOISE, PHOCOENA-PHOCOENA (L), IN THE COASTAL WATERS OF NORTHERN JAPAN. *Fishery Bulletin*, 91(3), 440-454.
- Gaspari, S., Holcer, D., Mackelworth, P., Fortuna, C., Frantzis, A., Genov, T., et al. (2015). Population genetic structure of common bottlenose dolphins (*Tursiops truncatus*) in the Adriatic Sea and contiguous regions: implications for international conservation. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 25(2), 212-222.
- Gaspari, S., Marsili, L., Natali, C., Airoldi, S., Lanfredi, C., Deeming, C., et al. (2019). Spatio-temporal patterns of genetic diversity in the Mediterranean striped dolphin (*Stenella coeruleoalba*). *Journal of Zoological Systematics and Evolutionary Research*, 57(3), 721-734.
- Gassmann, M., Henderson, E. E., Wiggins, S. M., Roch, M. A., & Hildebrand, J. A. (2013). Offshore killer whale tracking using multiple hydrophone arrays. *Journal of the Acoustical Society of America*, 134(5), 3513-3521.
- Gaston, A. J. (2014). Birds and Mammals of Prince Leopold Island, Nunavut, 1975-2012. *Arctic*, 67(1), 10-19.
- Gaston, A. J., Smith, S. A., Saunders, R., Storm, G. I., & Whitney, J. A. (2007). Birds and marine mammals in southwestern Foxe Basin, Nunavut, Canada. *Polar Record*, 43(224), 33-47.
- Gatesy, J., Geisler, J. H., Chang, J., Buell, C., Berta, A., Meredith, R. W., et al. (2013). A phylogenetic blueprint for a modern whale. *Molecular Phylogenetics and Evolution*, 66(2), 479-506.
- Gaudry, M. J., Jastroch, M., Treberg, J. R., Hofreiter, M., Paijmans, J. L. A., Starrett, J., et al. (2017). Inactivation of thermogenic UCPI as a historical contingency in multiple placental mammal clades. *Science Advances*, 3(7).
- Gauffier, P., Verborgh, P., Gimenez, J., Esteban, R., Sierra, J. M. S., & de Stephanis, R. (2018). Contemporary migration of fin whales through the Strait of Gibraltar. *Marine Ecology Progress Series*, 588, 215-228.
- Gauthier, J., & Sears, R. (1999). Behavioral response of four species of balaenopterid whales to biopsy sampling. *Marine Mammal Science*, 15(1), 85-101.
- Gavrilov, A. N., McCauley, R. D., Paskos, G., & Goncharov, A. (2018). Southbound migration corridor of pygmy blue whales off the northwest coast of Australia based on data from ocean bottom seismographs. *Journal of the Acoustical Society of America*, 144(4), EL281-EL285.

- Gay, M., Bao, M., MacKenzie, K., Pascual, S., Buchmann, K., Bourgau, O., et al. (2018). Infection levels and species diversity of ascaridoid nematodes in Atlantic cod, *Gadus morhua*, are correlated with geographic area and fish size. *Fisheries Research*, 202, 90-102.
- Gaydos, J. K., Conrad, P. A., Gilardi, K. V. K., Blundell, G. M., & Ben-David, M. (2007). Does human proximity affect antibody prevalence in marine-foraging river otters (*Lontra canadensis*)? *Journal of Wildlife Diseases*, 43(1), 116-123.
- Gazda, S., Iyer, S., Killingback, T., Connor, R., & Brault, S. (2015). The importance of delineating networks by activity type in bottlenose dolphins (*Tursiops truncatus*) in Cedar Key, Florida. *Royal Society Open Science*, 2(3).
- Gazda, S. K., Connor, R. C., Edgar, R. K., & Cox, F. (2005). A division of labour with role specialization in group-hunting bottlenose dolphins (*Tursiops truncatus*) off Cedar Key, Florida. *Proceedings of the Royal Society B-Biological Sciences*, 272(1559), 135-140.
- Gearheard, S. (2008). A change in the weather. *Natural History*, 117(1), 32-38.
- Gearty, W., McClain, C. R., & Payne, J. L. (2018). Energetic tradeoffs control the size distribution of aquatic mammals. *Proceedings of the National Academy of Sciences of the United States of America*, 115(16), 4194-4199.
- Gebbie, J., Siderius, M., & Allen, J. S. (2015). A two-hydrophone range and bearing localization algorithm with performance analysis. *Journal of the Acoustical Society of America*, 137(3), 1586-1597.
- Gebbink, W. A., Bossi, R., Riget, F. F., Rosing-Asvid, A., Sonne, C., & Dietz, R. (2016). Observation of emerging per- and polyfluoroalkyl substances (PFASs) in Greenland marine mammals. *Chemosphere*, 144, 2384-2391.
- Geberl, C., Brinklov, S., Wiegerebe, L., & Surlykke, A. (2015). Fast sensory-motor reactions in echolocating bats to sudden changes during the final buzz and prey intercept. *Proceedings of the National Academy of Sciences of the United States of America*, 112(13), 4122-4127.
- Gedamke, J., Costa, D. P., & Dunstan, A. (2001). Localization and visual verification of a complex minke whale vocalization. *Journal of the Acoustical Society of America*, 109(6), 3038-3047.
- Gedamke, J., Gales, N., & Frydman, S. (2011). Assessing risk of baleen whale hearing loss from seismic surveys: The effect of uncertainty and individual variation. *Journal of the Acoustical Society of America*, 129(1), 496-506.
- Geisler, J. H., McGowen, M. R., Yang, G., & Gatesy, J. (2011). A supermatrix analysis of genomic, morphological, and paleontological data from crown Cetacea. *Bmc Evolutionary Biology*, 11.
- Gende, S. M., Vose, L., Baken, J., Gabriele, C. M., Preston, R., & Hendrix, A. N. (2019). Active Whale Avoidance by Large Ships: Components and Constraints of a Complementary Approach to Reducing Ship Strike Risk. *Frontiers in Marine Science*, 6.
- Genio, L., Rodrigues, C. F., Guedes, I. F., Almeida, H., Duperron, S., & Hilario, A. (2015). Mammal carcasses attract a swarm of mussels in the deep Atlantic: insights into colonization and biogeography of a chemosymbiotic species. *Marine Ecology-an Evolutionary Perspective*, 36, 71-81.
- Genov, T., Centrih, T., Wright, A. J., & Wu, G. M. (2018). Novel method for identifying individual cetaceans using facial features and symmetry: A test case using dolphins. *Marine Mammal Science*, 34(2), 514-528.
- Geoffroy, M., Rousseau, S., Knudsen, F. R., & Fortier, L. (2016). Target strengths and echotraces of whales and seals in the Canadian Beaufort Sea. *Ices Journal of Marine Science*, 73(2), 451-463.
- Geoghegan, J. L., Pirota, V., Harvey, E., Smith, A., Buchmann, J. P., Ostrowski, M., et al. (2018). Virological Sampling of Inaccessible Wildlife with Drones. *Viruses-Basel*, 10(6).

- George, E. M., & Noonan, M. (2014). Respiration Rates in Captive Beluga Whales (*Delphinapterus leucas*): Effects of Season, Sex, Age, and Body Size. *Aquatic Mammals*, 40(4), 350-356.
- George, J. C., Clark, C., Carroll, G. M., & Ellison, W. T. (1989). OBSERVATIONS ON THE ICE-BREAKING AND ICE NAVIGATION BEHAVIOR OF MIGRATING BOWHEAD WHALES (*BALAENA-MYSTICETUS*) NEAR POINT BARROW, ALASKA, SPRING 1985. *Arctic*, 42(1), 24-30.
- George, J. C., Huntington, H. P., Brewster, K., Eicken, H., Norton, D. W., & Glenn, R. (2004). Observations on shorefast ice dynamics in arctic Alaska and the responses of the Inupiat hunting community. *Arctic*, 57(4), 363-374.
- George, J. C. C., Zeh, J., Suydam, R., & Clark, C. (2004). Abundance and population trend (1978-2001) of western Arctic bowhead whales surveyed near Barrow, Alaska. *Marine Mammal Science*, 20(4), 755-773.
- Gerlinsky, C. D., Rosen, D. A. S., & Trites, A. W. (2013). High diving metabolism results in a short aerobic dive limit for Steller sea lions (*Eumetopias jubatus*). *Journal of Comparative Physiology B-Biochemical Systems and Environmental Physiology*, 183(5), 699-708.
- Germanov, E., Marshall, A. D., Hendrawan, I. G., Admiraal, R., Rohner, C. A., Argeswara, J., et al. (2019). Microplastics on the Menu: Plastics Pollute Indonesian Manta Ray and Whale Shark Feeding Grounds. *Frontiers in Marine Science*, 6.
- Gero, S., Bejder, L., Whitehead, H., Mann, J., & Connor, R. C. (2005). Behaviourally specific preferred associations in bottlenose dolphins, *Tursiops* spp. *Canadian Journal of Zoology*, 83(12), 1566-1573.
- Gero, S., Bottcher, A., Whitehead, H., & Madsen, P. T. (2016). Socially segregated, sympatric sperm whale clans in the Atlantic Ocean. *Royal Society Open Science*, 3(6).
- Gero, S., Engelhaupt, D., Rendell, L., & Whitehead, H. (2009). Who Cares? Between-group variation in alloparental caregiving in sperm whales. *Behavioral Ecology*, 20(4), 838-843.
- Gero, S., Engelhaupt, D., & Whitehead, H. (2008). Heterogeneous social associations within a sperm whale, *Physeter macrocephalus*, unit reflect pairwise relatedness. *Behavioral Ecology and Sociobiology*, 63(1), 143-151.
- Gero, S., Milligan, M., Rinaldi, C., Francis, P., Gordon, J., Carlson, C., et al. (2014). Behavior and social structure of the sperm whales of Dominica, West Indies. *Marine Mammal Science*, 30(3), 905-922.
- Gero, S., & Whitehead, H. (2007). Suckling behavior in sperm whale calves: observations and hypotheses. *Marine Mammal Science*, 23(2), 398-413.
- Gero, S., Whitehead, H., & Rendell, L. (2016). Individual, unit and vocal clan level identity cues in sperm whale codas. *Royal Society Open Science*, 3(1).
- Gervaise, C., Simard, Y., Roy, N., Kinda, B., & Menard, N. (2012). Shipping noise in whale habitat: Characteristics, sources, budget, and impact on belugas in Saguenay-St. Lawrence Marine Park hub. *Journal of the Acoustical Society of America*, 132(1), 76-89.
- Ghai, R., & Insley, S. J. (2011). Probable effects of resident and transient killer whales (*Orcinus orca*) on the activity levels of Steller sea lions (*Eumetopias jubatus*) at Carmanah Point, British Columbia. *Marine Mammal Science*, 27(3), E227-E233.
- Gharehchopogh, F. S., & Gholizadeh, H. (2019). A comprehensive survey: Whale Optimization Algorithm and its applications. *Swarm and Evolutionary Computation*, 48, 1-24.
- Gibbs, N. J., Dunlop, R. A., Gibbs, E. J., Heberley, J. A., & Olavarria, C. (2018). The potential beginning of a postwhaling recovery in New Zealand humpback whales (*Megaptera novaeangliae*). *Marine Mammal Science*, 34(2), 499-513.

Gibbs, S. E., Kent, C. P. S., Slat, B., Morales, D., Fouda, L., & Reisser, J. (2019). Cetacean sightings within the Great Pacific Garbage Patch. *Marine Biodiversity*, 49(4), 2021-2027.

Gibson, Q. A., & Mann, J. (2008). The size, composition and function of wild bottlenose dolphin (*Tursiops* sp.) mother-calf groups in Shark Bay, Australia. *Animal Behaviour*, 76, 389-405.

Giffard-Mena, I., Hernandez-Montiel, A. H., Perez-Robles, J., & David-True, C. (2020). Effects of salinity on survival and plasma osmolarity of *Totoaba macdonaldi* eggs, larvae, and juveniles. *Journal of Experimental Marine Biology and Ecology*, 526.

Gifford, A., Compagno, L. J. V., Levine, M., & Antoniou, A. (2007). Satellite tracking of whale sharks using tethered tags. *Fisheries Research*, 84(1), 17-24.

Gil, K. N., Lillie, M. A., Vogl, A. W., & Shadwick, R. E. (2020). Rorqual whale nasal plugs: protecting the respiratory tract against water entry and barotrauma. *Journal of Experimental Biology*, 223(4).

Gilbert-Gregory, S. E., Stull, J. W., Rice, M. R., & Herron, M. E. (2016). Effects of trazodone on behavioral signs of stress in hospitalized dogs. *Javma-Journal of the American Veterinary Medical Association*, 249(11), 1281-1291.

Gilchrist, H. G., & Robertson, G. J. (2000). Observations of marine birds and mammals wintering at polynyas and ice edges in the Belcher Islands, Nunavut, Canada. *Arctic*, 53(1), 61-68.

Giljov, A. N., Karenina, K. A., Ivkovich, T. V., & Malashichev, Y. B. (2016). Asymmetry of Pectoral Flipper Use in the Orca *Orcinus orca* (Linnaeus, 1758) from the Avachinskii Bay (Eastern Kamchatka). *Russian Journal of Marine Biology*, 42(2), 196-198.

Gill, P. C., Morrice, M. G., Page, B., Pirzl, R., Levings, A. H., & Coyne, M. (2011). Blue whale habitat selection and within-season distribution in a regional upwelling system off southern Australia. *Marine Ecology Progress Series*, 421, 243-263.

Gill, P. C., Pirzl, R., Morrice, M. G., & Lawton, K. (2015). Cetacean Diversity of the Continental Shelf and Slope off Southern Australia. *Journal of Wildlife Management*, 79(4), 672-681.

Gill, P. C., & Thiele, D. (1997). A winter sighting of killer whales (*Orcinus orca*) in Antarctic sea ice. *Polar Biology*, 17(5), 401-404.

Gilles, A., Scheidat, M., & Siebert, U. (2009). Seasonal distribution of harbour porpoises and possible interference of offshore wind farms in the German North Sea. *Marine Ecology Progress Series*, 383, 295-307.

Gilles, A., Viquerat, S., Becker, E. A., Forney, K. A., Geelhoed, S. C. V., Haelters, J., et al. (2016). Seasonal habitat-based density models for a marine top predator, the harbor porpoise, in a dynamic environment. *Ecosphere*, 7(6).

Gillespie, D., Dunn, C., Gordon, J., Claridge, D., Embling, C., & Boyd, I. (2009). Field recordings of Gervais' beaked whales *Mesoplodon europaeus* from the Bahamas. *Journal of the Acoustical Society of America*, 125(5), 3428-3433.

Gillett, R. M., White, B. N., & Rolland, R. M. (2008). Quantification and genetic profiling of DNA isolated from free-floating feces of the North Atlantic right whale (*Eubalaena glacialis*). *Marine Mammal Science*, 24(2), 341-355.

Gilly, W. F., Markaida, U., Baxter, C. H., Block, B. A., Boustany, A., Zeidberg, L., et al. (2006). Vertical and horizontal migrations by the jumbo squid *Dosidicus gigas* revealed by electronic tagging. *Marine Ecology Progress Series*, 324, 1-17.

- Gilman, E., Owens, M., & Kraft, T. (2014). Ecological risk assessment of the Marshall Islands longline tuna fishery. *Marine Policy*, 44, 239-255.
- Gilmour, M. E., Castillo-Guerrero, J. A., Fleishman, A. B., Hernandez-Vazquez, S., Young, H. S., & Shaffer, S. A. (2018). Plasticity of foraging behaviors in response to diverse environmental conditions. *Ecosphere*, 9(7).
- Gimenez, J., Canadas, A., Ramirez, F., Afan, I., Garcia-Tiscar, S., Fernandez-Maldonado, C., et al. (2017). Intra- and interspecific niche partitioning in striped and common dolphins inhabiting the southwestern Mediterranean Sea. *Marine Ecology Progress Series*, 567, 199-210.
- Gimenez, J., Canadas, A., Ramirez, F., Afan, I., Garcia-Tiscar, S., Fernandez-Maldonado, C., et al. (2018). Living apart together: Niche partitioning among Alboran Sea cetaceans. *Ecological Indicators*, 95, 32-40.
- Gimenez, J., Gomez-Campos, E., Borrell, A., Cardona, L., & Aguilar, A. (2013). Isotopic evidence of limited exchange between Mediterranean and eastern North Atlantic fin whales. *Rapid Communications in Mass Spectrometry*, 27(15), 1801-1806.
- Gimenez, J., Louis, M., Baron, E., Ramirez, F., Verborgh, P., Gauffier, P., et al. (2018). Towards the identification of ecological management units: A multidisciplinary approach for the effective management of bottlenose dolphins in the southern Iberian Peninsula. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 28(1), 205-215.
- Gimenez, J., Marcalo, A., Ramirez, F., Verborgh, P., Gauffier, P., Esteban, R., et al. (2017). Diet of bottlenose dolphins (*Tursiops truncatus*) from the Gulf of Cadiz: Insights from stomach content and stable isotope analyses. *Plos One*, 12(9).
- Gimenez, O., Mansilla, L., Klaich, M. J., Coscarella, M. A., Pedraza, S. N., & Crespo, E. A. (2019). Inferring animal social networks with imperfect detection. *Ecological Modelling*, 401, 69-74.
- Gingras, M. K., Armitage, I. A., Pemberton, S. G., & Clifton, H. E. (2007). Pleistocene walrus herds in the olympic peninsula area: Trace-fossil evidence of predation by hydraulic jetting. *Palaeos*, 22(5), 539-545.
- Gioncada, A., Collareta, A., Gariboldi, K., Lambert, O., Di Celma, C., Bonaccorsi, E., et al. (2016). Inside baleen: Exceptional microstructure preservation in a late Miocene whale skeleton from Peru. *Geology*, 44(10), 839-842.
- Giorli, G., & Au, W. W. L. (2017). Spatio-temporal variation and seasonality of Odontocetes' foraging activity in the leeward side of the island of Hawaii. *Deep-Sea Research Part I-Oceanographic Research Papers*, 121, 202-209.
- Giorli, G., Au, W. W. L., & Neuheimer, A. (2016). Differences in foraging activity of deep sea diving odontocetes in the Ligurian Sea as determined by passive acoustic recorders. *Deep-Sea Research Part I-Oceanographic Research Papers*, 107, 1-8.
- Giorli, G., Au, W. W. L., Ou, H., Jarvis, S., Morrissey, R., & Moretti, D. (2015). Acoustic detection of biosonar activity of deep diving odontocetes at Josephine Seamount High Seas Marine Protected Area. *Journal of the Acoustical Society of America*, 137(5), 2495-2501.
- Giorli, G., & Goetz, K. T. (2019). Foraging activity of sperm whales (*Physeter macrocephalus*) off the east coast of New Zealand. *Scientific Reports*, 9.
- Giorli, G., & Goetz, K. T. (2020). Acoustically estimated size distribution of sperm whales (*Physeter macrocephalus*) off the east coast of New Zealand. *New Zealand Journal of Marine and Freshwater Research*, 54(2), 177-188.
- Giorli, G., Neuheimer, A., & Au, W. (2016). Spatial variation of deep diving odontocetes' occurrence around a canyon region in the Ligurian Sea as measured with acoustic techniques. *Deep-Sea Research Part I-Oceanographic Research Papers*, 116, 88-93.

- Giorli, G., Neuheimer, A., Copeland, A., & Au, W. W. L. (2016). Temporal and spatial variation of beaked and sperm whales foraging activity in Hawai'i, as determined with passive acoustics. *Journal of the Acoustical Society of America*, 140(4), 2333-2343.
- Girard, C., Dagorn, L., Taquet, M., Aumeeruddy, R., Peignon, C., & Benhamou, S. (2007). Homing abilities of dolphinfish (*Coryphaena hippurus*) displaced from fish aggregating devices (FADs) determined using ultrasonic telemetry. *Aquatic Living Resources*, 20(4), 313-321.
- Giraudet, P., & Glotin, H. (2006). Real-time 3D tracking of whales by echo-robust precise TDOA estimates with a widely-spaced hydrophone array. *Applied Acoustics*, 67(11-12), 1106-1117.
- Girola, E., Noad, M. J., Dunlop, R. A., & Cato, D. H. (2019). Source levels of humpback whales decrease with frequency suggesting an air-filled resonator is used in sound production. *Journal of the Acoustical Society of America*, 145(2), 869-880.
- Givens, G. H., Edmondson, S. L., George, J. C., Tudor, B., DeLong, R. A., & Suydam, R. (2015). Weighted likelihood recapture estimation of detection probabilities from an ice-based survey of bowhead whales. *Environmetrics*, 26(1), 1-16.
- Givens, G. H., & Ozaksoy, I. (2007). Population structure and covariate analysis based on pairwise microsatellite allele matching frequencies. *Statistical Applications in Genetics and Molecular Biology*, 6.
- Glabicky, N., DuBrava, A., & Noonan, M. (2010). Social-sexual behavior seasonality in captive beluga whales (*Delphinapterus leucas*). *Polar Biology*, 33(8), 1145-1147.
- Gladilina, E., Shpak, O., Serbin, V., Kryukova, A., Glazov, D., & Gol'din, P. (2018). Individual movements between local coastal populations of bottlenose dolphins (*Tursiops truncatus*) in the northern and eastern Black Sea. *Journal of the Marine Biological Association of the United Kingdom*, 98(2), 223-229.
- Glassow, M. A. (2015). CHRONOLOGY OF RED ABALONE MIDDENS ON SANTA CRUZ ISLAND, CALIFORNIA, AND EVIDENCE FOR SUBSISTENCE AND SETTLEMENT CHANGE. *American Antiquity*, 80(4), 745-759.
- Gleason, J. S., & Rode, K. D. (2009). Polar Bear Distribution and Habitat Association Reflect Long-term Changes in Fall Sea Ice Conditions in the Alaskan Beaufort Sea. *Arctic*, 62(4), 405-417.
- Gleiss, A. C., Norman, B., Liebsch, N., Francis, C., & Wilson, R. P. (2009). A new prospect for tagging large free-swimming sharks with motion-sensitive data-loggers. *Fisheries Research*, 97(1-2), 11-16.
- Gleiss, A. C., Wright, S., Liebsch, N., Wilson, R. P., & Norman, B. (2013). Contrasting diel patterns in vertical movement and locomotor activity of whale sharks at Ningaloo Reef. *Marine Biology*, 160(11), 2981-2992.
- Glennie, R., Buckland, S. T., Langrock, R., Gerrodette, T., Ballance, L. T., Chivers, S. J., et al. Incorporating Animal Movement Into Distance Sampling. *Journal of the American Statistical Association*.
- Glover, A. G., Goetze, E., Dahlgren, T. G., & Smith, C. R. (2005). Morphology, reproductive biology and genetic structure of the whale-fall and hydrothermal vent specialist, *Bathypurpura guaymasensis* Pettibone, 1989 (Annelida : Polynoidae). *Marine Ecology-an Evolutionary Perspective*, 26(3-4), 223-234.
- Glover, A. G., Higgs, N. D., Bagley, P. M., Carlsson, R., Davies, A. J., Kemp, K. M., et al. (2010). A live video observatory reveals temporal processes at a shelf-depth whale-fall. *Cahiers De Biologie Marine*, 51(4), 375-381.
- Glover, K. A., Kanda, N., Haug, T., Pastene, L. A., Oien, N., Goto, M., et al. (2010). Migration of Antarctic Minke Whales to the Arctic. *Plos One*, 5(12).

- Glynn, P. W., Coffman, B., Primov, K. D., Moorhead, S. G., Vanderwoude, J., Barrales, R. N., et al. (2018). Benthic ctenophores (Platyctenida: Coeloplanidae) in South Florida: predator-prey interactions. *Invertebrate Biology*, 137(2), 133-150.
- Gnanadesikan, G. E., Pearse, W. D., & Shaw, A. K. (2017). Evolution of mammalian migrations for refuge, breeding, and food. *Ecology and Evolution*, 7(15), 5891-5900.
- Gnone, G., & Moriconi, T. (2010). USE AND FUNCTION OF DISTINCTIVE WHISTLE-LIKE SIGNALS IN BOTTLENOSE DOLPHIN (*TURSIOPS TRUNCATUS*) MOTHER-CALF PAIR.
- Godfrey, S. J., Barnes, L. G., & Lambert, O. (2017). THE EARLY MIOCENE ODONTOCETE *ARAEODELPHIS NATATOR* KELLOGG, 1957 (CETACEA; PLATANISTIDAE), FROM THE CALVERT FORMATION OF MARYLAND, USA. *Journal of Vertebrate Paleontology*, 37(2).
- Godfrey, S. J., Geisler, J., & Fitzgerald, E. M. G. (2013). On the Olfactory Anatomy in an Archaic Whale (Protocetidae, Cetacea) and the Minke Whale *Balaenoptera acutorostrata* (Balaenopteridae, Cetacea). *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 296(2), 257-272.
- Godo, O. R., Sivle, L. D., Patel, R., & Torkelsen, T. (2013). Synchronous behaviour of cetaceans observed with active acoustics. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 98, 445-451.
- Godwin, E. M., Noad, M. J., Kniest, E., & Dunlop, R. A. (2016). Comparing multiple sampling platforms for measuring the behavior of humpback whales (*Megaptera novaeangliae*). *Marine Mammal Science*, 32(1), 268-286.
- Goedert, J. L., Squires, R. L., & Barnes, L. G. (1995). PALEOECOLOGY OF WHALE-FALL HABITATS FROM DEEP-WATER OLIGOCENE ROCKS, OLYMPIC PENINSULA, WASHINGTON-STATE. *Palaeogeography Palaeoclimatology Palaeoecology*, 118(1-2), 151-158.
- Goetsch, C., Conners, M. G., Budge, S. M., Mitani, Y., Walker, W. A., Bromaghin, J. F., et al. (2018). Energy-Rich Mesopelagic Fishes Revealed as a Critical Prey Resource for a Deep-Diving Predator Using Quantitative Fatty Acid Signature Analysis. *Frontiers in Marine Science*, 5.
- Goetz, S., Read, F. L., Ferreira, M., Portela, J. M., Santos, M. B., Vingada, J., et al. (2015). Cetacean occurrence, habitat preferences and potential for cetacean-fishery interactions in Iberian Atlantic waters: results from cooperative research involving local stakeholders. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 25(1), 138-154.
- Goetz, S., Santos, M. B., Vingada, J., Costas, D. C., Villanueva, A. G., & Pierce, G. J. (2015). Do pingers cause stress in fish? An experimental tank study with European sardine, *Sardina pilchardus* (Walbaum, 1792) (Actinopterygii, Clupeidae), exposed to a 70 kHz dolphin pinger. *Hydrobiologia*, 749(1), 83-96.
- Goff, J. R., & Chague-Goff, C. (2009). Brief Communication: Cetaceans and tsunamis - whatever remains, however improbable, must be the truth? *Natural Hazards and Earth System Sciences*, 9(3), 855-857.
- Goh, C. J., Choi, D., Park, D. B., Kim, H., & Hahn, Y. (2016). *MOXD2*, a Gene Possibly Associated with Olfaction, Is Frequently Inactivated in Birds. *Plos One*, 11(4).
- Gol'din, P. (2018). New Paratethyan dwarf baleen whales mark the origin of cetotheres. *Peerj*, 6.
- Gol'din, P., Kovalchuk, O. M., & Krakhmalnaya, T. (2019). The first record of Sirenia (Mammalia) from the early Oligocene of the Paratethys. *Historical Biology*, 31(10), 1373-1378.
- Gol'din, P., & Zvonok, E. (2013). *BASILOTRITUS UHENI*, A NEW CETACEAN (CETACEA, BASILOSAURIDAE) FROM THE LATE MIDDLE EOCENE OF EASTERN EUROPE. *Journal of Paleontology*, 87(2), 254-268.

- Goldbogen, J. A., Cade, D. E., Boersma, A. T., Calambokidis, J., Kahane-Rapport, S. R., Segre, P. S., et al. (2017). Using Digital Tags With Integrated Video and Inertial Sensors to Study Moving Morphology and Associated Function in Large Aquatic Vertebrates. *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 300(11), 1935-1941.
- Goldbogen, J. A., Cade, D. E., Calambokidis, J., Czapanskiy, M. F., Fahlbusch, J., Friedlaender, A. S., et al. (2019). Extreme bradycardia and tachycardia in the world's largest animal. *Proceedings of the National Academy of Sciences of the United States of America*, 116(50), 25329-25332.
- Goldbogen, J. A., Calambokidis, J., Croll, D. A., Harvey, J. T., Newton, K. M., Oleson, E. M., et al. (2008). Foraging behavior of humpback whales: kinematic and respiratory patterns suggest a high cost for a lunge. *Journal of Experimental Biology*, 211(23), 3712-3719.
- Goldbogen, J. A., Calambokidis, J., Croll, D. A., McKenna, M. F., Oleson, E., Potvin, J., et al. (2012). Scaling of lunge-feeding performance in rorqual whales: mass-specific energy expenditure increases with body size and progressively limits diving capacity. *Functional Ecology*, 26(1), 216-226.
- Goldbogen, J. A., Calambokidis, J., Friedlaender, A. S., Francis, J., DeRuiter, S. L., Stimpert, A. K., et al. (2013). Underwater acrobatics by the world's largest predator: 360 degrees rolling manoeuvres by lunge-feeding blue whales. *Biology Letters*, 9(1).
- Goldbogen, J. A., Calambokidis, J., Oleson, E., Potvin, J., Pyenson, N. D., Schorr, G., et al. (2011). Mechanics, hydrodynamics and energetics of blue whale lunge feeding: efficiency dependence on krill density. *Journal of Experimental Biology*, 214(1), 131-146.
- Goldbogen, J. A., Calambokidis, J., Shadwick, R. E., Oleson, E. M., McDonald, M. A., & Hildebrand, J. A. (2006). Kinematics of foraging dives and lunge-feeding in fin whales. *Journal of Experimental Biology*, 209(7), 1231-1244.
- Goldbogen, J. A., Friedlaender, A. S., Calambokidis, J., McKenna, M. F., Simon, M., & Nowacek, D. P. (2013). Integrative Approaches to the Study of Baleen Whale Diving Behavior, Feeding Performance, and Foraging Ecology. *Bioscience*, 63(2), 90-100.
- Goldbogen, J. A., Hazen, E. L., Friedlaender, A. S., Calambokidis, J., DeRuiter, S. L., Stimpert, A. K., et al. (2015). Prey density and distribution drive the three-dimensional foraging strategies of the largest filter feeder. *Functional Ecology*, 29(7), 951-961.
- Goldbogen, J. A., & Madsen, P. T. (2018). The evolution of foraging capacity and gigantism in cetaceans. *Journal of Experimental Biology*, 221(11).
- Goldbogen, J. A., Pyenson, N. D., & Shadwick, R. E. (2007). Big gulps require high drag for fin whale lunge feeding. *Marine Ecology Progress Series*, 349, 289-301.
- Goldbogen, J. A., Southall, B. L., DeRuiter, S. L., Calambokidis, J., Friedlaender, A. S., Hazen, E. L., et al. (2013). Blue whales respond to simulated mid-frequency military sonar. *Proceedings of the Royal Society B-Biological Sciences*, 280(1765).
- Goldbogen, J. A., Stimpert, A. K., DeRuiter, S. L., Calambokidis, J., Friedlaender, A. S., Schorr, G. S., et al. (2014). Using accelerometers to determine the calling behavior of tagged baleen whales. *Journal of Experimental Biology*, 217(14), 2449-2455.
- Goley, P. D. (1999). Behavioral aspects of sleep in Pacific white-sided dolphins (*Lagenorhynchus obliquidens*, Gill 1865). *Marine Mammal Science*, 15(4), 1054-1064.
- Golikov, A. V., Ceia, F. R., Sabirov, R. M., Zaripova, Z. I., Blicher, M. E., Zakharov, D. V., et al. (2018). Ontogenetic changes in stable isotope (δ C-13 and δ N-15) values in squid *Gonatus fabricii* (Cephalopoda) reveal its important ecological role in the Arctic. *Marine Ecology Progress Series*, 606, 65-78.

- Gomercic, T., Sindjic, M., Galov, A., Arbanasic, H., Kusak, J., Kocijan, I., et al. (2010). High Genetic Variability of the Grey Wolf (*Canis lupus L.*) Population from Croatia as Revealed by Mitochondrial DNA Control Region Sequences. *Zoological Studies*, 49(6), 816-823.
- Gomez-Carrasco, G., Leshner-Gordillo, J. M., Olivera-Gomez, L. D., Bonde, R. K., Arriaga-Weiss, S., Hernandez-Martinez, R., et al. (2018). Genetic Diversity and Structure From Antillean Manatee (*Trichechus manatus manatus*) in the Southern Gulf of Mexico: Comparison Between Connected and Isolated Populations. *Tropical Conservation Science*, 11, 1-10.
- Gomez-Salazar, C., Trujillo, F., & Whitehead, H. (2011). Photo-Identification: A Reliable and Noninvasive Tool for Studying Pink River Dolphins (*Inia geoffrensis*). *Aquatic Mammals*, 37(4), 472-485.
- Goncalves, J. R., Gomes, L. C. R., Vianna, A. P., Rodrigues, D. B., Goncalves, D. A. G., & Wolford, L. M. (2013). Airway space changes after maxillomandibular counterclockwise rotation and mandibular advancement with TMJ Concepts (R) total joint prostheses: three-dimensional assessment. *International Journal of Oral and Maxillofacial Surgery*, 42(8), 1014-1022.
- Goncalves, L. R., Augustowski, M., & Andriolo, A. (2016). Occurrence, distribution and behaviour of Bryde's whales (Cetacea: Mysticeti) off south-east Brazil. *Journal of the Marine Biological Association of the United Kingdom*, 96(4), 943-954.
- Goncalves, M. I. C., de Sousa-Lima, R. S., Teixeira, N. N., Carvalhol, G. H., Danilewicz, D., & Baumgarten, J. E. (2018). Movement patterns of humpback whales (*Megaptera novaeangliae*) reoccupying a Brazilian breeding ground. *Biota Neotropica*, 18(4).
- Goncalves, M. I. C., De Sousa-Lima, R. S., Teixeira, N. N., Morete, M. E., De Carvalho, G. H., Ferreira, H. M., et al. (2018). Low latitude habitat use patterns of a recovering population of humpback whales. *Journal of the Marine Biological Association of the United Kingdom*, 98(5), 1087-1096.
- Gong, Z., Jain, A. D., Tran, D., Yi, D. H., Wu, F., Zorn, A., et al. (2014). Ecosystem Scale Acoustic Sensing Reveals Humpback Whale Behavior Synchronous with Herring Spawning Processes and Re-Evaluation Finds No Effect of Sonar on Humpback Song Occurrence in the Gulf of Maine in Fall 2006. *Plos One*, 9(10).
- Gonzalez-Pestana, A., Maguino, R., Mendoza, A., Kelez, S., & Ramirez-Macias, D. (2020). Distribution of whale shark (*Rhincodon typus*) off northern Peru based on habitat suitability. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 30(7), 1325-1336.
- Gonzalvo, J., Valls, M., Cardona, L., & Aguilar, A. (2008). Factors determining the interaction between common bottlenose dolphins and bottom trawlers off the Balearic Archipelago (western Mediterranean Sea). *Journal of Experimental Marine Biology and Ecology*, 367(1), 47-52.
- Goodall, R. N. P., Marchesi, M. C., Pimper, L. E., Dellabianca, N., Benegas, L. G., Torres, M. A., et al. (2011). Southernmost records of bottlenose dolphins, *Tursiops truncatus*. *Polar Biology*, 34(7), 1085-1090.
- Gooday, A. J., & Rathburn, A. E. (1999). Temporal variability in living deep-sea benthic foraminifera: a review. *Earth-Science Reviews*, 46(1-4), 187-212.
- Goodson, A. D., & Sturtivant, C. R. (1996). Sonar characteristics of the harbour porpoise (*Phocoena phocoena*): Source levels and spectrum. *Ices Journal of Marine Science*, 53(2), 465-472.
- Goodwin, L., & Speedie, C. (2008). Relative abundance, density and distribution of the harbour porpoise (*Phocoena phocoena*) along the west coast of the UK. *Journal of the Marine Biological Association of the United Kingdom*, 88(6), 1221-1228.

- Goodyear, J. D. (1993). A SONIC RADIO TAG FOR MONITORING DIVE DEPTHS AND UNDERWATER MOVEMENTS OF WHALES. *Journal of Wildlife Management*, 57(3), 503-513.
- Goold, J. C. (1996). Acoustic assessment of populations of common dolphin *Delphinus delphis* in conjunction with seismic surveying. *Journal of the Marine Biological Association of the United Kingdom*, 76(3), 811-820.
- Goold, J. C. (1998). Acoustic assessment of populations of common dolphin off the west Wales coast, with perspectives from satellite infrared imagery. *Journal of the Marine Biological Association of the United Kingdom*, 78(4), 1353-1368.
- Goold, J. C., & Jones, S. E. (1995). TIME AND FREQUENCY-DOMAIN CHARACTERISTICS OF SPERM WHALE CLICKS. *Journal of the Acoustical Society of America*, 98(3), 1279-1291.
- Gordon, J., Blight, C., Bryant, E., & Thompson, D. (2019). Measuring responses of harbour seals to potential aversive acoustic mitigation signals using controlled exposure behavioural response studies. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 29, 157-177.
- Gore, M. A., Frey, P. H., Ormond, R. F., Allan, H., & Gilkes, G. (2016). Use of Photo-Identification and Mark-Recapture Methodology to Assess Basking Shark (*Cetorhinus maximus*) Populations. *Plos One*, 11(3).
- Gorgone, A. M., Haase, P. A., Griffith, E. S., & Hohn, A. A. (2008). Modeling response of target and nontarget dolphins to biopsy darting. *Journal of Wildlife Management*, 72(4), 926-932.
- Gospic, N. R., & Picciulin, M. (2016). Changes in whistle structure of resident bottlenose dolphins in relation to underwater noise and boat traffic. *Marine Pollution Bulletin*, 105(1), 193-198.
- Gotz, T., Antunes, R., & Heinrich, S. (2010). Echolocation clicks of free-ranging Chilean dolphins (*Cephalorhynchus eutropia*) (L). *Journal of the Acoustical Society of America*, 128(2), 563-566.
- Gotz, T., Verfuss, U. K., & Schnitzler, H. U. (2006). 'Eavesdropping' in wild rough-toothed dolphins (*Steno bredanensis*)? *Biology Letters*, 2(1), 5-7.
- Gough, W. T., Segre, P. S., Bierlich, K. C., Cade, D. E., Potvin, J., Fish, F. E., et al. (2019). Scaling of swimming performance in baleen whales. *Journal of Experimental Biology*, 222(20).
- Goulet, P., Guinet, C., Swift, R., Madsen, P. T., & Johnson, M. (2019). A miniature biomimetic sonar and movement tag to study the biotic environment and predator-prey interactions in aquatic animals. *Deep-Sea Research Part I-Oceanographic Research Papers*, 148, 1-11.
- Gowan, T. A., & Ortega-Ortiz, J. G. (2014). Wintering Habitat Model for the North Atlantic Right Whale (*Eubalaena glacialis*) in the Southeastern United States. *Plos One*, 9(4).
- Gowan, T. A., Ortega-Ortiz, J. G., Hostetler, J. A., Hamilton, P. K., Knowlton, A. R., Jackson, K. A., et al. (2019). Temporal and demographic variation in partial migration of the North Atlantic right whale. *Scientific Reports*, 9.
- Gowans, S., & Whitehead, H. (1995). DISTRIBUTION AND HABITAT PARTITIONING BY SMALL ODONTOCETES IN THE GULLY, A SUBMARINE-CANYON ON THE SCOTIAN-SHELF. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 73(9), 1599-1608.
- Goyert, H. F., Gardner, B., Veit, R. R., Gilbert, A. T., Connelly, E., Duron, M., et al. (2018). Evaluating habitat, prey, and mesopredator associations in a community of marine birds. *Ices Journal of Marine Science*, 75(5), 1602-1612.
- Goyert, H. F., Manne, L. L., & Veit, R. R. (2014). Facilitative interactions among the pelagic community of temperate migratory terns, tunas and dolphins. *Oikos*, 123(11), 1400-1408.

- Graham, I. M., Merchant, N. D., Farcas, A., Barton, T. R., Cheney, B., Bono, S., et al. (2019). Harbour porpoise responses to pile-driving diminish over time. *Royal Society Open Science*, 6(6).
- Graham, I. M., Pirotta, E., Merchant, N. D., Farcas, A., Barton, T. R., Cheney, B., et al. (2017). Responses of bottlenose dolphins and harbor porpoises to impact and vibration piling noise during harbor construction. *Ecosphere*, 8(5).
- Graham, M. A., & Noonan, M. (2010). Call Types and Acoustic Features Associated with Aggressive Chase in the Killer Whale (*Orcinus orca*). *Aquatic Mammals*, 36(1), 9-18.
- Graham, R. T., & Roberts, C. M. (2007). Assessing the size, growth rate and structure of a seasonal population of whale sharks (*Rhincodon typus* Smith 1828) using conventional tagging and photo identification. *Fisheries Research*, 84(1), 71-80.
- Graham, R. T., Roberts, C. M., & Smart, J. C. R. (2006). Diving behaviour of whale sharks in relation to a predictable food pulse. *Journal of the Royal Society Interface*, 3(6), 109-116.
- Graham, R. T., Witt, M. J., Castellanos, D. W., Remolina, F., Maxwell, S., Godley, B. J., et al. (2012). Satellite Tracking of Manta Rays Highlights Challenges to Their Conservation. *Plos One*, 7(5).
- Grandi, M. F., de Castro, R. L., & Crespo, E. A. (2012). Killer whales attack on South American sea lion associated with a fishing vessel: predator and prey tactics. *Latin American Journal of Aquatic Research*, 40(4), 1072-1076.
- Grandjean, P., Budtz-Jorgensen, E., Barr, D. B., Needham, L. L., Weihe, P., & Heinzow, B. (2008). Elimination half-lives of polychlorinated biphenyl congeners in children. *Environmental Science & Technology*, 42(18), 6991-6996.
- Grange, L. J., & Smith, C. R. (2013). Megafaunal Communities in Rapidly Warming Fjords along the West Antarctic Peninsula: Hotspots of Abundance and Beta Diversity. *Plos One*, 8(12).
- Grant, P. B. C., Johannessen, S. C., MacDonald, R. W., Yunker, M. B., Sanborn, M., Dangerfield, N., et al. (2011). ENVIRONMENTAL FRACTIONATION OF PCBs AND PBDES DURING PARTICLE TRANSPORT AS RECORDED BY SEDIMENTS IN COASTAL WATERS. *Environmental Toxicology and Chemistry*, 30(7), 1522-1532.
- Gray, D. L., Canessa, R., Rollins, R., Keller, C. P., & Dearden, P. (2010). Incorporating Recreational Users into Marine Protected Area Planning: A Study of Recreational Boating in British Columbia, Canada. *Environmental Management*, 46(2), 167-180.
- Gray, H., & Van Waerebeek, K. (2011). Postural instability and akinesia in a pantropical spotted dolphin, *Stenella attenuata*, in proximity to operating airguns of a geophysical seismic vessel. *Journal for Nature Conservation*, 19(6), 363-367.
- Gray, H. W. I., Nishida, S., Welch, A. J., Moura, A. E., Tanabe, S., Kiani, M. S., et al. (2018). Cryptic lineage differentiation among Indo-Pacific bottlenose dolphins (*Tursiops aduncus*) in the northwest Indian Ocean. *Molecular Phylogenetics and Evolution*, 122, 1-14.
- Grebmeier, J. M., & Harrison, N. M. (1992). SEABIRD FEEDING ON BENTHIC AMPHIPODS FACILITATED BY GRAY WHALE ACTIVITY IN THE NORTHERN BERING SEA. *Marine Ecology Progress Series*, 80(2-3), 125-133.
- Green, G. A., Brueggeman, J. J., Grotedefndt, R. A., & Bowlby, C. E. (1995). OFFSHORE DISTANCES OF GRAY WHALES MIGRATING ALONG THE OREGON AND WASHINGTON COASTS, 1990. *Northwest Science*, 69(3), 223-227.

- Green, M. L., Herzing, D. L., & Baldwin, J. D. (2011). Reproductive success of male Atlantic spotted dolphins (*Stenella frontalis*) revealed by noninvasive genetic analysis of paternity. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 89(3), 239-253.
- Green, M. L., Herzing, D. L., & Baldwin, J. D. (2015). Molecular Assessment of Mating Strategies in a Population of Atlantic Spotted Dolphins. *Plos One*, 10(2).
- Green, M. W., Rogers, P. J., Elliman, N. A., & Gatenby, S. J. (1994). IMPAIRMENT OF COGNITIVE PERFORMANCE ASSOCIATED WITH DIETING AND HIGH-LEVELS OF DIETARY RESTRAINT. *Physiology & Behavior*, 55(3), 447-452.
- Greene, C. R., McLennan, M. W., Norman, R. G., McDonald, T. L., Jakubczak, R. S., & Richardson, W. J. (2004). Directional frequency and recording (DIFAR) sensors in seafloor recorders to locate calling bowhead whales during their fall migration. *Journal of the Acoustical Society of America*, 116(2), 799-813.
- Greenhow, D. R., Brodsky, M. C., Lingenfelter, R. G., & Mann, D. A. (2014). Hearing threshold measurements of five stranded short-finned pilot whales (*Globicephala macrorhynchus*). *Journal of the Acoustical Society of America*, 135(1), 531-536.
- Gregg, M. C., & Horne, J. K. (2009). Turbulence, Acoustic Backscatter, and Pelagic Nekton in Monterey Bay. *Journal of Physical Oceanography*, 39(5), 1097-1114.
- Gregg, E. J., Nichol, L., Ford, J. K. B., Ellis, G., & Trites, A. W. (2000). Migration and population structure of northeastern Pacific whales off coastal British Columbia: An analysis of commercial whaling records from 1908-1967. *Marine Mammal Science*, 16(4), 699-727.
- Gregg, E. J., & Trites, A. W. (2001). Predictions of critical habitat for five whale species in the waters of coastal British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences*, 58(7), 1265-1285.
- Grellier, K., Hammond, P. S., Wilson, B., Sanders-Reed, C. A., & Thompson, P. M. (2003). Use of photo-identification data to quantify mother-calf association patterns in bottlenose dolphins. *Canadian Journal of Zoology*, 81(8), 1421-1427.
- Gridley, T., Berggren, P., Cockcroft, V. G., & Janik, V. M. (2012). Whistle vocalizations of Indo-Pacific bottlenose dolphins (*Tursiops aduncus*) inhabiting the south-west Indian Ocean. *Journal of the Acoustical Society of America*, 132(6), 4032-4040.
- Gridley, T., Cockcroft, V. G., Hawkins, E. R., Blewitt, M. L., Morisaka, T., & Janik, V. M. (2014). Signature whistles in free-ranging populations of Indo-Pacific bottlenose dolphins, *Tursiops aduncus*. *Marine Mammal Science*, 30(2), 512-527.
- Gridley, T., Nastasi, A., Kriesell, H. J., & Elwen, S. H. (2015). The acoustic repertoire of wild common bottlenose dolphins (*Tursiops truncatus*) in Walvis Bay, Namibia. *Bioacoustics-the International Journal of Animal Sound and Its Recording*, 24(2), 153-174.
- Gridley, T., Silva, M. F. P., Wilkinson, C., Seakamela, S. M., & Elwen, S. H. (2018). Song recorded near a super-group of humpback whales on a mid-latitude feeding ground off South Africa. *Journal of the Acoustical Society of America*, 143(4), EL298-EL304.
- Griffeth, R. J., Garcia-Parraga, D., Mellado-Lopez, M., Crespo-Picazo, J. L., Soriano-Navarro, M., Martinez-Romero, A., et al. (2014). Platelet-Rich Plasma and Adipose-Derived Mesenchymal Stem Cells for Regenerative Medicine-Associated Treatments in Bottlenose Dolphins (*Tursiops truncatus*). *Plos One*, 9(9).
- Griffin, R. B. (1999). Sperm whale distributions and community ecology associated with a warm-core ring off Georges Bank. *Marine Mammal Science*, 15(1), 33-51.

- Griffioen, R., van der Steen, S., Cox, R. F. A., Verheggen, T., & Enders-Slegers, M. J. (2019). Verbal Interactional Synchronization between Therapist and Children with Autism Spectrum Disorder during Dolphin Assisted Therapy: Five Case Studies. *Animals*, 9(10).
- Griffiths, E. T., Keen, S. C., Lanzone, M., & Farnsworth, A. (2016). Can Nocturnal Flight Calls of the Migrating Songbird, American Redstart, Encode Sexual Dimorphism and Individual Identity? *Plos One*, 11(6).
- Grigoriev, V. A., Lunkov, A. A., Petnikov, V. G., & Shatravin, A. V. (2019). Assessing the Possibilities of Identifying Bowhead Whales on the Arctic Shelf. *Acoustical Physics*, 65(5), 495-506.
- Groskreutz, M. J., Durban, J. W., Fearnbach, H., Barrett-Lennard, L. G., Towers, J. R., & Ford, J. K. B. (2019). Decadal changes in adult size of salmon-eating killer whales in the eastern North Pacific. *Endangered Species Research*, 40, 183-188.
- Gross, A., Kiszka, J., Van Canneyt, O., Richard, P., & Ridoux, V. (2009). A preliminary study of habitat and resource partitioning among co-occurring tropical dolphins around Mayotte, southwest Indian Ocean. *Estuarine Coastal and Shelf Science*, 84(3), 367-374.
- Gross, M., Ramos, M. I. F., & Piller, W. E. (2016). A minute ostracod (Crustacea: Cytheromatidae) from the Miocene Solimoes Formation (western Amazonia, Brazil): evidence for marine incursions? *Journal of Systematic Palaeontology*, 14(7), 581-602.
- Grove, T., Senglat, C., Petitguyot, M., Kosiba, D., & Rasmussen, M. H. (2020). Mass stranding and unusual sightings of northern bottlenose whales (*Hyperoodon ampullatus*) in Skjalfandi Bay, Iceland. *Marine Mammal Science*, 36(3), 1033-1041.
- Gruber, T., Muller, M. N., Strimling, P., Wrangham, R., & Zuberbuhler, K. (2009). Wild Chimpanzees Rely on Cultural Knowledge to Solve an Experimental Honey Acquisition Task. *Current Biology*, 19(21), 1806-1810.
- Grunert, P., Harzhauser, M., Rogl, F., Sachsenhofer, R., Gratzer, R., Soliman, A., et al. (2010). Oceanographic conditions as a trigger for the formation of an Early Miocene (Aquitania) Konservat-Lagerstätte in the Central Paratethys Sea. *Palaeogeography Palaeoclimatology Palaeoecology*, 292(3-4), 425-442.
- Grunke, S., Lichtschlag, A., de Beer, D., Kuypers, M., Losekann-Behrens, T., Ramette, A., et al. (2010). Novel observations of Thiobacterium, a sulfur-storing Gammaproteobacterium producing gelatinous mats. *ISME Journal*, 4(8), 1031-1043.
- Guan, S., Southall, B. L., Vignola, J. F., Judge, J. A., & Turo, D. (2017). Sonar Inter-Ping Noise Field Characterization During Cetacean Behavioral Response Studies off Southern California. *Acoustical Physics*, 63(2), 204-215.
- Guan, S., Vignola, J., Judge, J., & Turo, D. (2015). Airgun inter-pulse noise field during a seismic survey in an Arctic ultra shallow marine environment. *Journal of the Acoustical Society of America*, 138(6), 3447-3457.
- Guarino, S., Hill, H. M., & Sigman, J. (2017). Development of Sociality and Emergence of Independence in a Killer Whale (*Orcinus orca*) Calf From Birth to 36 Months. *Zoo Biology*, 36(1), 11-20.
- Guass, O., Haapanen, L. M., Dowd, S. E., Sirovic, A., & McLaughlin, R. W. (2016). Analysis of the microbial diversity in faecal material of the endangered blue whale, *Balaenoptera musculus*. *Antonie Van Leeuwenhoek International Journal of General and Molecular Microbiology*, 109(7), 1063-1069.
- Guazzo, R. A., Helble, T. A., Alongi, G. C., Durbach, I. N., Martin, C. R., Martin, S. W., et al. (2020). The Lombard effect in singing humpback whales: Source levels increase as ambient ocean noise levels increase. *Journal of the Acoustical Society of America*, 148(2), 542-555.

- Guazzo, R. A., Helble, T. A., D'Spain, G. L., Weller, D. W., Wiggins, S. M., & Hildebrand, J. A. (2017). Migratory behavior of eastern North Pacific gray whales tracked using a hydrophone array. *Plos One*, 12(10).
- Guazzo, R. A., Schulman-Janiger, A., Smith, M. H., Barlow, J., D'Spain, G. L., Rimington, D. B., et al. (2019). Gray whale migration patterns through the Southern California Bight from multi-year visual and acoustic monitoring. *Marine Ecology Progress Series*, 625, 181-203.
- Guazzo, R. A., Weller, D. W., Europe, H. M., Durban, J. W., D'Spain, G. L., & Hildebrand, J. A. (2019). Migrating eastern North Pacific gray whale call and blow rates estimated from acoustic recordings, infrared camera video, and visual sightings. *Scientific Reports*, 9.
- Guchhait, A., Maji, B., & Kandar, D. (2020). Integration of hybrid communication and remote sensing for ITS application. *Telecommunication Systems*, 74(4), 511-529.
- Guerra, M., Dawson, S., Sabadel, A., Slooten, E., Somerford, T., Williams, R., et al. (2020). Changes in habitat use by a deep-diving predator in response to a coastal earthquake. *Deep-Sea Research Part I-Oceanographic Research Papers*, 158.
- Guerra, M., Dawson, S. M., Brough, T. E., & Rayment, W. J. (2014). Effects of boats on the surface and acoustic behaviour of an endangered population of bottlenose dolphins. *Endangered Species Research*, 24(3), 221-236.
- Guerra, M., Hickmott, L., van der Hoop, J., Rayment, W., Leunissen, E., Slooten, E., et al. (2017). Diverse foraging strategies by a marine top predator: Sperm whales exploit pelagic and demersal habitats in the Kaikoura submarine canyon. *Deep-Sea Research Part I-Oceanographic Research Papers*, 128, 98-108.
- Guerrini, F., Mari, L., & Casagrandi, R. (2019). Modeling Plastics Exposure for the Marine Biota: Risk Maps for Fin Whales in the Pelagos Sanctuary (North-Western Mediterranean). *Frontiers in Marine Science*, 6.
- Gui, D., Zhang, M., Zhang, T., Zhang, B., Lin, W. Z., Sun, X., et al. (2019). Bioaccumulation behavior and spatiotemporal trends of per- and polyfluoroalkyl substances in Indo-Pacific humpback dolphins from the Pearl River Estuary, China. *Science of the Total Environment*, 658, 1029-1038.
- Guidarelli, G., Colangelo, P., de Francesco, M. C., Nicolosi, P., Meloro, C., & Loy, A. (2018). Phenotypic Changes Across a Geographic Gradient: The Case of Three Sympatric Dolphin Species. *Evolutionary Biology*, 45(1), 113-125.
- Guidarelli, G., Nicolosi, P., Fusco, G., de Francesco, M. C., & Loy, A. (2014). Morphological variation and modularity in the mandible of three Mediterranean dolphin species. *Italian Journal of Zoology*, 81(3), 354-367.
- Guidino, C., Llapapasca, M. A., Silva, S., Alcorta, B., & Pacheco, A. S. (2014). Patterns of Spatial and Temporal Distribution of Humpback Whales at the Southern Limit of the Southeast Pacific Breeding Area. *Plos One*, 9(11).
- Guilpin, M., Lesage, V., McQuinn, I., Brosset, P., Doniol-Valcroze, T., Jeanniard-du-Dot, T., et al. (2020). Repeated Vessel Interactions and Climate- or Fishery-Driven Changes in Prey Density Limit Energy Acquisition by Foraging Blue Whales. *Frontiers in Marine Science*, 7.
- Guilpin, M., Lesage, V., McQuinn, I., Goldbogen, J. A., Potvin, J., Jeanniard-du-Dot, T., et al. (2019). Foraging energetics and prey density requirements of western North Atlantic blue whales in the Estuary and Gulf of St. Lawrence, Canada. *Marine Ecology Progress Series*, 625, 205-223.
- Guimaraes, J. P., Mari, R. B., Le Bas, A., & Watanabe, I. S. (2014). Adaptive morphology of the heart of Southern-Fur-Seal (*Arctocephalus australis* - Zimmermann, 1783). *Acta Zoologica*, 95(2), 239-247.
- Guimaraes, J. P., Mari, R. B., Marigo, J., Rosas, F. C. W., & Watanabe, I. (2012). Gross and microscopic observations on the lingual structure of the franciscana (*Pontoporia blainvillei-gervais* and d'orbigny, 1844). *Microscopy Research and Technique*, 75(6), 737-742.

- Guimaraes, J. P., Mari, R. D., Marigo, J., Rosas, F. C. W., & Watanabe, I. S. (2011). Light and Scanning Electron Microscopic Study of the Tongue in the Estuarine Dolphin (*Sotalia guianensis* van Beneden, 1864). *Zoological Science*, 28(8), 617-622.
- Guinet, C., & Bouvier, J. (1995). DEVELOPMENT OF INTENTIONAL STRANDING HUNTING TECHNIQUES IN KILLER WHALE (*ORCINUS-ORCA*) CALVES AT CROZET ARCHIPELAGO. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 73(1), 27-33.
- Guinet, C., Jouventin, P., & Weimerskirch, H. (1992). POPULATION-CHANGES, MOVEMENTS OF SOUTHERN ELEPHANT SEALS ON CROZET AND KERGUELEN ARCHIPELAGOS IN THE LAST DECADES. *Polar Biology*, 12(3-4), 349-356.
- Gunn, J. S., Stevens, J. D., Davis, T. L. O., & Norman, B. M. (1999). Observations on the short-term movements and behaviour of whale sharks (*Rhincodon typus*) at Ningaloo Reef, Western Australia. *Marine Biology*, 135(3), 553-559.
- Guo, M. W., Wang, J. S., Zhu, L. F., Guo, S. S., & Xie, W. (2020). An Improved Grey Wolf Optimizer Based on Tracking and Seeking Modes to Solve Function Optimization Problems. *Ieee Access*, 8, 69861-69893.
- Gurarie, E., Fleming, C. H., Fagan, W. F., Laidre, K. L., Hernandez-Pliego, J., & Ovaskainen, O. (2017). Correlated velocity models as a fundamental unit of animal movement: synthesis and applications. *Movement Ecology*, 5.
- Gutstein, C. S., Cozzuol, M. A., & Pyenson, N. D. (2014). The Antiquity of Riverine Adaptations in Iniidae (Cetacea, Odontoceti) Documented by a Humerus from the Late Miocene of the Ituzaingo Formation, Argentina. *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 297(6), 1096-1102.
- Gutt, J., Barratt, I., Domack, E., d'Acoz, C. D., Dimmler, W., Gremare, A., et al. (2011). Biodiversity change after climate-induced ice-shelf collapse in the Antarctic. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 58(1-2), 74-83.
- Gutteridge, A. N., Bennett, M. B., Huvencers, C., & Tibbetts, I. R. (2011). Assessing the overlap between the diet of a coastal shark and the surrounding prey communities in a sub-tropical embayment. *Journal of Fish Biology*, 78(5), 1405-1422.
- Guyader, O., Robert, B., & Lionel, R. (2017). Assessing the number of moored fishing aggregating devices through aerial surveys: A case study from Guadeloupe. *Fisheries Research*, 185, 73-82.
- Guzman, H. M., & Capella, J. J. (2017). Short-term recovery of humpback whales after percutaneous satellite tagging. *Journal of Wildlife Management*, 81(4), 728-733.
- Guzman, H. M., Capella, J. J., Valladares, C., Gibbons, J., & Condit, R. (2020). Humpback whale movements in a narrow and heavily-used shipping passage, Chile. *Marine Policy*, 118.
- Guzman, H. M., Condit, R., Perez-Ortega, B., Capella, J. J., & Stevick, P. T. (2015). Population size and migratory connectivity of humpback whales wintering in Las Perlas Archipelago, Panama. *Marine Mammal Science*, 31(1), 90-105.
- Guzman, H. M., Diaz-Ferguson, E., Vega, A. J., & Robles, Y. A. (2015). Assessment of the dolphinfish *Coryphaena hippurus* (Perciformes: Coryphaenidae) fishery in Pacific Panama. *Revista De Biología Tropical*, 63(3), 705-716.
- Guzman, H. M., & Felix, F. (2017). Movements and Habitat Use by Southeast Pacific Humpback Whales (*Megaptera novaeangliae*) Satellite Tracked at Two Breeding Sites. *Aquatic Mammals*, 43(2), 139-155.
- Haab, T., Hicks, R., Schnier, K., & Whitehead, J. C. (2012). Angler Heterogeneity and the Species-Specific Demand for Marine Recreational Fishing. *Marine Resource Economics*, 27(3), 229-251.

- Hacohen-Domene, A., Galvan-Magana, F., & Ketchum-Mejia, J. (2006). Abundance of whale shark (*Rhincodon typus*) preferred prey species in the southern Gulf of California, Mexico. *Cybium*, 30(4), 99-102.
- Hacohen-Domene, A., Martinez-Rincon, R. O., Galvan-Magana, F., Cardenas-Palomo, N., de la Parra-Venegas, R., Galvan-Pastoriza, B., et al. (2015). Habitat suitability and environmental factors affecting whale shark (*Rhincodon typus*) aggregations in the Mexican Caribbean. *Environmental Biology of Fishes*, 98(8), 1953-1964.
- Hacohen-Domene, A., Polanco-Vasquez, F., Estupinan-Montano, C., & Graham, R. T. (2020). Description and characterization of the artisanal elasmobranch fishery on Guatemala's Caribbean coast. *Plos One*, 15(1).
- Hacquebord, L. (1999). The hunting of the Greenland right whale in Svalbard, its interaction with climate and its impact on the marine ecosystem. *Polar Research*, 18(2), 375-382.
- Haddad, D., Huggenberger, S., Haas-Rioth, M., Kossatz, L. S., Oelschläger, H. H. A., & Haase, A. (2012). Magnetic resonance microscopy of prenatal dolphins (Mammalia, Odontoceti, Delphinidae) - Ontogenetic and phylogenetic implications. *Zoologischer Anzeiger*, 251(2), 115-130.
- Haelters, J., Duliere, V., Vigin, L., & Degraer, S. (2015). Towards a numerical model to simulate the observed displacement of harbour porpoises *Phocoena phocoena* due to pile driving in Belgian waters. *Hydrobiologia*, 756(1), 105-116.
- Haelters, J., Kerckhof, F., Doom, M., Evans, P. G. H., Van den Neucker, T., & Jauniaux, T. (2018). New Extralimital Record of a Narwhal (*Monodon monoceros*) in Europe. *Aquatic Mammals*, 44(1), 39-50.
- Haelters, J., Kerckhof, F., Jacques, T. G., & Degraer, S. (2011). The harbour porpoise *Phocoena phocoena* in the Belgian part of the North Sea: trends in abundance and distribution. *Belgian Journal of Zoology*, 141(2), 75-84.
- Haelters, J., Kerckhof, F., Jauniaux, T., & Degraer, S. (2012). The Grey Seal (*Halichoerus grypus*) as a Predator of Harbour Porpoises (*Phocoena phocoena*)? *Aquatic Mammals*, 38(4), 343-353.
- Hagihara, R., Jones, R. E., Grech, A., Lanyon, J. M., Sheppard, J. K., & Marsh, H. (2014). Improving population estimates by quantifying diving and surfacing patterns: A dugong example. *Marine Mammal Science*, 30(1), 348-366.
- Hagihara, R., Jones, R. E., Sheppard, J. K., Hodgson, A. J., & Marsh, H. (2011). Minimizing errors in the analysis of dive recordings from shallow-diving animals. *Journal of Experimental Marine Biology and Ecology*, 399(2), 173-181.
- Hahn, M. E., Poland, A., Glover, E., & Stegeman, J. J. (1994). PHOTOAFFINITY-LABELING OF THE AH RECEPTOR - PHYLOGENETIC SURVEY OF DIVERSE VERTEBRATE AND INVERTEBRATE SPECIES. *Archives of Biochemistry and Biophysics*, 310(1), 218-228.
- Haidle, M. N. (2010). Working-Memory Capacity and the Evolution of Modern Cognitive Potential Implications from Animal and Early Human Tool Use. *Current Anthropology*, 51, S149-S166.
- Hain, J. H. W., Hampp, J. D., McKenney, S. A., Albert, J. A., & Kenney, R. D. (2013). Swim Speed, Behavior, and Movement of North Atlantic Right Whales (*Eubalaena glacialis*) in Coastal Waters of Northeastern Florida, USA. *Plos One*, 8(1).
- Hall, A. G., McNeill, J. B., Conn, P. B., Davenport, E., & Hohn, A. A. (2013). Seasonal co-occurrence of sea turtles, bottlenose dolphins, and commercial gill nets in southern Pamlico and northern Core Sounds, and adjacent coastal waters of North Carolina, USA. *Endangered Species Research*, 22(3), 235-249.
- Halliday, W. D., Insley, S. J., Hilliard, R. C., de Jong, T., & Pine, M. K. (2017). Potential impacts of shipping noise on marine mammals in the western Canadian Arctic. *Marine Pollution Bulletin*, 123(1-2), 73-82.

- Halsey, L. G., & Iosilevskii, G. (2020). The energetics of 'airtime': estimating swim power from breaching behaviour in fishes and cetaceans. *Journal of Experimental Biology*, 223(1).
- Hamazaki, T. (2002). Spatiotemporal prediction models of cetacean habitats in the mid-western North Atlantic Ocean (from Cape Hatteras, North Carolina, USA to Nova Scotia, Canada). *Marine Mammal Science*, 18(4), 920-939.
- Hamdy, M., Shalaby, R., & Sallam, M. (2020). Experimental verification of a hybrid control scheme with chaotic whale optimization algorithm for nonlinear gantry crane: A comparative study. *Isa Transactions*, 98, 418-433.
- Hamelin, K. M., James, M. C., Ledwell, W., Huntington, J., & Martin, K. (2017). Incidental capture of leatherback sea turtles in fixed fishing gear off Atlantic Canada. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 27(3), 631-642.
- Hamilton, H., Caballero, S., Collins, A. G., & Brownell, R. L. (2001). Evolution of river dolphins. *Proceedings of the Royal Society B-Biological Sciences*, 268(1466), 549-556.
- Hamilton, P. K., & Kraus, S. D. (2019). Frequent encounters with the seafloor increase right whales' risk of entanglement in fishing groundlines. *Endangered Species Research*, 39, 235-246.
- Hamilton, R. A., Borcuch, T., Allen, S. J., Cioffi, W. R., Bucci, V., Krutzen, M., et al. (2019). Male aggression varies with consortship rate and habitat in a dolphin social network. *Behavioral Ecology and Sociobiology*, 73(10).
- Hamilton, R. J., Bird, T., Gereniu, C., Pita, J., Ramohia, P. C., Walter, R., et al. (2015). Solomon Islands Largest Hawksbill Turtle Rookery Shows Signs of Recovery after 150 Years of Excessive Exploitation. *Plos One*, 10(4).
- Hammill, M. O., Lesage, V., Gosselin, J. F., Bourdages, H., de March, B. G. E., & Kingsley, M. C. S. (2004). Evidence for a decline in Northern Quebec (Nunavik) belugas. *Arctic*, 57(2), 183-195.
- Hammill, M. O., Lesage, V., Lobb, G., & Carter, P. (1999). A remote release mechanism to recover time-depth recorders from marine mammals. *Marine Mammal Science*, 15(2), 584-588.
- Hammond, P. S., Macleod, K., Berggren, P., Borchers, D. L., Burt, L., Canadas, A., et al. (2013). Cetacean abundance and distribution in European Atlantic shelf waters to inform conservation and management. *Biological Conservation*, 164, 107-122.
- Hamner, R. M., Constantine, R., Mattlin, R., Waples, R., & Baker, C. S. (2017). Genotype-based estimates of local abundance and effective population size for Hector's dolphins. *Biological Conservation*, 211, 150-160.
- Hamner, R. M., Constantine, R., Oremus, M., Stanley, M., Brown, P., & Baker, C. S. (2014). Long-range movement by Hector's dolphins provides potential genetic enhancement for critically endangered Maui's dolphin. *Marine Mammal Science*, 30(1), 139-153.
- Hancock-Hanser, B. L., Frey, A., Leslie, M. S., Dutton, P. H., Archer, F. I., & Morin, P. A. (2013). Targeted multiplex next-generation sequencing: advances in techniques of mitochondrial and nuclear DNA sequencing for population genomics. *Molecular Ecology Resources*, 13(2), 254-268.
- Haney, J. C., Haury, L. R., Mullineaux, L. S., & Fey, C. L. (1995). SEA-BIRD AGGREGATION AT A DEEP NORTH PACIFIC SEAMOUNT. *Marine Biology*, 123(1), 1-9.
- Hanke, W., Witte, M., Miersch, L., Brede, M., Oeffner, J., Michael, M., et al. (2010). Harbor seal vibrissa morphology suppresses vortex-induced vibrations. *Journal of Experimental Biology*, 213(15), 2665-2672.
- Hann, C. H., Stelle, L. L., Szabo, A., & Torres, L. G. (2018). Obstacles and Opportunities of Using a Mobile App for Marine Mammal Research. *Isprs International Journal of Geo-Information*, 7(5).

- Hanna, N. K., Chiara, B. M., Anouska, M., & Nessa, D. (2018). Seasonal and diel patterns in cetacean use and foraging at a potential marine renewable energy site. *Marine Pollution Bulletin*, 129(2), 633-644.
- Hannay, D. E., Delarue, J., Mouy, X., Martin, B. S., Leary, D., Oswald, J. N., et al. (2013). Marine mammal acoustic detections in the northeastern Chukchi Sea, September 2007-July 2011. *Continental Shelf Research*, 67, 127-146.
- Hansen, D. J. (2004). Observations of habitat use by polar bears, *Ursus maritimus*, in the Alaskan Beaufort, Chukchi, and northern Bering Seas. *Canadian Field-Naturalist*, 118(3), 395-399.
- Hansen, K. A., Maxwell, A., Siebert, U., Larsen, O. N., & Wahlberg, M. (2017). Great cormorants (*Phalacrocorax carbo*) can detect auditory cues while diving. *Science of Nature*, 104(5-6).
- Hansen, K. L., Kelso, R. M., & Dally, B. B. (2011). Performance Variations of Leading-Edge Tubercles for Distinct Airfoil Profiles. *Aiaa Journal*, 49(1), 185-194.
- Hansen, M., Wahlberg, M., & Madsen, P. T. (2008). Low-frequency components in harbor porpoise (*Phocoena phocoena*) clicks: communication signal, by-products, or artifacts? *Journal of the Acoustical Society of America*, 124(6), 4059-4068.
- Hansen, R. G., & Heide-Jorgensen, M. P. (2013). Spatial trends in abundance of long-finned pilot whales, white-beaked dolphins and harbour porpoises in West Greenland. *Marine Biology*, 160(11), 2929-2941.
- Hansen, S., Lavigne, D. M., & Innes, S. (1995). ENERGY-METABOLISM AND THERMOREGULATION IN JUVENILE HARBOR SEALS (*PHOCA-VITULINA*) IN AIR. *Physiological Zoology*, 68(2), 290-315.
- Hanson, A., Grisham, W., Sheh, C., Annese, J., & Ridgway, S. (2013). Quantitative Examination of the Bottlenose Dolphin Cerebellum. *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 296(8), 1215-1228.
- Hanson, M. B., & Baird, R. W. (1998). Dall's porpoise reactions to tagging attempts using a remotely-deployed suction-cup tag. *Marine Technology Society Journal*, 32(2), 18-23.
- Hanson, N. N., Wurster, C. M., Bird, M. I., Reid, K., & Boyd, I. L. (2009). Intrinsic and extrinsic forcing in life histories: patterns of growth and stable isotopes in male Antarctic fur seal teeth. *Marine Ecology Progress Series*, 388, 263-272.
- Harbitz, A., & Lindstrom, U. (2001). Stochastic spatial analysis of marine resources with application to minke whales (*Balaenoptera acutorostrata*) foraging: A synoptic case study from the southern Barents Sea. *Sarsia*, 86(6), 485-501.
- Harcourt, R., Pirota, V., Heller, G., Peddemors, V., & Slip, D. (2014). A whale alarm fails to deter migrating humpback whales: an empirical test. *Endangered Species Research*, 25(1), 35-42.
- Hare, R. (1994). CALIBRATING LARSEN-500 LIDAR BATHYMETRY IN DOLPHIN AND UNION STRAIT USING DENSE ACOUSTIC GROUND-TRUTH. *International Hydrographic Review*, 71(1), 91-108.
- Harlid, A., Janke, A., & Arnason, U. (1998). The complete mitochondrial genome of *Rhea americana* and early avian divergences. *Journal of Molecular Evolution*, 46(6), 669-679.
- Harms, C. A., Lo Piccolo, R., Rotstein, D. S., & Hohn, A. A. (2004). Struvite penile urethrolithiasis in a pygmy sperm whale (*Kogia breviceps*). *Journal of Wildlife Diseases*, 40(3), 588-593.
- Harris, A. J. T., Elliott, D. A., Guiry, E. J., Von, M., Rankin, L., Whitridge, P., et al. (2020). Diversity in Labrador Inuit sled dog diets: Insights from delta C-13 and delta N-15 analysis of dog bone and dentine collagen. *Journal of Archaeological Science-Reports*, 32.

- Harris, C. M., Martin, S. W., Martin, C., Helble, T. A., Henderson, E. E., Paxton, C. G. M., et al. (2019). Changes in the Spatial Distribution of Acoustically Derived Minke Whale (*Balaenoptera acutorostrata*) Tracks in Response to Navy Training. *Aquatic Mammals*, 45(6), 661-674.
- Harris, C. M., Thomas, L., Sadykova, D., DeRuiter, S. L., Tyack, P. L., Southall, B. L., et al. (2016). The Challenges of Analyzing Behavioral Response Study Data: An Overview of the MOCHA (Multi-study Ocean Acoustics Human Effects Analysis) Project. In A. N. Popper & A. Hawkins (Eds.), *Effects of Noise on Aquatic Life II* (Vol. 875, pp. 399-407).
- Harris, K., Gende, S. M., Logsdon, M. G., & Klinger, T. (2012). Spatial Pattern Analysis of Cruise Ship-Humpback Whale Interactions in and Near Glacier Bay National Park, Alaska. *Environmental Management*, 49(1), 44-54.
- Harris, Y. (2015). Scorescapes On Sound, Environment and Sonic Consciousness. *Leonardo*, 48(2), 117-122.
- Harrison, L. M. K., Goetz, K., Cox, M. J., & Harcourt, R. (2020). A Southern Ocean archipelago enhances feeding opportunities for a krill predator. *Marine Mammal Science*, 36(1), 260-275.
- Harrison, X. A., Tregenza, T., Inger, R., Colhoun, K., Dawson, D. A., Gudmundsson, G. A., et al. (2010). Cultural inheritance drives site fidelity and migratory connectivity in a long-distance migrant. *Molecular Ecology*, 19(24), 5484-5496.
- Hart, M. B. (2012). Geodiversity, palaeodiversity or biodiversity: where is the place of palaeobiology and an understanding of taphonomy? *Proceedings of the Geologists Association*, 123(4), 551-555.
- Hartman, K., van der Harst, P., & Vilela, R. (2020). Continuous Focal Group Follows Operated by a Drone Enable Analysis of the Relation Between Sociality and Position in a Group of Male Risso's Dolphins (*Grampus griseus*). *Frontiers in Marine Science*, 7.
- Hartman, K. L., Fernandez, M., & Azevedo, J. M. N. (2014). Spatial segregation of calving and nursing Risso's dolphins (*Grampus griseus*) in the Azores, and its conservation implications. *Marine Biology*, 161(6), 1419-1428.
- Hartman, K. L., Fernandez, M., Wittich, A., & Azevedo, J. M. N. (2015). Sex differences in residency patterns of Risso's dolphins (*Grampus griseus*) in the Azores: Causes and management implications. *Marine Mammal Science*, 31(3), 1153-1167.
- Hartman, K. L., Visser, F., & Hendriks, A. J. E. (2008). Social structure of Risso's dolphins (*Grampus griseus*) at the Azores: a stratified community based on highly associated social units. *Canadian Journal of Zoology*, 86(4), 294-306.
- Harvey, B. S., Dudzinski, K. M., & Kuczaj, S. A. (2017). Associations and the role of affiliative, agonistic, and socio-sexual behaviors among common bottlenose dolphins (*Tursiops truncatus*). *Behavioural Processes*, 135, 145-156.
- Harvey, G. K. A., Nelson, T. A., Fox, C. H., & Paquet, P. C. (2017). Quantifying marine mammal hotspots in British Columbia, Canada. *Ecosphere*, 8(7).
- Harwood, J. (1992). ASSESSING THE COMPETITIVE EFFECTS OF MARINE MAMMAL PREDATION ON COMMERCIAL FISHERIES. *South African Journal of Marine Science-Suid-Afrikaanse Tydskrif Vir Seewetenskap*, 12, 689-693.
- Harwood, J., King, S., Booth, C., Donovan, C., Schick, R. S., Thomas, L., et al. (2016). Understanding the Population Consequences of Acoustic Disturbance for Marine Mammals. In A. N. Popper & A. Hawkins (Eds.), *Effects of Noise on Aquatic Life II* (Vol. 875, pp. 417-423).

Harwood, L. A., Innes, S., Norton, P., & Kingsley, M. C. S. (1996). Distribution and abundance of beluga whales in the Mackenzie estuary, southeast Beaufort Sea, and west Amundsen Gulf during late July 1992. *Canadian Journal of Fisheries and Aquatic Sciences*, 53(10), 2262-2273.

Harwood, L. A., & Kingsley, M. C. S. (2013). Trends in the Offshore Distribution and Relative Abundance of Beaufort Sea Belugas, 1982-85 vs 2007-09. *Arctic*, 66(3), 247-256.

Harwood, L. A., Lacoza, J., Auld, J. C., Norton, P., & Loseto, L. (2014). Belugas in the Mackenzie River estuary, NT, Canada: Habitat use and hot spots in the Tarium Niriyutait Marine Protected Area. *Ocean & Coastal Management*, 100, 128-138.

Harwood, L. A., Lea, E. V., Raverty, S. A., Hall, P., Linn, E., Postma, L., et al. (2017). Observations of Beachcast Bowhead Whales (*Balaena mysticetus*) in the Southeastern Beaufort Sea and Amundsen Gulf, 1987-2016. *Canadian Field-Naturalist*, 131(3), 270-279.

Harwood, L. A., Quakenbush, L. T., Small, R. J., George, J. C., Pokiak, J., Pokiak, C., et al. (2017). Movements and Inferred Foraging by Bowhead Whales in the Canadian Beaufort Sea during August and September, 2006-12. *Arctic*, 70(2), 161-176.

Harwood, L. A., Smith, T. G., & Auld, J. C. (2012). Fall Migration of Ringed Seals (*Phoca hispida*) through the Beaufort and Chukchi Seas, 2001-02. *Arctic*, 65(1), 35-44.

Harwood, L. A., Smith, T. G., Auld, J. C., Melling, H., & Yurkowski, D. J. (2015). Seasonal Movements and Diving of Ringed Seals, *Pusa hispida*, in the Western Canadian Arctic, 1999-2001 and 2010-11. *Arctic*, 68(2), 193-209.

Hasanien, H. M. (2018). Performance improvement of photovoltaic power systems using an optimal control strategy based on whale optimization algorithm. *Electric Power Systems Research*, 157, 168-176.

Hashim, N. A. N., & Jaaman, S. A. (2011). Boat Effects on the Behaviour of Indo-Pacific Humpback (*Sousa chinensis*) and Irrawaddy Dolphins (*Orcaella brevirostris*) in Cowie Bay, Sabah, Malaysia. *Sains Malaysiana*, 40(12), 1383-1392.

Haskell, P. J., McGowan, A., Westling, A., Mendez-Jimenez, A., Rohner, C. A., Collins, K., et al. (2015). Monitoring the effects of tourism on whale shark *Rhincodon typus* behaviour in Mozambique. *Oryx*, 49(3), 492-499.

Hastie, G. D., Russell, D. J. F., Benjamins, S., Moss, S., Wilson, B., & Thompson, D. (2016). Dynamic habitat corridors for marine predators; intensive use of a coastal channel by harbour seals is modulated by tidal currents. *Behavioral Ecology and Sociobiology*, 70(12), 2161-2174.

Hastie, G. D., Russell, D. J. F., McConnell, B., Moss, S., Thompson, D., & Janik, V. M. (2015). Sound exposure in harbour seals during the installation of an offshore wind farm: predictions of auditory damage. *Journal of Applied Ecology*, 52(3), 631-640.

Hastie, G. D., Swift, R. J., Slessor, G., Thompson, P. M., & Turrell, W. R. (2005). Environmental models for predicting oceanic dolphin habitat in the Northeast Atlantic. *Ices Journal of Marine Science*, 62(4), 760-770.

Hastie, G. D., Wilson, B., & Thompson, P. M. (2003). Fine-scale habitat selection by coastal bottlenose dolphins: application of a new land-based video-montage technique. *Canadian Journal of Zoology*, 81(3), 469-478.

Hastie, G. D., Wilson, B., Wilson, L. J., Parsons, K. M., & Thompson, P. M. (2004). Functional mechanisms underlying cetacean distribution patterns: hotspots for bottlenose dolphins are linked to foraging. *Marine Biology*, 144(2), 397-403.

Hatch, L. T., Clark, C. W., Van Parijs, S. M., Frankel, A. S., & Ponirakis, D. W. (2012). Quantifying Loss of Acoustic Communication Space for Right Whales in and around a U.S. National Marine Sanctuary. *Conservation Biology*, 26(6), 983-994.

- Hatch, L. T., Dopman, E. B., & Harrison, R. G. (2006). Phylogenetic relationships among the baleen whales based on maternally and paternally inherited characters. *Molecular Phylogenetics and Evolution*, 41(1), 12-27.
- Haug, T., Nilssen, K. T., Lindblom, L., & Lindstrom, U. (2007). Diets of hooded seals (*Cystophora cristata*) in coastal waters and drift ice waters along the east coast of Greenland. *Marine Biology Research*, 3(3), 123-133.
- Hauser, D. D. W., Laidre, K. L., Parker-Stetter, S. L., Horne, J. K., Suydam, R. S., & Richard, P. R. (2015). Regional diving behavior of Pacific Arctic beluga whales *Delphinapterus leucas* and possible associations with prey. *Marine Ecology Progress Series*, 541, 245-264.
- Hauser, D. D. W., Laidre, K. L., Stafford, K. M., Stern, H. L., Suydam, R. S., & Richard, P. R. (2017). Decadal shifts in autumn migration timing by Pacific Arctic beluga whales are related to delayed annual sea ice formation. *Global Change Biology*, 23(6), 2206-2217.
- Hauser, D. D. W., Laidre, K. L., & Stern, H. L. (2018). Vulnerability of Arctic marine mammals to vessel traffic in the increasingly ice-free Northwest Passage and Northern Sea Route. *Proceedings of the National Academy of Sciences of the United States of America*, 115(29), 7617-7622.
- Hauser, D. D. W., Laidre, K. L., Stern, H. L., Moore, S. E., Suydam, R. S., & Richard, P. R. (2017). Habitat selection by two beluga whale populations in the Chukchi and Beaufort seas. *Plos One*, 12(2).
- Hauser, D. D. W., Laidre, K. L., Stern, H. L., Suydam, R. S., & Richard, P. R. (2018). Indirect effects of sea ice loss on summer-fall habitat and behaviour for sympatric populations of an Arctic marine predator. *Diversity and Distributions*, 24(6), 791-799.
- Hauser, D. D. W., Laidre, K. L., Suydam, R. S., & Richard, P. R. (2014). Population-specific home ranges and migration timing of Pacific Arctic beluga whales (*Delphinapterus leucas*). *Polar Biology*, 37(8), 1171-1183.
- Hauser, D. D. W., Logsdon, M. G., Holmes, E. E., VanBlaricom, G. R., & Osborne, R. W. (2007). Summer distribution patterns of southern resident killer whales *Orcinus orca*: core areas and spatial segregation of social groups. *Marine Ecology Progress Series*, 351, 301-310.
- Haussermann, V., Acevedo, J., Forsterra, G., Bailey, M., & Aguayo-Lobo, A. (2013). Killer whales in Chilean Patagonia: additional sightings, behavioural observations, and individual identifications. *Revista De Biología Marina Y Oceanografía*, 48(1), 73-85.
- Haussermann, V., Forsterra, G., & Plotnek, E. (2012). Sightings of marine mammals and birds in the Comau Fjord, Northern Patagonia, between 2003 and mid 2012 (Mammalia; Aves). *Spixiana*, 35(2), 247-262.
- Haver, S. M., Fournet, M. E. H., Dziak, R. P., Gabriele, C., Gedamke, J., Hatch, L. T., et al. (2019). Comparing the Underwater Soundscapes of Four US National Parks and Marine Sanctuaries. *Frontiers in Marine Science*, 6.
- Hawkins, E. R., & Gartside, D. F. (2010). Whistle emissions of Indo-Pacific bottlenose dolphins (*Tursiops aduncus*) differ with group composition and surface behaviors. *Journal of the Acoustical Society of America*, 127(4), 2652-2663.
- Hayakawa, D., Chen, H. Y., Emura, S., Tamada, A., Yamahira, T., Terasawa, K., et al. (1998). The parathyroid glands of two species of dolphin - Risso's dolphin, *Grampus griseus*, and bottlenose dolphin, *Tursiops truncatus*. *General and Comparative Endocrinology*, 110(1), 58-66.
- Hayashi, R., Chan, B. K. K., Simon-Blecher, N., Watanabe, H., Guy-Haim, T., Yonezawa, T., et al. (2013). Phylogenetic position and evolutionary history of the turtle and whale barnacles (Cirripedia: Balanomorpha: Coronuloidea). *Molecular Phylogenetics and Evolution*, 67(1), 9-14.

- Hayashi, S., Houssaye, A., Nakajima, Y., Chiba, K., Ando, T., Sawamura, H., et al. (2013). Bone Inner Structure Suggests Increasing Aquatic Adaptations in *Desmostylia* (Mammalia, Afrotheria). *Plos One*, 8(4).
- Hays, G. C. (2003). A review of the adaptive significance and ecosystem consequences of zooplankton diel vertical migrations. *Hydrobiologia*, 503(1-3), 163-170.
- Hays, G. C., Bradshaw, C. J. A., James, M. C., Lovell, P., & Sims, D. W. (2007). Why do Argos satellite tags deployed on marine animals stop transmitting? *Journal of Experimental Marine Biology and Ecology*, 349(1), 52-60.
- Hays, G. C., Hobson, V. J., Metcalfe, J. D., Righton, D., & Sims, D. W. (2006). Flexible foraging movements of leatherback turtles across the north Atlantic Ocean. *Ecology*, 87(10), 2647-2656.
- Hays, G. C., Metcalfe, J. D., Walne, A. W., & Wilson, R. P. (2004). First records of flipper beat frequency during sea turtle diving. *Journal of Experimental Marine Biology and Ecology*, 303(2), 243-260.
- Hazelkorn, R. A., Schulte, B. A., & Cox, T. M. (2016). Persistent Effects of Begging on Common Bottlenose Dolphin (*Tursiops truncatus*) Behavior in an Estuarine Population. *Aquatic Mammals*, 42(4), 531-541.
- Hazen, E. L., Friedlaender, A. S., Thompson, M. A., Ware, C. R., Weinrich, M. T., Halpin, P. N., et al. (2009). Fine-scale prey aggregations and foraging ecology of humpback whales *Megaptera novaeangliae*. *Marine Ecology Progress Series*, 395, 75-89.
- Hazen, E. L., Friedlaender, A. S., & Goldbogen, J. A. (2015). Blue whales (*Balaenoptera musculus*) optimize foraging efficiency by balancing oxygen use and energy gain as a function of prey density. *Science Advances*, 1(9).
- Hazen, E. L., & Johnston, D. W. (2010). Meridional patterns in the deep scattering layers and top predator distribution in the central equatorial Pacific. *Fisheries Oceanography*, 19(6), 427-433.
- Hazen, E. L., Maxwell, S. M., Bailey, H., Bograd, S. J., Hamann, M., Gaspar, P., et al. (2012). Ontogeny in marine tagging and tracking science: technologies and data gaps. *Marine Ecology Progress Series*, 457, 221-240.
- Hazen, E. L., Nowacek, D. P., Laurent, L. S., Halpin, P. N., & Moretti, D. J. (2011). The Relationship among Oceanography, Prey Fields, and Beaked Whale Foraging Habitat in the Tongue of the Ocean. *Plos One*, 6(4).
- Hazen, E. L., Palacios, D. M., Forney, K. A., Howell, E. A., Becker, E., Hoover, A. L., et al. (2017). WhaleWatch: a dynamic management tool for predicting blue whale density in the California Current. *Journal of Applied Ecology*, 54(5), 1415-1428.
- Hazevoet, C. J., & Wenzel, F. W. (2000). Whales and dolphins (Mammalia, Cetacea) of the Cape Verde Islands, with special reference to the Humpback Whale *Megaptera novaeangliae* (Borowski, 1781). *Contributions to Zoology*, 69(3), 197-211.
- Hazin, F. H. V., Vaske, T., Oliveira, P. G., Macena, B. C. L., & Carvalho, F. (2008). Occurrences of whale shark (*Rhincodon typus* Smith, 1828) in the Saint Peter and Saint Paul archipelago, Brazil. *Brazilian Journal of Biology*, 68(2), 385-389.
- Hearn, A. R., Green, J., Roman, M. H., Acuna-Marrero, D., Espinoza, E., & Klimley, A. P. (2016). Adult female whale sharks make long-distance movements past Darwin Island (Galapagos, Ecuador) in the Eastern Tropical Pacific. *Marine Biology*, 163(10).
- Heckel, G., Espejel, I., & Fischer, D. W. (2003). Issue definition and planning for whalewatching management strategies in Ensenada, Mexico. *Coastal Management*, 31(3), 277-296.
- Heckel, G., Murphy, K. E., & Jimenez, G. A. C. (2000). Evasive behavior of spotted and spinner dolphins (*Stenella attenuata* and *S-longirostris*) during fishing for yellowfin tuna (*Thunnus albacares*) in the eastern Pacific Ocean. *Fishery Bulletin*, 98(4), 692-703.

- Hedley, R. W., Huang, Y. W., & Yao, K. (2017). Direction-of-arrival estimation of animal vocalizations for monitoring animal behavior and improving estimates of abundance. *Avian Conservation and Ecology*, 12(1).
- Heenehan, H., Basurto, X., Bejder, L., Tyne, J., Higham, J. E. S., & Johnston, D. W. (2015). Using Ostrom's common-pool resource theory to build toward an integrated ecosystem-based sustainable cetacean tourism system in Hawai'i. *Journal of Sustainable Tourism*, 23(4), 536-556.
- Heenehan, H., Stanistreet, J. E., Corkeron, P. J., Bouveret, L., Chalifour, J., Davis, G. E., et al. (2019). Caribbean Sea Soundscapes: Monitoring Humpback Whales, Biological Sounds, Geological Events, and Anthropogenic Impacts of Vessel Noise. *Frontiers in Marine Science*, 6.
- Heenehan, H. L., Tyne, J. A., Bejder, L., Van Parijs, S. M., & Johnston, D. W. (2016). Passive acoustic monitoring of coastally associated Hawaiian spinner dolphins, *Stenella longirostris*, ground-truthed through visual surveys. *Journal of the Acoustical Society of America*, 140(1), 206-215.
- Heenehan, H. L., Van Parijs, S. M., Bejder, L., Tyne, J. A., & Johnston, D. W. (2017a). Differential effects of human activity on Hawaiian spinner dolphins in their resting bays. *Global Ecology and Conservation*, 10, 60-69.
- Heenehan, H. L., Van Parijs, S. M., Bejder, L., Tyne, J. A., & Johnston, D. W. (2017b). Using acoustics to prioritize management decisions to protect coastal dolphins: A case study using Hawaiian spinner dolphins. *Marine Policy*, 75, 84-90.
- Heide-Jorgensen, M. P. (2004). Aerial digital photographic surveys of narwhals, *Monodon monoceros*, in Northwest Greenland. *Marine Mammal Science*, 20(2), 246-261.
- Heide-Jorgensen, M. P., Blackwell, S. B., Williams, T. M., Sinding, M. H. S., Skovrind, M., Tervo, O. M., et al. Some like it cold: Temperature-dependent habitat selection by narwhals. *Ecology and Evolution*.
- Heide-Jorgensen, M. P., Bloch, D., Stefansson, E., Mikkelsen, B., Ofstad, L. H., & Dietz, R. (2002). Diving behaviour of long-finned pilot whales *Globicephala melas* around the Faroe Islands. *Wildlife Biology*, 8(4), 307-313.
- Heide-Jorgensen, M. P., Dietz, R., Laidre, K. L., Nicklen, P., Garde, E., Richard, P., et al. (2008). Resighting of a Narwhal (*Monodon monoceros*) Instrumented with a Satellite Transmitter. *Arctic*, 61(4), 395-398.
- Heide-Jorgensen, M. P., Dietz, R., Laidre, K. L., & Richard, P. (2002). Autumn movements, home ranges, and winter density of narwhals (*Monodon monoceros*) tagged in Tremblay Sound, Baffin Island. *Polar Biology*, 25(5), 331-341.
- Heide-Jorgensen, M. P., Dietz, R., Laidre, K. L., Richard, P., Orr, J., & Schmidt, H. C. (2003). The migratory behaviour of narwhals (*Monodon monoceros*). *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 81(8), 1298-1305.
- Heide-Jorgensen, M. P., Hammeken, N., Dietz, R., Orr, J., & Richard, P. R. (2001). Surfacing times and dive rates for narwhals (*Monodon monoceros*) and belugas (*Delphinapterus leucas*). *Arctic*, 54(3), 284-298.
- Heide-Jorgensen, M. P., Kleivane, L., Oien, N., Laidre, K. L., & Jensen, M. V. (2001). A new technique for deploying satellite transmitters on baleen whales: Tracking a blue whale (*Balaenoptera musculus*) in the North Atlantic. *Marine Mammal Science*, 17(4), 949-954.
- Heide-Jorgensen, M. P., Laidre, K., Borchers, D., Samarra, F., & Stern, H. (2007). Increasing abundance of bowhead whales in West Greenland. *Biology Letters*, 3(5), 577-580.

- Heide-Jorgensen, M. P., Laidre, K. L., Burt, M. L., Borchers, D. L., Marques, T. A., Hansen, R. G., et al. (2010). Abundance of narwhals (*Monodon monoceros*) on the hunting grounds in Greenland. *Journal of Mammalogy*, 91(5), 1135-1151.
- Heide-Jorgensen, M. P., Laidre, K. L., Litovka, D., Jensen, M. V., Grebmeier, J. M., & Sirenko, B. I. (2012). Identifying gray whale (*Eschrichtius robustus*) foraging grounds along the Chukotka Peninsula, Russia, using satellite telemetry. *Polar Biology*, 35(7), 1035-1045.
- Heide-Jorgensen, M. P., Laidre, K. L., Wiig, O., Jensen, M. V., Dueck, L., Maiers, L. D., et al. (2003). From Greenland to Canada in ten days: Tracks of bowhead whales, *Balaena mysticetus*, across Baffin Bay. *Arctic*, 56(1), 21-31.
- Heide-Jorgensen, M. P., Nielsen, N. H., Hansen, R. G., Schmidt, H. C., Blackwell, S. B., & Jorgensen, O. A. (2015). The predictable narwhal: satellite tracking shows behavioural similarities between isolated subpopulations. *Journal of Zoology*, 297(1), 54-65.
- Heide-Jorgensen, M. P., Richard, P., Dietz, R., Laidre, K. L., Orr, J., & Schmidt, H. C. (2003). An estimate of the fraction of belugas (*Delphinapterus leucas*) in the Canadian high Arctic that winter in West Greenland. *Polar Biology*, 26(5), 318-326.
- Heide-Jorgensen, M. P., Richard, P. R., Dietz, R., & Laidre, K. L. (2013). A metapopulation model for Canadian and West Greenland narwhals. *Animal Conservation*, 16(3), 331-343.
- Heide-Jorgensen, M. P., Richard, P. R., & Rosing-Asvid, A. (1998). Dive patterns of belugas (*Delphinapterus leucas*) in waters near eastern Devon island. *Arctic*, 51(1), 17-26.
- Heide-Jorgensen, M. P., Sinding, M. H. S., Nielsen, N. H., Rosing-Asvid, A., & Hansen, R. G. (2016). Large numbers of marine mammals winter in the North Water polynya. *Polar Biology*, 39(9), 1605-1614.
- Heide-Jorgensen, M. P., & Dietz, R. (1995). Some characteristics of Narwhal, *Monodon monoceros*, diving behaviour in Baffin Bay. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 73(11), 2120-2132.
- Heidejorgensen, M. P., Mosbech, A., Teilmann, J., Benke, H., & Schultz, W. (1992). HARBOR PORPOISE (*PHOCOENA-PHOCOENA*) DENSITIES OBTAINED FROM AERIAL SURVEYS NORTH OF FYN AND IN THE BAY OF KIEL. *Ophelia*, 35(2), 133-146.
- Heiler, J., Elwen, S. H., Kriesell, H. J., & Gridley, T. (2016). Changes in bottlenose dolphin whistle parameters related to vessel presence, surface behaviour and group composition. *Animal Behaviour*, 117, 167-177.
- Heimbürger, D. C., Geels, W. J., Bilbrey, J., Redden, D. T., & Keeney, C. (1997). Effects of small-peptide and whole-protein enteral feedings on serum proteins and diarrhea in critically ill patients: A randomized trial. *Journal of Parenteral and Enteral Nutrition*, 21(3), 162-167.
- Hein, J. R., de Ronde, C. E. J., Koski, R. A., Ditchburn, R. G., Mizell, K., Tamura, Y., et al. (2014). Layered Hydrothermal Barite-Sulfide Mound Field, East Diamante Caldera, Mariana Volcanic Arc. *Economic Geology*, 109(8), 2179-2206.
- Heinrich, S., Elwen, S., & Brager, S. (2010). Patterns of Sympatry in *Lagenorhynchus* and *Cephalorhynchus*: Dolphins in Different Habitats.
- Heithaus, M. R., & Dill, L. M. (2002). Food availability and tiger shark predation risk influence bottlenose dolphin habitat use. *Ecology*, 83(2), 480-491.
- Heithaus, M. R., & Frid, A. (2003). Optimal diving under the risk of predation. *Journal of Theoretical Biology*, 223(1), 79-92.

- Heithaus, M. R., Wirsing, A. J., Burkholder, D., Thomson, J., & Dill, L. M. (2009). Towards a predictive framework for predator risk effects: the interaction of landscape features and prey escape tactics. *Journal of Animal Ecology*, 78(3), 556-562.
- Helble, T. A., D'Spain, G. L., Hildebrand, J. A., Campbell, G. S., Campbell, R. L., & Heaney, K. D. (2013). Site specific probability of passive acoustic detection of humpback whale calls from single fixed hydrophones. *Journal of the Acoustical Society of America*, 134(3), 2556-2570.
- Helble, T. A., Guazzo, R. A., Martin, C. R., Durbach, I. N., Alongi, G. C., Martin, S. W., et al. (2020). Lombard effect: Minke whale boing call source levels vary with natural variations in ocean noise. *Journal of the Acoustical Society of America*, 147(2), 698-712.
- Helble, T. A., Henderson, E. E., Ierley, G. R., & Martin, S. W. (2016). Swim track kinematics and calling behavior attributed to Bryde's whales on the Navy's Pacific Missile Range Facility. *Journal of the Acoustical Society of America*, 140(6), 4170-4177.
- Helweg, D. A., Cato, D. H., Jenkins, P. F., Garrigue, C., & McCauley, R. D. (1998). Geographic variation in South Pacific humpback whale songs. *Behaviour*, 135, 1-27.
- Helweg, D. A., & Herman, L. M. (1994). DIURNAL PATTERNS OF BEHAVIOR AND GROUP MEMBERSHIP OF HUMPBACK WHALES (MEGAPTERA-NOVAEANGLIAE) WINTERING IN HAWAIIAN WATERS. *Ethology*, 98(3-4), 298-311.
- Henderson, E. E., Helble, T. A., Ierley, G. R., & Martin, S. W. (2018). Identifying behavioral states and habitat use of acoustically tracked humpback whales in Hawaii. *Marine Mammal Science*, 34(3), 1-17.
- Henderson, E. E., Hildebrand, J. A., & Smith, M. H. (2011). Classification of behavior using vocalizations of Pacific white-sided dolphins (*Lagenorhynchus obliquidens*). *Journal of the Acoustical Society of America*, 130(1), 557-567.
- Henderson, E. E., Martin, S. W., Manzano-Roth, R., & Matsuyama, B. M. (2016). Occurrence and Habitat Use of Foraging Blainville's Beaked Whales (*Mesoplodon densirostris*) on a US Navy Range in Hawaii. *Aquatic Mammals*, 42(4), 549-562.
- Henderson, E. E., Schettino, J. A., Deakos, M., Alongi, G., & Leota, T. (2019). Quantifying the Behavior of Humpback Whales (*Megaptera novaeangliae*) and Potential Responses to Sonar. *Aquatic Mammals*, 45(6), 612-631.
- Henderson, E. E., Smith, M. H., Gassmann, M., Wiggins, S. M., Douglas, A. B., & Hildebrand, J. A. (2014). Delphinid behavioral responses to incidental mid-frequency active sonar. *Journal of the Acoustical Society of America*, 136(4), 2003-2014.
- Hendricks, B., Wray, J. L., Keen, E. M., Alidina, H. M., Gulliver, T. A., & Picard, C. R. (2019). Automated localization of whales in coastal fjords. *Journal of the Acoustical Society of America*, 146(6), 4672-4686.
- Henshilwood, C. S., Sealy, J. C., Yates, R., Cruz-Uribe, K., Goldberg, P., Grine, F. E., et al. (2001). Blombos Cave, Southern Cape, South Africa: Preliminary report on the 1992-1999 excavations of the Middle Stone Age Levels. *Journal of Archaeological Science*, 28(4), 421-448.
- Herman, D. P., Ylitalo, G. M., Robbins, J., Straley, J. M., Gabriele, C. M., Clapham, P. J., et al. (2009). Age determination of humpback whales *Megaptera novaeangliae* rough blubber fatty acid compositions of biopsy samples. *Marine Ecology Progress Series*, 392, 277-293.
- Herman, E. Y. K., Herman, L. M., Pack, A. A., Marshall, G., Shepard, C. M., & Bakhtiari, M. (2007). When whales collide: CRITTERCAM offers insight into the competitive behavior of humpback whales on their Hawaiian wintering grounds. *Marine Technology Society Journal*, 41(4), 35-43.

- Herman, L. M., Abichandani, S. L., Elhajj, A. N., Herman, E. Y. K., Sanchez, J. L., & Pack, A. A. (1999). Dolphins (*Tursiops truncatus*) comprehend the referential character of the human pointing gesture. *Journal of Comparative Psychology*, 113(4), 347-364.
- Herman, L. M., Pack, A. A., Rose, K., Craig, A., & Herman, E. Y. K. (2011). Resightings of humpback whales in Hawaiian waters over spans of 10-32 years: Site fidelity, sex ratios, calving rates, female demographics, and the dynamics of social and behavioral roles of individuals. *Marine Mammal Science*, 27(4), 736-768.
- Herman, L. M., Pack, A. A., Spitz, S. S., Herman, E. Y. K., Rose, K., Hakala, S., et al. (2013). Humpback whale song: who sings? *Behavioral Ecology and Sociobiology*, 67(10), 1653-1663.
- Hermanssen, L., Beedholm, K., Tougaard, J., & Madsen, P. T. (2014). High frequency components of ship noise in shallow water with a discussion of implications for harbor porpoises (*Phocoena phocoena*). *Journal of the Acoustical Society of America*, 136(4), 1640-1653.
- Hermanssen, L., Tougaard, J., Beedholm, K., Nabe-Nielsen, J., & Madsen, P. T. (2015). Characteristics and Propagation of Airgun Pulses in Shallow Water with Implications for Effects on Small Marine Mammals. *Plos One*, 10(7).
- Hermes, M., & King, K. A. (2013). OJIBWE LANGUAGE REVITALIZATION, MULTIMEDIA TECHNOLOGY, AND FAMILY LANGUAGE LEARNING. *Language Learning & Technology*, 17(1), 125-144.
- Hermosilla, C., Hirzmann, J., Silva, L. M. R., Scheufen, S., Prenger-Berninghoff, E., Ewers, C., et al. (2018). Gastrointestinal Parasites and Bacteria in Free-Living South American Sea Lions (*Otaria flavescens*) in Chilean Comau Fjord and New Host Record of a *Diphyllobothrium scoticum*-Like Cestode. *Frontiers in Marine Science*, 5.
- Hermosilla, C., Silva, L. M. R., Kleinertz, S., Prieto, R., Silva, M. A., & Taubert, A. (2016). Endoparasite survey of free-swimming baleen whales (*Balaenoptera musculus*, *B. physalus*, *B. borealis*) and sperm whales (*Physeter macrocephalus*) using non/minimally invasive methods. *Parasitology Research*, 115(2), 889-896.
- Hernandez, E. N., Solangi, M., & Kuczaj, S. A. (2010). Time and frequency parameters of bottlenose dolphin whistles as predictors of surface behavior in the Mississippi Sound. *Journal of the Acoustical Society of America*, 127(5), 3232-3238.
- Hernandez-Milian, G., Goetz, S., Varela-Dopico, C., Rodriguez-Gutierrez, J., Romon-Olea, J., Fuertes-Gamundi, J. R., et al. (2008). Results of a short study of interactions of cetaceans and longline fisheries in Atlantic waters: environmental correlates of catches and depredation events. *Hydrobiologia*, 612, 251-268.
- Hernandez-Nava, M. F., & Alvarez-Borrego, S. (2013). Zooplankton in a whale shark (*Rhincodon typus*) feeding area of Bahia de los Angeles (Gulf of California). *Hidrobiologica*, 23(2), 198-208.
- Hernandez-Orts, J. S., Kuchta, R., Semenas, L., Crespo, E. A., Gonzalez, R. A., & Aznar, F. J. (2019). An annotated list of the Acanthocephala from Argentina. *Zootaxa*, 4663(1), 1-64.
- Hernandez-Tlapale, C., Ketchum, J. T., Marin-Enriquez, E., & Muhlia-Melo, A. (2015). Horizontal and vertical movements of the common dolphinfish (*Coryphaena hippurus*) in La Paz Bay, Mexico. *Ciencias Marinas*, 41(4), 283-295.
- Herr, H., Kelly, N., Dorschel, B., Huntemann, M., Kock, K. H., Lehnert, L. S., et al. (2019). Aerial surveys for Antarctic minke whales (*Balaenoptera bonaerensis*) reveal sea ice dependent distribution patterns. *Ecology and Evolution*, 9(10), 5664-5682.
- Herr, H., Viquerat, S., Siegel, V., Kock, K. H., Dorschel, B., Huneke, W. G. C., et al. (2016). Horizontal niche partitioning of humpback and fin whales around the West Antarctic Peninsula: evidence from a concurrent whale and krill survey. *Polar Biology*, 39(5), 799-818.

- Herzing, D. L. (2010). SETI meets a social intelligence: Dolphins as a model for real-time interaction and communication with a sentient species. *Acta Astronautica*, 67(11-12), 1451-1454.
- Herzing, D. L. (2014a). Interspecies Altruism: Learning from Species on Earth. In D. A. Vakoch (Ed.), *Extraterrestrial Altruism: Evolution and Ethics in the Cosmos* (pp. 191-207).
- Herzing, D. L. (2014b). Profiling nonhuman intelligence: An exercise in developing unbiased tools for describing other "types" of intelligence on earth. *Acta Astronautica*, 94(2), 676-680.
- Herzing, D. L. (2015). *Making Sense of It All: Multimodal Dolphin Communication*.
- Herzing, D. L., Augliere, B. N., Elliser, C. R., Green, M. L., & Pack, A. A. (2017). Exodus! Large-scale displacement and social adjustments of resident Atlantic spotted dolphins (*Stenella frontalis*) in the Bahamas. *Plos One*, 12(8).
- Heyman, W. D., Carr, L. M., & Lobel, P. S. (2010). Diver ecotourism and disturbance to reef fish spawning aggregations: It is better to be disturbed than to be dead. *Marine Ecology Progress Series*, 419, 201-210.
- Heyman, W. D., Graham, R. T., Kjerfve, B., & Johannes, R. E. (2001). Whale sharks *Rhincodon typus* aggregate to feed on fish spawn in Belize. *Marine Ecology Progress Series*, 215, 275-282.
- Hiby, L., & Lovell, P. (1998). Using aircraft in tandem formation to estimate abundance of harbour porpoise. *Biometrics*, 54(4), 1280-1289.
- Hickey, R., Berrow, S., & Goold, J. (2009). TOWARDS A BOTTLENOSE DOLPHIN WHISTLE ETHOGRAM FROM THE SHANNON ESTUARY, IRELAND. *Biology and Environment-Proceedings of the Royal Irish Academy*, 109B(2), 89-94.
- Hickie, B. E., Cadieux, M. A., Riehl, K. N., Bossart, G. D., Alava, J. J., & Fair, P. A. (2013). Modeling PCB-Bioaccumulation in the Bottlenose Dolphin (*Tursiops truncatus*): Estimating a Dietary Threshold Concentration. *Environmental Science & Technology*, 47(21), 12314-12324.
- Hidaka-Umetsu, M., & Lindsay, D. J. (2018). Comparative ROV surveys reveal jellyfish blooming in a deep-sea caldera: the first report of *Earleria bruuni* from the Pacific Ocean. *Journal of the Marine Biological Association of the United Kingdom*, 98(8), 2075-2085.
- Hidalgo-Reza, M., Elorriaga-Verplancken, F. R., Aguiniga-Garcia, S., & Urban, J. (2019). Impact of freezing and ethanol preservation techniques on the stable isotope analysis of humpback whale (*Megaptera novaeangliae*) skin. *Rapid Communications in Mass Spectrometry*, 33(8), 789-794.
- Higashisaka, H., Matsuishi, T., & Akamatsu, T. (2018). Presence and behavior of harbor porpoises (*Phocoena phocoena*) around set nets revealed using passive acoustic monitoring. *Fisheries Research*, 204, 269-274.
- Higdon, J. W., Hauser, D. D. W., & Ferguson, S. H. (2012). Killer whales (*Orcinus orca*) in the Canadian Arctic: Distribution, prey items, group sizes, and seasonality. *Marine Mammal Science*, 28(2), E93-E109.
- Higdon, J. W., Westdal, K. H., & Ferguson, S. H. (2014). Distribution and abundance of killer whales (*Orcinus orca*) in Nunavut, Canada-an Inuit knowledge survey. *Journal of the Marine Biological Association of the United Kingdom*, 94(6), 1293-1304.
- Higgs, N. D., Gates, A. R., & Jones, D. O. B. (2014). Fish Food in the Deep Sea: Revisiting the Role of Large Food-Falls. *Plos One*, 9(5).
- Higham, J. E. S., Bejder, L., Allen, S. J., Corkeron, P. J., & Lusseau, D. (2016). Managing whale-watching as a non-lethal consumptive activity. *Journal of Sustainable Tourism*, 24(1), 73-90.

- Higham, J. E. S., Bejder, L., & Lusseau, D. (2008). An integrated and adaptive management model to address the long-term sustainability of tourist interactions with cetaceans. *Environmental Conservation*, 35(4), 294-302.
- Higham, J. E. S., & Shelton, E. J. (2011). Tourism and wildlife habituation: Reduced population fitness or cessation of impact? *Tourism Management*, 32(6), 1290-1298.
- Hildebrand, J. A., Baumann-Pickering, S., Frasier, K. E., Trickey, J. S., Merckens, K. P., Wiggins, S. M., et al. (2015). Passive acoustic monitoring of beaked whale densities in the Gulf of Mexico. *Scientific Reports*, 5.
- Hildebrand, J. A., Frasier, K. E., Baumann-Pickering, S., Wiggins, S. M., Merckens, K. P., Garrison, L. P., et al. (2019). Assessing Seasonality and Density From Passive Acoustic Monitoring of Signals Presumed to be From Pygmy and Dwarf Sperm Whales in the Gulf of Mexico. *Frontiers in Marine Science*, 6.
- Hill, H., Dietrich, S., Jantea, R. F., Garza, S., & Lacy, K. (2018). The Frequency of Contact in Beluga (*Delphinapterus leucas*) Calf Social Interactions. *Aquatic Mammals*, 44(1), 62-75.
- Hill, H. M., Alvarez, C. J., Dietrich, S., & Lacy, K. (2016). Preliminary Findings in Beluga (*Delphinapterus leucas*) Tactile Interactions. *Aquatic Mammals*, 42(3), 277-291.
- Hill, H. M., Campbell, C., Dalton, L., & Osborn, S. (2013). The First Year of Behavioral Development and Maternal Care of Beluga (*Delphinapterus leucas*) Calves in Human Care. *Zoo Biology*, 32(5), 565-570.
- Hill, H. M., Dietrich, S., Guarino, S., Banda, M., & Lacy, K. (2019). Preliminary observations of an unusual mouth interaction between beluga calves (*Delphinapterus leucas*). *Zoo Biology*, 38(2), 149-156.
- Hill, H. M., Guarino, S., Geraci, C., Sigman, J., & Noonan, M. (2017). Developmental changes in the resting strategies of killer whale mothers and their calves in managed care from birth to 36 months. *Behaviour*, 154(4), 435-466.
- Hill, M. C., Bendlin, A. R., Van Cise, A. M., Milette-Winfrey, A., Ligon, A. D., Adam, C. U., et al. (2019). Short-finned pilot whales (*Globicephala macrorhynchus*) of the Mariana Archipelago: Individual affiliations, movements, and spatial use. *Marine Mammal Science*, 35(3), 797-824.
- Hill, M. C., Bradford, A. L., Steel, D., Baker, C. S., Ligon, A. D., Adam, C. U., et al. (2020). Found: a missing breeding ground for endangered western North Pacific humpback whales in the Mariana Archipelago. *Endangered Species Research*, 41, 91-103.
- Hillcoat, S. K., Curnock, M. I., Gardiner, N. M., & Birtles, R. A. Developing protocols for in-water morphometric measurements of cetaceans using stereo-videogrammetry. *Marine Mammal Science*.
- Hindell, M. A., Lea, M. A., Morrice, M. G., & MacMahon, C. R. (2000). Metabolic limits on dive duration and swimming speed in the southern elephant seal *Mirounga leonina*. *Physiological and Biochemical Zoology*, 73(6), 790-798.
- Hines, E. M., Adulyanukosol, K., & Duffus, D. A. (2005). Dugong (*Dugong Dugon*) abundance along the Andaman Coast of Thailand. *Marine Mammal Science*, 21(3), 536-549.
- Hinojosa, G. C., de la Cueva, H., Gerrodette, T., & Jaramillo-Legorreta, A. M. (2020). Distribution of the acoustic occurrence of dolphins during the summers 2011 to 2015 in the Upper Gulf of California, Mexico. *PeerJ*, 8.
- Hirama, S., & Witherington, B. (2012). A Loggerhead Sea Turtle (*Caretta caretta*) Preying on Fish Within a Mixed-Species Feeding Aggregation. *Chelonian Conservation and Biology*, 11(2), 261-265.
- Hirotsu, R., Yanagisawa, M., Ura, T., Sakata, M., Sugimatsu, H., Kojima, J., et al. (2010). Localization of sperm whales in a group using clicks received at two separated short baseline arrays. *Journal of the Acoustical Society of America*, 127(1), 133-147.

- Hlista, B. L., Sosik, H. M., Traykovski, L. V. M., Kenney, R. D., & Moore, M. J. (2009). Seasonal and interannual correlations between right-whale distribution and calving success and chlorophyll concentrations in the Gulf of Maine, USA. *Marine Ecology Progress Series*, 394, 289-302.
- Ho, S. Y. W., Saarma, U., Barnett, R., Haile, J., & Shapiro, B. (2008). The Effect of Inappropriate Calibration: Three Case Studies in Molecular Ecology. *Plos One*, 3(2).
- Hobbs, R. C., Laidre, K. L., Vos, D. J., Mahoney, B. A., & Eagleton, M. (2005). Movements and area use of belugas, *Delphinapterus leucas*, in a subarctic Alaskan estuary. *Arctic*, 58(4), 331-340.
- Hobbs, R. C., & Waite, J. M. (2010). Abundance of harbor porpoise (*Phocoena phocoena*) in three Alaskan regions, corrected for observer errors due to perception bias and species misidentification, and corrected for animals submerged from view. *Fishery Bulletin*, 108(3), 251-267.
- Hoberg, E. P., Daoust, P. Y., & McBurney, S. (1993). BOLBOSOMA-CAPITATUM AND BOLBOSOMA SP (ACANTHOCEPHALA) FROM SPERM WALES (PHYSETER-MACROCEPHALUS) STRANDED ON PRINCE-EDWARD-ISLAND, CANADA. *Journal of the Helminthological Society of Washington*, 60(2), 205-210.
- Hobson, K. A., Riget, F. F., Outridge, P. M., Dietz, R., & Born, E. (2004). Baleen as a biomonitor of mercury content and dietary history of North Atlantic Minke Whales (*Balaenoptera acutorostrata*): combining elemental and stable isotope approaches. *Science of the Total Environment*, 331(1-3), 69-82.
- Hobson, K. A., & Schell, D. M. (1998). Stable carbon and nitrogen isotope patterns in baleen from eastern Arctic bowhead whales (*Balaena mysticetus*). *Canadian Journal of Fisheries and Aquatic Sciences*, 55(12), 2601-2607.
- Hobson, R. P., & Martin, A. R. (1996). Behaviour and dive times of Arnoux's beaked whales, *Berardius arnuxii*, at narrow leads in fast ice. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 74(2), 388-393.
- Hobson, V. J., Righton, D., Metcalfe, J. D., & Hays, G. C. (2007). Vertical movements of North Sea cod. *Marine Ecology Progress Series*, 347, 101-110.
- Hochachka, P. W., & Foreman, R. A. (1993). PHOCID AND CETACEAN BLUEPRINTS OF MUSCLE METABOLISM. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 71(10), 2089-2098.
- Hocking, D. P., Evans, A. R., & Fitzgerald, E. M. G. (2013). Leopard seals (*Hydrurga leptonyx*) use suction and filter feeding when hunting small prey underwater. *Polar Biology*, 36(2), 211-222.
- Hodge, K. B., Muirhead, C. A., Morano, J. L., Clark, C. W., & Rice, A. N. (2015). North Atlantic right whale occurrence near wind energy areas along the mid-Atlantic US coast: implications for management. *Endangered Species Research*, 28(3), 225-234.
- Hodge, L. E. W., Bell, J. T., Kumar, A., & Read, A. J. (2013). The influence of habitat and time of day on the occurrence of odontocete vocalizations in Onslow Bay, North Carolina. *Marine Mammal Science*, 29(4), E411-E427.
- Hodgson, A. (2007). "BLIMP-CAM": Aerial video observations of marine animals. *Marine Technology Society Journal*, 41(2), 39-43.
- Hodgson, A., Peel, D., & Kelly, N. (2017). Unmanned aerial vehicles for surveying marine fauna: assessing detection probability. *Ecological Applications*, 27(4), 1253-1267.
- Hodgson, A. J., & Marsh, H. (2007). Response of dugongs to boat traffic: The risk of disturbance and displacement. *Journal of Experimental Marine Biology and Ecology*, 340(1), 50-61.

- Hoekendijk, J. P. A., de Vries, J., van der Bolt, K., Greinert, J., Brasseur, S., Camphuysen, K. C. J., et al. (2015). Estimating the spatial position of marine mammals based on digital camera recordings. *Ecology and Evolution*, 5(3), 578-589.
- Hoelzel, A. R. (1991). KILLER WHALE PREDATION ON MARINE MAMMALS AT PUNTA-NORTE, ARGENTINA - FOOD SHARING, PROVISIONING AND FORAGING STRATEGY. *Behavioral Ecology and Sociobiology*, 29(3), 197-204.
- Hoelzel, A. R., & Dover, G. A. (1991). GENETIC DIFFERENTIATION BETWEEN SYMPATRIC KILLER WHALE POPULATIONS. *Heredity*, 66, 191-195.
- Hoelzel, A. R., Hancock, J. M., & Dover, G. A. (1991). EVOLUTION OF THE CETACEAN MITOCHONDRIAL D-LOOP REGION. *Molecular Biology and Evolution*, 8(4), 475-493.
- Hoffman, J. M., Hung, S. K., Wang, J. Y., & White, B. N. (2017). Regional differences in the whistles of Australasian humpback dolphins (genus *Sousa*). *Canadian Journal of Zoology*, 95(7), 515-526.
- Hoffman, J. M., Ponnampalam, L. S., Araujo-Wang, C., Kuit, S. H., Hung, S. K., & Wang, J. Y. (2017). Description of whistles of Irrawaddy dolphins (*Orcaella brevirostris*) from the waters of Matang, Peninsular Malaysia. *Bioacoustics-the International Journal of Animal Sound and Its Recording*, 26(1), 15-24.
- Hofmeyr, G. J. G., Kirkman, S. P., Pistorius, P. A., & Bester, M. N. (2012). Natal site fidelity by breeding female southern elephant seals in relation to their history of participation in the winter haulout. *African Journal of Marine Science*, 34(3), 373-382.
- Hofmeyr-Juritz, L. H., & Best, P. B. (2011). Acoustic behaviour of southern right whales in relation to numbers of whales present in Walker Bay, South Africa. *African Journal of Marine Science*, 33(3), 415-427.
- Holdman, A. K., Haxel, J. H., Klinck, H., & Torres, L. G. (2019). Acoustic monitoring reveals the times and tides of harbor porpoise (*Phocoena phocoena*) distribution off central Oregon, USA. *Marine Mammal Science*, 35(1), 164-186.
- Holm, J., Dasmeh, P., & Kepp, K. P. (2016). Tracking evolution of myoglobin stability in cetaceans using experimentally calibrated computational methods that account for generic protein relaxation. *Biochimica Et Biophysica Acta-Proteins and Proteomics*, 1864(7), 825-834.
- Holmberg, J., Norman, B., & Arzoumanian, Z. (2008). Robust, comparable population metrics through collaborative photo-monitoring of whale sharks *Rhincodon Typus*. *Ecological Applications*, 18(1), 222-233.
- Holobinko, A., & Waring, G. H. (2010). Conflict and Reconciliation Behavior Trends of the Bottlenose Dolphin (*Tursiops truncatus*). *Zoo Biology*, 29(5), 567-585.
- Holst, M., Smultea, M. A., Koski, W. R., Sayegh, A. J., Pavan, G., Beland, J., et al. (2017). Cetacean sightings and acoustic detections during a seismic survey off Nicaragua and Costa Rica, November-December 2004. *Revista De Biologia Tropical*, 65(2), 599-611.
- Holt, M. M., Hanson, M. B., Emmons, C. K., Haas, D. K., Giles, D. A., & Hogan, J. T. (2019). Sounds associated with foraging and prey capture in individual fish-eating killer whales, *Orcinus orca*. *Journal of the Acoustical Society of America*, 146(5), 3475-3486.
- Holt, M. M., Noren, D. P., Veirs, V., Emmons, C. K., & Veirs, S. (2009). Speaking up: Killer whales (*Orcinus orca*) increase their call amplitude in response to vessel noise. *Journal of the Acoustical Society of America*, 125(1), EL27-EL32.

- Hong, J., Cabe, G. D., Tedrow, J. R., Hipp, J. A., & Snyder, B. D. (2004). Failure of trabecular bone with simulated lytic defects can be predicted non-invasively by structural analysis. *Journal of Orthopaedic Research*, 22(3), 479-486.
- Honma, Y., Ushiki, T., Hashizume, H., Takeda, M., Matsuishi, T., & Honno, Y. (2004). Histological observations on the reproductive organs of harbor porpoises *Phocoena phocoena* incidentally caught in a set net installed off Usujiri, southern Hokkaido. *Fisheries Science*, 70(1), 94-99.
- Hoogenboom, J. L., Wong, S. N. P., Ronconi, R. A., Koopman, H. N., Murison, L. D., & Westgate, A. J. (2015). Environmental predictors and temporal patterns of basking shark (*Cetorhinus maximus*) occurrence in the lower Bay of Fundy, Canada. *Journal of Experimental Marine Biology and Ecology*, 465, 24-32.
- Hooker, S. K., & Baird, R. W. (1999a). Deep-diving behaviour of the northern bottlenose whale, *Hyperoodon ampullatus* (Cetacea : Ziphiidae). *Proceedings of the Royal Society B-Biological Sciences*, 266(1420), 671-676.
- Hooker, S. K., & Baird, R. W. (1999b). Observations of Sowerby's Beaked Whales, *Mesoplodon bidens*, in the Gully, Nova Scotia. *Canadian Field-Naturalist*, 113(2), 273-277.
- Hooker, S. K., Baird, R. W., Al-Omari, S., Gowans, S., & Whitehead, H. (2001). Behavioral reactions of northern bottlenose whales (*Hyperoodon ampullatus*) to biopsy darting and tag attachment procedures. *Fishery Bulletin*, 99(2), 303-308.
- Hooker, S. K., & Whitehead, H. (2002). Click characteristics of northern bottlenose whales (*Hyperoodon ampullatus*). *Marine Mammal Science*, 18(1), 69-80.
- Hooker, S. K., Whitehead, H., Gowans, S., & Baird, R. W. (2002). Fluctuations in distribution and patterns of individual range use of northern bottlenose whales. *Marine Ecology Progress Series*, 225, 287-297.
- Hopp, S. L., Jablonski, P., & Brown, J. L. (2001). Recognition of group membership by voice in Mexican jays, *Apelocoma ultramarina*. *Animal Behaviour*, 62, 297-303.
- Hornby, C. A., Iacozza, J., Hoover, C., Barber, D. G., & Loseto, L. L. (2017). Beluga whale *Delphinapterus leucas* late summer habitat use and support for foraging areas in the Canadian Beaufort Sea. *Marine Ecology Progress Series*, 574, 243-257.
- Horning, M., & Mellish, J. A. E. (2014). In cold blood: evidence of Pacific sleeper shark (*Somniosus pacificus*) predation on Steller sea lions (*Eumetopias jubatus*) in the Gulf of Alaska. *Fishery Bulletin*, 112(4), 297-310.
- Horton, T. W., Hauser, N., Cassel, S., Klaus, K. F., Fettermann, T., & Keys, N. (2019). Doctor Drone: Non-invasive Measurement of Humpback Whale Vital Signs Using Unoccupied Aerial System Infrared Thermography. *Frontiers in Marine Science*, 6.
- Horton, T. W., Hauser, N., Zerbini, A. N., Francis, M. P., Domeier, M. L., Andriolo, A., et al. (2017). Route Fidelity during Marine Megafauna Migration. *Frontiers in Marine Science*, 4.
- Horton, T. W., Holdaway, R. N., Zerbini, A. N., Hauser, N., Garrigue, C., Andriolo, A., et al. (2011). Straight as an arrow: humpback whales swim constant course tracks during long-distance migration. *Biology Letters*, 7(5), 674-679.
- Horton, T. W., Oline, A., Hauser, N., Khan, T. M., Laute, A., Stoller, A., et al. (2017). Thermal Imaging and Biometrical Thermography of Humpback Whales. *Frontiers in Marine Science*, 4.
- Horton, T. W., Zerbini, A. N., Andriolo, A., Danilewicz, D., & Sucunza, F. (2020). Multi-Decadal Humpback Whale Migratory Route Fidelity Despite Oceanographic and Geomagnetic Change. *Frontiers in Marine Science*, 7.

- Hosokawa, S., Masumoto, Y., Takezawa, S., & Haneji, K. (2006). Damping control by one-axis magnetic torquer and gravity gradient attitude stabilization for small satellite. *Transactions of the Japan Society for Aeronautical and Space Sciences*, 49(164), 94-100.
- Hotta, T., Komiyama, S., & Kohda, M. (2018). A social cichlid fish failed to pass the mark test. *Animal Cognition*, 21(1), 127-136.
- Houegnigan, L., Zaugg, S., van der Schaar, M., & Andre, M. (2010). Space-time and hybrid algorithms for the passive acoustic localisation of sperm whales and vessels. *Applied Acoustics*, 71(11), 1000-1010.
- Houghton, J., Baird, R. W., Emmons, C. K., & Hanson, M. B. (2015). Changes in the Occurrence and Behavior of Mammal-eating Killer Whales in Southern British Columbia and Washington State, 1987-2010. *Northwest Science*, 89(2), 154-169.
- Houghton, J., Holt, M. M., Giles, D. A., Hanson, M. B., Emmons, C. K., Hogan, J. T., et al. (2015). The Relationship between Vessel Traffic and Noise Levels Received by Killer Whales (*Orcinus orca*). *Plos One*, 10(12).
- Houghton, J. D. R., Cedras, A., Myers, A. E., Liebsch, N., Metcalfe, J. D., Mortimer, J. A., et al. (2008). Measuring the state of consciousness in a free-living diving sea turtle. *Journal of Experimental Marine Biology and Ecology*, 356(1-2), 115-120.
- Houghton, J. D. R., Doyle, T. K., Davenport, J., & Hays, G. C. (2006). Developing a simple, rapid method for identifying and monitoring jellyfish aggregations from the air. *Marine Ecology Progress Series*, 314, 159-170.
- Houser, D. S., Dankiewicz-Talmadge, L. A., Stockard, T. K., & Ponganis, P. J. (2010). Investigation of the potential for vascular bubble formation in a repetitively diving dolphin. *Journal of Experimental Biology*, 213(1), 52-62.
- Houser, D. S., & Finneran, J. J. (2006). Variation in the hearing sensitivity of a dolphin population determined through the use of evoked potential audiometry. *Journal of the Acoustical Society of America*, 120(6), 4090-4099.
- Houser, D. S., Gomez-Rubio, A., & Finneran, J. J. (2008). Evoked potential audiometry of 13 Pacific bottlenose dolphins (*Tursiops truncatus gilli*). *Marine Mammal Science*, 24(1), 28-41.
- Houser, D. S., Martin, S. W., & Finneran, J. J. (2013). Behavioral responses of California sea lions to mid-frequency (3250-3450 Hz) sonar signals. *Marine Environmental Research*, 92, 268-278.
- Houser, D. S., Mulson, J., Almunia, J., & Finneran, J. J. (2019). Frequency-modulated up-chirp stimuli enhance the auditory brainstem response of the killer whale (*Orcinus orca*). *Journal of the Acoustical Society of America*, 146(1), 289-296.
- Hoving, H. J. T., Lipinski, M. R., Videler, J. J., & Bolstad, K. S. R. (2010). Sperm storage and mating in the deep-sea squid *Taningia danae* Joubin, 1931 (Oegopsida: Octopoteuthidae). *Marine Biology*, 157(2), 393-400.
- Howey, L. A., Tolentino, E. R., Papastamatiou, Y. P., Brooks, E. J., Abercrombie, D. L., Watanabe, Y. Y., et al. (2016). Into the deep: the functionality of mesopelagic excursions by an oceanic apex predator. *Ecology and Evolution*, 6(15), 5290-5304.
- Howey-Jordan, L. A., Brooks, E. J., Abercrombie, D. L., Jordan, L. K. B., Brooks, A., Williams, S., et al. (2013). Complex Movements, Philopatry and Expanded Depth Range of a Severely Threatened Pelagic Shark, the Oceanic Whitetip (*Carcharhinus longimanus*) in the Western North Atlantic. *Plos One*, 8(2).
- Hoyt, E. (2018). TOURISM.
- Hoyt, E., & Hvenegaard, G. T. (2002). A review of whale-watching and whaling with applications for the Caribbean. *Coastal Management*, 30(4), 381-399.

- Hozumi, A., Hong, P. Y., Kaartvedt, S., Rostad, A., & Jones, B. H. (2018). Water quality, seasonality, and trajectory of an aquaculture-wastewater plume in the Red Sea. *Aquaculture Environment Interactions*, 10, 61-77.
- Hrabar, J., Bocina, I., Kurilj, A. G., Duras, M., & Mladineo, I. (2017). Gastric lesions in dolphins stranded along the Eastern Adriatic coast. *Diseases of Aquatic Organisms*, 125(2), 125-139.
- Hrynuk, J. T., & Bohl, D. G. (2020). The effects of leading-edge tubercles on dynamic stall. *Journal of Fluid Mechanics*, 893.
- Hsu, H. H., Joung, S. J., Liao, Y. Y., & Liu, K. M. (2007). Satellite tracking of juvenile whale sharks, *Rhincodon typus*, in the Northwestern Pacific. *Fisheries Research*, 84(1), 25-31.
- Huang, J., Mei, Z. G., Chen, M., Han, Y., Zhang, X. Q., Moore, J. E., et al. (2020). Population survey showing hope for population recovery of the critically endangered Yangtze finless porpoise. *Biological Conservation*, 241.
- Huang, S. L., Peng, C. W., Chen, M., Wang, X. Y., Jefferson, T. A., Xu, Y. H., et al. (2019). Habitat configuration for an obligate shallow-water delphinid: The Indo-Pacific humpback dolphin, *Sousa chinensis*, in the Beibu Gulf (Gulf of Tonkin). *Aquatic Conservation-Marine and Freshwater Ecosystems*, 29(3), 472-485.
- Huang, S. L., Wang, C. C., & Yao, C. J. (2018). Habitat protection actions for the Indo-Pacific humpback dolphin: Baseline gaps, scopes, and resolutions for the Taiwanese subspecies. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 28(3), 733-743.
- Huang, T., Sun, L. G., Stark, J., Wang, Y. H., Cheng, Z. Q., Yang, Q. C., et al. (2011). Relative Changes in Krill Abundance Inferred from Antarctic Fur Seal. *Plos One*, 6(11).
- Hucke-Gaete, R., Bedrinana-Romano, L., Viddi, F. A., Ruiz, J. E., Torres-Florez, J. P., & Zerbini, A. N. (2018). From Chilean Patagonia to Galapagos, Ecuador: novel insights on blue whale migratory pathways along the Eastern South Pacific. *Peerj*, 6.
- Hucke-Gaete, R., Haro, D., Torres-Florez, J. P., Montecinos, Y., Viddi, F., Bedrinana-Romano, L., et al. (2013). A historical feeding ground for humpback whales in the eastern South Pacific revisited: the case of northern Patagonia, Chile. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 23(6), 858-867.
- Hucke-Gaete, R., Moreno, C. A., Arata, J., & Blue Whale, C. (2004). Operational interactions of sperm whales and killer whales with the Patagonian toothfish industrial fishery off southern Chile. *Ccamlr Science*, 11, 127-140.
- Hucke-Gaete, R., Osman, L. P., Moreno, C. A., Findlay, K. P., & Ljungblad, D. K. (2004). Discovery of a blue whale feeding and nursing ground in southern Chile. *Proceedings of the Royal Society B-Biological Sciences*, 271, S170-S173.
- Huckstadt, L. A., & Antezana, T. (2003). Behaviour of the southern sea lion (*Otaria flavescens*) and consumption of the catch during purse-seining for jack mackerel (*Trachurus symmetricus*) off central Chile. *Ices Journal of Marine Science*, 60(5), 1003-1011.
- Huckstadt, L. A., & Antezana, T. (2004). Behaviour of Southern sea lions in presence of killer whales during fishing operations in Central Chile. *Scientia Marina*, 68(2), 295-298.
- Hueter, R. E., Tyminski, J. P., & de la Parra, R. (2013). Horizontal Movements, Migration Patterns, and Population Structure of Whale Sharks in the Gulf of Mexico and Northwestern Caribbean Sea. *Plos One*, 8(8).
- Hughes, P. (2001). Animals, values and tourism - structural shifts in UK dolphin tourism provision. *Tourism Management*, 22(4), 321-329.

- Huijser, L. A. E., Berube, M., Cabrera, A. A., Prieto, R., Silva, M. A., Robbins, J., et al. (2018). Population structure of North Atlantic and North Pacific sei whales (*Balaenoptera borealis*) inferred from mitochondrial control region DNA sequences and microsatellite genotypes. *Conservation Genetics*, 19(4), 1007-1024.
- Huijser, L. A. E., Estrade, V., Webster, I., Mouysset, L., Cadinouche, A., & Dulau-Drouot, V. (2020). Vocal repertoires and insights into social structure of sperm whales (*Physeter macrocephalus*) in Mauritius, southwestern Indian Ocean. *Marine Mammal Science*, 36(2), 638-657.
- Hunt, T. N., Allen, S. J., Bejder, L., & Parra, G. J. (2019). Assortative interactions revealed in a fission-fusion society of Australian humpback dolphins. *Behavioral Ecology*, 30(4), 914-927.
- Huntington, H. P. (1998). Observations on the utility of the semi-directive interview for documenting traditional ecological knowledge. *Arctic*, 51(3), 237-242.
- Huntington, H. P., Brown-Schwalenberg, P. K., Frost, K. J., Fernandez-Gimenez, M. E., Norton, D. W., & Rosenberg, D. H. (2002). Observations on the workshop as a means of improving communication between holders of traditional and scientific knowledge. *Environmental Management*, 30(6), 778-792.
- Huntington, H. P., Community, B., Community, E., Community, K., Community Point, L., & Community, S. (1999). Traditional knowledge of the ecology of beluga whales (*Delphinapterus leucas*) in the eastern Chukchi and northern Bering Seas, Alaska. *Arctic*, 52(1), 49-61.
- Huntington, H. P., Quakenbush, L. T., & Nelson, M. (2017). Evaluating the Effects of Climate Change on Indigenous Marine Mammal Hunting in Northern and Western Alaska Using Traditional Knowledge. *Frontiers in Marine Science*, 4.
- Hupman, K., Visser, I. N., Martinez, E., & Stockin, K. A. (2015). Using platforms of opportunity to determine the occurrence and group characteristics of orca (*Orcinus orca*) in the Hauraki Gulf, New Zealand. *New Zealand Journal of Marine and Freshwater Research*, 49(1), 132-149.
- Hutchinson, M., Coffey, D. M., Holland, K., Itano, D., Leroy, B., Kohin, S., et al. (2019). Movements and habitat use of juvenile silky sharks in the Pacific Ocean inform conservation strategies. *Fisheries Research*, 210, 131-142.
- Huveneers, C., Meekan, M. G., Apps, K., Ferreira, L. C., Pannell, D., & Vianna, G. M. S. (2017). The economic value of shark-diving tourism in Australia. *Reviews in Fish Biology and Fisheries*, 27(3), 665-680.
- Hyde, J. R., Lynn, E., Humphreys, R., Musyl, M., West, A. P., & Vetter, R. (2005). Shipboard identification of fish eggs and larvae by multiplex PCR, and description of fertilized eggs of blue marlin, shortbill spearfish, and wahoo. *Marine Ecology Progress Series*, 286, 269-277.
- Iacono, F., Pirani, C., Generali, L., Sassatelli, P., Nucci, C., Gandolfi, M. G., et al. (2016). Wear analysis and cyclic fatigue resistance of electro discharge machined NiTi rotary instruments. *Giornale Italiano Di Endodonzia*, 30(1), 64-68.
- Iannetti, G., Polimeni, A., Pagnoni, M., Fadda, M. T., Ranieri, V., Tecco, S., et al. (2011). Upper Airway Volume After Le Fort III Advancement in Subjects With Craniofacial Malformation. *Journal of Craniofacial Surgery*, 22(1), 351-355.
- Ianniello, S., Muscari, R., & Di Mascio, A. (2014). Ship underwater noise assessment by the Acoustic Analogy part II: hydroacoustic analysis of a ship scaled model. *Journal of Marine Science and Technology*, 19(1), 52-74.
- Ichii, T., & Kato, H. (1991). FOOD AND DAILY FOOD-CONSUMPTION OF SOUTHERN MINKE WHALES IN THE ANTARCTIC. *Polar Biology*, 11(7), 479-487.
- Ichii, T., Shinohara, N., Fujise, Y., Nishiwaki, S., & Matsuoka, K. (1998). Interannual changes in body fat condition index of minke whales in the Antarctic. *Marine Ecology Progress Series*, 175, 1-12.

- Ichikawa, K., Akamatsu, T., Shinke, T., Adulyanukosol, K., & Arai, N. (2011). Callback response of dugongs to conspecific chirp playbacks. *Journal of the Acoustical Society of America*, 129(6), 3623-3629.
- Ichikawa, K., Akamatsu, T., Shinke, T., Sasamori, K., Miyauchi, Y., Abe, Y., et al. (2009). Detection probability of vocalizing dugongs during playback of conspecific calls. *Journal of the Acoustical Society of America*, 126(4), 1954-1959.
- Ichikawa, K., Tsutsumi, C., Arai, N., Akamatsu, T., Shinke, T., Hara, T., et al. (2006). Dugong (*Dugong dugon*) vocalization patterns recorded by automatic underwater sound monitoring systems. *Journal of the Acoustical Society of America*, 119(6), 3726-3733.
- Ichishima, H., Augustin, A. H., Toyofuku, T., & Kitazato, H. (2017). A new species of Africanacetus (Odontoceti: Ziphiidae) found on the deep ocean floor off the coast of Brazil. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 146, 68-81.
- Ichishima, H., Furusawa, H., Tachibana, M., & Kimura, M. (2019). FIRST MONODONTID CETACEAN (ODONTOCETI, DELPHINOIDEA) FROM THE EARLY PLIOCENE OF THE NORTH-WESTERN PACIFIC OCEAN. *Papers in Palaeontology*, 5(2), 323-342.
- Ichishima, H., & Kimura, M. (2009). A new species of *Haborophocoena*, an Early Pliocene phocoenid cetacean from Hokkaido, Japan. *Marine Mammal Science*, 25(4), 855-874.
- Ierardi, J. L., Mancina, A., McMillan, J., Lundqvist, M. L., Romano, T. A., Wise, J. P., et al. (2009). Sampling the skin transcriptome of the North Atlantic right whale. *Comparative Biochemistry and Physiology D-Genomics & Proteomics*, 4(3), 154-158.
- Ijsseldijk, L. L., Camphuysen, K. C. J., Nauw, J. J., & Aarts, G. (2015). Going with the flow: Tidal influence on the occurrence of the harbour porpoise (*Phocoena phocoena*) in the Marsdiep area, The Netherlands. *Journal of Sea Research*, 103, 129-137.
- Inan, U., & Keskin, C. (2019). Torsional Resistance of ProGlider, Hyflex EDM, and One G Glide Path Instruments. *Journal of Endodontics*, 45(10), 1253-1257.
- Indig, G. L., Jay, D. G., & Grabowski, J. J. (1992). THE EFFICIENCY OF MALACHITE GREEN, FREE AND PROTEIN-BOUND, AS A PHOTON-TO-HEAT CONVERTER. *Biophysical Journal*, 61(3), 631-638.
- Ingram, R. G., Wang, J., Lin, C., Legendre, L., & Fortier, L. (1996). Impact of freshwater on a subarctic coastal ecosystem under seasonal sea ice (southeastern Hudson Bay, Canada) .1. Interannual variability and predicted global warming influence on river plume dynamics and sea ice. *Journal of Marine Systems*, 7(2-4), 221-231.
- Ingram, S. N., & Rogan, E. (2002). Identifying critical areas and habitat preferences of bottlenose dolphins *Tursiops truncatus*. *Marine Ecology Progress Series*, 244, 247-255.
- Ingram, S. N., Walshe, L., Johnston, D., & Rogan, E. (2007). Habitat partitioning and the influence of benthic topography and oceanography on the distribution of fin and minke whales in the Bay of Fundy, Canada. *Journal of the Marine Biological Association of the United Kingdom*, 87(1), 149-156.
- Inman, A., Brooker, E., Dolman, S., McCann, R., & Wilson, A. M. W. (2016). The use of marine wildlife-watching codes and their role in managing activities within marine protected areas in Scotland. *Ocean & Coastal Management*, 132, 132-142.
- Inoue, K., Terashima, Y., Shirakihara, M., & Shirakihara, K. (2017). Habitat Use by Indo-Pacific Bottlenose Dolphins (*Tursiops aduncus*) in Amakusa, Japan. *Aquatic Mammals*, 43(2), 127-138.

- Ioup, G. E., Ioup, J. W., Sidorovskaia, N. A., Tiemann, C. O., Kuczaj, S. A., Ackleh, A. S., et al. (2016). Environmental Acoustic Recording System (EARS) in the Gulf of Mexico.
- Iriarte, V., & Marmontel, M. (2013). River Dolphin (*Inia geoffrensis*, *Sotalia fluviatilis*) Mortality Events Attributed to Artisanal Fisheries in the Western Brazilian Amazon. *Aquatic Mammals*, 39(2), 116-124.
- Irvine, L., Palacios, D. M., Urban, J., & Mate, B. (2017). Sperm whale dive behavior characteristics derived from intermediate-duration archival tag data. *Ecology and Evolution*, 7(19), 7822-7837.
- Irvine, L. G., Thums, M., Hanson, C. E., McMahon, C. R., & Hindell, M. A. (2017). Quantifying the energy stores of capital breeding humpback whales and income breeding sperm whales using historical whaling records. *Royal Society Open Science*, 4(3).
- Irvine, L. G., Thums, M., Hanson, C. E., McMahon, C. R., & Hindell, M. A. (2018). Evidence for a widely expanded humpback whale calving range along the Western Australian coast. *Marine Mammal Science*, 34(2), 294-310.
- Irvine, L. M., Mate, B. R., Winsor, M. H., Palacios, D. M., Bograd, S. J., Costa, D. P., et al. (2014). Spatial and Temporal Occurrence of Blue Whales off the US West Coast, with Implications for Management. *Plos One*, 9(7).
- Irvine, L. M., Palacios, D. M., Lagerquist, B. A., & Mate, B. R. (2019). Scales of Blue and Fin Whale Feeding Behavior off California, USA, With Implications for Prey Patchiness. *Frontiers in Ecology and Evolution*, 7.
- Irwin, D. M., Kocher, T. D., & Wilson, A. C. (1991). EVOLUTION OF THE CYTOCHROME-B GENE OF MAMMALS. *Journal of Molecular Evolution*, 32(2), 128-144.
- Ishibashi, J., Noguchi, T., Toki, T., Miyabe, S., Yamagami, S., Onishi, Y., et al. (2014). Diversity of fluid geochemistry affected by processes during fluid upwelling in active hydrothermal fields in the Izena Hole, the middle Okinawa Trough back-arc basin. *Geochemical Journal*, 48(4), 357-369.
- Ishii, M., Murase, H., Fukuda, Y., Sawada, K., Sasakura, T., Tamura, T., et al. (2017). Diving behavior of sei whales *Balaenoptera borealis* relative to the vertical distribution of their potential prey. *Mammal Study*, 42(4), 191-199.
- Islam, M. Z., Wahab, N. I. A., Veerasamy, V., Hizam, H., Mailah, N. F., Guerrero, J. M., et al. (2020). A Harris Hawks Optimization Based Single- and Multi-Objective Optimal Power Flow Considering Environmental Emission. *Sustainability*, 12(13).
- Isojunno, S., Cure, C., Kvasdheim, P. H., Lam, F. P. A., Tyack, P. L., Wensveen, P. J., et al. (2016). Sperm whales reduce foraging effort during exposure to 1-2 kHz sonar and killer whale sounds. *Ecological Applications*, 26(1), 77-93.
- Isojunno, S., Matthiopoulos, J., & Evans, P. G. H. (2012). Harbour porpoise habitat preferences: robust spatio-temporal inferences from opportunistic data. *Marine Ecology Progress Series*, 448, 155-U242.
- Isojunno, S., & Miller, P. J. O. (2015). Sperm whale response to tag boat presence: biologically informed hidden state models quantify lost feeding opportunities. *Ecosphere*, 6(1).
- Isojunno, S., & Miller, P. J. O. (2016). Hidden Markov Models Capture Behavioral Responses to Suction-Cup Tag Deployment: A Functional State Approach to Behavioral Context. In A. N. Popper & A. Hawkins (Eds.), *Effects of Noise on Aquatic Life II* (Vol. 875, pp. 489-496).
- Isojunno, S., & Miller, P. J. O. (2018). Movement and Biosonar Behavior During Prey Encounters Indicate That Male Sperm Whales Switch Foraging Strategy With Depth. *Frontiers in Ecology and Evolution*, 6.
- Isojunno, S., Sadykova, D., DeRuiter, S., Cure, C., Visser, F., Thomas, L., et al. (2017). Individual, ecological, and anthropogenic influences on activity budgets of long-finned pilot whales. *Ecosphere*, 8(12).

- Isojunno, S., Wensveen, P. J., Lam, F. P. A., Kvadsheim, P. H., von Benda-Beckmann, A. M., Lopez, L. M. M., et al. (2020). When the noise goes on: received sound energy predicts sperm whale responses to both intermittent and continuous navy sonar. *Journal of Experimental Biology*, 223(7).
- Ito, H., Ueda, K., Aida, K., & Sakai, T. (2002). Suction feeding mechanisms of the dolphins. *Fisheries Science*, 68, 268-271.
- Ito, K., & Wu, C. C. (2013). Typhoon-Position-Oriented Sensitivity Analysis. Part I: Theory and Verification. *Journal of the Atmospheric Sciences*, 70(8), 2525-2546.
- Ivanov, M. P. (2009). Study of dolphin communicational behavior: procedure, motor and acoustic parameters. *Journal of Evolutionary Biochemistry and Physiology*, 45(6), 696-705.
- Ivanov, M. P., Butov, S. N., Leonova, L. E., Romanovskaya, E. V., & Stefanov, V. E. (2019). Testing of a Laboratory Prototype for Recording Dolphin Signals with an Extended Frequency Band of the Through Path. *Acoustical Physics*, 65(5), 603-610.
- Iwahara, Y., Fujiwara, A., Ito, K., Miyashita, K., & Mitani, Y. (2016). Gray whale sightings in the Canadian Beaufort Sea, September 2014. *Polar Science*, 10(2), 173-176.
- Iwahara, Y., Mitani, Y., & Miyashita, K. (2017). Estimation of Environmental Factors That Influence Migration Timing and Distribution of Pacific White-Sided Dolphins around Hokkaido, Japan. *Pacific Science*, 71(3), 303-318.
- Iwahara, Y., Shirakawa, H., Miyashita, K., & Mitani, Y. (2020). Spatial niche partitioning among three small cetaceans in the eastern coastal area of Hokkaido, Japan. *Marine Ecology Progress Series*, 637, 209-223.
- Iwase, R. (2016). Estimation of seismic wave velocity at seafloor surface and sound source localization based on transmitted wave observation with an ocean bottom seismometer offshore of Kamaishi, Japan. *Japanese Journal of Applied Physics*, 55(7).
- Izadi, S., Johnson, M., de Soto, N. A., & Constantine, R. (2018). Night-life of Bryde's whales: ecological implications of resting in a baleen whale. *Behavioral Ecology and Sociobiology*, 72(5).
- Izidoro, F. B., & Le Pendu, Y. (2012). Estuarine dolphins (*Sotalia guianensis*) (Van Beneden, 1864) (Cetacea: Delphinidae) in Porto de Ilheus, Brazil: group characterisation and response to ships. *North-Western Journal of Zoology*, 8(2), 232-240.
- Jaafar, Z., & Giam, X. (2012). Misinformation and omission in science journalism. *Tropical Conservation Science*, 5(2), 142-149.
- Jaakkola, K., Guarino, E., Rodriguez, M., Erb, L., & Trone, M. (2010). What do dolphins (*Tursiops truncatus*) understand about hidden objects? *Animal Cognition*, 13(1), 103-120.
- Jaakkola, K., Guarino, E., Rodriguez, M., & Hecksher, J. (2013). Switching strategies: a dolphin's use of passive and active acoustics to imitate motor actions. *Animal Cognition*, 16(5), 701-709.
- Jackson, J. A., Patenaude, N. J., Carroll, E. L., & Baker, C. S. (2008). How few whales were there after whaling? Inference from contemporary mtDNA diversity. *Molecular Ecology*, 17(1), 236-251.
- Jacobs, M. H., & Harms, M. (2014). Influence of interpretation on conservation intentions of whale tourists. *Tourism Management*, 42, 123-131.
- Jacobsen, A. R., & Bromley, R. G. (2009). New ichnotaxa based on tooth impressions on dinosaur and whale bones. *Geological Quarterly*, 53(4), 373-382.

- Jacobsen, T. B., Mayntz, M., & Amundin, M. (2003). Splitting suckling data of Bottlenose dolphin (*Tursiops truncatus*) Neonates in human care into suckling bouts. *Zoo Biology*, 22(5), 477-488.
- Jahoda, M., Lafortuna, C. L., Biassoni, N., Almirante, C., Azzellino, A., Panigada, S., et al. (2003). Mediterranean fin whale's (*Balaenoptera physalus*) response to small vessels and biopsy sampling assessed through passive tracking and timing of respiration. *Marine Mammal Science*, 19(1), 96-110.
- Jaine, F. R. A., Couturier, L. I. E., Weeks, S. J., Townsend, K. A., Bennett, M. B., Fiora, K., et al. (2012). When Giants Turn Up: Sighting Trends, Environmental Influences and Habitat Use of the Manta Ray *Manta alfredi* at a Coral Reef. *Plos One*, 7(10).
- Jaing, C., Thissen, J. B., Gardner, S., McLoughlin, K., Slezak, T., Bossart, G. D., et al. (2015). Pathogen surveillance in wild bottlenose dolphins *Tursiops truncatus*. *Diseases of Aquatic Organisms*, 116(2), 83-+.
- Jaiteh, V. F., Allen, S. J., Meeuwig, J. J., & Loneragan, N. R. (2013). Subsurface behavior of bottlenose dolphins (*Tursiops truncatus*) interacting with fish trawl nets in northwestern Australia: Implications for bycatch mitigation. *Marine Mammal Science*, 29(3), E266-E281.
- Jakobsen, L., Hallam, J., Moss, C. F., & Hedenstrom, A. (2018). Directionality of nose-emitted echolocation calls from bats without a nose leaf (*Plecotus auritus*). *Journal of Experimental Biology*, 221(3).
- Jakobsson, M., Pearce, C., Cronin, T. M., Backman, J., Anderson, L. G., Barrientos, N., et al. (2017). Post-glacial flooding of the Bering Land Bridge dated to 11 cal ka BP based on new geophysical and sediment records. *Climate of the Past*, 13(8), 991-1005.
- Jambura, P. L., & Kriwet, J. (2020). Articulated remains of the extinct shark *Ptychodus* (Elasmobranchii, Ptychodontidae) from the Upper Cretaceous of Spain provide insights into gigantism, growth rate and life history of ptychodontid sharks. *Plos One*, 15(4).
- Jamieson, A. J., Linley, T. D., & Craig, J. (2017). Baited camera survey of deep-sea demersal fishes of the West African oil provinces off Angola: 1200-2500m depth, East Atlantic Ocean. *Marine Environmental Research*, 129, 347-364.
- Janc, A., Richard, G., Guinet, C., Arnould, J. P. Y., Villanueva, M. C., Duhamel, G., et al. (2018). How do fishing practices influence sperm whale (*Physeter macrocephalus*) depredation on demersal longline fisheries? *Fisheries Research*, 206, 14-26.
- Janik, V. M. (1999). Pitfalls in the categorization of behaviour: a comparison of dolphin whistle classification methods. *Animal Behaviour*, 57, 133-143.
- Janik, V. M. (2000a). Food-related bray calls In wild bottlenose dolphins (*Tursiops truncatus*). *Proceedings of the Royal Society B-Biological Sciences*, 267(1446), 923-927.
- Janik, V. M. (2000b). Whistle matching in wild bottlenose dolphins (*Tursiops truncatus*). *Science*, 289(5483), 1355-+.
- Janik, V. M., King, S. L., Sayigh, L. S., & Wells, R. S. (2013). Identifying signature whistles from recordings of groups of unrestrained bottlenose dolphins (*Tursiops truncatus*). *Marine Mammal Science*, 29(1), 109-122.
- Jaquet, N., Dawson, S., & Douglas, L. (2001). Vocal behavior of male sperm whales: Why do they click? *Journal of the Acoustical Society of America*, 109(5), 2254-2259.
- Jaquet, N., & Gendron, D. (2009). The social organization of sperm whales in the Gulf of California and comparisons with other populations. *Journal of the Marine Biological Association of the United Kingdom*, 89(5), 975-983.

- Jaquet, N., Gendron, D., & Coakes, A. (2003). Sperm whales in the Gulf of California: Residency, movements, behavior, and the possible influence of variation in food supply. *Marine Mammal Science*, 19(3), 545-562.
- Jaquet, N., & Whitehead, H. (1996). Scale-dependent correlation of sperm whale distribution with environmental features and productivity in the South Pacific. *Marine Ecology Progress Series*, 135(1-3), 1-9.
- Jarvis, S. M., Morrissey, R. P., Moretti, D. J., DiMarzio, N. A., & Shaffer, J. A. (2014). Marine Mammal Monitoring on Navy Ranges (M3R): A Toolset for Automated Detection, Localization, and Monitoring of Marine Mammals in Open Ocean Environments. *Marine Technology Society Journal*, 48(1), 5-20.
- Jastrebsky, R. A., Bartol, I. K., & Krueger, P. S. (2016). Turning performance in squid and cuttlefish: unique dual-mode, muscular hydrostatic systems. *Journal of Experimental Biology*, 219(9), 1317-1326.
- Jay, C. V., Heide-Jorgensen, M. P., Fischbach, A. S., Jensen, M. V., Tessler, D. F., & Jensen, A. V. (2006). Comparison of remotely deployed satellite radio transmitters on walrus. *Marine Mammal Science*, 22(1), 226-236.
- Jay, C. V., Udevitz, M. S., Kwok, R., Fischbach, A. S., & Douglas, D. C. (2010). Divergent movements of walrus and sea ice in the northern Bering Sea. *Marine Ecology Progress Series*, 407, 293-302.
- Jayachandran, K. V., Mohan, R. S. L., & Raji, A. V. (2007). A new species of *Macrobrachium* Bate, 1868 (Decapoda, Palaemonidae) from the dolphin trenches of Kuls River, N. India, possibly under threat. *Zoologischer Anzeiger*, 246(1), 43-48.
- Jayasimha, Y., & Reddy, R. V. S. (2019). A robust face emotion recognition approach through optimized SIFT features and adaptive deep belief neural network. *Intelligent Decision Technologies-Netherlands*, 13(3), 379-390.
- Jech, J. M., Johnson, J. J., Lutcavage, M. E., Vanderlaan, A. S. M., Rzhhanov, Y., & LeRoi, D. J. (2020). Measurements of juvenile Atlantic bluefin tuna (*Thunnus thynnus*) size using an unmanned aerial system. *Journal of Unmanned Vehicle Systems*, 8(2), 140-160.
- Jefferson, T. A., Hung, S. K., Law, L., Torey, M., & Tregenza, N. (2002). Distribution and abundance of finless porpoises in Hong Kong and adjacent waters of China. *Raffles Bulletin of Zoology*, 43-55.
- Jelinski, D. E., Krueger, C. C., & Duffus, D. A. (2002). Geostatistical analyses of interactions between killer whales (*Orcinus orca*) and recreational whale-watching boats. *Applied Geography*, 22(4), 393-411.
- Jenkins, D. G., Brescacin, C. R., Duxbury, C. V., Elliott, J. A., Evans, J. A., Grablow, K. R., et al. (2007). Does size matter for dispersal distance? *Global Ecology and Biogeography*, 16(4), 415-425.
- Jensen, A. L. M., Delfour, F., & Carter, T. (2013). Anticipatory behavior in captive bottlenose dolphins (*Tursiops truncatus*): A preliminary study. *Zoo Biology*, 32(4), 436-444.
- Jensen, F. H., Beedholm, K., Wahlberg, M., Bejder, L., & Madsen, P. T. (2012). Estimated communication range and energetic cost of bottlenose dolphin whistles in a tropical habitat. *Journal of the Acoustical Society of America*, 131(1), 582-592.
- Jensen, F. H., Bejder, L., Wahlberg, M., Soto, N. A., Johnson, M., & Madsen, P. T. (2009). Vessel noise effects on delphinid communication. *Marine Ecology Progress Series*, 395, 161-175.
- Jensen, F. H., Keller, O. A., Tyack, P. L., & Visser, F. (2020). Dynamic biosonar adjustment strategies in deep-diving Risso's dolphins driven partly by prey evasion. *Journal of Experimental Biology*, 223(3).
- Jensen, F. H., Perez, J. M., Johnson, M., Soto, N. A., & Madsen, P. T. (2011). Calling under pressure: short-finned pilot whales make social calls during deep foraging dives. *Proceedings of the Royal Society B-Biological Sciences*, 278(1721), 3017-3025.

- Jensen, M. M., Saladrigas, A. H., & Goldbogen, J. A. (2017). Comparative Three-Dimensional Morphology of Baleen: Cross-Sectional Profiles and Volume Measurements Using CT Images. *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 300(11), 1942-1952.
- Jensen, T. K., Grandjean, P., Jorgensen, E. B., White, R. F., Debes, F., & Weihe, P. (2005). Effects of breast feeding on neuropsychological development in a community with methylmercury exposure from seafood. *Journal of Exposure Analysis and Environmental Epidemiology*, 15(5), 423-430.
- Jett, J., Visser, I. N., Ventre, J., Waltz, J., & Loch, C. (2017). Tooth damage in captive orcas (*Orcinus orca*). *Archives of Oral Biology*, 84, 151-160.
- Jewett, S. C., Feder, H. M., & Blanchard, A. (1999). Assessment of the benthic environment following offshore placer gold mining in the northeastern Bering Sea. *Marine Environmental Research*, 48(2), 91-122.
- Jiang, J. J., Bu, L. R., Duan, F. J., Wang, X. Q., Liu, W., Sun, Z. B., et al. (2019). Whistle detection and classification for whales based on convolutional neural networks. *Applied Acoustics*, 150, 169-178.
- Jiang, J. J., Bu, L. R., Wang, X. Q., Li, C. Y., Sun, Z. B., Yan, H., et al. (2018). Clicks classification of sperm whale and long-finned pilot whale based on continuous wavelet transform and artificial neural network. *Applied Acoustics*, 141, 26-34.
- Jiang, M. S., Brown, M. W., Turner, J. T., Kenney, R. D., Mayo, C. A., Zhang, Z. B., et al. (2007). Springtime transport and retention of *Calanus finmarchicus* in Massachusetts and Cape Cod Bays, USA, and implications for right whale foraging. *Marine Ecology Progress Series*, 349, 183-197.
- Jiang, Q. Q., Li, Y., Liao, Y. L., Miao, Y. G., Jiang, W., & Wu, H. W. (2019). Information fusion model-free adaptive control algorithm and unmanned surface vehicle heading control. *Applied Ocean Research*, 90.
- Jiang, Q. Q., Liao, Y. L., Li, Y., Fan, J. J., & Miao, Y. G. (2019). Heading Control of Unmanned Surface Vehicle With Variable Output Constraint Model-Free Adaptive Control Algorithm. *Ieee Access*, 7, 131008-131018.
- Jiang, Y., Liu, Z. W., Yang, C. M., Lu, L. G., Yu, X. L., Huang, L. F., et al. (2020). High-frequency whistles of Irrawaddy dolphins (*Orcaella brevirostris*) recorded in Brunei Bay. *Marine Mammal Science*, 36(3), 846-857.
- Jiang, Y., Zhang, X. L., Yang, Z. G., Jaaman, S. A., Xu, Q. Z., Muda, A. M., et al. (2019). Preliminary analysis of echolocation signals produced by fleeing Irrawaddy dolphins (*Orcaella brevirostris*). *Acta Oceanologica Sinica*, 38(1), 85-89.
- Jin, D., Zhao, S. G., Zheng, N., Bu, D. P., Beckers, Y., Denman, S. E., et al. (2017). Differences in Ureolytic Bacterial Composition between the Rumen Digesta and Rumen Wall Based on ureC Gene Classification. *Frontiers in Microbiology*, 8.
- Johnson, C. M., Beckley, L. E., Kobryn, H., Johnson, G. E., Kerr, I., & Payne, R. (2016). Crowdsourcing Modern and Historical Data Identifies Sperm Whale (*Physeter macrocephalus*) Habitat Offshore of South-Western Australia. *Frontiers in Marine Science*, 3.
- Johnson, H. D., Stafford, K. M., George, J. C., Ambrose, W. G., & Clark, C. W. (2015). Song sharing and diversity in the Bering-Chukchi-Beaufort population of bowhead whales (*Balaena mysticetus*), spring 2011. *Marine Mammal Science*, 31(3), 902-922.
- Johnson, K. R., & Nelson, C. H. (1984). SIDE-SCAN SONAR ASSESSMENT OF GRAY WHALE FEEDING IN THE BERING SEA. *Science*, 225(4667), 1150-1152.
- Johnson, M. (2014). On-Animal Methods for Studying Echolocation in Free-Ranging Animals. In A. Surlykke, P. E. Nachtigall, R. R. Fay & A. N. Popper (Eds.), *Biosonar* (Vol. 51, pp. 195-229).

- Johnson, M., Hickmott, L. S., Soto, N. A., & Madsen, P. T. (2008). Echolocation behaviour adapted to prey in foraging Blainville's beaked whale (*Mesoplodon densirostris*). *Proceedings of the Royal Society B-Biological Sciences*, 275(1631), 133-139.
- Johnson, M., Madsen, P. T., Zimmer, W. M. X., de Soto, N. A., & Tyack, P. L. (2004). Beaked whales echolocate on prey. *Proceedings of the Royal Society B-Biological Sciences*, 271, S383-S386.
- Johnson, M., Madsen, P. T., Zimmer, W. M. X., de Soto, N. A., & Tyack, P. L. (2006). Foraging Blainville's beaked whales (*Mesoplodon densirostris*) produce distinct click types matched to different phases of echolocation. *Journal of Experimental Biology*, 209(24), 5038-5050.
- Johnson, M. P., & Tyack, P. L. (2003). A digital acoustic recording tag for measuring the response of wild marine mammals to sound. *Ieee Journal of Oceanic Engineering*, 28(1), 3-12.
- Johnson, P. T. J., Stanton, D. E., Forshay, K. J., & Calhoun, D. M. (2018). Vertically challenged: How disease suppresses *Daphnia* vertical migration behavior. *Limnology and Oceanography*, 63(2), 886-896.
- Johnson, S. R. (1979). FALL OBSERVATIONS OF WESTWARD MIGRATING WHITE WHALES (*DELPHINAPTERUS-LEUCAS*) ALONG THE CENTRAL ALASKAN BEAUFORT SEA COAST. *Arctic*, 32(3), 275-276.
- Johnson, S. R., Richardson, W. J., Yazvenko, S. B., Blokhin, S. A., Gailey, G., Jenkerson, M. R., et al. (2007). A western gray whale mitigation and monitoring program for a 3-D seismic survey, Sakhalin Island, Russia. *Environmental Monitoring and Assessment*, 134(1-3), 1-19.
- Johnston, D. W., McDonald, M., Polovina, J., Domokos, R., Wiggins, S., & Hildebrand, J. (2008). Temporal patterns in the acoustic signals of beaked whales at Cross Seamount. *Biology Letters*, 4(2), 208-211.
- Johnston, D. W., & Read, A. J. (2007). Flow-field observations of a tidally driven island wake used by marine mammals in the Bay of Fundy, Canada. *Fisheries Oceanography*, 16(5), 422-435.
- Johnston, D. W., Thorne, L. H., & Read, A. J. (2005). Fin whales *Balaenoptera physalus* and minke whales *Balaenoptera acutorostrata* exploit a tidally driven island wake ecosystem in the Bay of Fundy. *Marine Ecology Progress Series*, 305, 287-295.
- Johnston, D. W., Westgate, A. J., & Read, A. J. (2005). Effects of fine-scale oceanographic features on the distribution and movements of harbour porpoises *Phocoena phocoena* in the Bay of Fundy. *Marine Ecology Progress Series*, 295, 279-293.
- Joiris, C. R. (2011). A major feeding ground for cetaceans and seabirds in the south-western Greenland Sea. *Polar Biology*, 34(10), 1597-1607.
- Joiris, C. R., & Dochy, O. (2013). A major autumn feeding ground for fin whales, southern fulmars and grey-headed albatrosses around the South Shetland Islands, Antarctica. *Polar Biology*, 36(11), 1649-1658.
- Jolivel, M., Allard, M., & St-Onge, G. (2015). Climate change and recent sedimentation in Nastapoka Sound, eastern coast of Hudson Bay. *Canadian Journal of Earth Sciences*, 52(5), 322-337.
- Jonahson, M., & Harding, S. (2007). Occurrence of whale sharks (*Rhincodon typus*) in Madagascar. *Fisheries Research*, 84(1), 132-135.
- Jones, A., Bruce, E., Davies, K. P., Blewitt, M., & Sheehan, S. (2019). Assessing potential environmental influences on killer whale (*Orcinus orca*) distribution patterns in the Bremer Canyon, south-west Australia. *Australian Geographer*, 50(3), 381-405.

- Jones, B. A., Stanton, T. K., Lavery, A. C., Johnson, M. P., Madsen, P. T., & Tyack, P. L. (2008). Classification of broadband echoes from prey of a foraging Blainville's beaked whale. *Journal of the Acoustical Society of America*, 123(3), 1753-1762.
- Jones, B. L., Daniels, R., Tufano, S., & Ridgway, S. (2020). Five members of a mixed-sex group of bottlenose dolphins share a stereotyped whistle contour in addition to maintaining their individually distinctive signature whistles. *Plos One*, 15(5).
- Jones, E. G., Collins, M. A., Bagley, P. M., Addison, S., & Priede, I. G. (1998). The fate of cetacean carcasses in the deep sea: observations on consumption rates and succession of scavenging species in the abyssal north-east Atlantic Ocean. *Proceedings of the Royal Society B-Biological Sciences*, 265(1401), 1119-1127.
- Jorgensen, S. J., Anderson, S., Ferretti, F., Tietz, J. R., Chapple, T., Kanive, P., et al. (2019). Killer whales redistribute white shark foraging pressure on seals. *Scientific Reports*, 9.
- Jouma'a, J., Le Bras, Y., Richard, G., Vacquie-Garcia, J., Picard, B., El Ksabi, N., et al. (2016). Adjustment of diving behaviour with prey encounters and body condition in a deep diving predator: the Southern Elephant Seal. *Functional Ecology*, 30(4), 636-648.
- Jourdain, E., Andvik, C., Karoliussen, R., Ruus, A., Vongraven, D., & Borga, K. (2020). Isotopic niche differs between seal and fish-eating killer whales (*Orcinus orca*) in northern Norway. *Ecology and Evolution*, 10(9), 4115-4127.
- Jourdain, E., Karoliussen, R., de Vos, J., Zakharov, S. E., & Tougaard, C. (2020). Killer whales (*Orcinus orca*) feeding on lumpfish (*Cyclopterus lumpus*) in northern Norway. *Marine Mammal Science*, 36(1), 89-102.
- Jourdain, E., & Vongraven, D. (2017). Humpback whale (*Megaptera novaeangliae*) and killer whale (*Orcinus orca*) feeding aggregations for foraging on herring (*Clupea harengus*) in Northern Norway. *Mammalian Biology*, 86, 27-32.
- Jourdain, E., Vongraven, D., Bisther, A., & Karoliussen, R. (2017). First longitudinal study of seal-feeding killer whales (*Orcinus orca*) in Norwegian coastal waters. *Plos One*, 12(6).
- Jovanovic, T., & Maestriperi, D. (2010). Effects of Early Traumatic Experience on Vocal Expression of Emotion in Young Female Rhesus Macaques. *Developmental Psychobiology*, 52(8), 794-801.
- Joy, R., Tollit, D., Wood, J., MacGillivray, A., Li, Z. Z., Trounce, K., et al. (2019). Potential Benefits of Vessel Slowdowns on Endangered Southern Resident Killer Whales. *Frontiers in Marine Science*, 6.
- Joy, R., Wood, J. D., Sparling, C. E., Tollit, D. J., Copping, A. E., & McConnell, B. J. (2018). Empirical measures of harbor seal behavior and avoidance of an operational tidal turbine. *Marine Pollution Bulletin*, 136, 92-106.
- Joyce, T. W., Durban, J. W., Claridge, D. E., Dunn, C. A., Fearnbach, H., Parsons, K. M., et al. (2017). Physiological, morphological, and ecological tradeoffs influence vertical habitat use of deep-diving toothed-whales in the Bahamas. *Plos One*, 12(10).
- Joyce, T. W., Durban, J. W., Claridge, D. E., Dunn, C. A., Hickmott, L. S., Fearnbach, H., et al. (2020). Behavioral responses of satellite tracked Blainville's beaked whales (*Mesoplodon densirostris*) to mid-frequency active sonar. *Marine Mammal Science*, 36(1), 29-46.
- Joyce, T. W., Durban, J. W., Fearnbach, H., Claridge, D., & Ballance, L. T. (2016). Use of time-at-temperature data to describe dive behavior in five species of sympatric deep-diving toothed whales. *Marine Mammal Science*, 32(3), 1044-1071.

- Judkins, H., Arbuckle, S., Vecchione, M., Garrison, L., & Martinez, A. (2015). Cephalopods in the potential prey field of sperm whales (*Physeter macrocephalus*) (Cetacea: Physeteridae) in the northern Gulf of Mexico. *Journal of Natural History*, 49(21-24), 1267-1280.
- Jungblut, S., Nachtsheim, D. A., Boos, K., & Joiris, C. R. (2017). Biogeography of top predators - seabirds and cetaceans - along four latitudinal transects in the Atlantic Ocean. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 141, 59-73.
- Jutapruet, S., Intongcome, A., Wang, X. Y., Kittiwattanawong, K., & Huang, S. L. (2017). Distribution of Three Sympatric Cetacean Species Off the Coast of the Central-Western Gulf of Thailand. *Aquatic Mammals*, 43(5), 465-473.
- Kadioglu, Y., Kilic, S. B., Demirci, S., Akturk, O. U., Akturk, E., & Ciraci, S. (2017). Modification of electronic structure, magnetic structure, and topological phase of bismuthene by point defects. *Physical Review B*, 96(24).
- Kafle, P., Leclerc, L. M., Anderson, M., Davison, T., Lejeune, M., & Kutz, S. (2017). Morphological keys to advance the understanding of protostrongylid biodiversity in caribou (*Rangifer* spp.) at high latitudes. *International Journal for Parasitology-Parasites and Wildlife*, 6(3), 331-339.
- Kagley, A. N., Smith, J. M., Fresh, K. L., Frick, K. E., & Quinn, T. P. (2017). Residency, partial migration, and late egress of subadult Chinook salmon (*Oncorhynchus tshawytscha*) and coho salmon (*O. kisutch*) in Puget Sound, Washington. *Fishery Bulletin*, 115(4), 544-555.
- Kai, E. T., Rossi, V., Sudre, J., Weimerskirch, H., Lopez, C., Hernandez-Garcia, E., et al. (2009). Top marine predators track Lagrangian coherent structures. *Proceedings of the National Academy of Sciences of the United States of America*, 106(20), 8245-8250.
- Kajiura, S. M., & Tellman, S. L. (2016). Quantification of Massive Seasonal Aggregations of Blacktip Sharks (*Carcharhinus limbatus*) in Southeast Florida. *Plos One*, 11(3).
- Kalenitchenko, D., Dupraz, M., Le Bris, N., Petetin, C., Rose, C., West, N. J., et al. (2016). Ecological succession leads to chemosynthesis in mats colonizing wood in sea water. *ISME Journal*, 10(9), 2246-2258.
- Kalenitchenko, D., Fagervold, S. K., Pruski, A. M., Vétion, G., Yucel, M., Le Bris, N., et al. (2015). Temporal and spatial constraints on community assembly during microbial colonization of wood in seawater. *ISME Journal*, 9(12), 2657-2670.
- Kalsbeck, W. A., Robertson, D. E., Pandey, R. K., Smith, K. M., Dutton, P. L., & Bocian, D. F. (1996). Structural and electronic properties of the heme cofactors in a multi-heme synthetic cytochrome. *Biochemistry*, 35(11), 3429-3438.
- Kanaji, Y., & Gerrodette, T. (2020). Estimating abundance of Risso's dolphins using a hierarchical Bayesian habitat model: A framework for monitoring stocks of animals inhabiting a dynamic ocean environment. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 175.
- Kanaji, Y., Miyashita, T., Yoshida, H., Okazaki, M., & Kishiro, T. (2015). Abundance estimates of dalli-type and truei-type of Dall's porpoise *Phocoenoides dalli* in the western central part of the Sea of Okhotsk, July-September between 1990 and 2010. *Fisheries Science*, 81(4), 611-619.
- Kanaji, Y., Okazaki, M., Kishiro, T., & Miyashita, T. (2015). Estimation of habitat suitability for the southern form of the short-finned pilot whale (*Globicephala macrorhynchus*) in the North Pacific. *Fisheries Oceanography*, 24(1), 14-25.
- Kanaji, Y., Okazaki, M., & Miyashita, T. (2017). Spatial patterns of distribution, abundance, and species diversity of small odontocetes estimated using density surface modeling with line transect sampling. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 140, 151-162.

- Kanaji, Y., Okazaki, M., Watanabe, H., & Miyashita, T. (2016). Biogeography of small odontocetes in relation to wide-scale oceanographic structure in the North Pacific Ocean. *Fisheries Oceanography*, 25(2), 119-132.
- Kanaji, Y., Yoshida, H., Sasaki, H., Okazaki, M., & Kobayashi, M. (2020). Distribution and abundance of dalli-type Dall's porpoises *Phocoenoides dalli* migrating into waters off southeastern Hokkaido, Japan, during summer: results of 2014-2016 aerial surveys. *Fisheries Science*, 86(2), 287-298.
- Kane, E. A., Cohen, H. E., Hicks, W. R., Mahoney, E. R., & Marshall, C. D. (2019). Beyond Suction-Feeding Fishes: Identifying New Approaches to Performance Integration During Prey Capture in Aquatic Vertebrates. *Integrative and Comparative Biology*, 59(2), 456-472.
- Kang, K., & Schnetkamp, P. P. M. (2003). Signal sequence cleavage and plasma membrane targeting of the retinal rod NCKX1 and cone NCKX2 Na⁺/Ca²⁺-K⁺ exchangers. *Biochemistry*, 42(31), 9438-9445.
- Kannayeram, G., Prakash, N. B., & Muniraj, R. (2020). Intelligent hybrid controller for power flow management of PV/battery/FC/SC system in smart grid applications. *International Journal of Hydrogen Energy*, 45(41), 21779-21795.
- Kaplan, J. D., Goodrich, S. Y., Melillo-Sweeting, K., & Reiss, D. (2019). Behavioural laterality in foraging bottlenose dolphins (*Tursiops truncatus*). *Royal Society Open Science*, 6(11).
- Kaplan, J. D., Melillo-Sweeting, K., & Reiss, D. (2018). Biphonal calls in Atlantic spotted dolphins (*Stenella frontalis*): bitonal and burst-pulse whistles. *Bioacoustics-the International Journal of Animal Sound and Its Recording*, 27(2), 145-164.
- Kaplan, J. D., & Reiss, D. (2017). Whistle Acoustic Parameters in Atlantic Spotted Dolphins (*Stenella frontalis*) and Bottlenose Dolphins (*Tursiops truncatus*) in Two Locations in The Bahamas and Comparisons with Other Populations. *Aquatic Mammals*, 43(4), 364-377.
- Kaplan, M. B., Mooney, T. A., Sayigh, L. S., & Baird, R. W. (2014). Repeated call types in Hawaiian melon-headed whales (*Peponocephala electra*). *Journal of the Acoustical Society of America*, 136(3), 1394-1401.
- Karamitros, G., Gkafas, G. A., Giantsis, I. A., Martsikalis, P., Kavouras, M., & Exadactylos, A. (2020). Model-Based Distribution and Abundance of Three Delphinidae in the Mediterranean. *Animals*, 10(2).
- Karczmarski, L. (1999). Group dynamics of humpback dolphins (*Sousa chinensis*) in the Algoa Bay region, South Africa. *Journal of Zoology*, 249, 283-293.
- Karczmarski, L., & Cockcroft, V. G. (1999). Daylight behaviour of humpback dolphins *Sousa chinensis* in Algoa Bay, South Africa. *Zeitschrift Fur Säugetierkunde-International Journal of Mammalian Biology*, 64(1), 19-29.
- Karczmarski, L., Cockcroft, V. G., & McLachlan, A. (1999). Group size and seasonal pattern of occurrence of humpback dolphins *Sousa chinensis* in Algoa Bay, South Africa. *South African Journal of Marine Science-Suid-Afrikaanse Tydskrif Vir Seewetenskap*, 21, 89-97.
- Karczmarski, L., Huang, S. L., Wong, W. H., Chang, W. L., Chan, S. C. Y., & Keith, M. (2017). Distribution of a Coastal Delphinid Under the Impact of Long-Term Habitat Loss: Indo-Pacific Humpback Dolphins off Taiwan's West Coast. *Estuaries and Coasts*, 40(2), 594-603.
- Karczmarski, L., Thornton, M., & Cockcroft, V. G. (2000). Daylight occurrence of humpback dolphins *Sousa chinensis* in Algoa Bay, South Africa. *African Journal of Ecology*, 38(1), 86-90.
- Karenina, K., Giljov, A., Baranov, V., Osipova, L., Krasnova, V., & Malashichev, Y. (2010). Visual Laterality of Calf-Mother Interactions in Wild Whales. *Plos One*, 5(11).

- Karenina, K., Giljov, A., Glazov, D., & Malashichev, Y. (2013). Social laterality in wild beluga whale infants: comparisons between locations, escort conditions, and ages. *Behavioral Ecology and Sociobiology*, 67(7), 1195-1204.
- Karenina, K., Giljov, A., Ivkovich, T., Burdin, A., & Malashichev, Y. (2013). Lateralization of spatial relationships between wild mother and infant orcas, *Orcinus orca*. *Animal Behaviour*, 86(6), 1225-1231.
- Karenina, K., Giljov, A., Ivkovich, T., & Malashichev, Y. (2016). Evidence for the perceptual origin of right-sided feeding biases in cetaceans. *Animal Cognition*, 19(1), 239-243.
- Karimi, M., & Alecsandru, C. (2019). Two-fold calibration approach for microscopic traffic simulation models. *Iet Intelligent Transport Systems*, 13(10), 1507-1517.
- Karimi, M., Miriestahbanati, M., Esmaeeli, H., & Alecsandru, C. (2019). Multi-Objective Stochastic Optimization Algorithms to Calibrate Microsimulation Models. *Transportation Research Record*, 2673(4), 743-752.
- Karlsson, L., & Dolnicar, S. (2016). Does eco certification sell tourism services? Evidence from a quasi-experimental observation study in Iceland. *Journal of Sustainable Tourism*, 24(5), 694-714.
- Karniski, C., Patterson, E. M., Krzyszczyk, E., Foroughirad, V., Stanton, M. A., & Mann, J. (2015). A comparison of survey and focal follow methods for estimating individual activity budgets of cetaceans. *Marine Mammal Science*, 31(3), 839-852.
- Karns, B. L., Ewing, R. Y., & Schaefer, A. M. (2019). Evaluation of body mass index as a prognostic indicator from two rough-toothed dolphin (*Steno bredanensis*) mass strandings in Florida. *Ecology and Evolution*, 9(18), 10544-10552.
- Karpouzli, E., & Leaper, R. (2004). Opportunistic observations of interactions between sperm whales and deep-water trawlers based on sightings from fisheries observers in the northwest Atlantic. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 14(1), 95-103.
- Kasamatsu, F. (2000). Species diversity of the whale community in the Antarctic. *Marine Ecology Progress Series*, 200, 297-301.
- Kasamatsu, F., Ensor, P., & Joyce, G. G. (1998). Clustering and aggregations of minke whales in the Antarctic feeding grounds. *Marine Ecology Progress Series*, 168, 1-11.
- Kasamatsu, F., Ensor, P., Joyce, G. G., & Kimura, N. (2000). Distribution of minke whales in the Bellingshausen and Amundsen Seas (60 degrees W-120 degrees W), with special reference to environmental/physiographic variables. *Fisheries Oceanography*, 9(3), 214-223.
- Kasamatsu, F., & Joyce, G. G. (1995). CURRENT STATUS OF ODONTOCETES IN THE ANTARCTIC. *Antarctic Science*, 7(4), 365-379.
- Kasamatsu, F., Matsuoka, K., & Hakamada, T. (2000). Interspecific relationships in density among the whale community in the Antarctic. *Polar Biology*, 23(7), 466-473.
- Kasamatsu, F., Nishiwaki, S., & Ishikawa, H. (1995). BREEDING AREAS AND SOUTHBOUND MIGRATIONS OF SOUTHERN MINKE WHALES BALAENOPTERA-ACUTOROSTRATA. *Marine Ecology Progress Series*, 119(1-3), 1-10.
- Kaschner, K., Quick, N. J., Jewell, R., Williams, R., & Harris, C. M. (2012). Global Coverage of Cetacean Line-Transect Surveys: Status Quo, Data Gaps and Future Challenges. *Plos One*, 7(9).
- Kaschner, K., Tittensor, D. P., Ready, J., Gerrodette, T., & Worm, B. (2011). Current and Future Patterns of Global Marine Mammal Biodiversity. *Plos One*, 6(5).

- Kassamali-Fox, A., Christiansen, F., May-Collado, L. J., Ramos, E. A., & Kaplin, B. A. (2020). Tour boats affect the activity patterns of bottlenose dolphins (*Tursiops truncatus*) in Bocas del Toro, Panama. *PeerJ*, 8.
- Kastelein, R. A., Gransier, R., van den Hoogen, M., & Hoek, L. (2013). Brief Behavioral Response Threshold Levels of a Harbor Porpoise (*Phocoena phocoena*) to Five Helicopter Dipping Sonar Signals (1.33 to 1.43 kHz). *Aquatic Mammals*, 39(2), 162-173.
- Kastelein, R. A., Helder-Hoek, L., Booth, C., Jennings, N., & Leopold, M. (2019). High Levels of Food Intake in Harbor Porpoises (*Phocoena phocoena*): Insight into Recovery from Disturbance. *Aquatic Mammals*, 45(4), 380-388.
- Kastelein, R. A., Helder-Hoek, L., & Jennings, N. (2018). Seasonal Changes in Food Consumption, Respiration Rate, and Body Condition of a Male Harbor Porpoise (*Phocoena phocoena*). *Aquatic Mammals*, 44(1), 76-91.
- Kastelein, R. A., Hoek, L., Gransier, R., de Jong, C. A. F., Terhune, J. M., & Jennings, N. (2015). Hearing thresholds of a harbor porpoise (*Phocoena phocoena*) for playbacks of seal scarer signals, and effects of the signals on behavior. *Hydrobiologia*, 756(1), 89-103.
- Kastelein, R. A., Huybrechts, J., Covi, J., & Helder-Hoek, L. (2017). Behavioral Responses of a Harbor Porpoise (*Phocoena phocoena*) to Sounds from an Acoustic Porpoise Deterrent. *Aquatic Mammals*, 43(3), 233-244.
- Kastelein, R. A., Steen, N., Gransier, R., & de Jong, C. A. F. (2013). Brief Behavioral Response Threshold Level of a Harbor Porpoise (*Phocoena phocoena*) to an Impulsive Sound. *Aquatic Mammals*, 39(4), 315-323.
- Kastelein, R. A., Steen, N., Gransier, R., Wensveen, P. J., & De Jong, C. A. F. (2012). Threshold received sound pressure levels of single 1-2 kHz and 6-7 kHz up-sweeps and down-sweeps causing startle responses in a harbor porpoise (*Phocoena phocoena*). *Journal of the Acoustical Society of America*, 131(3), 2325-2333.
- Kastelein, R. A., Van de Voorde, S., & Jennings, N. (2018). Swimming Speed of a Harbor Porpoise (*Phocoena phocoena*) During Playbacks of Offshore Pile Driving Sounds. *Aquatic Mammals*, 44(1), 92-99.
- Kastelein, R. A., van der Heul, S., van der Veen, J., Verboom, W. C., Jennings, N., de Haan, D., et al. (2007). Effects of acoustic alarms, designed to reduce small cetacean bycatch in gillnet fisheries, on the behaviour of North Sea fish species in a large tank. *Marine Environmental Research*, 64(2), 160-180.
- Kastelein, R. A., Vaughan, N., Walton, S., & Wiepkema, P. R. (2002). Food intake and body measurements of Atlantic bottlenose dolphins (*Tursiops truncatus*) in captivity. *Marine Environmental Research*, 53(2), 199-218.
- Kastelein, R. A., von Benda-Beckmann, S. M., Lam, F. P. A., Jansen, E., & de Jong, C. A. F. (2019). Effect of a Bubble Screen on the Behavioral Responses of Captive Harbor Porpoises (*Phocoena phocoena*) Exposed to Airgun Sounds. *Aquatic Mammals*, 45(6), 706-716.
- Katahira, H., Ashida, H., & Kobayashi, M. (2020). One-sided infections by intestinal parasites in two sympatric porpoises bycaught from the Nemuro Strait of Hokkaido, Japan. *Parasitology International*, 77.
- Katz, S., Klepal, W., & Bright, M. (2010). The Skin of Osedax (Siboglinidae, Annelida): An Ultrastructural Investigation of its Epidermis. *Journal of Morphology*, 271(10), 1272-1280.
- Kaufman, J. C., & Kaufman, A. B. (2004). Applying a creativity framework to animal cognition. *New Ideas in Psychology*, 22(2), 143-155.
- Kavanagh, A. S., Goldizen, A. W., Blomberg, S. P., Noad, M. J., & Dunlop, R. A. (2016). Factors Affecting the Reliability and Validity of Behavioural Datasets: Assessing the Impact of Observers' Experience and Native Language on Studies of Wild Animals. *Aquatic Mammals*, 42(1), 1-11.

- Kavanagh, A. S., Owen, K., Williamson, M. J., Blomberg, S. P., Noad, M. J., Goldizen, A. W., et al. (2017). Evidence for the functions of surface-active behaviors in humpback whales (*Megaptera novaeangliae*). *Marine Mammal Science*, 33(1), 313-334.
- Kavanaugh, M. T., Oliver, M. J., Chavez, F. P., Letelier, R. M., Muller-Karger, F. E., & Doney, S. C. (2016). Seascapes as a new vernacular for pelagic ocean monitoring, management and conservation. *Ices Journal of Marine Science*, 73(7), 1839-1850.
- Kay, W. P., Naumann, D. S., Bowen, H. J., Withers, S. J., Evans, B. J., Wilson, R. P., et al. (2019). Minimizing the impact of biologging devices: Using computational fluid dynamics for optimizing tag design and positioning. *Methods in Ecology and Evolution*, 10(8), 1222-1233.
- Kazanov, M. D., Vitreschak, A. G., & Gelfand, M. S. (2007). Abundance and functional diversity of riboswitches in microbial communities. *Bmc Genomics*, 8.
- Kedra, M., Renaud, P. E., Andrade, H., Goszczko, I., & Ambrose, W. G. (2013). Benthic community structure, diversity, and productivity in the shallow Barents Sea bank (Svalbard Bank). *Marine Biology*, 160(4), 805-819.
- Keeley, N., Valdemarsen, T., Strohmeier, T., Pochon, X., Dahlgren, T., & Bannister, R. (2020). Mixed-habitat assimilation of organic waste in coastal environments - It's all about synergy! *Science of the Total Environment*, 699.
- Keen, E. M. (2017). Aggregative and feeding thresholds of sympatric rorqual whales within a fjord system. *Ecosphere*, 8(3).
- Keen, E. M., Falcone, E. A., Andrews, R. D., & Schorr, G. S. (2019). Diel Dive Behavior of Fin Whales (*Balaenoptera physalus*) in the Southern California Bight. *Aquatic Mammals*, 45(2), 233-243.
- Keen, E. M., & Qualls, K. M. (2018). Respiratory behaviors in sympatric rorqual whales: the influence of prey depth and implications for temporal access to prey. *Journal of Mammalogy*, 99(1), 27-40.
- Keen, E. M., Wray, J., Meuter, H., Thompson, K. L., Barlow, J. P., & Picard, C. R. (2017). 'Whale wave': shifting strategies structure the complex use of critical fjord habitat by humpbacks. *Marine Ecology Progress Series*, 567, 211-233.
- Keen, E. M., Wray, J., Pilkington, J. F., Thompson, K. L., & Picard, C. R. (2018). Distinct habitat use strategies of sympatric rorqual whales within a fjord system. *Marine Environmental Research*, 140, 180-189.
- Keener, W., Webber, M. A., Szczepaniak, I. D., Markowitz, T. M., & Orbach, D. N. (2018). The Sex Life of Harbor Porpoises (*Phocoena phocoena*): Lateralized and Aerial Behavior. *Aquatic Mammals*, 44(6), 620-632.
- Keiper, C. A., Ainley, D. G., Allen, S. G., & Harvey, J. T. (2005). Marine mammal occurrence and ocean climate off central California, 1986 to 1994 and 1997 to 1999. *Marine Ecology Progress Series*, 289, 285-306.
- Keith, M., Bester, M. N., Bartlett, P. A., & Baker, D. (2001). Killer whales (*Orcinus orca*) at Marion Island, Southern Ocean. *African Zoology*, 36(2), 163-175.
- Kelagher, B. P., Peddemors, V. M., Hoade, B., Colefax, A. P., & Butcher, P. A. (2020). Comparison of sampling precision for nearshore marine wildlife using unmanned and manned aerial surveys. *Journal of Unmanned Vehicle Systems*, 8(1), 30-43.
- Keller, C. A., Ward-Geiger, L. I., Brooks, W. B., Slay, C. K., Taylor, C. R., & Zoodsma, B. J. (2006). North Atlantic right whale distribution in relation to sea-surface temperature in the southeastern United States calving grounds. *Marine Mammal Science*, 22(2), 426-445.

- Kelly, J. T., & Klimley, A. P. (2003). The occurrence of the white shark, *Carcharodon carcharias*, at the Point Reyes Headlands, California. *California Fish and Game*, 89(4), 187-196.
- Kelly, M. J. (2001). Computer-aided photograph matching in studies using individual identification: An example from Serengeti cheetahs. *Journal of Mammalogy*, 82(2), 440-449.
- Kemp, K. M., Jamieson, A. J., Bagley, P. M., McGrath, H., Bailey, D. M., Collins, M. A., et al. (2006). Consumption of large bathyal food fall, a six month study in the NE Atlantic. *Marine Ecology Progress Series*, 310, 65-76.
- Kemper, C. M. (2002). Distribution of the pygmy right whale, *Caperea marginata*, in the Australasian region. *Marine Mammal Science*, 18(1), 99-111.
- Kemper, C. M. (2005). Records of humpback whales *Megaptera novaeangliae* in South Australia. *Transactions of the Royal Society of South Australia*, 129, 53-58.
- Kemper, C. M., Middleton, J. F., & van Ruth, P. D. (2013). Association between pygmy right whales (*Caperea marginata*) and areas of high marine productivity off Australia and New Zealand. *New Zealand Journal of Zoology*, 40(2), 102-128.
- Kenchington, T. J., Themelis, D. E., DeVaney, S. C., & Kenchington, E. L. (2020). The Meso- and Bathypelagic Fishes in a Large Submarine Canyon: Assemblage Structure of the Principal Species in the Gully Marine Protected Area. *Frontiers in Marine Science*, 7.
- Kendall-Bar, J. M., Vyssotski, A. L., Mukhametov, L. M., Siegel, J. M., & Lyamin, O. I. (2019). Eye state asymmetry during aquatic unihemispheric slow wave sleep in northern fur seals (*Callorhinus ursinus*). *Plos One*, 14(5).
- Kennedy, A. S., Zerbini, A. N., Rone, B. K., & Clapham, P. J. (2014). Individual variation in movements of satellite-tracked humpback whales *Megaptera novaeangliae* in the eastern Aleutian Islands and Bering Sea. *Endangered Species Research*, 23(2), 187-195.
- Kennedy, A. S., Zerbini, A. N., Vasquez, O. V., Gandilhon, N., Clapham, P. J., & Adam, O. (2014). Local and migratory movements of humpback whales (*Megaptera novaeangliae*) satellite-tracked in the North Atlantic Ocean. *Canadian Journal of Zoology*, 92(1), 9-18.
- Kenney, R. D., Winn, H. E., & Macaulay, M. C. (1995). CETACEANS IN THE GREAT SOUTH CHANNEL, 1979-1989 - RIGHT-WHALE (*EUBALAENA-GLACIALIS*). *Continental Shelf Research*, 15(4-5), 385-414.
- Kent, C. S., Bouchet, P., Wellard, R., Parnum, I., Fouda, L., & Erbe, C. Seasonal productivity drives aggregations of killer whales and other cetaceans over submarine canyons of the Bremer Sub-Basin, south-western Australia. *Australian Mammalogy*.
- Kenyon, K. A., Yurkowski, D. J., Orr, J., Barber, D., & Ferguson, S. H. (2018). Baffin Bay narwhal (*Monodon monoceros*) select bathymetry over sea ice during winter. *Polar Biology*, 41(10), 2053-2063.
- Kerosky, S. M., Sirovic, A., Roche, L. K., Baumann-Pickering, S., Wiggins, S. M., & Hildebrand, J. A. (2012). Bryde's whale seasonal range expansion and increasing presence in the Southern California Bight from 2000 to 2010. *Deep-Sea Research Part I-Oceanographic Research Papers*, 65, 125-132.
- Kerr, K. A., Defran, R. H., & Campbell, G. S. (2005). Bottlenose dolphins (*Tursiops truncatus*) in the Drowned Cayes, Belize: Group size, site fidelity and abundance. *Caribbean Journal of Science*, 41(1), 172-177.
- Kershaw, F., Carvalho, I., Loo, J., Pomilla, C., Best, P. B., Findlay, K. P., et al. (2017). Multiple processes drive genetic structure of humpback whale (*Megaptera novaeangliae*) populations across spatial scales. *Molecular Ecology*, 26(4), 977-994.

- Kershenbaum, A., Deaux, E. C., Habib, B., Mitchell, B., Palacios, V., Root-Gutteridge, H., et al. (2018). Measuring acoustic complexity in continuously varying signals: how complex is a wolf howl? *Bioacoustics-the International Journal of Animal Sound and Its Recording*, 27(3), 215-229.
- Kershenbaum, A., & Roch, M. A. (2013). An image processing based paradigm for the extraction of tonal sounds in cetacean communications. *Journal of the Acoustical Society of America*, 134(6), 4435-4445.
- Kershenbaum, A., Root-Gutteridge, H., Habib, B., Koler-Matznick, J., Mitchell, B., Palacios, V., et al. (2016). Disentangling canid howls across multiple species and subspecies: Structure in a complex communication channel. *Behavioural Processes*, 124, 149-157.
- Kershenbaum, A., Sayigh, L. S., & Janik, V. M. (2013). The Encoding of Individual Identity in Dolphin Signature Whistles: How Much Information Is Needed? *Plos One*, 8(10).
- Kerstetter, D. W., & Graves, J. E. (2006). Effects of circle versus J-style hooks on target and non-target species in a pelagic longline fishery. *Fisheries Research*, 80(2-3), 239-250.
- Kerstman, A. B. (2017). Effects of Providing Information About Common Bottlenose Dolphins' (*Tursiops truncatus*) Behavior on Anthropomorphic Responses. *Aquatic Mammals*, 43(4), 409-416.
- Kessler, M., & Harcourt, R. (2013). Whale watching regulation compliance trends and the implications for management off Sydney, Australia. *Marine Policy*, 42, 14-19.
- Ketchum, J. T., Galvan-Magana, F., & Klimley, A. P. (2013). Segregation and foraging ecology of whale sharks, *Rhincodon typus*, in the southwestern Gulf of California. *Environmental Biology of Fishes*, 96(6), 779-795.
- Khairi, M. M. A. (2019). Genetics and Breeding of *Jujubea Simmondsia chinensis* (Link) Schneider.
- Khan, M. S. (2016). Abundance and distribution modelling for Indus river dolphin, *Platanista gangetica minor* in River Beas, India. *Current Science*, 111(11), 1859-1864.
- Khan, W. A., Chung, S. H., Awan, M. U., & Wen, X. (2019). Machine learning facilitated business intelligence (Part II) Neural networks optimization techniques and applications. *Industrial Management & Data Systems*, 120(1), 128-163.
- Khanal, G., Suryawanshi, K. R., Awasthi, K. D., Dhakal, M., Subedi, N., Nath, D., et al. (2016). Irrigation demands aggravate fishing threats to river dolphins in Nepal. *Biological Conservation*, 204, 386-393.
- Khasawneh, A., Madathil, K. C., Dixon, E., Wisniewski, P., Zinzow, H., & Roth, R. (2020). Examining the Self-Harm and Suicide Contagion Effects of the Blue Whale Challenge on YouTube and Twitter: Qualitative Study. *Jmir Mental Health*, 7(6).
- Kidwell, S. M. (2013). Time-averaging and fidelity of modern death assemblages: building a taphonomic foundation for conservation palaeobiology. *Palaeontology*, 56(3), 487-522.
- Kiel, S., & Amano, K. (2013). THE EARLIEST BATHYMODIOLIN MUSSELS: AN EVALUATION OF EOCENE AND OLIGOCENE TAXA FROM DEEP-SEA METHANE SEEP DEPOSITS IN WESTERN WASHINGTON STATE, USA. *Journal of Paleontology*, 87(4), 589-602.
- Kiel, S., Goedert, J. L., Kahl, W. A., & Rouse, G. W. (2010). Fossil traces of the bone-eating worm *Osedax* in early Oligocene whale bones. *Proceedings of the National Academy of Sciences of the United States of America*, 107(19), 8656-8659.
- Kiel, S., Hybertsen, F., Hyzny, M., & Klompaker, A. A. (2020). Mollusks and a crustacean from early Oligocene methane-seep deposits in the Talara Basin, northern Peru. *Acta Palaeontologica Polonica*, 65(1), 109-138.

- Kienle, S. S., Ekdale, E. G., Reidenberg, J. S., & Demere, T. A. (2015). Tongue and Hyoid Musculature and Functional Morphology of a Neonate Gray Whale (Cetacea, Mysticeti, *Eschrichtius robustus*). *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 298(4), 660-674.
- Kijewska, A., Jankowski, Z., Kuklik, I., & Rokicki, J. (2003). Pathological changes in the auditory organs of the harbor porpoise (*Phocoena phocoena* L.) associated with *Stenurus minor* (Kuhn, 1829). *Acta Parasitologica*, 48(1), 60-63.
- Killingley, J. S. (1980). MIGRATIONS OF CALIFORNIA GRAY WHALES TRACKED BY O-18 VARIATIONS IN THEIR EPIZOIC BARNACLES. *Science*, 207(4432), 759-760.
- Kim, D. S., Anantharam, P., Hoffmann, A., Meade, M. L., Grobe, N., Gearhart, J. M., et al. (2018). Broad spectrum proteomics analysis of the inferior colliculus following acute hydrogen sulfide exposure. *Toxicology and Applied Pharmacology*, 355, 28-42.
- Kimura, S., Akamatsu, T., Dong, L. J., Wang, K. X., Wang, D., Shibata, Y., et al. (2014). Acoustic capture-recapture method for towed acoustic surveys of echolocating porpoises. *Journal of the Acoustical Society of America*, 135(6), 3364-3370.
- Kimura, S., Akamatsu, T., Li, S. H., Dong, L. J., Wang, K. X., Wang, D., et al. (2012). Seasonal changes in the local distribution of Yangtze finless porpoises related to fish presence. *Marine Mammal Science*, 28(2), 308-324.
- Kimura, S., Akamatsu, T., Li, S. H., Dong, S. Y., Dong, L. J., Wang, K. X., et al. (2010). Density estimation of Yangtze finless porpoises using passive acoustic sensors and automated click train detection. *Journal of the Acoustical Society of America*, 128(3), 1435-1445.
- Kimura, S., Akamatsu, T., Wang, D., Li, S. H., Wang, K. X., & Yoda, K. (2013). Variation in the production rate of biosonar signals in freshwater porpoises. *Journal of the Acoustical Society of America*, 133(5), 3128-3134.
- Kimura, S., Akamatsu, T., Wang, K. X., Wang, D., Li, S. H., Dong, S. Y., et al. (2009). Comparison of stationary acoustic monitoring and visual observation of finless porpoises. *Journal of the Acoustical Society of America*, 125(1), 547-553.
- Kindt-Larsen, L., Berg, C. W., Northridge, S., & Larsen, F. (2019). Harbor porpoise (*Phocoena phocoena*) reactions to pingers. *Marine Mammal Science*, 35(2), 552-573.
- King, C., Underwood, C., & Steurbaut, E. (2014). Eocene stratigraphy of the Wadi Al-Hitan World Heritage Site and adjacent areas (Fayum, Egypt). *Stratigraphy*, 11(3-4).
- Kingsford, M. J., & DeFries, A. (1999). The ecology of and fishery for *Coryphaena* spp. in the waters around Australia and New Zealand. *Scientia Marina*, 63(3-4), 267-275.
- Kingsley, M. C. S. (2000). Numbers and distribution of beluga whales, *Delphinapterus leucas*, in James Bay, eastern Hudson Bay, and Ungava Bay in Canada during the summer of 1993. *Fishery Bulletin*, 98(4), 736-747.
- Kingsley, M. C. S., Gosselin, S., & Sleno, G. A. (2001). Movements and dive behaviour of belugas in northern Quebec. *Arctic*, 54(3), 262-275.
- Kingston, S. E., & Rosel, P. E. (2004). Genetic differentiation among recently diverged delphinid taxa determined using AFLP markers. *Journal of Heredity*, 95(1), 1-10.
- Kirchner, T., Wiley, D. N., Hazen, E. L., Parks, S. E., Torres, L. G., & Friedlaender, A. S. (2018). Hierarchical foraging movement of humpback whales relative to the structure of their prey. *Marine Ecology Progress Series*, 607, 237-250.

Kirk, C. M., Amstrup, S., Swor, R., Holcomb, D., & O'Hara, T. M. (2010). Morbillivirus and Toxoplasma Exposure and Association with Hematological Parameters for Southern Beaufort Sea Polar Bears: Potential Response to Infectious Agents in a Sentinel Species. *Ecohealth*, 7(3), 321-331.

Kirschvink, J. L., & Kirschvink, A. K. (1991). IS GEOMAGNETIC SENSITIVITY REAL - REPLICATION OF THE WALKER-BITTERMAN MAGNETIC CONDITIONING EXPERIMENT IN HONEY-BEES. *American Zoologist*, 31(1), 169-185.

Kirsebom, O. S., Frazao, F., Simard, Y., Roy, N., Matwin, S., & Giard, S. (2020). Performance of a deep neural network at detecting North Atlantic right whale upcalls. *Journal of the Acoustical Society of America*, 147(4), 2636-2646.

Kishida, T. (2017). Evolution of the Mammalian Brain with a Focus on the Whale Olfactory Bulb. In S. Shigeno, Y. Murakami & T. Nomura (Eds.), *Brain Evolution by Design: from Neural Origin to Cognitive Architecture* (pp. 329-342).

Kiszka, J., Ersts, P. J., & Ridoux, V. (2010). Structure of a toothed cetacean community around a tropical island (Mayotte, Mozambique Channel). *African Journal of Marine Science*, 32(3), 543-551.

Kiszka, J., Perrin, W. F., Pusineri, C., & Ridoux, V. (2011). What drives island-associated tropical dolphins to form mixed-species associations in the southwest Indian Ocean? *Journal of Mammalogy*, 92(5), 1105-1111.

Kiszka, J., Vely, M., & Breysse, O. (2010). Preliminary account of cetacean diversity and humpback whale (*Megaptera novaeangliae*) group characteristics around the Union of the Comoros (Mozambique Channel). *Mammalia*, 74(1), 51-56.

Kiszka, J. J. (2007). Atypical associations between dugongs (*Dugong dugon*) and dolphins in a tropical lagoon. *Journal of the Marine Biological Association of the United Kingdom*, 87(1), 101-104.

Kiszka, J. J., Mendez-Fernandez, P., Heithaus, M. R., & Ridoux, V. (2014). The foraging ecology of coastal bottlenose dolphins based on stable isotope mixing models and behavioural sampling. *Marine Biology*, 161(4), 953-961.

Kitchen-Wheeler, A. M. (2010). Visual identification of individual manta ray (*Manta alfredi*) in the Maldives Islands, Western Indian Ocean. *Marine Biology Research*, 6(4), 351-363.

Kitchen-Wheeler, A. M., Ari, C., & Edwards, A. J. (2012). Population estimates of Alfred mantas (*Manta alfredi*) in central Maldives atolls: North Male, Ari and Baa. *Environmental Biology of Fishes*, 93(4), 557-575.

Kjaer, K. G. (2011). Serial slaughter: the development of the north Norwegian sealing fleet: 1859-1909. *Polar Record*, 47(240), 1-20.

Klatsky, L. J., Wells, R. S., & Sweeney, J. C. (2007). Offshore bottlenose dolphins (*Tursiops truncatus*): Movement and dive behavior near the Bermuda Pedestal. *Journal of Mammalogy*, 88(1), 59-66.

Kleinertz, S., Hermosilla, C., Ziltener, A., Kreicker, S., Hirzmann, J., Abdel-Ghaffar, F., et al. (2014). Gastrointestinal parasites of free-living Indo-Pacific bottlenose dolphins (*Tursiops aduncus*) in the Northern Red Sea, Egypt. *Parasitology Research*, 113(4), 1405-1415.

Kleivane, L., Skaare, J. U., Bjorge, A., Deruiter, E., & Reijnders, P. J. H. (1995). ORGANOCHLORINE PESTICIDE-RESIDUE AND PCBS IN HARBOR PORPOISE (*PHOCOENA-PHOCOENA*) INCIDENTALLY CAUGHT IN SCANDINAVIAN WATERS. *Environmental Pollution*, 89(2), 137-146.

Klimpel, S., Busch, M. W., Kuhn, T., Rohde, A., & Palm, H. W. (2010). The Anisakis simplex complex off the South Shetland Islands (Antarctica): endemic populations versus introduction through migratory hosts. *Marine Ecology Progress Series*, 403, 1-11.

- Klimpel, S., Kellermanns, E., & Palm, H. W. (2008). The role of pelagic swarm fish (Myctophidae: Teleostei) in the oceanic life cycle of *Anisakis* sibling species at the Mid-Atlantic Ridge, Central Atlantic. *Parasitology Research*, 104(1), 43-53.
- Klimpel, S., Kuhn, T., Busch, M. W., Karl, H., & Palm, H. W. (2011). Deep-water life cycle of *Anisakis paggiae* (Nematoda: Anisakidae) in the Irminger Sea indicates kogiid whale distribution in north Atlantic waters. *Polar Biology*, 34(6), 899-906.
- Klinck, H., Kindermann, L., & Boebel, O. (2016). PALAOA: The Perennial Acoustic Observatory in the Antarctic Ocean-Real-Time Eavesdropping on the Antarctic Underwater Soundscape.
- Klinck, H., Mellinger, D. K., Klinck, K., Bogue, N. M., Luby, J. C., Jump, W. A., et al. (2012). Near-Real-Time Acoustic Monitoring of Beaked Whales and Other Cetaceans Using a Seaglider (TM). *Plos One*, 7(5).
- Kloepper, L. N., & Branstetter, B. K. (2019). The effect of jamming stimuli on the echolocation behavior of the bottlenose dolphin, *Tursiops truncatus*. *Journal of the Acoustical Society of America*, 145(3), 1341-1352.
- Kloess, P. A., & Parham, J. F. (2017). A specimen-based approach to reconstructing the late Neogene seabird communities of California. *Palaeogeography Palaeoclimatology Palaeoecology*, 468, 473-484.
- Ko, A. R., Ju, S. J., Choi, S. G., & Shin, K. H. (2016). The feasibility of assessing the diets of minke whale (*Balaenoptera acutorostrata*) in the East Sea through fatty acid composition in blubber and stable isotopic ratio of skin. *Ocean Science Journal*, 51(3), 397-410.
- Kobayashi, H., & Amano, M. (2020). Residency and abundance of sperm whales (*Physeter macrocephalus*) in Nemuro Strait, Hokkaido, Japan. *Marine Mammal Science*, 36(2), 612-622.
- Kobayashi, N., Okabe, H., Kawazu, I., Higashi, N., Kato, K., Miyahara, H., et al. (2017). Distribution and Local Movement of Humpback Whales in Okinawan Waters Depend on Sex and Reproductive Status. *Zoological Science*, 34(1), 58-63.
- Kobayashi, N., Okabe, H., Kawazu, I., Higashi, N., Miyahara, H., Kato, H., et al. (2016). Spatial distribution and habitat use patterns of humpback whales in Okinawa, Japan. *Mammal Study*, 41(4), 207-214.
- Koblitz, J. C., Stilz, P., Rasmussen, M. H., & Laidre, K. L. (2016). Highly Directional Sonar Beam of Narwhals (*Monodon monoceros*) Measured with a Vertical 16 Hydrophone Array. *Plos One*, 11(11).
- Kocho-Schellenberg, J. E., & Berkes, F. (2015). Tracking the development of co-management: using network analysis in a case from the Canadian Arctic. *Polar Record*, 51(4), 422-431.
- Kogi, K., Hishii, T., Imamura, A., Iwatani, T., & Dudzinski, K. M. (2004). Demographic parameters of indo-pacific bottlenose dolphins (*Tursiops aduncus*) around Mikura island, Japan. *Marine Mammal Science*, 20(3), 510-526.
- Koiadinovic, J., Menard, F., Bustamante, P., Cosscon, R. P., & Le Corre, M. (2008). Trophic ecology of marine birds and pelagic fishes from Reunion Island as determined by stable isotope analysis. *Marine Ecology Progress Series*, 361, 239-251.
- Kojaszewski, T., & Fish, F. E. (2007). Swimming kinematics of the Florida manatee (*Trichechus manatus latirostris*): hydrodynamic analysis of an undulatory mammalian swimmer. *Journal of Experimental Biology*, 210(14), 2411-2418.
- Kok, A. C. M., van Kolfschoten, L., Campbell, J. A., von Benda-Beckmann, A. M., Miller, P. J. O., Slabbekoorn, H., et al. (2020). Diving apart together: call propagation in diving long-finned pilot whales. *Journal of Experimental Biology*, 223(10).

- Komai, T., & Tsuchida, S. (2014). Deep-Sea decapod crustaceans (Caridea, Polychelida, Anomura and Brachyura) collected from the Nikko Seamounts, Mariana Arc, using a remotely operated vehicle "Hyper-Dolphin". *Zootaxa*, 3764(3), 279-316.
- Konishi, K., Hakamada, T., Kiwada, H., Kitakado, T., & Walloe, L. (2014). Decrease in stomach contents in the Antarctic minke whale (*Balaenoptera bonaerensis*) in the Southern Ocean. *Polar Biology*, 37(2), 205-215.
- Konishi, K., Isoda, T., Bando, T., Minamikawa, S., & Kleivane, L. (2020). Antarctic minke whales find ice gaps along the ice edge in foraging grounds of the Indo-Pacific sector (60 degrees E and 140 degrees E) of the Southern Ocean. *Polar Biology*, 43(4), 343-357.
- Konishi, K., Tamura, T., Zenitani, R., Bando, T., Kato, H., & Walloe, L. (2008). Decline in energy storage in the Antarctic minke whale (*Balaenoptera bonaerensis*) in the Southern Ocean. *Polar Biology*, 31(12), 1509-1520.
- Kono-Martinez, T., Ortega-Ortiz, C. D., Olivos-Ortiz, A., Torres-Orozco, E., & Gonzalez-Rodriguez, E. (2017). Oceanographic conditions and marine mammals: identifying a potential relationship in the coastal region of the Mexican Central Pacific. *Revista De Biología Marina Y Oceanografía*, 52(3), 479-494.
- Konovalov, D. A., Swinhoe, N., Efremova, D. B., Birtles, R. A., Kusetic, M., Hillcoat, S., et al. (2020). Automatic Sorting of Dwarf Minke Whale Underwater Images dagger. *Information*, 11(4).
- Konrad, C. M., Frasier, T. R., Whitehead, H., & Gero, S. (2019). Kin selection and allocare in sperm whales. *Behavioral Ecology*, 30(1), 194-201.
- Koohestani, A., Abdar, M., Khosravi, A., & Nahavandi, S. (2019). Integration of Ensemble and Evolutionary Machine Learning Algorithms for Monitoring Diver Behavior Using Physiological Signals. *Ieee Access*, 7, 98971-98992.
- Kopelman, A. H., & Sadove, S. S. (1995). VENTILATORY RATE DIFFERENCES BETWEEN SURFACE-FEEDING AND NON-SURFACE-FEEDING FIN WHALES (*BALAENOPTERA-PHYSALUS*) IN THE WATERS OFF EASTERN LONG-ISLAND, NEW-YORK, USA, 1981-1987. *Marine Mammal Science*, 11(2), 200-208.
- Kopps, A. M., Krutzen, M., Allen, S. J., Bacher, K., & Sherwin, W. B. (2014). Characterizing the socially transmitted foraging tactic "sponging" by bottlenose dolphins (*Tursiops* sp.) in the western gulf of Shark Bay, Western Australia. *Marine Mammal Science*, 30(3), 847-863.
- Kopps, A. M., & Sherwin, W. B. (2012). Modelling the emergence and stability of a vertically transmitted cultural trait in bottlenose dolphins. *Animal Behaviour*, 84(6), 1347-1362.
- Korenaga, S., Igarashi, J., Matsuoka, A., & Shikama, K. (2000). A primitive myoglobin from *Tetrahymena pyriformis*: its heme environment, autoxidizability, and genomic DNA structure. *Biochimica Et Biophysica Acta-Protein Structure and Molecular Enzymology*, 1543(1), 131-145.
- Koschinski, S., Culik, B. M., Henriksen, O. D., Tregenza, N., Ellis, G., Jansen, C., et al. (2003). Behavioural reactions of free-ranging porpoises and seals to the noise of a simulated 2 MW windpower generator. *Marine Ecology Progress Series*, 265, 263-273.
- Kosma, M. M., Werth, A. J., Szabo, A. R., & Straley, J. M. (2019). Pectoral herding: an innovative tactic for humpback whale foraging. *Royal Society Open Science*, 6(10).
- Kot, B. C. W., Ying, M. T. C., Brook, F. M., Kinoshita, R. E., & Cheng, S. C. H. (2012). Ultrasonographic assessment of the thyroid gland and adjacent anatomic structures in Indo-Pacific bottlenose dolphins (*Tursiops aduncus*). *American Journal of Veterinary Research*, 73(11), 1696-1706.

- Kot, B. W., Sears, R., Anis, A., Nowacek, D. P., Gedamke, J., & Marshall, C. D. (2012). Behavioral responses of minke whales (*Balaenoptera acutorostrata*) to experimental fishing gear in a coastal environment. *Journal of Experimental Marine Biology and Ecology*, 413, 13-20.
- Kot, B. W., Zbinden, D., & Sears, R. (2013). Aerial behavior by the fin whale (*Balaenoptera physalus*) in the wake of a freighter and near other boats. *Marine and Freshwater Behaviour and Physiology*, 46(4), 267-272.
- Kot, C. Y., Fujioka, E., Hazen, L. J., Best, B. D., Read, A. J., & Halpin, P. N. (2010). Spatio-Temporal Gap Analysis of OBIS-SEAMAP Project Data: Assessment and Way Forward. *Plos One*, 5(9).
- Kovacs, C., & Cox, T. (2014). Quantification of Interactions Between Common Bottlenose Dolphins (*Tursiops truncatus*) and a Commercial Shrimp Trawler near Savannah, Georgia. *Aquatic Mammals*, 40(1), 81-94.
- Kovacs, C. J., Perrtree, R. M., & Cox, T. M. (2017). Social Differentiation in Common Bottlenose Dolphins (*Tursiops truncatus*) that Engage in Human-Related Foraging Behaviors. *Plos One*, 12(2).
- Kovacs, K. M., Lydersen, C., Vacquie-Garcia, J., Shpak, O., Glazov, D., & Heide-Jorgensen, M. P. (2020). The endangered Spitsbergen bowhead whales' secrets revealed after hundreds of years in hiding. *Biology Letters*, 16(6).
- Kowarski, K., Delarue, J., Martin, B., O'Brien, J., Meade, R., Cadhla, O. O., et al. (2018). Signals from the deep: Spatial and temporal acoustic occurrence of beaked whales off western Ireland. *Plos One*, 13(6).
- Kowarski, K., Evers, C., Moors-Murphy, H., Martin, B., & Denes, S. L. (2018). Singing through winter nights: Seasonal and diel occurrence of humpback whale (*Megaptera novaeangliae*) calls in and around the Gully MPA, offshore eastern Canada. *Marine Mammal Science*, 34(1), 169-189.
- Kowarski, K., Moors-Murphy, H., Maxner, E., & Cerchio, S. (2019). Western North Atlantic humpback whale fall and spring acoustic repertoire: Insight into onset and cessation of singing behavior. *Journal of the Acoustical Society of America*, 145(4), 2305-2316.
- Kowarski, K. A., Augusto, J. F., Frasier, T. R., & WhiteheadDalhousie, H. (2014). Effects of Remote Biopsy Sampling on Long-Finned Pilot Whales (*Globicephala melas*) in Nova Scotia. *Aquatic Mammals*, 40(2), 117-125.
- Kragh, I. M., McHugh, K., Wells, R. S., Sayigh, L. S., Janik, V. M., Tyack, P. L., et al. (2019). Signal-specific amplitude adjustment to noise in common bottlenose dolphins (*Tursiops truncatus*). *Journal of Experimental Biology*, 222(23).
- Krahn, M. M., Hanson, M. B., Schorr, G. S., Emmons, C. K., Burrows, D. G., Bolton, J. L., et al. (2009). Effects of age, sex and reproductive status on persistent organic pollutant concentrations in "Southern Resident" killer whales. *Marine Pollution Bulletin*, 58(10), 1522-1529.
- Krahn, M. M., Herman, D. P., Matkin, C. O., Durban, J. W., Barrett-Lennard, L., Burrows, D. G., et al. (2007). Use of chemical tracers in assessing the diet and foraging regions of eastern North Pacific killer whales. *Marine Environmental Research*, 63(2), 91-114.
- Krasnova, V. V., Chernetsky, A. D., Kirillova, O. I., & Bel'kovich, V. M. (2012). The dynamics of the abundance, age, and sex structure of the Solovetsky reproductive gathering of the Beluga whale *Delphinapterus leucas* (Onega Bay, White Sea). *Russian Journal of Marine Biology*, 38(3), 218-225.
- Kreb, D. (2002). Density and abundance of the Irrawaddy dolphin, *Orcaella brevirostris*, in the Mahakam River of East Kalimantan, Indonesia: A comparison of survey techniques. *Raffles Bulletin of Zoology*, 85-95.
- Kreb, D., & Budiono. (2005). Cetacean diversity and habitat preferences in tropical waters of East Kalimantan, Indonesia. *Raffles Bulletin of Zoology*, 53(1), 149-155.

- Kreiviniene, B., & Kleiva, Z. (2017). SUBJECTIVE APPROACH TOWARDS THE WELFARE UNDERSTANDING IN THE DOLPHIN ASSISTED THERAPY: EXPERIENCES OF FAMILIES IN PILOT RESEARCH. *Social Welfare Interdisciplinary Approach*, 7(1), 142-157.
- Kremers, D., Marulanda, J. L., Hausberger, M., & Lemasson, A. (2014). Behavioural evidence of magnetoreception in dolphins: detection of experimental magnetic fields. *Naturwissenschaften*, 101(11), 907-911.
- Kremer, U., Klemm, P., & Kotz, W. D. (2005). Estimating the risk of temporary acoustic threshold shift, caused by hydroacoustic devices, in whales in the Southern Ocean. *Antarctic Science*, 17(1), 3-10.
- Kriesell, H. J., Elwen, S. H., Nastasi, A., & Gridley, T. (2014). Identification and Characteristics of Signature Whistles in Wild Bottlenose Dolphins (*Tursiops truncatus*) from Namibia. *Plos One*, 9(9).
- Kriksunov, Y., Alyautdinov, A., Bobyrev, A., & Chistov, S. (2016). Study of associativity between the spatial distributions of gray whales and their prey species offshore north-east coast of Sakhalin Island. *Regional Studies in Marine Science*, 8, 466-479.
- Kroetz, A. M., Mathers, A. N., & Carlson, J. K. (2020). Evaluating protected species bycatch in the US Southeast Gillnet Fishery. *Fisheries Research*, 228.
- Krogman, B., Rugh, D., Sonntag, R., Zeh, J., & Ko, D. (1989). ICE-BASED CENSUS OF BOWHEAD WHALES MIGRATING PAST POINT BARROW, ALASKA, 1978-1983. *Marine Mammal Science*, 5(2), 116-138.
- Krokhotin, A., Niemi, A. J., & Peng, X. B. (2013). On the role of thermal backbone fluctuations in myoglobin ligand gate dynamics. *Journal of Chemical Physics*, 138(17).
- Kruger, M., van der Merwe, P., & Saayman, M. (2018). A whale of a time! An experience-based typology of visitors to a South African whale-watching festival. *Journal of Outdoor Recreation and Tourism-Research Planning and Management*, 24, 35-44.
- Krutzikowsky, G. K., & Mate, B. R. (2000). Dive and surfacing characteristics of bowhead whales (*Balaena mysticetus*) in the Beaufort and Chukchi seas. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 78(7), 1182-1198.
- Kruusmaa, M., Rieucan, G., Montoya, J. C. C., Markna, R., & Handegard, N. O. (2016). Collective responses of a large mackerel school depend on the size and speed of a robotic fish but not on tail motion. *Bioinspiration & Biomimetics*, 11(5).
- Krysl, P., & Cranford, T. W. (2016). Directional Hearing and Head-Related Transfer Function in Odontocete Cetaceans. In A. N. Popper & A. Hawkins (Eds.), *Effects of Noise on Aquatic Life II* (Vol. 875, pp. 583-587).
- Kryukova, N. V., Kruchenkova, E. P., & Ivanov, D. I. (2012). Killer whales (*Orcinus orca*) hunting for walrus (*Odobenus rosmarus divergens*) near Retkyn Spit, Chukotka. *Biology Bulletin*, 39(9), 768-778.
- Krzystan, A. M., Gowan, T. A., Kendall, W. L., Martin, J., Ortega-Ortiz, J. G., Jackson, K., et al. (2018). Characterizing residence patterns of North Atlantic right whales in the southeastern USA with a multistate open robust design model. *Endangered Species Research*, 36, 279-295.
- Krzyszczuk, E., & Mann, J. (2012). Why become speckled? Ontogeny and function of speckling in Shark Bay bottlenose dolphins (*Tursiops sp.*). *Marine Mammal Science*, 28(2), 295-307.
- Ku, K. C., Chen, T. C., & Ying, T. C. (2014). A collaborative reference model for monitoring whale-watching quantity in the Hualien coastal area, Taiwan. *Ocean & Coastal Management*, 95, 26-34.
- Kuczaj, S. A., Frick, E. E., Jones, B. L., Lea, J. S. E., Beecham, D., & Schnoller, F. (2015). Underwater observations of dolphin reactions to a distressed conspecific. *Learning & Behavior*, 43(3), 289-300.

- Kuczaj, S. A., & Yeater, D. B. (2007). Observations of rough-toothed dolphins (*Steno bredanensis*) off the coast of Utila, Honduras. *Journal of the Marine Biological Association of the United Kingdom*, 87(1), 141-148.
- Kudashev, E. B., Kolyshnitsyn, V. A., Marshov, V. P., Tkachenko, V. M., & Tsvetkov, A. M. (2013). Experimental simulation of hydrodynamic flow noises in an autonomous marine laboratory. *Acoustical Physics*, 59(2), 187-196.
- Kuhn, C. E., De Robertis, A., Sterling, J., Mordy, C. W., Meinig, C., Lawrence-Slavas, N., et al. (2020). Test of unmanned surface vehicles to conduct remote focal follow studies of a marine predator. *Marine Ecology Progress Series*, 635, 1-7.
- Kuhn, T., Cunze, S., Kochmann, J., & Klimpel, S. (2016). Environmental variables and definitive host distribution: a habitat suitability modelling for endohelminth parasites in the marine realm. *Scientific Reports*, 6.
- Kumar, A., Borgen, M., Aluwihare, L. I., & Fenical, W. (2017). Ozone-Activated Halogenation of Mono- and Dimethylbipyrrole in Seawater. *Environmental Science & Technology*, 51(1), 589-595.
- Kumar, A. B., Smrithy, R., & Sathasivam, K. (2012). Dolphin-assisted cast net fishery in the Ashtamudi Estuary, south-west coast of India. *Indian Journal of Fisheries*, 59(3), 143-148.
- Kumar, K., Rose, K. D., Rana, R. S., Singh, L., Smith, T., & Sahni, A. (2010). Early Eocene artiodactyls (Mammalia) from western India. *Journal of Vertebrate Paleontology*, 30(4), 1245-1274.
- Kumar, N., Hussain, I., Singh, B., & Panigrahi, B. K. (2017). MPPT in Dynamic Condition of Partially Shaded PV System by Using WODE Technique. *Ieee Transactions on Sustainable Energy*, 8(3), 1204-1214.
- Kumar, V., Ludlow, J. B., Mol, A., & Cevidanes, L. (2007). Comparison of conventional and cone beam CT synthesized cephalograms. *Dentomaxillofacial Radiology*, 36(5), 263-269.
- Kumari, B., & Raman, M. (2010). Whale shark habitat assessments in the northeastern Arabian Sea using satellite remote sensing. *International Journal of Remote Sensing*, 31(2), 379-389.
- Kuningas, S., Kvadsheim, P. H., Lam, F. P. A., & Miller, P. J. O. (2013). Killer whale presence in relation to naval sonar activity and prey abundance in northern Norway. *Ices Journal of Marine Science*, 70(7), 1287-1293.
- Kuningas, S., Simila, T., & Hammond, P. S. (2014). Population size, survival and reproductive rates of northern Norwegian killer whales (*Orcinus orca*) in 1986-2003. *Journal of the Marine Biological Association of the United Kingdom*, 94(6), 1277-1291.
- Kuramoto, T., Nishihara, H., Watanabe, M., & Okada, N. (2015). Determining the Position of Storks on the Phylogenetic Tree of Waterbirds by Retroposon Insertion Analysis. *Genome Biology and Evolution*, 7(12), 3180-3189.
- Kurle, C. M., & Worthy, G. A. J. (2001). Stable isotope assessment of temporal and geographic differences in feeding ecology of northern fur seals (*Callorhinus ursinus*) and their prey. *Oecologia*, 126(2), 254-265.
- Kuznetsova, D. M., Glazov, D. M., Shpak, O. V., & Rozhnov, V. V. (2016). Winter distribution and migrations of beluga whales (*Delphinapterus leucas*) in the White Sea based on satellite tracking data. *Biology Bulletin*, 43(8), 914-917.
- Kvadsheim, P. H., DeRuiter, S., Sivle, L. D., Goldbogen, J., Roland-Hansen, R., Miller, P. J. O., et al. (2017). Avoidance responses of minke whales to 1-4 kHz naval sonar. *Marine Pollution Bulletin*, 121(1-2), 60-68.
- Kvadsheim, P. H., Gotaas, A. R. L., Folkow, L. P., & Blix, A. S. (1997). An experimental validation of heat loss models for marine mammals. *Journal of Theoretical Biology*, 184(1), 15-23.

Kvadsheim, P. H., Miller, P. J. O., Tyack, P. L., Sivle, L. D., Lam, F. P. A., & Fahlman, A. (2012). Estimated tissue and blood N₂ levels and risk of decompression sickness in deep-, intermediate-, and shallow-diving toothed whales during exposure to naval sonar. *Frontiers in Physiology*, 3.

Kvitek, R. G., & Oliver, J. S. (1986). SIDE-SCAN SONAR ESTIMATES OF THE UTILIZATION OF GRAY WHALE FEEDING GROUNDS ALONG VANCOUVER ISLAND, CANADA. *Continental Shelf Research*, 6(5), 639-654.

Kyhn, L. A., Jensen, F. H., Beedholm, K., Tougaard, J., Hansen, M., & Madsen, P. T. (2010). Echolocation in sympatric Peale's dolphins (*Lagenorhynchus australis*) and Commerson's dolphins (*Cephalorhynchus commersonii*) producing narrow-band high-frequency clicks. *Journal of Experimental Biology*, 213(11), 1940-1949.

Kyhn, L. A., Sveegaard, S., & Tougaard, J. (2014). Underwater noise emissions from a drillship in the Arctic. *Marine Pollution Bulletin*, 86(1-2), 424-433.

Kyhn, L. A., Tougaard, J., Beedholm, K., Jensen, F. H., Ashe, E., Williams, R., et al. (2013). Clicking in a Killer Whale Habitat: Narrow-Band, High-Frequency Biosonar Clicks of Harbour Porpoise (*Phocoena phocoena*) and Dall's Porpoise (*Phocoenoides dalli*). *Plos One*, 8(5).

Kyhn, L. A., Tougaard, J., Jensen, F., Wahlberg, M., Stone, G., Yoshinaga, A., et al. (2009). Feeding at a high pitch: Source parameters of narrow band, high-frequency clicks from echolocating off-shore hourglass dolphins and coastal Hector's dolphins. *Journal of the Acoustical Society of America*, 125(3), 1783-1791.

Kyhn, L. A., Tougaard, J., Teilmann, J., Wahlberg, M., Jorgensen, P. B., & Bech, N. I. (2008). Harbour porpoise (*Phocoena phocoena*) static acoustic monitoring: laboratory detection thresholds of T-PODs are reflected in field sensitivity. *Journal of the Marine Biological Association of the United Kingdom*, 88(6), 1085-1091.

Kyne, P. M., Compagno, L. J. V., Stead, J., Jackson, M. V., & Bennett, M. B. (2011). Distribution, habitat and biology of a rare and threatened eastern Australian endemic shark: Colclough's shark, *Brachaelurus colcloughi* Ogilby, 1908. *Marine and Freshwater Research*, 62(6), 540-547.

Kyngdon, D. J., Minot, E. O., & Stafford, K. J. (2003). Behavioural responses of captive common dolphins *Delphinus delphis* to a 'Swim-with-Dolphin' programme. *Applied Animal Behaviour Science*, 81(2), 163-170.

La Cour, B. R., & Hamann, J. E. (2010). Dynamic Modeling of Discrete Biologies for Active Sonar Simulation. *Ieee Journal of Oceanic Engineering*, 35(2), 164-174.

La Manna, G., Clo, S., Papale, E., & Sara, G. (2010). Boat traffic in Lampedusa waters (Strait of Sicily, Mediterranean Sea) and its relation to the coastal distribution of common bottlenose dolphin (*Tursiops truncatus*). *Ciencias Marinas*, 36(1), 71-81.

La Manna, G., Rako-Gospic, N., Manghi, M., & Ceccherelli, G. (2019). Influence of environmental, social and behavioural variables on the whistling of the common bottlenose dolphin (*Tursiops truncatus*). *Behavioral Ecology and Sociobiology*, 73(9).

La Manna, G., Rako-Gospic, N., Sara, G., Gatti, F., Bonizzoni, S., & Ceccherelli, G. (2020). Whistle variation in Mediterranean common bottlenose dolphin: The role of geographical, anthropogenic, social, and behavioral factors. *Ecology and Evolution*, 10(4), 1971-1987.

La Manna, G., Ronchetti, F., & Sara, G. (2016). Predicting common bottlenose dolphin habitat preference to dynamically adapt management measures from a Marine Spatial Planning perspective. *Ocean & Coastal Management*, 130, 317-327.

Laake, J. L., Calambokidis, J., Osmeck, S. D., & Rugh, D. J. (1997). Probability of detecting harbor porpoise from aerial surveys: Estimating $g(0)$. *Journal of Wildlife Management*, 61(1), 63-75.

- LaBrie, R., Lapierre, J. F., & Maranger, R. (2020). Contrasting Patterns of Labile and Semilabile Dissolved Organic Carbon From Continental Waters to the Open Ocean. *Journal of Geophysical Research-Biogeosciences*, 125(2).
- Lacey, C., Leaper, R., Moscrop, A., Gillespie, D., McLanaghan, R., & Brown, S. (2010). Photo-grammetric measurements of swimming speed and body length of basking sharks observed around the Hebrides, Scotland. *Journal of the Marine Biological Association of the United Kingdom*, 90(2), 361-366.
- Lachmuth, C. L., Barrett-Lennard, L. G., Steyn, D. Q., & Milsom, W. K. (2011). Estimation of southern resident killer whale exposure to exhaust emissions from whale-watching vessels and potential adverse health effects and toxicity thresholds. *Marine Pollution Bulletin*, 62(4), 792-805.
- Ladegaard, M., Jensen, F. H., Beedholm, K., da Silva, V. M. F., & Madsen, P. T. (2017). Amazon river dolphins (*Inia geoffrensis*) modify biosonar output level and directivity during prey interception in the wild. *Journal of Experimental Biology*, 220(14), 2654-2665.
- Ladegaard, M., & Madsen, P. T. (2019). Context-dependent biosonar adjustments during active target approaches in echolocating harbour porpoises. *Journal of Experimental Biology*, 222(16).
- Ladron-de-Guevara, P., Heckel, G., & Lavaniegos, B. E. (2015). Spatial and temporal occurrence of fin whales (*Balaenoptera physalus*) and euphausiids (*Nyctiphanes simplex*) in the Ballenas Channel, Gulf of California, Mexico. *Ciencias Marinas*, 41(2), 125-142.
- Lafortuna, C. L., Jahoda, M., Azzellino, A., Saibene, F., & Colombini, A. (2003). Locomotor behaviours and respiratory pattern of the Mediterranean fin whale (*Balaenoptera physalus*). *European Journal of Applied Physiology*, 90(3-4), 387-395.
- Lagerquist, B. A., Mate, B. R., Ortega-Ortiz, J. G., Winsor, M., & Urban-Ramirez, J. (2008). Migratory movements and surfacing rates of humpback whales (*Megaptera novaeangliae*) satellite tagged at Socorro Island, Mexico. *Marine Mammal Science*, 24(4), 815-830.
- Lagerquist, B. A., Palacios, D. M., Winsor, M. H., Irvine, L. M., Follett, T. M., & Mate, B. R. (2019). Feeding home ranges of pacific coast feeding group gray whales. *Journal of Wildlife Management*, 83(4), 925-937.
- Lagerquist, B. A., Stafford, K. M., & Mate, B. R. (2000). Dive characteristics of satellite-monitored blue whales (*Balaenoptera musculus*) off the central California coast. *Marine Mammal Science*, 16(2), 375-391.
- Lah, L., Trense, D., Benke, H., Berggren, P., Gunnlaugsson, P., Lockyer, C., et al. (2016). Spatially Explicit Analysis of Genome-Wide SNPs Detects Subtle Population Structure in a Mobile Marine Mammal, the Harbor Porpoise. *Plos One*, 11(10).
- Lahdenpera, M., Mar, K. U., & Lummaa, V. (2014). Reproductive cessation and post-reproductive lifespan in Asian elephants and pre-industrial humans. *Frontiers in Zoology*, 11.
- Laidre, K. L., & Heide-Jorgensen, M. P. (2005). Arctic sea ice trends and narwhal vulnerability. *Biological Conservation*, 121(4), 509-517.
- Laidre, K. L., & Heide-Jorgensen, M. P. (2011). Life in the lead: extreme densities of narwhals *Monodon monoceros* in the offshore pack ice. *Marine Ecology Progress Series*, 423, 269-278.
- Laidre, K. L., & Heide-Jorgensen, M. P. (2012). Spring partitioning of Disko Bay, West Greenland, by Arctic and Subarctic baleen whales. *Ices Journal of Marine Science*, 69(7), 1226-1233.
- Laidre, K. L., Heide-Jorgensen, M. P., & Dietz, R. (2002). Diving behaviour of narwhals (*Monodon monoceros*) at two coastal localities in the Canadian High Arctic. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 80(4), 624-635.

- Laidre, K. L., Heide-Jorgensen, M. P., Dietz, R., Hobbs, R. C., & Jorgensen, O. A. (2003). Deep-diving by narwhals *Monodon monoceros*: differences in foraging behavior between wintering areas? *Marine Ecology Progress Series*, 261, 269-281.
- Laidre, K. L., Heide-Jorgensen, M. P., Ermold, W., & Steele, M. (2010). Narwhals document continued warming of southern Baffin Bay. *Journal of Geophysical Research-Oceans*, 115.
- Laidre, K. L., Heide-Jorgensen, M. P., Heagerty, P., Cossio, A., Bergstrom, B., & Simon, M. (2010). Spatial associations between large baleen whales and their prey in West Greenland. *Marine Ecology Progress Series*, 402, 269-284.
- Laidre, K. L., Heide-Jorgensen, M. P., Logsdon, M. L., Hobbs, R. C., Heagerty, P., Dietz, R., et al. (2004). Seasonal narwhal habitat associations in the high Arctic. *Marine Biology*, 145(4), 821-831.
- Laidre, K. L., Heide-Jorgensen, M. P., Logsdon, M. L., Hobbs, R. C., Dietz, R., & VanBlaricom, G. R. (2004). Fractal analysis of narwhal space use patterns. *Zoology*, 107(1), 3-11.
- Laidre, K. L., Heide-Jorgensen, M. P., & Nielsen, T. G. (2007). Role of the bowhead whale as a predator in West Greenland. *Marine Ecology Progress Series*, 346, 285-297.
- Laidre, K. L., Heide-Jorgensen, M. P., & Orr, J. R. (2006). Reactions of Narwhals, *Monodon monoceros*, to Killer Whale, *Orcinus orca*, attacks in the Eastern Canadian Arctic. *Canadian Field-Naturalist*, 120(4), 457-465.
- Lakatos, G., Soproni, K., Doka, A., & Miklosi, A. (2009). A comparative approach to dogs' (*Canis familiaris*) and human infants' comprehension of various forms of pointing gestures. *Animal Cognition*, 12(4), 621-631.
- Lam, F. P. A., Kvasdheim, P. H., Miller, P. J. O., Tyack, P. L., Ainslie, M. A., Cure, C., et al. (2016). Controlled Sonar Exposure Experiments on Cetaceans in Norwegian Waters: Overview of the 3S-Project. In A. N. Popper & A. Hawkins (Eds.), *Effects of Noise on Aquatic Life II* (Vol. 875, pp. 589-598).
- Lambert, C., Authier, M., Doray, M., Doremus, G., Spitz, J., & Ridoux, V. (2019). Hide and seek in the Bay of Biscaya functional investigation of marine megafauna and small pelagic fish interactions. *Ices Journal of Marine Science*, 76(1), 113-123.
- Lambert, C., Authier, M., Doremus, G., Gilles, A., Hammond, P., Laran, S., et al. (2019). The effect of a multi-target protocol on cetacean detection and abundance estimation in aerial surveys. *Royal Society Open Science*, 6(9).
- Lambert, C., Mannocci, L., Lehodey, P., & Ridoux, V. (2014). Predicting Cetacean Habitats from Their Energetic Needs and the Distribution of Their Prey in Two Contrasted Tropical Regions. *Plos One*, 9(8).
- Lambert, C., Pettex, E., Doremus, G., Laran, S., Stephan, E., Van Canneyt, O., et al. (2017). How does ocean seasonality drive habitat preferences of highly mobile top predators? Part II: The eastern North-Atlantic. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 141, 133-154.
- Lambert, E., Hunter, C., Pierce, G. J., & MacLeod, C. D. (2010). Sustainable whale-watching tourism and climate change: towards a framework of resilience. *Journal of Sustainable Tourism*, 18(3), 409-427.
- Lambert, E., Pierce, G. J., Hall, K., Brereton, T., Dunn, T. E., Wall, D., et al. (2014). Cetacean range and climate in the eastern North Atlantic: future predictions and implications for conservation. *Global Change Biology*, 20(6), 1782-1793.
- Lambert, M. J., Nevue, A. A., & Portfors, C. V. (2017). Contrasting patterns of adaptive sequence convergence among echolocating mammals. *Gene*, 605, 1-4.
- Lambert, O., Auclair, C., Cauxeiro, C., Lopez, M., & Adnet, S. (2018). A close relative of the Amazon river dolphin in marine deposits: a new Iniidae from the late Miocene of Angola. *PeerJ*, 6.

- Lambert, O., & Bianucci, G. (2019). How to break a sperm whale's teeth: dental damage in a large Miocene physeteroid from the North Sea basin. *Journal of Vertebrate Paleontology*, 39(4).
- Lambert, O., Bianucci, G., & De Muizon, C. (2017). Macroraptorial sperm whales (Cetacea, Odontoceti, Physeteroidea) from the Miocene of Peru. *Zoological Journal of the Linnean Society*, 179(2), 404-474.
- Lambert, O., Bianucci, G., Post, K., de Muizon, C., Salas-Gismondi, R., Urbina, M., et al. (2010). The giant bite of a new raptorial sperm whale from the Miocene epoch of Peru. *Nature*, 466(7302), 105-108.
- Lambert, O., Bianucci, G., & Urbina, M. (2014). HUARIDELPHIS RAIMONDII, A NEW EARLY MIOCENE SQUALODELPHINIDAE (CETACEA, ODONTOCETI) FROM THE CHILCATAY FORMATION, PERU. *Journal of Vertebrate Paleontology*, 34(5), 987-1004.
- Lambert, O., Bianucci, G., Urbina, M., & Geisler, J. H. (2017). A new inioid (Cetacea, Odontoceti, Delphinida) from the Miocene of Peru and the origin of modern dolphin and porpoise families. *Zoological Journal of the Linnean Society*, 179(4), 919-946.
- Lambert, O., Collareta, A., Benites-Palomino, A., Di Celma, C., De Muizon, C., Urbina, M., et al. A NEW SMALL, MESOROSTRINE INIROID (CETACEA, ODONTOCETI, DELPHINIDA) FROM FOUR UPPER MIOCENE LOCALITIES IN THE PISCO BASIN, PERU. *Papers in Palaeontology*.
- Lambert, O., Collareta, A., Landini, W., Post, K., Ramassamy, B., Di Celma, C., et al. (2015). No deep diving: evidence of predation on epipelagic fish for a stem beaked whale from the Late Miocene of Peru. *Proceedings of the Royal Society B-Biological Sciences*, 282(1815).
- Lambert, O., de Buffrenil, V., & de Muizon, C. (2011). Rostral densification in beaked whales: Diverse processes for a similar pattern. *Comptes Rendus Palevol*, 10(5-6), 453-468.
- Lambert, O., de Muizon, C., Duhamel, G., & Van der Plicht, J. (2018). Neogene and Quaternary fossil remains of beaked whales (Cetacea, Odontoceti, Ziphiidae) from deep-sea deposits off Crozet and Kerguelen islands, Southern Ocean. *Geodiversitas*, 40(6), 135-160.
- Lambert, O., Estevens, M., & Smith, R. (2005). A new kentriodontine dolphin from the middle Miocene of Portugal. *Acta Palaeontologica Polonica*, 50(2), 239-248.
- Lambert, O., & Gigase, P. (2007). A monodontid cetacean from the Early Pliocene of the North Sea. *Bulletin De L Institut Royal Des Sciences Naturelles De Belgique-Sciences De La Terre*, 77, 197-210.
- Lambert, O., & Louwye, S. (2016). A NEW EARLY PLIOCENE SPECIES OF MESOPLODON: A CALIBRATION MARK FOR THE RADIATION OF THIS SPECIES-RICH BEAKED WHALE GENUS. *Journal of Vertebrate Paleontology*, 36(2).
- Lambert, O., Martinez-Caceres, M., Bianucci, G., Di Celma, C., Salas-Gismondi, R., Steurbaut, E., et al. (2017). Earliest Mysticete from the Late Eocene of Peru Sheds New Light on the Origin of Baleen Whales. *Current Biology*, 27(10), 1535-+.
- Lambert, O., Schlogl, J., & Kovac, M. (2008). Middle Miocene toothed whale with Platanista-like teeth from the Vienna Basin (Western Carpathians, Slovakia). *Neues Jahrbuch Fur Geologie Und Palaontologie-Abhandlungen*, 250(2), 157-166.
- Lamberth, S. J. (2006). White shark and other chondrichthyan interactions with the beach-seine (treknet) fishery in False Bay, South Africa. *African Journal of Marine Science*, 28(3-4), 723-727.
- Lambertsen, R. H., Rasmussen, K. J., Lancaster, W. C., & Hintz, R. J. (2005). Functional morphology of the mouth of the bowhead whale and its implications for conservation. *Journal of Mammalogy*, 86(2), 342-352.

- Lambertucci, S. A., Navarro, J., Zapata, J. A. S., Hobson, K. A., Alarcon, P. A. E., Wiemeyer, G., et al. (2018). Tracking data and retrospective analyses of diet reveal the consequences of loss of marine subsidies for an obligate scavenger, the Andean condor. *Proceedings of the Royal Society B-Biological Sciences*, 285(1879).
- LaMere, S. A., St Leger, J. A., Schrenzel, M. D., Anthony, S. J., Rideout, B. A., & Salomon, D. R. (2009). Molecular Characterization of a Novel Gammaretrovirus in Killer Whales (*Orcinus orca*). *Journal of Virology*, 83(24), 12956-12967.
- Lammers, M. O., Au, W. W. L., & Herzing, D. L. (2003). The broadband social acoustic signaling behavior of spinner and spotted dolphins. *Journal of the Acoustical Society of America*, 114(3), 1629-1639.
- Lammers, M. O., Brainard, R. E., Au, W. W. L., Mooney, T. A., & Wong, K. B. (2008). An ecological acoustic recorder (EAR) for long-term monitoring of biological and anthropogenic sounds on coral reefs and other marine habitats. *Journal of the Acoustical Society of America*, 123(3), 1720-1728.
- Lammers, M. O., Castellote, M., Small, R. J., Atkinson, S., Jenniges, J., Rosinski, A., et al. (2013). Passive acoustic monitoring of Cook Inlet beluga whales (*Delphinapterus leucas*). *Journal of the Acoustical Society of America*, 134(3), 2497-2504.
- Lammers, M. O., Fisher-Pool, P. I., Au, W. W. L., Meyer, C. G., Wong, K. B., & Brainard, R. E. (2011). Humpback whale *Megaptera novaeangliae* song reveals wintering activity in the Northwestern Hawaiian Islands. *Marine Ecology Progress Series*, 423, 261-268.
- Lammers, M. O., Howe, M., Zang, E., McElligott, M., Engelhaupt, A., & Munger, L. (2017). Acoustic monitoring of coastal dolphins and their response to naval mine neutralization exercises. *Royal Society Open Science*, 4(12).
- Lammers, M. O., & Munger, L. M. (2016). From Shrimp to Whales: Biological Applications of Passive Acoustic Monitoring on a Remote Pacific Coral Reef.
- Lammers, M. O., Schotten, M., & Au, W. W. L. (2006). The spatial context of free-ranging Hawaiian spinner dolphins (*Stenella longirostris*) producing acoustic signals. *Journal of the Acoustical Society of America*, 119(2), 1244-1250.
- Lanca, M. J., Machado, M., Ferreira, R., Alves-Pereira, I., Quintella, B. R., & De Almeida, P. R. (2013). Feeding strategy assessment through fatty acid profiles in muscles of adult sea lampreys from the western Iberian coast. *Scientia Marina*, 77(2), 281-291.
- Landeo-Yauri, S. S., Ramos, E. A., Castelblanco-Martinez, D. N., Nino-Torres, C. A., & Searle, L. (2020). Using small drones to photo-identify Antillean manatees: a novel method for monitoring an endangered marine mammal in the Caribbean Sea. *Endangered Species Research*, 41, 79-90.
- Landino, S. W., Treacy, S. D., Zerwick, S. A., & Dunlap, J. B. (1994). A LARGE AGGREGATION OF BOWHEAD WHALES (*BALAENA-MYSTICETUS*) FEEDING NEAR POINT-BARROW, ALASKA, IN LATE OCTOBER 1992. *Arctic*, 47(3), 232-235.
- Landrau-Giovannetti, N., Mignucci-Giannoni, A. A., & Reidenberg, J. S. (2014). Acoustical and Anatomical Determination of Sound Production and Transmission in West Indian (*Trichechus manatus*) and Amazonian (*T. inunguis*) Manatees. *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 297(10), 1896-1907.
- Landry, M. S., & Taggart, C. T. (2010). "Turtle watching" conservation guidelines: green turtle (*Chelonia mydas*) tourism in nearshore coastal environments. *Biodiversity and Conservation*, 19(1), 305-312.
- Lang, S. D. J., & Farine, D. R. (2017). A multidimensional framework for studying social predation strategies. *Nature Ecology & Evolution*, 1(9), 1230-1239.

- Langley, M. C., Petillon, J. M., & Christensen, M. (2016). Diversity and Evolution of Osseous Hunting Equipment During the Magdalenian (21,000-14,000 cal BP). In M. C. Langley (Ed.), *Osseous Projectile Weaponry: Towards an Understanding of Pleistocene Cultural Variability* (pp. 143-159).
- Langrock, R., Borchers, D. L., & Skaug, H. J. (2013). Markov-Modulated Nonhomogeneous Poisson Processes for Modeling Detections in Surveys of Marine Mammal Abundance. *Journal of the American Statistical Association*, 108(503), 840-851.
- Langrock, R., Kneib, T., Sohn, A., & DeRuiter, S. L. (2015). Nonparametric inference in hidden Markov models using P-splines. *Biometrics*, 71(2), 520-528.
- Langrock, R., Marques, T. A., Baird, R. W., & Thomas, L. (2014). Modeling the Diving Behavior of Whales: A Latent-Variable Approach with Feedback and Semi-Markovian Components. *Journal of Agricultural Biological and Environmental Statistics*, 19(1), 82-100.
- Lanyon, J. M., & Burgess, E. A. (2019). Reproductive Science Methods for Wild, Fully-Marine Mammals: Current Approaches and Future Applications. In P. Comizzoli, J. L. Brown & W. V. Holt (Eds.), *Reproductive Sciences in Animal Conservation*, 2nd Edition (Vol. 1200, pp. 363-411).
- Lanzetti, A. (2019). Prenatal developmental sequence of the skull of minke whales and its implications for the evolution of mysticetes and the teeth-to-baleen transition. *Journal of Anatomy*, 235(4), 725-748.
- Laplanche, C. (2007). A Bayesian method to estimate the depth and the range of phonating sperm whales using a single hydrophone. *Journal of the Acoustical Society of America*, 121(3), 1519-1528.
- Laplanche, C. (2012). Bayesian three-dimensional reconstruction of toothed whale trajectories: Passive acoustics assisted with visual and tagging measurements. *Journal of the Acoustical Society of America*, 132(5), 3225-3233.
- Laplanche, C., Adam, O., Lopatka, M., & Motsch, J. F. (2005). Male sperm whale acoustic behavior observed from multipaths at a single hydrophone. *Journal of the Acoustical Society of America*, 118(4), 2677-2687.
- Laplanche, C., Adam, O., Lopatka, M., & Motsch, J. F. (2006). Measuring the off-axis angle and the rotational movements of phonating sperm whales using a single hydrophone. *Journal of the Acoustical Society of America*, 119(6), 4074-4082.
- Laplanche, C., Marques, T. A., & Thomas, L. (2015). Tracking marine mammals in 3D using electronic tag data. *Methods in Ecology and Evolution*, 6(9), 987-996.
- Laran, S., Authier, M., Van Canneyt, O., Doremus, G., Watremez, P., & Ridoux, V. (2017). A Comprehensive Survey of Pelagic Megafauna: Their Distribution, Densities, and Taxonomic Richness in the Tropical Southwest Indian Ocean. *Frontiers in Marine Science*, 4.
- Laran, S., & Drouot-Dulau, V. (2007). Seasonal variation of striped dolphins, fin- and sperm whales' abundance in the Ligurian Sea (Mediterranean Sea). *Journal of the Marine Biological Association of the United Kingdom*, 87(1), 345-352.
- Larkman, V. E., & Veit, R. R. (1998). Seasonality and abundance of blue whales off Southern California. *California Cooperative Oceanic Fisheries Investigations Reports*, 39, 236-239.
- Larsen, A. H., Sigurjonsson, J., Oien, N., Vikingsson, G., & Palsboll, P. (1996). Populations genetic analysis of nuclear and mitochondrial loci in skin biopsies collected from central and northeastern North Atlantic humpback whales (*Megaptera novaeangliae*): Population identity and migratory destinations. *Proceedings of the Royal Society B-Biological Sciences*, 263(1376), 1611-1618.

- Larsen, A. K., Nymo, I. H., Boysen, P., Tryland, M., & Godfroid, J. (2013). Entry and Elimination of Marine Mammal *Brucella* spp. by Hooded Seal (*Cystophora cristata*) Alveolar Macrophages In Vitro. *Plos One*, 8(7).
- Larsen, F., & Hammond, P. S. (2004). Distribution and abundance of West Greenland humpback whales (*Megaptera novaeangliae*). *Journal of Zoology*, 263, 343-358.
- Larsen, S. A., Mogensen, L., Dietz, R., Baagoe, H. J., Andersen, M., Werge, T., et al. (2005). Identification and characterization of tandem repeats in Exon III of dopamine receptor D4 (DRD4) genes from different mammalian species. *DNA and Cell Biology*, 24(12), 795-804.
- Lasek-Nesselquist, E., Welch, D. M., & Sogin, M. L. (2010). The identification of a new *Giardia duodenalis* assemblage in marine vertebrates and a preliminary analysis of *G. duodenalis* population biology in marine systems. *International Journal for Parasitology*, 40(9), 1063-1074.
- Lassauce, H., Chateau, O., Erdmann, M. V., & Wantiez, L. (2020). Diving behavior of the reef manta ray (*Mobula alfredi*) in New Caledonia: More frequent and deeper night-time diving to 672 meters. *Plos One*, 15(3).
- Latch, E. K., & Rhodes, E. (2006). Evidence for bias in estimates of local genetic structure due to sampling scheme. *Animal Conservation*, 9(3), 308-315.
- Laugrand, F., Oosten, J., & Serkoak, D. (2010). 'The saddest time of my life': relocating the Ahiarmiut from Ennadai Lake (1950-1958). *Polar Record*, 46(237), 113-135.
- Laurent, M. C. Z., Gros, O., Brulport, J. P., Gaill, F., & Le Bris, N. (2009). Sunken wood habitat for thiotrophic symbiosis in mangrove swamps. *Marine Environmental Research*, 67(2), 83-88.
- Lauriano, G., Fortuna, C. M., & Vacchi, M. (2007). Observation of killer whale (*Orcinus orca*) possibly eating penguins in Terra Nova Bay, Antarctica. *Antarctic Science*, 19(1), 95-96.
- Lauriano, G., Pierantonio, N., Donovan, G., & Panigada, S. (2014). Abundance and distribution of *Tursiops truncatus* in the Western Mediterranean Sea: An assessment towards the Marine Strategy Framework Directive requirements. *Marine Environmental Research*, 100, 86-93.
- Lavoie, D., Simard, Y., & Saucier, F. J. (2000). Aggregation and dispersion of krill at channel heads and shelf edges: the dynamics in the Saguenay-St. Lawrence Marine Park. *Canadian Journal of Fisheries and Aquatic Sciences*, 57(9), 1853-1869.
- Law, R. J., Allchin, C. R., de Boer, J., Covaci, A., Herzke, D., Lepom, P., et al. (2006). Levels and trends of brominated flame retardants in the European environment. *Chemosphere*, 64(2), 187-208.
- Lawrence, J. M., Armstrong, E., Gordon, J., Lusseau, S. M., & Fernandes, P. G. (2016). Passive and active, predator and prey: using acoustics to study interactions between cetaceans and forage fish. *Ices Journal of Marine Science*, 73(8), 2075-2084.
- Lawson, T. M., Ylitalo, G. M., O'Neill, S. M., Dahlheim, M. E., Wade, P. R., Matkin, C. O., et al. (2020). Concentrations and profiles of organochlorine contaminants in North Pacific resident and transient killer whale (*Orcinus orca*) populations. *Science of the Total Environment*, 722.
- Lea, J. S. E., Daly, R., Leon, C., Daly, C. A. K., & Clarke, C. R. (2019). Life after death: behaviour of multiple shark species scavenging a whale carcass. *Marine and Freshwater Research*, 70(2), 302-306.
- Leeper, R., Calderon, S., & Cooke, J. (2015). A Simulation Framework to Evaluate the Efficiency of Using Visual Observers to Reduce the Risk of Injury from Loud Sound Sources. *Aquatic Mammals*, 41(4), 375-387.
- Leeper, R., Cooke, J., Trathan, P., Reid, K., Rowntree, V., & Payne, R. (2006). Global climate drives southern right whale (*Eubalaena australis*) population dynamics. *Biology Letters*, 2(2), 289-292.

- Learmonth, J. A., MacLeod, C. D., Santos, M. B., Pierce, G. J., Crick, H. Q. P., & Robinson, R. A. (2006). Potential effects of climate change on marine mammals. In R. N. Gibson, R. J. A. Atkinson & J. D. M. Gordon (Eds.), *Oceanography and Marine Biology - an Annual Review*, Vol 44 (Vol. 44, pp. 431-464).
- Leatherwood, J. S. (1974). AERIAL OBSERVATIONS OF MIGRATING GRAY WHALES, *ESCHRICHTIUS-ROBUSTUS*, OFF SOUTHERN-CALIFORNIA, 1969-72. *Marine Fisheries Review*, 36(4), 45-49.
- Leatherwood, S. (1975). SOME OBSERVATIONS OF FEEDING BEHAVIOR OF BOTTLE-NOSED DOLPHINS (*TURSIOPS-TRUNCATUS*) IN NORTHERN GULF-OF-MEXICO AND (*TURSIOPS* CF *TURSIOPS-GILLI*) OFF SOUTHERN-CALIFORNIA, BAJA-CALIFORNIA, AND NAYARIT, MEXICO. *Marine Fisheries Review*, 37(9), 10-16.
- Leclerc, L. M., Lydersen, C., Haug, T., Glover, K. A., Fisk, A. T., & Kovacs, K. M. (2011). Greenland sharks (*Somniosus microcephalus*) scavenge offal from minke (*Balaenoptera acutorostrata*) whaling operations in Svalbard (Norway). *Polar Research*, 30.
- Ledu, D., Rochon, A., de Vernal, A., Barletta, F., & St-Onge, G. (2010). Holocene sea ice history and climate variability along the main axis of the Northwest Passage, Canadian Arctic. *Paleoceanography*, 25.
- Ledu, D., Rochon, A., de Vernal, A., & St-Onge, G. (2010). Holocene paleoceanography of the northwest passage, Canadian Arctic Archipelago. *Quaternary Science Reviews*, 29(25-26), 3468-3488.
- Ledwell, W., Benjamins, S., Lawson, J., & Huntington, J. (2007). The most southerly record of a stranded bowhead whale, *Balaena mysticetus*, from the western North Atlantic Ocean. *Arctic*, 60(1), 17-22.
- Lee, D., An, Y. R., Park, K. J., Kim, H. W., Joo, H. T., Oh, Y. G., et al. (2017). Spatial distribution of common Minke whale (*Balaenoptera acutorostrata*) as an indication of a biological hotspot in the East Sea. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 143, 91-99.
- Lee, H., Chen, W. J., Puillandre, N., Aznar-Cormano, L., Tsai, M. H., & Samadi, S. (2019). Incorporation of deep-sea and small-sized species provides new insights into gastropods phylogeny. *Molecular Phylogenetics and Evolution*, 135, 136-147.
- Lee, M. Y. (2010). Economic tradeoffs in the Gulf of Maine ecosystem: Herring and whale-watching. *Marine Policy*, 34(1), 156-162.
- Lee, S. H., Schell, D. M., McDonald, T. L., & Richardson, W. J. (2005). Regional and seasonal feeding by bowhead whales *Balaena mysticetus* as indicated by stable isotope ratios. *Marine Ecology Progress Series*, 285, 271-287.
- Leeney, R. H., Post, K., Best, P. B., Hazevoet, C. J., & Elwen, S. H. (2013). Pygmy right whale *Caperea marginata* records from Namibia. *African Journal of Marine Science*, 35(1), 133-139.
- Leeney, R. H., Witt, M. J., Broderick, A. C., Buchanan, J., Jarvis, D. S., Richardson, P. B., et al. (2012). Marine megavertebrates of Cornwall and the Isles of Scilly: relative abundance and distribution. *Journal of the Marine Biological Association of the United Kingdom*, 92(8), 1823-1833.
- Lefebvre, S. L., Lesage, V., Michaud, R., & Humphries, M. M. (2018). Classifying and combining herd surface activities and individual dive profiles to identify summer behaviours of beluga (*Delphinapterus leucas*) from the St. Lawrence Estuary, Canada. *Canadian Journal of Zoology*, 96(5), 393-410.
- Lefebvre, S. L., Michaud, R., Lesage, V., & Berteaux, D. (2012). Identifying high residency areas of the threatened St. Lawrence beluga whale from fine-scale movements of individuals and coarse-scale movements of herds. *Marine Ecology Progress Series*, 450, 243-257.

- Leiter, S. M., Stone, K. M., Thompson, J. L., Accardo, C. M., Wikgren, B. C., Zani, M. A., et al. (2017). North Atlantic right whale *Eubalaena glacialis* occurrence in offshore wind energy areas near Massachusetts and Rhode Island, USA. *Endangered Species Research*, 34, 45-59.
- Lemon, M., Lynch, T. P., Cato, D. H., & Harcourt, R. G. (2006). Response of travelling bottlenose dolphins (*Tursiops aduncus*) to experimental approaches by a powerboat in Jervis Bay, New South Wales, Australia. *Biological Conservation*, 127(4), 363-372.
- Lemos, L. S., Burnett, J. D., Chandler, T. E., Sumich, J. L., & Torres, L. G. (2020). Intra- and inter-annual variation in gray whale body condition on a foraging ground. *Ecosphere*, 11(4).
- Lennert-Cody, C. E., Rusin, J. D., Maunder, M. N., Everett, E. H., Delgado, E. D. L., & Tomlinson, P. K. (2013). Studying small purse-seine vessel fishing behavior with tuna catch data: Implications for eastern Pacific Ocean dolphin conservation. *Marine Mammal Science*, 29(4), 643-668.
- Leos-Barajas, V., Gangloff, E. J., Adam, T., Langrock, R., van Beest, F. M., Nabe-Nielsen, J., et al. (2017). Multi-scale Modeling of Animal Movement and General Behavior Data Using Hidden Markov Models with Hierarchical Structures. *Journal of Agricultural Biological and Environmental Statistics*, 22(3), 232-248.
- Leroy, E. C., Royer, J. Y., Bonnel, J., & Samaran, F. (2018). Long-Term and Seasonal Changes of Large Whale Call Frequency in the Southern Indian Ocean. *Journal of Geophysical Research-Oceans*, 123(11), 8568-8580.
- Leroy, E. C., Samaran, F., Bonnel, J., & Royer, J. Y. (2016). Seasonal and Diel Vocalization Patterns of Antarctic Blue Whale (*Balaenoptera musculus intermedia*) in the Southern Indian Ocean: A Multi-Year and Multi-Site Study. *Plos One*, 11(11).
- Leroy, E. C., Samaran, F., Bonnel, J., & Royer, J. Y. (2017). Identification of two potential whale calls in the southern Indian Ocean, and their geographic and seasonal occurrence. *Journal of the Acoustical Society of America*, 142(3), 1413-1427.
- Lesage, V., Gavrilchuk, K., Andrews, R. D., & Sears, R. (2017). Foraging areas, migratory movements and winter destinations of blue whales from the western North Atlantic. *Endangered Species Research*, 34, 27-43.
- Lesage, V., Omrane, A., Doniol-Valcroze, T., & Mosnier, A. (2017). Increased proximity of vessels reduces feeding opportunities of blue whales in the St. Lawrence Estuary, Canada. *Endangered Species Research*, 32, 351-361.
- Leslie, M. S., Peredo, C. M., & Pyenson, N. D. (2019). *Norrisanima miocaena*, a new generic name and redescription of a stem balaenopteroid mysticete (Mammalia, Cetacea) from the Miocene of California. *PeerJ*, 7.
- Lester, E., Meekan, M. G., Barnes, P., Raudino, H., Rob, D., Waples, K., et al. (2020). Multi-year patterns in scarring, survival and residency of whale sharks in Ningaloo Marine Park, Western Australia. *Marine Ecology Progress Series*, 634, 115-125.
- Lett, C., Semeria, M., Thiebault, A., & Tremblay, Y. (2014). Effects of successive predator attacks on prey aggregations. *Theoretical Ecology*, 7(3), 239-252.
- Leu, M. Y., Li, J. J., Ju, Y. M., Hsiao, C. M., Chang, C. W., Meng, P. J., et al. (2015). TRANSPORTATION, HUSBANDARY, AND RELEASE OF A WHALE SHARK (*RHINCODON TYPUS*). *Journal of Marine Science and Technology-Taiwan*, 23(5), 814-818.
- Leu, S. T., Sah, P., Krzyszczyk, E., Jacoby, A. M., Mann, J., & Bansal, S. (2020). Sex, synchrony, and skin contact: integrating multiple behaviors to assess pathogen transmission risk. *Behavioral Ecology*, 31(3), 651-660.
- Leung, E. S., Vergara, V., & Barrett-Lennard, L. G. (2010). Allonursing in Captive Belugas (*Delphinapterus leucas*). *Zoo Biology*, 29(5), 633-637.

- Levesque, S., Reusch, K., Baker, I., O'Brien, J., & Berrow, S. (2016). PHOTO-IDENTIFICATION OF BOTTLENOSE DOLPHINS (*TURSIOPS TRUNCATUS*) IN TRALEE BAY AND BRANDON BAY, CO. KERRY: A CASE FOR SAC BOUNDARY EXTENSION. *Biology and Environment-Proceedings of the Royal Irish Academy*, 116B(2), 109-118.
- Lewis, J. S., Wartzok, D., & Heithaus, M. R. (2013). Individuals as information sources: Could followers benefit from leaders' knowledge? *Behaviour*, 150(6), 635-657.
- Lewis, L. A., Calambokidis, J., Stimpert, A. K., Fahlbusch, J., Friedlaender, A. S., McKenna, M. F., et al. (2018). Context-dependent variability in blue whale acoustic behaviour. *Royal Society Open Science*, 5(8).
- Lewis, L. A., & Sirovic, A. (2018). Variability in blue whale acoustic behavior off southern California. *Marine Mammal Science*, 34(2), 311-329.
- Lewis, T. M., & Lafferty, D. J. R. (2014). Brown bears and wolves scavenge humpback whale carcass in Alaska. *Ursus*, 25(1), 8-13.
- Lezama-Ochoa, N., Hall, M. A., Pennino, M. G., Stewart, J. D., Lopez, J., & Murua, H. (2019). Environmental characteristics associated with the presence of the Spinetail devil ray (*Mobula mobular*) in the eastern tropical Pacific. *Plos One*, 14(8).
- Li, C., Tan, X. X., Bai, J., Xu, Q. W., Liu, S. S., Guo, W. J., et al. (2019). A survey of the sperm whale (*Physeter catodon*) commensal microbiome. *Peerj*, 7.
- Li, D. Y., & Zhang, J. Z. (2014). Diet Shapes the Evolution of the Vertebrate Bitter Taste Receptor Gene Repertoire. *Molecular Biology and Evolution*, 31(2), 303-309.
- Li, F., & Hobbes, A. (2018). Spatial Distribution of *Euphausia Superba* Fishery in the North of South Shetland Islands Based on Geographic Weighting Model. *Ccamlr Science*, 25(1), 57-65.
- Li, J. F., Dong, H., Sun, J., Tang, J. S., Nie, J. H., Zhang, S. Y., et al. (2016). Composition profiles, monthly changes and health risk of PCDD/F in fly ash discharged from a municipal solid waste incinerator (MSWI) in Northeast China. *RSC Advances*, 6(113), 111966-111975.
- Li, K., Sidorovskaia, N. A., & Tiemann, C. O. (2020). Model-based unsupervised clustering for distinguishing Cuvier's and Gervais' beaked whales in acoustic data. *Ecological Informatics*, 58.
- Li, S. G., Wang, D., Wang, K. X., Xiao, J. Q., & Akamatsu, T. (2007). The ontogeny of echolocation in a Yangtze finless porpoise (*Neophocaena phocaenoides asiaeorientalis*). *Journal of the Acoustical Society of America*, 122(2), 715-718.
- Li, S. H., Akamatsu, T., Dong, L. J., Wang, K. X., Wang, D., & Kimura, S. (2010). Widespread passive acoustic detection of Yangtze finless porpoise using miniature stereo acoustic data-loggers: A review. *Journal of the Acoustical Society of America*, 128(3), 1476-1482.
- Li, S. H., Akamatsu, T., Wang, D., & Wang, K. X. (2009). Localization and tracking of phonating finless porpoises using towed stereo acoustic data-loggers. *Journal of the Acoustical Society of America*, 126(1), 468-475.
- Li, S. H., Nachtigall, P. E., & Breese, M. (2011). Dolphin hearing during echolocation: evoked potential responses in an Atlantic bottlenose dolphin (*Tursiops truncatus*). *Journal of Experimental Biology*, 214(12), 2027-2035.
- Li, S. H., Nachtigall, P. E., Breese, M., & Supin, A. Y. (2012). Hearing Sensation Levels of Emitted Biosonar Clicks in an Echolocating Atlantic Bottlenose Dolphin. *Plos One*, 7(1).
- Li, S. H., Wang, D., Wang, K. X., Taylor, E. A., Cros, E., Shi, W. J., et al. (2012). Evoked-potential audiogram of an Indo-Pacific humpback dolphin (*Sousa chinensis*). *Journal of Experimental Biology*, 215(17), 3055-3063.

- Li, S. H., Wang, K. X., Wang, D., & Akamatsu, T. (2005). Origin of the double- and multi-pulse structure of echolocation signals in Yangtze finless porpoise (*Neophocaena phocaenoides asiaeorientalis*). *Journal of the Acoustical Society of America*, 118(6), 3934-3940.
- Li, S. S., & Ingram, R. G. (2007). Isopycnal deepening of an under-ice river plume in coastal waters: Field observations and modeling. *Journal of Geophysical Research-Oceans*, 112(C7).
- Li, T., Wu, H., Wu, C. W., Yang, G., & Chen, B. Y. (2019). Molecular Identification of Stranded Cetaceans in Coastal China. *Aquatic Mammals*, 45(5), 525-532.
- Li, T. S., Quillin, M. L., Phillips, G. N., & Olson, J. S. (1994). STRUCTURAL DETERMINANTS OF THE STRETCHING FREQUENCY OF CO BOUND TO MYOGLOBIN. *Biochemistry*, 33(6), 1433-1446.
- Li, Y. F., Jiang, Y. M., Ye, B., Hu, J., Chen, Q. M., & Zhu, S. S. (2016). Treatment of Dentofacial Deformities Secondary to Osteochondroma of the Mandibular Condyle Using Virtual Surgical Planning and 3-Dimensional Printed Surgical Templates. *Journal of Oral and Maxillofacial Surgery*, 74(2), 349-368.
- Li, Y. T., Han, T., Zhao, H., & Gao, H. J. (2019). An Adaptive Whale Optimization Algorithm Using Gaussian Distribution Strategies and Its Application in Heterogeneous UCAVs Task Allocation. *Ieee Access*, 7, 110138-110158.
- Liao, Y. L., Du, T. P., & Jiang, Q. Q. (2019). Model-free adaptive control method with variable forgetting factor for unmanned surface vehicle control. *Applied Ocean Research*, 93.
- Liao, Y. L., Jia, Z. H., Zhang, W. B., Jia, Q., & Li, Y. (2019). Layered berthing method and experiment of unmanned surface vehicle based on multiple constraints analysis. *Applied Ocean Research*, 86, 47-60.
- Lieber, L., Hall, G., Hall, J., Berrow, S., Johnston, E., Gubili, C., et al. (2020). Spatio-temporal genetic tagging of a cosmopolitan planktivorous shark provides insight to gene flow, temporal variation and site-specific re-encounters. *Scientific Reports*, 10(1).
- Liebig, P. M., Flessa, K. W., & Taylor, T. S. A. (2007). Taphonomic variation despite catastrophic mortality: Analysis of a mass stranding of False Killer Whales (*Pseudorca crassidens*), Gulf of California, Mexico. *Palaios*, 22(4), 384-391.
- Liebig, P. M., Taylor, T. S. A., & Flessa, K. W. (2003). Bones on the beach: Marine mammal taphonomy of the Colorado Delta, Mexico. *Palaios*, 18(2), 168-175.
- Lilley, M. K., Ham, J. R., & Hill, H. M. (2020). The development of socio-sexual behavior in belugas (*Delphinapterus leucas*) under human care. *Behavioural Processes*, 171.
- Lima, A., & Le Pendu, Y. (2014). Evidence for signature whistles in Guiana dolphins (*Sotalia guianensis*) in Ilheus, northeastern Brazil. *Journal of the Acoustical Society of America*, 136(6), 3178-3185.
- Lima, A., Lemasson, A., Boye, M., & Hausberger, M. (2017). Vocal activities reflect the temporal distribution of bottlenose dolphin social and non-social activity in a zoological park. *Zoo Biology*, 36(6), 351-359.
- Lima, G. A. D., Aguiar, C. M., Camara, A. C., Alves, L. C., dos Santos, F. A. B., & do Nascimento, A. E. (2015). Comparison of Smear Layer Removal Using the Nd:YAG Laser, Ultrasound, ProTaper Universal System, and CanalBrush Methods: An In Vitro Study. *Journal of Endodontics*, 41(3), 400-404.
- Lima, S. L., Blackwell, B. F., DeVault, T. L., & Fernandez-Juricic, E. (2015). Animal reactions to oncoming vehicles: a conceptual review. *Biological Reviews*, 90(1), 60-76.

- Lin, M. L., Xing, L. R., Fang, L., Huang, S. L., Yao, C. J., Turvey, S. T., et al. (2019). Can local ecological knowledge provide meaningful information on coastal cetacean diversity? A case study from the northern South China Sea. *Ocean & Coastal Management*, 172, 117-127.
- Lin, P. G., Pickart, R. S., Stafford, K. M., Moore, G. W. K., Torres, D. J., Bahr, F., et al. (2016). Seasonal variation of the Beaufort shelfbreak jet and its relationship to Arctic cetacean occurrence. *Journal of Geophysical Research-Oceans*, 121(12), 8434-8454.
- Lin, S. J., Chiang, W. C., Musyl, M. K., Wang, S. P., Su, N. J., Chang, Q. X., et al. (2020). Movements and Habitat Use of Dolphinfinh (*Coryphaena hippurus*) in the East China Sea. *Sustainability*, 12(14).
- Lin, S. J., Musyl, M. K., Wang, S. P., Su, N. J., Chiang, W. C., Lu, C. P., et al. (2019). Movement behaviour of released wild and farm-raised dolphinfinh *Coryphaena hippurus* tracked by pop-up satellite archival tags. *Fisheries Science*, 85(5), 779-790.
- Lin, T. H., Akamatsu, T., & Chou, L. S. (2013). Tidal influences on the habitat use of Indo-Pacific humpback dolphins in an estuary. *Marine Biology*, 160(6), 1353-1363.
- Lin, T. H., & Chou, L. S. (2015). Automatic classification of delphinids based on the representative frequencies of whistles. *Journal of the Acoustical Society of America*, 138(2), 1003-1011.
- Lin, T. H., Chou, L. S., Akamatsu, T., Chan, H. C., & Chen, C. F. (2013). An automatic detection algorithm for extracting the representative frequency of cetacean tonal sounds. *Journal of the Acoustical Society of America*, 134(3), 2477-2485.
- Lin, T. H., Yu, H. Y., Chen, C. F., & Chou, L. S. (2015). Passive Acoustic Monitoring of the Temporal Variability of Odontocete Tonal Sounds from a Long-Term Marine Observatory. *Plos One*, 10(4).
- Lin, W. Z., Chang, L. H., Frere, C. H., Zhou, R. L., Chen, J. L., Chen, X., et al. (2012). Differentiated or not? An assessment of current knowledge of genetic structure of *Sousa chinensis* in China. *Journal of Experimental Marine Biology and Ecology*, 416, 17-20.
- Lindgren, J., Polcyn, M. J., & Young, B. A. (2011). Landlubbers to leviathans: evolution of swimming in mosasaurine mosasaurs. *Paleobiology*, 37(3), 445-469.
- Lindh, H., & Olsson, A. (2010). Communicating imperceptible product attributes through traceability: A case study in an organic food supply chain. *Renewable Agriculture and Food Systems*, 25(4), 263-271.
- Lindner, M. S., Carribero, A. A., & Klaich, M. J. (2020). Return rate of southern right whales (*Eubalaena australis*) to the whale watching area, Peninsula Valdes, Patagonia, Argentina. *Ocean & Coastal Management*, 184.
- Lindsay, R. E., Constantine, R., Robbins, J., Mattila, D. K., Tagarino, A., & Dennis, T. E. (2016). Characterising essential breeding habitat for whales informs the development of large-scale Marine Protected Areas in the South Pacific. *Marine Ecology Progress Series*, 548, 263-275.
- Linnenschmidt, M., Teilmann, J., Akamatsu, T., Dietz, R., & Miller, L. A. (2013). Biosonar, dive, and foraging activity of satellite tracked harbor porpoises (*Phocoena phocoena*). *Marine Mammal Science*, 29(2), E77-E97.
- Linol, B., Miller, W., Rensburg, C., Schoeman, R., Bezuidenhout, L., Genin, F., et al. (2020). Earth Stewardship Science-Transdisciplinary Contributions to Quantifying Natural and Cultural Heritage of Southernmost Africa. *Remote Sensing*, 12(3).
- Lipinski, M. R., & Soule, M. (2007). Disintegration of a large concentration of loliginid squid as a response to predation. *Reviews in Fish Biology and Fisheries*, 17(2-3), 477-485.

- Lischka, A., Pook, C. J., Bolstad, K. S. R., Pannell, J. L., & Braid, H. E. (2019). Metal composition of arrow squid (*Nototodarus sloanii* Gray 1849) from the Chatham Rise, New Zealand: implications for human consumption. *Environmental Science and Pollution Research*, 26(12), 11975-11987.
- Liston, J. J., Maltese, A. E., Lambers, P. H., Delsate, D., Harcourt-Smith, W. E. H., & van Heteren, A. H. (2019). Scythes, sickles and other blades: defining the diversity of pectoral fin morphotypes in Pachycormiformes. *PeerJ*, 7.
- Littaye, A., Gannier, A., Laran, S., & Wilson, J. P. F. (2004). The relationship between summer aggregation of fin whales and satellite-derived environmental conditions in the northwestern Mediterranean Sea. *Remote Sensing of Environment*, 90(1), 44-52.
- Litwiler, T. L., & Cronin, T. W. (2001). No evidence of accommodation in the eyes of the bottlenose dolphin, *Tursiops truncatus*. *Marine Mammal Science*, 17(3), 508-525.
- Liu, M. M., Lin, M. L., Zhang, P. J., Xue, T. F., & Li, S. H. (2019). An overview of cetacean stranding around Hainan Island in the South China Sea, 1978-2016: Implications for research, conservation and management. *Marine Policy*, 101, 147-153.
- Liu, T. L., & Guo, Z. M. (2013). Analysis of wave spectrum for submerged bodies moving near the free surface. *Ocean Engineering*, 58, 239-251.
- Liu, Y., Rossiter, S. J., Han, X. Q., Cotton, J. A., & Zhang, S. Y. (2010). Cetaceans on a Molecular Fast Track to Ultrasonic Hearing. *Current Biology*, 20(20), 1834-1839.
- Ljungblad, D. K., Thompson, P. O., & Moore, S. E. (1982). UNDERWATER SOUNDS RECORDED FROM MIGRATING BOWHEAD WHALES, *BALAENA-MYSTICETUS*, IN 1979. *Journal of the Acoustical Society of America*, 71(2), 477-482.
- Ljungblad, D. K., Wursig, B., Swartz, S. L., & Keene, J. M. (1988). OBSERVATIONS ON THE BEHAVIORAL-RESPONSES OF BOWHEAD WHALES (*BALAENA-MYSTICETUS*) TO ACTIVE GEOPHYSICAL VESSELS IN THE ALASKAN BEAUFORT SEA. *Arctic*, 41(3), 183-194.
- Lloret, J. (2010). ENVIRONMENTAL IMPACTS OF RECREATIONAL ACTIVITIES ON THE MEDITERRANEAN COASTAL ENVIRONMENT: THE URGENT NEED TO IMPLEMENT MARINE SUSTAINABLE PRACTICES AND ECOTOURISM.
- Lloyd, E., Burk, D. L., Ferrer, J. C., Maurus, R., Doran, J., Carey, P. R., et al. (1996). Electrostatic modification of the active site of myoglobin: Characterization of the proximal Ser92Asp variant. *Biochemistry*, 35(36), 11901-11912.
- Lo Giudice, A., Quinzi, V., Ronsivalle, V., Farronato, M., Nicotra, C., Indelicato, F., et al. (2020). Evaluation of Imaging Software Accuracy for 3-Dimensional Analysis of the Mandibular Condyle. A Comparative Study Using a Surface-to-Surface Matching Technique. *International Journal of Environmental Research and Public Health*, 17(13).
- Lo Giudice, A., Ronsivalle, V., Grippaudo, C., Lucchese, A., Muraglie, S., Lagravere, M. O., et al. (2020). One Step before 3D Printing-Evaluation of Imaging Software Accuracy for 3-Dimensional Analysis of the Mandible: A Comparative Study Using a Surface-to-Surface Matching Technique. *Materials*, 13(12).
- Loch, C., Boessenecker, R. W., Churchill, M., & Kieser, J. (2016). Enamel ultrastructure of fossil and modern pinnipeds: evaluating hypotheses of feeding adaptations in the extinct walrus *Pelagiarctos*. *Science of Nature*, 103(5-6).
- Loch, C., Kieser, J. A., & Fordyce, R. E. (2015). Enamel Ultrastructure in Fossil Cetaceans (Cetacea: Archaeoceti and Odontoceti). *Plos One*, 10(1).

- Loch, C., & Simoes-Lopes, P. C. (2013). Dental wear in dolphins (Cetacea: Delphinidae) from southern Brazil. *Archives of Oral Biology*, 58(2), 134-141.
- Lodi, L., & Tardin, R. (2018). Citizen science contributes to the understanding of the occurrence and distribution of cetaceans in southeastern Brazil - A case study. *Ocean & Coastal Management*, 158, 45-55.
- Lodi, L., Tardin, R., & Maricato, G. (2020). Modeling cetacean habitat use in an urban coastal area in southeastern Brazil. *Marine Ecology Progress Series*, 642, 227-240.
- Lodi, L., Tardin, R. H., Hetzel, B., Maciel, I. S., Figueiredo, L. D., & Simao, S. M. (2015). Bryde's whale (Cetartiodactyla: Balaenopteridae) occurrence and movements in coastal areas of southeastern Brazil. *Zoologia*, 32(2), 171-175.
- Lohbauer, U., Gambarini, G., Ebert, J., Dasch, W., & Petschelt, A. (2005). Calcium release and pH-characteristics of calcium hydroxide plus points. *International Endodontic Journal*, 38(10), 683-689.
- Lohrasbipeydeh, H., Dakin, D. T., Gulliver, T. A., Amindavar, H., & Zielinski, A. (2015). Adaptive Energy-Based Acoustic Sperm Whale Echolocation Click Detection. *Ieee Journal of Oceanic Engineering*, 40(4), 957-968.
- Lomac-MacNair, K. S., Smultea, M. A., Yack, T., Lammers, M., Norris, T., Green, G., et al. (2019). Marine mammal visual and acoustic surveys near the Alaskan Colville River Delta. *Polar Biology*, 42(2), 441-448.
- Lonati, G. L., Singleton, E. M., Phelps, C. E., Koopman, H. N., & Pabst, D. A. (2019). The density of odontocete integument depends on blubber lipid composition and temperature. *Marine Mammal Science*, 35(2), 595-616.
- London, J. M., Hoef, J. M. V., Jeffries, S. J., Lance, M. M., & Boveng, P. L. (2012). Haul-Out Behavior of Harbor Seals (*Phoca vitulina*) in Hood Canal, Washington. *Plos One*, 7(6).
- Long, E. R., Dutch, M., Partridge, V., Weakland, S., & Welch, K. (2013). Revision of sediment quality triad indicators in Puget Sound (Washington, USA): I. A Sediment Chemistry Index and targets for mixtures of toxicants. *Integrated Environmental Assessment and Management*, 9(1), 31-49.
- Lopez, B. D. (2006). Interactions between Mediterranean bottlenose dolphins (*Tursiops truncatus*) and gillnets off Sardinia, Italy. *Ices Journal of Marine Science*, 63(5), 946-951.
- Lopez, B. D. (2011). Whistle characteristics in free-ranging bottlenose dolphins (*Tursiops truncatus*) in the Mediterranean Sea: Influence of behaviour. *Mammalian Biology*, 76(2), 180-189.
- Lopez, B. D. (2012). Bottlenose dolphins and aquaculture: interaction and site fidelity on the north-eastern coast of Sardinia (Italy). *Marine Biology*, 159(10), 2161-2172.
- Lopez, B. D. (2019). "Hot deals at sea": responses of a top predator (Bottlenose dolphin, *Tursiops truncatus*) to human-induced changes in the coastal ecosystem. *Behavioral Ecology*, 30(2), 291-300.
- Lopez, B. D., & Marino, F. (2011). A trial of acoustic harassment device efficacy on free-ranging bottlenose dolphins in Sardinia, Italy. *Marine and Freshwater Behaviour and Physiology*, 44(4), 197-208.
- Lopez, B. D., & Methion, S. (2018). Does interspecific competition drive patterns of habitat use and relative density in harbour porpoises? *Marine Biology*, 165(5).
- Lopez, B. D., & Shirai, J. A. B. (2010). MEDITERRANEAN COMMON BOTTLENOSE DOLPHIN'S REPERTOIRE AND COMMUNICATION USE.
- Lopez, L. M. M., de Soto, N. A., Miller, P., & Johnson, M. (2016). Tracking the kinematics of caudal-oscillatory swimming: a comparison of two on-animal sensing methods. *Journal of Experimental Biology*, 219(14), 2103-2109.

- Lopez, L. M. M., Miller, P. J. O., de Soto, N. A., & Johnson, M. (2015). Gait switches in deep-diving beaked whales: biomechanical strategies for long-duration dives. *Journal of Experimental Biology*, 218(9), 1325-1338.
- Lopez, M. E. J., Palacios, D. M., Legorreta, A. J., Urban, J., & Mate, B. R. (2019). Fin whale movements in the Gulf of California, Mexico, from satellite telemetry. *Plos One*, 14(1).
- Lopez-Castro, M. C., Bjorndal, K. A., Kamenov, G. D., Zenil-Ferguson, R., & Bolten, A. B. (2013). Sea turtle population structure and connections between oceanic and neritic foraging areas in the Atlantic revealed through trace elements. *Marine Ecology Progress Series*, 490, 233-246.
- Lopez-Martinez, J., Porchas-Quijada, M., Alvarez-Tello, F. J., & Porchas-Cornejo, M. A. (2018). Association of the whale shark *Rhincodon typus* with the cannonball jellyfish *Stomolophus meleagris*. *Journal of Fish Biology*, 93(2), 401-404.
- Lopez-Marulanda, J., Adam, O., Blanchard, T., Vallee, M., Cazau, D., & Delfour, F. (2017). First Results of an Underwater 360 degrees HD Audio-Video Device for Etho-Acoustical Studies on Bottlenose Dolphins (*Tursiops truncatus*). *Aquatic Mammals*, 43(2), 162-176.
- Lopez-Rivas, R. M., & Bazua-Duran, C. (2010). Who is whistling? Localizing and identifying phonating dolphins in captivity. *Applied Acoustics*, 71(11), 1057-1062.
- Lorenzo-Martin, C., Ajayi, O. O., Hartman, K., Bhattacharya, S., & Yacout, A. (2019). Effect of Al₂O₃ coating on fretting wear performance of Zr alloy. *Wear*, 426, 219-227.
- Loseto, L. L., Brewster, J. D., Ostertag, S. K., Snow, K., MacPhee, S. A., McNicholl, D. G., et al. (2018). Diet and feeding observations from an unusual beluga harvest in 2014 near Ulukhaktok, Northwest Territories, Canada. *Arctic Science*, 4(3), 421-431.
- Loseto, L. L., Richard, P., Stern, G. A., Orr, J., & Ferguson, S. H. (2006). Segregation of Beaufort Sea beluga whales during the open-water season. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 84(12), 1743-1751.
- Loseto, L. L., Stern, G. A., & Macdonald, R. W. (2015). Distant drivers or local signals: Where do mercury trends in western Arctic belugas originate? *Science of the Total Environment*, 509, 226-236.
- Lotze, H. K. (2007). Rise and fall of fishing and marine resource use in the Wadden Sea, southern North Sea. *Fisheries Research*, 87(2-3), 208-218.
- Lotze, H. K., Flemming, J. M., & Magera, A. M. (2017). Critical factors for the recovery of marine mammals. *Conservation Biology*, 31(6), 1301-1311.
- Louis, M., Simon-Bouhet, B., Viricel, A., Lucas, T., Gally, F., Cherel, Y., et al. (2018). Evaluating the influence of ecology, sex and kinship on the social structure of resident coastal bottlenose dolphins. *Marine Biology*, 165(5).
- Loureiro, F., & Rosalino, L. M. (2009). TELEMETRY: AN ECOLOGIST SWISS-ARMY KNIFE.
- Louzao, M., Valeiras, J., Garcia-Barcelona, S., Gonzalez-Quiros, R., Nogueira, E., Iglesias, M., et al. (2019). Marine megafauna niche coexistence and hotspot areas in a temperate ecosystem. *Continental Shelf Research*, 186, 77-87.
- Lovvorn, J. R., Wilson, J. J., McKay, D., Bump, J. K., Cooper, L. W., & Grebmeier, J. M. (2010). Walrus Attack Spectacled Eiders Wintering in Pack Ice of the Bering Sea. *Arctic*, 63(1), 53-56.
- Lowemark, L. (2015). Evidence for targeted elasmobranch predation on thalassinidean shrimp in the Miocene Taliao Formation, NE Taiwan. *Lethaia*, 48(2), 227-234.

- Lowry, L. F., Kingsley, M. C. S., Hauser, D. D. W., Clarke, J., & Suydam, R. (2017). Aerial Survey Estimates of Abundance of the Eastern Chukchi Sea Stock of Beluga Whales (*Delphinapterus leucas*) in 2012. *Arctic*, 70(3), 273-286.
- Lowther-Thieleking, J. L., Archer, F. I., Lang, A. R., & Weller, D. W. (2015). Genetic differentiation among coastal and offshore common bottlenose dolphins, *Tursiops truncatus*, in the eastern North Pacific Ocean. *Marine Mammal Science*, 31(1), 1-20.
- Loza, C. M., Latimer, A. E., Sanchez-Villagra, M. R., & Carlini, A. A. (2017). Sensory anatomy of the most aquatic of carnivorans: the Antarctic Ross seal, and convergences with other mammals. *Biology Letters*, 13(10).
- Lucifora, L. O., Menni, R. C., & Escalante, A. H. (2005). Reproduction, abundance and feeding habits of the broadnose sevengill shark *Notorynchus cepedianus* in north Patagonia, Argentina. *Marine Ecology Progress Series*, 289, 237-244.
- Luck, M. (2016). The Teachable Moments on Marine Mammal Tours: Watching versus Swim-With Tours. *Coastal Management*, 44(2), 131-138.
- Luis, A. R., Couchinho, M. N., & dos Santos, M. E. (2014). Changes in the acoustic behavior of resident bottlenose dolphins near operating vessels. *Marine Mammal Science*, 30(4), 1417-1426.
- Luis, A. R., Couchinho, M. N., & dos Santos, M. E. (2016). Signature whistles in wild bottlenose dolphins: long-term stability and emission rates. *Acta Ethologica*, 19(2), 113-122.
- Luksenburg, J. A. (2014). The cetaceans of Aruba, southern Caribbean. *Journal of the Marine Biological Association of the United Kingdom*, 94(6), 1161-1174.
- Lundquist, D., Gemmill, N. J., & Wursig, B. (2012). Behavioural Responses of Dusky Dolphin Groups (*Lagenorhynchus obscurus*) to Tour Vessels off Kaikoura, New Zealand. *Plos One*, 7(7).
- Lundquist, D., Gemmill, N. J., Wursig, B., & Markowitz, T. (2013). Dusky dolphin movement patterns: short-term effects of tourism. *New Zealand Journal of Marine and Freshwater Research*, 47(4), 430-449.
- Lundquist, D., Sironi, M., Wursig, B., Rowntree, V., Martino, J., & Lundquist, L. (2013). Response of southern right whales to simulated swim-with-whale tourism at Peninsula Valdes, Argentina. *Marine Mammal Science*, 29(2), E24-E45.
- Lundsten, L., Paull, C. K., Schlining, K. L., McGann, M., & Ussler, W. (2010). Biological characterization of a whale-fall near Vancouver Island, British Columbia, Canada. *Deep-Sea Research Part I-Oceanographic Research Papers*, 57(7), 918-922.
- Lundsten, L., Schlining, K. L., Frasier, K., Johnson, S. B., Kuhnz, L. A., Harvey, J. B. J., et al. (2010). Time-series analysis of six whale-fall communities in Monterey Canyon, California, USA. *Deep-Sea Research Part I-Oceanographic Research Papers*, 57(12), 1573-1584.
- Luo, H. Y., Chen, H. Y., Chen, H. G., & Shih, H. H. (2016). Scavenging hagfish as a transport host of Anisakid nematodes. *Veterinary Parasitology*, 218, 15-21.
- Luque, P. L., Davis, C. G., Reid, D. G., Wang, J. J., & Pierce, G. J. (2006). Opportunistic sightings of killer whales from Scottish pelagic trawlers fishing for mackerel and herring off North Scotland (UK) between 2000 and 2006. *Aquatic Living Resources*, 19(4), 403-410.
- Lusher, A. L., Hernandez-Milian, G., Berrow, S., Rogan, E., & O'Connor, I. (2018). Incidence of marine debris in cetaceans stranded and bycaught in Ireland: Recent findings and a review of historical knowledge. *Environmental Pollution*, 232, 467-476.

- Lusseau, D. (2003a). Effects of tour boats on the behavior of bottlenose dolphins: Using Markov chains to model anthropogenic impacts. *Conservation Biology*, 17(6), 1785-1793.
- Lusseau, D. (2003b). The emergence of cetaceans: phylogenetic analysis of male social behaviour supports the Cetartiodactyla clade. *Journal of Evolutionary Biology*, 16(3), 531-535.
- Lusseau, D. (2006a). The short-term behavioral reactions of bottlenose dolphins to interactions with boats in Doubtful Sound, New Zealand. *Marine Mammal Science*, 22(4), 802-818.
- Lusseau, D. (2006b). Why do dolphins jump? Interpreting the behavioural repertoire of bottlenose dolphins (*Tursiops* sp.) in Doubtful Sound, New Zealand. *Behavioural Processes*, 73(3), 257-265.
- Lusseau, D. (2008). *Understanding the Impacts of Noise on Marine Mammals*.
- Lusseau, D., & Higham, J. E. S. (2004). Managing the impacts of dolphin-based tourism through the definition of critical habitats: the case of bottlenose dolphins (*Tursiops* spp.) in Doubtful Sound, New Zealand. *Tourism Management*, 25(6), 657-667.
- Lutcavage, M. E., Brill, R. W., Skomal, G. B., Chase, B. C., Goldstein, J. L., & Tutein, J. (2000). Tracking adult North Atlantic bluefin tuna (*Thunnus thynnus*) in the northwestern Atlantic using ultrasonic telemetry. *Marine Biology*, 137(2), 347-358.
- Lyamin, O., Pryaslova, J., Kosenko, P., & Siegel, J. (2007). Behavioral aspects of sleep in bottlenose dolphin mothers and their calves. *Physiology & Behavior*, 92(4), 725-733.
- Lyamin, O. I., Manger, P. R., Mukhametov, L. M., Siegel, J. M., & Shpak, O. V. (2000). Rest and activity states in a gray whale. *Journal of Sleep Research*, 9(3), 261-267.
- Lyamin, O. I., Mukhametov, L. M., Chetyrbok, I. S., & Vassiliev, A. V. (2002). Sleep and wakefulness in the southern sea lion. *Behavioural Brain Research*, 128(2), 129-138.
- Lyamin, O. I., Shpak, O. V., Nazarenko, E. A., & Mukhametov, L. M. (2002). Muscle jerks during behavioral sleep in a beluga whale (*Delphinapterus leucas* L.). *Physiology & Behavior*, 76(2), 265-270.
- Lyday, S. E., Ballance, L. T., Field, D. B., & Hyrenbach, K. D. (2015). Shearwaters as ecosystem indicators: Towards fishery-independent metrics of fish abundance in the California Current. *Journal of Marine Systems*, 146, 109-120.
- Lydersen, C., Martin, A. R., Kovacs, K. M., & Gjertz, I. (2001). Summer and autumn movements of white whales *Delphinapterus leucas* in Svalbard, Norway. *Marine Ecology Progress Series*, 219, 265-274.
- Lydersen, C., Oien, N., Mikkelsen, B., Bober, S., Fisher, D., & Kovacs, K. M. (2013). A white humpback whale (*Megaptera novaeangliae*) in the Atlantic Ocean, Svalbard, Norway, August 2012. *Polar Research*, 32.
- Lynch, J. M., Ragland, J. M., Reagen, W. K., Wolf, S. T., Malinsky, M. D., Ellisor, M. B., et al. (2018). Feasibility of using the National Marine Mammal Tissue Bank for retrospective exploratory studies of perfluorinated alkyl acids. *Science of the Total Environment*, 624, 781-789.
- Lyrholm, T., & Gyllensten, U. (1998). Global matrilineal population structure in sperm whales as indicated by mitochondrial DNA sequences. *Proceedings of the Royal Society B-Biological Sciences*, 265(1406), 1679-1684.
- Lyrholm, T., Leimar, O., Johanneson, B., & Gyllensten, U. (1999). Sex-biased dispersal in sperm whales: contrasting mitochondrial and nuclear genetic structure of global populations. *Proceedings of the Royal Society B-Biological Sciences*, 266(1417), 347-354.

- Lysiak, N. S. J., Trumble, S. J., Knowlton, A. R., & Moore, M. J. (2018). Characterizing the Duration and Severity of Fishing Gear Entanglement on a North Atlantic Right Whale (*Eubalaena glacialis*) Using Stable Isotopes, Steroid and Thyroid Hormones in Baleen. *Frontiers in Marine Science*, 5.
- Ma, H. W., Overstreet, R. M., Sniezek, J. H., Solangi, M., & Coats, D. W. (2006). Two new species of symbiotic ciliates from the respiratory tract of cetaceans with establishment of the new genus *Planilamina* n. Gen. (Dysteriida, Kyaroikeidae). *Journal of Eukaryotic Microbiology*, 53(6), 407-419.
- Macaulay, J., Gordon, J., Gillespie, D., Malinka, C., & Northridge, S. (2017). Passive acoustic methods for fine-scale tracking of harbour porpoises in tidal rapids. *Journal of the Acoustical Society of America*, 141(2), 1120-1132.
- Macaulay, M. C., Wishner, K. F., & Daly, K. L. (1995). ACOUSTIC SCATTERING FROM ZOOPLANKTON AND MICRONEKTON IN RELATION TO A WHALE FEEDING SITE NEAR GEORGES BANK AND CAPE-COD. *Continental Shelf Research*, 15(4-5), 509-537.
- Mace, M., & Crouau-Roy, B. (2008). A highly polymorphic insertion in the Y-chromosome amelogenin gene can be used for evolutionary biology, population genetics and sexing in Cetacea and Artiodactyla. *Bmc Genetics*, 9.
- Macedo, H. S., Flores, P. A. C., Steenbock, W., & Medeiros, R. P. (2020). Have you seen the dolphins? Dolphin watching participatory monitoring in a Brazilian multiple-use Marine Protected Area.
- Macena, B. C. L., & Hazin, F. H. V. (2016). Whale Shark (*Rhincodon typus*) Seasonal Occurrence, Abundance and Demographic Structure in the Mid-Equatorial Atlantic Ocean. *Plos One*, 11(10).
- MacGillivray, A. O., Racca, R., & Li, Z. Z. (2014). Marine mammal audibility of selected shallow-water survey sources. *Journal of the Acoustical Society of America*, 135(1), EL35-EL40.
- Maciel, I. S., Tardin, R. H., & Simao, S. M. (2018). Occurrence and habitat use of Bryde's whales (*Balaenoptera edeni*) in the Cabo Frio region, South-eastern Brazil. *Journal of the Marine Biological Association of the United Kingdom*, 98(5), 1081-1086.
- Mackay, A. I., Bailleul, F., Carroll, E. L., Andrews-Goff, V., Baker, C. S., Bannisters, J., et al. (2020). Satellite derived offshore migratory movements of southern right whales (*Eubalaena australis*) from Australian and New Zealand wintering grounds. *Plos One*, 15(5).
- Mackay, A. I., Bailleul, F., & Goldsworthy, S. D. (2018). Sperm whales in the Great Australian Bight: Synthesising historical and contemporary data to predict potential distribution. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 157, 146-153.
- MacKay, M. M., Wursig, B., Bacon, C. E., & Selwyn, J. D. (2016). North Atlantic humpback whale (*Megaptera novaeangliae*) hotspots defined by bathymetric features off western Puerto Rico. *Canadian Journal of Zoology*, 94(7), 517-527.
- MacKenzie, K. M., Robertson, D. R., Adams, J. N., Altieri, A. H., & Turner, B. L. (2019). Structure and nutrient transfer in a tropical pelagic upwelling food web: From isoscapes to the whole ecosystem. *Progress in Oceanography*, 178.
- MacLeod, C. D. (2002). Possible functions of the ultradense bone in the rostrum of Blainville's beaked whale (*Mesoplodon densirostris*). *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 80(1), 178-184.
- MacLeod, C. D., Hauser, N., & Peckham, H. (2004). Diversity, relative density and structure of the cetacean community in summer months east of Great Abaco, Bahamas. *Journal of the Marine Biological Association of the United Kingdom*, 84(2), 469-474.
- MacLeod, C. D., Weir, C. R., Pierpoint, C., & Harland, E. J. (2007). The habitat preferences of marine mammals west of Scotland (UK). *Journal of the Marine Biological Association of the United Kingdom*, 87(1), 157-164.

- Macleod, C. D., Weir, C. R., Santos, M. B., & Dunn, T. E. (2008). Temperature-based summer habitat partitioning between white-beaked and common dolphins around the United Kingdom and Republic of Ireland. *Journal of the Marine Biological Association of the United Kingdom*, 88(6), 1193-1198.
- Macleod, K., Simmonds, M. P., & Murray, E. (2003). Summer distribution and relative abundance of cetacean populations off north-west Scotland. *Journal of the Marine Biological Association of the United Kingdom*, 83(5), 1187-1192.
- Maddikunta, P. K. R., Gadekallu, T. R., Kaluri, R., Srivastava, G., Parizi, R. M., & Khan, M. S. (2020). Green communication in IoT networks using a hybrid optimization algorithm. *Computer Communications*, 159, 97-107.
- Madhusudhana, S. K., Chakraborty, B., & Latha, G. (2019). Humpback whale singing activity off the Goan coast in the Eastern Arabian Sea. *Bioacoustics-the International Journal of Animal Sound and Its Recording*, 28(4), 329-344.
- Madigan, D. J., Brooks, E. J., Bond, M. E., Gelsleichter, J., Howey, L. A., Abercrombie, D. L., et al. (2015). Diet shift and site-fidelity of oceanic whitetip sharks *Carcharhinus longimanus* along the Great Bahama Bank. *Marine Ecology Progress Series*, 529, 185-197.
- Madsen, P. T., de Soto, N. A., Arranz, P., & Johnson, M. (2013). Echolocation in Blainville's beaked whales (*Mesoplodon densirostris*). *Journal of Comparative Physiology a-Neuroethology Sensory Neural and Behavioral Physiology*, 199(6), 451-469.
- Madsen, P. T., Johnson, M., de Soto, N. A., Zimmer, W. M. X., & Tyack, P. (2005). Biosonar performance of foraging beaked whales (*Mesoplodon densirostris*). *Journal of Experimental Biology*, 208(2), 181-194.
- Madsen, P. T., Johnson, M., Miller, P. J. O., Soto, N. A., Lynch, J., & Tyack, P. (2006). Quantitative measures of air-gun pulses recorded on sperm whales (*Physeter macrocephalus*) using acoustic tags during controlled exposure experiments. *Journal of the Acoustical Society of America*, 120(4), 2366-2379.
- Madsen, P. T., & Mohl, B. (2000). Sperm whales (*Physeter catodon* L-1758) do not react to sounds from detonators. *Journal of the Acoustical Society of America*, 107(1), 668-671.
- Madsen, P. T., Payne, R., Kristiansen, N. U., Wahlberg, M., Kerr, I., & Mohl, B. (2002). Sperm whale sound production studied with ultrasound time/depth-recording tags. *Journal of Experimental Biology*, 205(13), 1899-1906.
- Madsen, P. T., & Wahlberg, M. (2007). Recording and quantification of ultrasonic echolocation clicks from free-ranging toothed whales. *Deep-Sea Research Part I-Oceanographic Research Papers*, 54(8), 1421-1444.
- Magalhaes, F. A., Tosi, C. H., Garri, R. G., Chellappa, S., & Silva, F. L. (2008). Cetacean diversity on the Parnaiba Delta, Maranhao state, northeastern Brazil. *Brazilian Journal of Biology*, 68(3), 545-551.
- Magnadottir, B., Uysal-Onganer, P., Kraev, I., Svansson, V., Hayes, P., & Lange, S. (2020). Deiminated proteins and extracellular vesicles - Novel serum biomarkers in whales and orca. *Comparative Biochemistry and Physiology D-Genomics & Proteomics*, 34.
- Magnusdottir, E. E., & Lim, R. (2019). Subarctic singers: Humpback whale (*Megaptera novaeangliae*) song structure and progression from an Icelandic feeding ground during winter. *Plos One*, 14(1).
- Magnusdottir, E. E., Miller, P. J. O., Lim, R., Rasmussen, M. H., Lammers, M. O., & Svavarsson, J. (2015). Humpback whale (*Megaptera novaeangliae*) song unit and phrase repertoire progression on a subarctic feeding ground. *Journal of the Acoustical Society of America*, 138(5), 3362-3374.
- Magnusdottir, E. E., Rasmussen, M. H., Lammers, M. O., & Svavarsson, J. (2014). Humpback whale songs during winter in subarctic waters. *Polar Biology*, 37(3), 427-433.

Mahdad, B. (2019). Improvement optimal power flow solution under loading margin stability using new partitioning whale algorithm. *International Journal of Management Science and Engineering Management*, 14(1), 64-77.

Mahdy, A., Abu El-Kheir, G., Gohar, A. S., & El-Soughier, M. I. Palaeobiological assessment of some basilosaurid archaeocetes (mammalia, cetacea) and its affinity with recent odontocetes: new insights from Wadi El-Hitan, Fayoum, Egypt. *Historical Biology*.

Mahesh, N., & Vijayachitra, S. (2019). DECSA: hybrid dolphin echolocation and crow search optimization for cluster-based energy-aware routing in WSN. *Neural Computing & Applications*, 31, 47-62.

Mahmud, A. I., Jaaman, S. A., Muda, A. M., Muhamad, H. M., Zhang, X. L., & Scapini, F. (2018a). Factors influencing the behaviour of Irrawaddy dolphins *Orcaella brevirostris* (Owen in Gray, 1866) in Brunei Bay, Malaysia. *Journal of Ethology*, 36(2), 169-180.

Mahmud, A. I., Jaaman, S. A., Muda, A. M., Muhamad, H. M., Zhang, X. L., & Scapini, F. (2018b). Population estimation, distribution, and habitat preference of Irrawaddy dolphins *Orcaella brevirostris* (Owen in Gray, 1866) in the Brunei Bay, Malaysian waters. *Wildlife Biology*.

Maier, W. (2013). The Levator Veli Palatini Muscle in Artiodactyls-A Comparative Ontogenetic Study. *Journal of Mammalian Evolution*, 20(3), 199-212.

Majluf, P., Babcock, E. A., Riveros, J. C., Schreiber, M. A., & Alderete, W. (2002). Catch and bycatch of sea birds and marine mammals in the small-scale fishery of Punta San Juan, Peru. *Conservation Biology*, 16(5), 1333-1343.

Malcolm, C. D., Dagostino, R. M. C., & Ortega, J. L. C. (2017). Experiential and Learning Desires of Whale Watching Guides Versus Tourists in Bahia de Banderas, Puerto Vallarta, Mexico. *Human Dimensions of Wildlife*, 22(6), 524-537.

Malinka, C. E., Atkins, J., Johnson, M. P., Tonnesen, P., Dunn, C. A., Claridge, D. E., et al. (2020). An autonomous hydrophone array to study the acoustic ecology of deep-water toothed whales. *Deep-Sea Research Part I-Oceanographic Research Papers*, 158.

Malinka, C. E., Gillespie, D. M., Macaulay, J. D. J., Joy, R., & Sparling, C. E. (2018). First in situ passive acoustic monitoring for marine mammals during operation of a tidal turbine in Ramsey Sound, Wales. *Marine Ecology Progress Series*, 590, 247-266.

Malinowski, C. R., & Herzing, D. L. (2015). Prey use and nutritional differences between reproductive states and age classes in Atlantic spotted dolphins (*Stenella frontalis*) in the Bahamas. *Marine Mammal Science*, 31(4), 1471-1493.

Mallonee, J. S. (1991). BEHAVIOR OF GRAY WHALES (*ESCHRICHTIUS-ROBUSTUS*) SUMMERING OFF THE NORTHERN CALIFORNIA COAST, FROM PATRICK POINT TO CRESCENT-CITY. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 69(3), 681-690.

Mancia, A., Zuccon, G., Lunardi, D., Biancani, B., Gili, C., Stanyon, R., et al. (2019). Isolation and phenotyping of potential stem cells from the umbilical cord of the bottlenose dolphin (*Tursiops truncatus*). *International Journal of Developmental Biology*, 63(6-7), 295-299.

Mandiola, M. A., Giardino, G., Bastida, J., Moron, S., Rodriguez, D. H., & Bastida, R. (2020). Half a century of sightings data of southern right whales in Mar del Plata (Buenos Aires, Argentina). *Journal of the Marine Biological Association of the United Kingdom*, 100(1), 165-171.

Manhaes, B. M. R., Picaluga, A. D., Bisi, T. L., Azevedo, A. D., Torres, J. P. M., Malm, O., et al. (2020). Tracking mercury in the southwestern Atlantic Ocean: the use of tuna and tuna-like species as indicators of bioavailability. *Environmental Science and Pollution Research*, 27(7), 6813-6823.

- Maniscalco, J. M., Matkin, C. O., Maldini, D., Calkins, D. G., & Atkinson, S. (2007). Assessing killer whale predation on steller sea lions from field observations in Kenai Fjords, Alaska. *Marine Mammal Science*, 23(2), 306-321.
- Manno, T. G. (2008). Social networking in the Columbian ground squirrel, *Spermophilus columbianus*. *Animal Behaviour*, 75, 1221-1228.
- Mannocci, L., Laran, S., Monestiez, P., Doremus, G., Van Canneyt, O., Watremez, P., et al. (2014). Predicting top predator habitats in the Southwest Indian Ocean. *Ecography*, 37(3), 261-278.
- Mannocci, L., Monestiez, P., Bolanos-Jimenez, J., Doremus, G., Jeremie, S., Laran, S., et al. (2013). Megavertebrate communities from two contrasting ecosystems in the western tropical Atlantic. *Journal of Marine Systems*, 111, 208-222.
- Mannocci, L., Monestiez, P., Spitz, J., & Ridoux, V. (2015). Extrapolating cetacean densities beyond surveyed regions: habitat-based predictions in the circumtropical belt. *Journal of Biogeography*, 42(7), 1267-1280.
- Mannocci, L., Roberts, J. J., Pedersen, E. J., & Halpin, P. N. (2020). Geographical differences in habitat relationships of cetaceans across an ocean basin. *Ecography*, 43(8), 1250-1259.
- Manoukian, S., Azzali, M., Farchi, C., & Tizzi, R. (2002). Development of *Tursiops truncatus* sonar system during first months of life in captivity: Acoustic interactions with other community members. *Acta Acustica United with Acustica*, 88(5), 743-747.
- Manzan, M. F., & Lopes, P. F. M. (2015). Fishers' knowledge as a source of information about the estuarine dolphin (*Sotalia guianensis*, van Beneden, 1864). *Environmental Monitoring and Assessment*, 187(1).
- Manzan, M. F., & Lopes, P. F. M. (2016). The behavior of the estuarine dolphin (*Sotalia guianensis*, van Beneden, 1864) according to fishermen from different fishing environments. *Ocean & Coastal Management*, 130, 229-238.
- Manzano-Roth, R., Henderson, E. E., Martin, S. W., Martin, C., & Matsuyama, B. M. (2016). Impacts of US Navy Training Events on Blainville's Beaked Whale (*Mesoplodon densirostris*) Foraging Dives in Hawaiian Waters. *Aquatic Mammals*, 42(4), 507-518.
- Maps, F., Plourde, S., McQuinn, I. H., St-Onge-Drouin, S., Lavoie, D., Chasse, J., et al. (2015). Linking acoustics and finite-time Lyapunov exponents reveals areas and mechanisms of krill aggregation within the Gulf of St. Lawrence, eastern Canada. *Limnology and Oceanography*, 60(6), 1965-1975.
- Maran, B. A. V., Soh, H. Y., Hwang, U. W., Chang, C. Y., & Myoung, J. G. (2015). First records of parasitic copepods (Crustacea, Siphonostomatoida) from marine fishes in Korea. *Tropical Biomedicine*, 32(2), 352-364.
- Marcoux, M., Auger-Methe, M., & Humphries, M. M. (2009). Encounter frequencies and grouping patterns of narwhals in Koluktoo Bay, Baffin Island. *Polar Biology*, 32(12), 1705-1716.
- Marcoux, M., Auger-Methe, M., & Humphries, M. M. (2012). Variability and context specificity of narwhal (*Monodon monoceros*) whistles and pulsed calls. *Marine Mammal Science*, 28(4), 649-665.
- Marcoux, M., Rendell, L., & Whitehead, H. (2007). Indications of fitness differences among vocal clans of sperm whales. *Behavioral Ecology and Sociobiology*, 61(7), 1093-1098.
- Marcoux, M., Whitehead, H., & Rendell, L. (2006). Coda vocalizations recorded in breeding areas are almost entirely produced by mature female sperm whales (*Physeter macrocephalus*). *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 84(4), 609-614.

Marcovecchio, J. E., Gerpe, M. S., Bastida, R. O., Rodriguez, D. H., & Moron, S. G. (1994). ENVIRONMENTAL CONTAMINATION AND MARINE MAMMALS IN COASTAL WATERS FROM ARGENTINA - AN OVERVIEW. *Science of the Total Environment*, 154(2-3), 141-151.

Marega-Imamura, M., de Carvalho, G. H., Le Pendu, Y., da Silva, P. S., & Schiavetti, A. (2018). Behavioral responses of *Sotalia guianensis* (Cetartiodactyla, Delphinidae) to boat approaches in northeast Brazil. *Latin American Journal of Aquatic Research*, 46(2), 268-279.

Maresh, J. L., Fish, F. E., Nowacek, D. P., Nowacek, S. M., & Wells, R. S. (2004). High performance turning capabilities during foraging by bottlenose dolphins (*Tursiops truncatus*). *Marine Mammal Science*, 20(3), 498-509.

Margulis, S. W., & Westhus, E. J. (2008). Evaluation of different observational sampling regimes for use in zoological parks. *Applied Animal Behaviour Science*, 110(3-4), 363-376.

Marigo, J., Cunha, H. A., Bertozzi, C. P., Souza, S. P., Rosas, F. C. W., Cremer, M. J., et al. (2015). Genetic diversity and population structure of *Synthesium pontoporiae* (Digenea, Brachycladiidae) linked to its definitive host stocks, the endangered Franciscana dolphin, *Pontoporia blainvillei* (Pontoporiidae) off the coast of Brazil and Argentina. *Journal of Helminthology*, 89(1), 19-27.

Marin-Enriquez, E., & Muhlia-Melo, A. (2018a). Environmental and spatial preferences of dolphinfish (*Coryphaena* spp.) in the eastern Pacific Ocean off the coast of Mexico. *Fishery Bulletin*, 116(1), 9-20.

Marin-Enriquez, E., & Muhlia-Melo, A. (2018b). Incidental catch of the rare shortbill spearfish (*Tetrapturus angustirostris*) by the tuna purse seine fleet in the eastern tropical Pacific Ocean. *Ciencias Marinas*, 44(1), 21-32.

Marini, L., Consiglio, C., Angradi, A. M., Catalano, B., Sanna, A., Valentini, T., et al. (1996). Distribution, abundance and seasonality of cetaceans sighted during scheduled ferry crossings in the central Tyrrhenian Sea: 1989-1992. *Italian Journal of Zoology*, 63(4), 381-388.

Marini, L., Consiglio, C., Catalano, B., Valentini, T., & Villetti, G. (1996). Aerial behavior in fin whales (*Balaenoptera physalus*) in the Mediterranean sea. *Marine Mammal Science*, 12(3), 489-495.

Marino, L., & Stowe, J. (1997). Lateralized behavior in two captive bottlenose dolphins (*Tursiops truncatus*). *Zoo Biology*, 16(2), 173-177.

Markowitz, T. M., Harlin, A. D., Wursig, B., & McFadden, C. J. (2004). Dusky dolphin foraging habitat: overlap with aquaculture in New Zealand. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 14(2), 133-149.

Marks, P. (2005). Sounds of the sea give intruders away. *New Scientist*, 188(2522), 32-32.

Marley, S. A., Erbe, C., & Kent, C. P. S. (2017). Data Descriptor: Underwater recordings of the whistles of bottlenose dolphins in Fremantle Inner Harbour, Western Australia. *Scientific Data*, 4.

Marley, S. A., Erbe, C., Kent, C. P. S., Parsons, M. J. G., & Parnum, I. M. (2017). Spatial and Temporal Variation in the Acoustic Habitat of Bottlenose Dolphins (*Tursiops aduncus*) within a Highly Urbanized Estuary. *Frontiers in Marine Science*, 4.

Marley, S. A., Kent, C. P. S., & Erbe, C. (2017). Occupancy of bottlenose dolphins (*Tursiops aduncus*) in relation to vessel traffic, dredging, and environmental variables within a highly urbanised estuary. *Hydrobiologia*, 792(1), 243-263.

Marley, S. A., Kent, C. P. S., Erbe, C., & Thiele, D. (2017). A Tale of Two Soundscapes: Comparing the Acoustic Characteristics of Urban Versus Pristine Coastal Dolphin Habitats in Western Australia. *Acoustics Australia*, 45(2), 159-178.

- Maron, C. F., Beltramino, L., Di Martino, M., Chirife, A., Seger, J., Uhart, M., et al. (2015). Increased Wounding of Southern Right Whale (*Eubalaena australis*) Calves by Kelp Gulls (*Larus dominicanus*) at Peninsula Valdes, Argentina. *Plos One*, 10(10).
- Marques, T. A., Thomas, L., Ward, J., DiMarzio, N., & Tyack, P. L. (2009). Estimating cetacean population density using fixed passive acoustic sensors: An example with Blainville's beaked whales. *Journal of the Acoustical Society of America*, 125(4), 1982-1994.
- Marquez, S., Pagano, A. S., Mongle, C. S., Albertine, K. H., & Laitman, J. T. (2019). The Nasal Complex of a Semiaquatic Artiodactyl, the Moose (*Alces alces*): Is it a Good Evolutionary Model for the Ancestors of Cetaceans? *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 302(5), 667-692.
- Marras, S., Noda, T., Steffensen, J. F., Svendsen, M. B. S., Krause, J., Wilson, A. D. M., et al. (2015). Not So Fast: Swimming Behavior of Sailfish during Predator-Prey Interactions using High-Speed Video and Accelerometry. *Integrative and Comparative Biology*, 55(4), 719-727.
- Marsh, L., Huvenne, V. A. I., & Jones, D. O. B. (2018). Geomorphological evidence of large vertebrates interacting with the seafloor at abyssal depths in a region designated for deep-sea mining. *Royal Society Open Science*, 5(8).
- Marshall, C. D., & Reep, R. L. (1995). MANATEE CEREBRAL-CORTEX - CYTOARCHITECTURE OF THE CAUDAL REGION IN *TRIHECHUS-MANATUS-LATIROSTRIS*. *Brain Behavior and Evolution*, 45(1), 1-18.
- Marshall, C. D., Wieskotten, S., Hanke, W., Hanke, F. D., Marsh, A., Kot, B., et al. (2014). Feeding Kinematics, Suction, and Hydraulic Jetting Performance of Harbor Seals (*Phoca vitulina*). *Plos One*, 9(1).
- Marshall, G. J. (1998). CRITTERCAM: An animal-borne imaging and data logging system. *Marine Technology Society Journal*, 32(1), 11-17.
- Marten, K., & Psarakos, S. (1995). USING SELF-VIEW TELEVISION TO DISTINGUISH BETWEEN SELF-EXAMINATION AND SOCIAL-BEHAVIOR IN THE BOTTLE-NOSED-DOLPHIN (*TURSIOPS-TRUNCATUS*). *Consciousness and Cognition*, 4(2), 205-224.
- Martien, K. K., Baird, R. W., Hedrick, N. M., Gorgone, A. M., Thieleking, J. L., McSweeney, D. J., et al. (2012). Population structure of island-associated dolphins: Evidence from mitochondrial and microsatellite markers for common bottlenose dolphins (*Tursiops truncatus*) around the main Hawaiian Islands. *Marine Mammal Science*, 28(3), E208-E232.
- Martien, K. K., Taylor, B. L., Chivers, S. J., Mahaffy, S. D., Gorgone, A. M., & Baird, R. W. (2019). Fidelity to natal social groups and mating within and between social groups in an endangered false killer whale population. *Endangered Species Research*, 40, 219-230.
- Martin, A. M., & Goffredi, S. K. (2012). 'Pliocardia' *krylovata*, a new species of vesicomid clam from cold seeps along the Costa Rica Margin. *Journal of the Marine Biological Association of the United Kingdom*, 92(5), 1127-1137.
- Martin, A. R., & da Silva, V. M. F. (2004). Number, seasonal movements, and residency characteristics of river dolphins in an Amazonian floodplain lake system. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 82(8), 1307-1315.
- Martin, A. R., & Smith, T. G. (1992). DEEP DIVING IN WILD, FREE-RANGING BELUGA WHALES, *DELPHINAPTERUS-LEUCAS*. *Canadian Journal of Fisheries and Aquatic Sciences*, 49(3), 462-466.
- Martin, A. R., & Smith, T. G. (1999). Strategy and capability of wild belugas, *Delphinapterus leucas*, during deep, benthic diving. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 77(11), 1783-1793.

- Martin, A. R., Smith, T. G., & Cox, O. P. (1998). Dive form and function in belugas *Delphinapterus leucas* of the eastern Canadian High Arctic. *Polar Biology*, 20(3), 218-228.
- Martin, J., Edwards, H. H., Fonnesebeck, C. J., Koslovsky, S. M., Harmak, C. W., & Dane, T. M. (2015). Combining information for monitoring at large spatial scales: First statewide abundance estimate of the Florida manatee. *Biological Conservation*, 186, 44-51.
- Martin, M. J., Elwen, S. H., Kassanje, R., & Gridley, T. (2019). To buzz or burst-pulse? The functional role of Heaviside's dolphin, *Cephalorhynchus heavisidii*, rapidly pulsed signals. *Animal Behaviour*, 150, 273-284.
- Martin, M. J., Gridley, T., Elwen, S. H., & Jensen, F. H. (2018). Heaviside's dolphins (*Cephalorhynchus heavisidii*) relax acoustic crypsis to increase communication range. *Proceedings of the Royal Society B-Biological Sciences*, 285(1883).
- Martin, R. A. (2007). A review of behavioural ecology of whale sharks (*Rhincodon typus*). *Fisheries Research*, 84(1), 10-16.
- Martin, S. B., Matthews, M. N. R., MacDonnell, J. T., & Broker, K. (2017). Characteristics of seismic survey pulses and the ambient soundscape in Baffin Bay and Melville Bay, West Greenland. *Journal of the Acoustical Society of America*, 142(6), 3331-3346.
- Martin, S. L., Ballance, L. T., & Groves, T. (2016). An Ecosystem Services Perspective for the Oceanic Eastern Tropical Pacific: Commercial Fisheries, Carbon Storage, Recreational Fishing, and Biodiversity. *Frontiers in Marine Science*, 3.
- Martin, S. W., Marques, T. A., Thomas, L., Morrissey, R. P., Jarvis, S., DiMarzio, N., et al. (2013). Estimating minke whale (*Balaenoptera acutorostrata*) boing sound density using passive acoustic sensors. *Marine Mammal Science*, 29(1), 142-158.
- Martin, S. W., Martin, C. R., Matsuyama, B. M., & Henderson, E. E. (2015). Minke whales (*Balaenoptera acutorostrata*) respond to navy training. *Journal of the Acoustical Society of America*, 137(5), 2533-2541.
- Martin-Smith, K. M. (2011). Photo-identification of individual weedy seadragons *Phyllopteryx taeniolatus* and its application in estimating population dynamics. *Journal of Fish Biology*, 78(6), 1757-1768.
- Martinez, L., Geraldes, D., Suardi, A., Wyss, V., Dutrieux, E., & Henri, C. H. (2019). New sightings records of marine mammals and seabirds off French Guiana. *Latin American Journal of Aquatic Research*, 47(5), 753-763.
- Martinez-Delgado, D., D'Onghia, E., Chonis, T. S., Beaton, R. L., Teuwen, K., GaBany, R. J., et al. (2015). A STELLAR TIDAL STREAM AROUND THE WHALE GALAXY, NGC 4631. *Astronomical Journal*, 150(4).
- Martinez-Levasseur, L. M., Furgal, C. M., Hammill, M. O., & Burness, G. (2017). Challenges and strategies when mapping local ecological knowledge in the Canadian Arctic: the importance of defining the geographic limits of participants' common areas of observations. *Polar Biology*, 40(8), 1501-1513.
- Martinez-Ortiz, J., Aires-Da-Silva, A. M., Lennert-Cody, C. E., & Maunder, M. N. (2015). The Ecuadorian Artisanal Fishery for Large Pelagics: Species Composition and Spatio-Temporal Dynamics. *Plos One*, 10(8).
- Martinez-Rincon, R. O., Ortega-Garcia, S., & Vaca-Rodriguez, J. G. (2009). Incidental catch of dolphinfish (*Coryphaena* spp.) reported by the Mexican tuna purse seiners in the eastern Pacific Ocean. *Fisheries Research*, 96(2-3), 296-302.
- Martinho, C. A., Paiva, A. M., & Gomes, M. R. (2000). Emotions for a motion: Rapid development of believable pathematic agents in intelligent virtual environments. *Applied Artificial Intelligence*, 14(1), 33-68.

- Martinho, F., Pereira, A., Brito, C., Gaspar, R., & Carvalho, I. (2015). Structure and abundance of bottlenose dolphins (*Tursiops truncatus*) in coastal Setubal Bay, Portugal. *Marine Biology Research*, 11(2), 144-156.
- Martins, M. C. I., Miller, C., Hamilton, P., Robbins, J., Zitterbart, D. P., & Moore, M. Respiration cycle duration and seawater flux through open blowholes of humpback (*Megaptera novaeangliae*) and North Atlantic right (*Eubalaena glacialis*) whales. *Marine Mammal Science*.
- Martuscelli, P., Olmos, F., Silva, R. S. E., Mazzarella, I. P., Pino, F. V., & Raduan, E. N. (1996). Cetaceans of Sao Paulo, southeastern Brazil. *Mammalia*, 60(1), 125-140.
- Marulanda, J. L., Adam, O., & Delfour, F. (2016). Modulation of Whistle Production Related to Training Sessions in Bottlenose Dolphins (*Tursiops truncatus*) Under Human Care. *Zoo Biology*, 35(6), 495-504.
- Marwick, A., Gray, M. L., & Ananny, M. (2014). "Dolphins Are Just Gay Sharks": Glee and the Queer Case of Transmedia As Text and Object. *Television & New Media*, 15(7), 627-647.
- Marx, F. G. (2009). Marine mammals through time: when less is more in studying palaeodiversity. *Proceedings of the Royal Society B-Biological Sciences*, 276(1658), 887-892.
- Marx, F. G., Bosselaers, M. E. J., & Louwye, S. (2016). A new species of *Metopocetus* (Cetacea, Mysticeti, Cetotheriidae) from the Late Miocene of the Netherlands. *Peerj*, 4.
- Marx, F. G., Fitzgerald, E. M. G., & Fordyce, R. E. (2019). Like phoenix from the ashes: How modern baleen whales arose from a fossil "dark age". *Acta Palaeontologica Polonica*, 64(2), 231-238.
- Marx, F. G., & Fordyce, R. E. (2016). A Link No Longer Missing: New Evidence for the Cetotheriid Affinities of *Caperea*. *Plos One*, 11(10).
- Marx, F. G., & Kohno, N. (2016). A new Miocene baleen whale from the Peruvian desert. *Royal Society Open Science*, 3(10).
- Marx, F. G., Park, T., Fitzgerald, E. M. G., & Evans, A. R. (2018). A Miocene pygmy right whale fossil from Australia. *Peerj*, 6.
- Marx, F. G., & Uhen, M. D. (2010). Climate, Critters, and Cetaceans: Cenozoic Drivers of the Evolution of Modern Whales. *Science*, 327(5968), 993-996.
- Maschner, H. D. G., Trites, A. W., Reedy-Maschner, K. L., & Betts, M. (2014). The decline of Steller sea lions (*Eumetopias jubatus*) in the North Pacific: insights from indigenous people, ethnohistoric records and archaeological data. *Fish and Fisheries*, 15(4), 634-660.
- Masello, J. F., Wikelski, M., Voigt, C. C., & Quillfeldt, P. (2013). Distribution Patterns Predict Individual Specialization in the Diet of Dolphin Gulls. *Plos One*, 8(7).
- Masood, M., Fouad, M. M., Kamal, R., Glesk, I., & Khan, I. U. (2019). An Improved Particle Swarm Algorithm for Multi-Objectives Based Optimization in MPLS/GMPLS Networks. *Ieee Access*, 7, 137147-137162.
- Matamoros, O. M., Escobar, J. J. M., Padilla, R. T., & Reyes, I. L. (2020). Neurodynamics of Patients during a Dolphin-Assisted Therapy by Means of a Fractal Intra-neural Analysis. *Brain Sciences*, 10(6).
- Mate, B., Mesecar, R., & Lagerquist, B. (2007). The evolution of satellite-monitored radio tags for large whales: One laboratory's experience. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 54(3-4), 224-247.
- Mate, B. R., Best, P. B., Lagerquist, B. A., & Winsor, M. H. (2011). Coastal, offshore, and migratory movements of South African right whales revealed by satellite telemetry. *Marine Mammal Science*, 27(3), 455-476.

- Mate, B. R., Gisiner, R., & Mobley, J. (1998). Local and migratory movements of Hawaiian humpback whales tracked by satellite telemetry. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 76(5), 863-868.
- Mate, B. R., Ilyashenko, V. Y., Bradford, A. L., Vertyankin, V. V., Tsidulko, G. A., Rozhnov, V. V., et al. (2015). Critically endangered western gray whales migrate to the eastern North Pacific. *Biology Letters*, 11(4).
- Mate, B. R., Irvine, L. M., & Palacios, D. M. (2017). The development of an intermediate-duration tag to characterize the diving behavior of large whales. *Ecology and Evolution*, 7(2), 585-595.
- Mate, B. R., Krutzikowsky, G. K., & Winsor, M. H. (2000). Satellite-monitored movements of radio-tagged bowhead whales in the Beaufort and Chukchi seas during the late-summer feeding season and fall migration. *Canadian Journal of Zoology*, 78(7), 1168-1181.
- Mate, B. R., Lagerquist, B. A., & Calambokidis, J. (1999). Movements of North Pacific blue whales during the feeding season off southern California and their southern fall migration. *Marine Mammal Science*, 15(4), 1246-1257.
- Mate, B. R., Nieukirk, S. L., & Kraus, S. D. (1997). Satellite-monitored movements of the northern right whale. *Journal of Wildlife Management*, 61(4), 1393-1405.
- Mate, B. R., Rossbach, K. A., Nieukirk, S. L., Wells, R. S., Irvine, A. B., Scott, M. D., et al. (1995). SATELLITE-MONITORED MOVEMENTS AND DIVE BEHAVIOR OF A BOTTLE-NOSED-DOLPHIN (*TURSIOPS-TRUNCATUS*) IN TAMPA BAY, FLORIDA. *Marine Mammal Science*, 11(4), 452-463.
- Matear, L., Robbins, J. R., Hale, M., & Potts, J. (2019). Cetacean biodiversity in the Bay of Biscay: Suggestions for environmental protection derived from citizen science data. *Marine Policy*, 109.
- Matheu, P., Nardi, V., Fraija-Fernandez, N., Mattiucci, S., de Sola, L. G., Raga, J. A., et al. (2015). The role of lantern fish (Myctophidae) in the life-cycle of cetacean parasites from western Mediterranean waters. *Deep-Sea Research Part I-Oceanographic Research Papers*, 95, 115-121.
- Mathias, D., Thode, A., Straley, J., & Folkert, K. (2009). Relationship between sperm whale (*Physeter macrocephalus*) click structure and size derived from videocamera images of a depredating whale (sperm whale prey acquisition). *Journal of the Acoustical Society of America*, 125(5), 3444-3453.
- Mathias, D., Thode, A. M., Straley, J., & Andrews, R. D. (2013). Acoustic tracking of sperm whales in the Gulf of Alaska using a two-element vertical array and tags. *Journal of the Acoustical Society of America*, 134(3), 2446-2461.
- Mathias, D., Thode, A. M., Straley, J., Calambokidis, J., Schorr, G. S., & Folkert, K. (2012). Acoustic and diving behavior of sperm whales (*Physeter macrocephalus*) during natural and depredation foraging in the Gulf of Alaska. *Journal of the Acoustical Society of America*, 132(1), 518-532.
- Matich, P., Ault, J. S., Boucek, R. E., Bryan, D. R., Gastrich, K. R., Harvey, C. L., et al. (2017). Ecological niche partitioning within a large predator guild in a nutrient-limited estuary. *Limnology and Oceanography*, 62(3), 934-953.
- Matkin, C. O., Barrett-Lennard, L. G., Yurk, H., Ellifrit, D., & Trites, A. W. (2007). Ecotypic variation and predatory behavior among killer whales (*Orcinus orca*) off the eastern Aleutian Islands, Alaska. *Fishery Bulletin*, 105(1), 74-87.
- Matkin, C. O., Durban, J. W., Saulitis, E. L., Andrews, R. D., Straley, J. M., Matkin, D. R., et al. (2012). Contrasting abundance and residency patterns of two sympatric populations of transient killer whales (*Orcinus orca*) in the northern Gulf of Alaska. *Fishery Bulletin*, 110(2), 143-155.

- Matkin, C. O., Saulifis, E. L., Ellis, G. M., Olesiuk, P., & Rice, S. D. (2008). Ongoing population-level impacts on killer whales *Orcinus orca* following the 'Exxon Valdez' oil spill in Prince William Sound, Alaska. *Marine Ecology Progress Series*, 356, 269-281.
- Matley, J. K., Fisk, A. T., & Dick, T. A. (2015). Foraging ecology of ringed seals (*Pusa hispida*), beluga whales (*Delphinapterus leucas*) and narwhals (*Monodon monoceros*) in the Canadian High Arctic determined by stomach content and stable isotope analysis. *Polar Research*, 34.
- Matrai, E., Hoffmann-Kuhnt, M., & Kwok, S. T. (2019). Lateralization in accuracy, reaction time and behavioral processes in a visual discrimination task in an Indo-Pacific bottlenose dolphin (*Tursiops aduncus*). *Behavioural Processes*, 162, 112-118.
- Matrai, E., Ng, A. K. W., Chan, M. M. H., Gendron, S. M., & Dudzinski, K. M. (2020). Testing use of a potential cognitive enrichment device by an Indo-Pacific bottlenose dolphin (*Tursiops aduncus*). *Zoo Biology*, 39(3), 156-167.
- Matsumoto, R., Matsumoto, Y., Ueda, K., Suzuki, M., Asahina, K., & Sato, K. (2019). Sexual maturation in a male whale shark (*Rhincodon typus*) based on observations made over 20 years of captivity. *Fishery Bulletin*, 117(1-2), 78-86.
- Matsumoto, T., Shinjo, R., Nakamura, M., Kimura, M., & Ono, T. (2009). Submarine active normal faults completely crossing the southwest Ryukyu Arc. *Tectonophysics*, 466(3-4), 289-299.
- Matsumoto, T., Tappin, D. R., & Party, S. O. S. O. S. (2003). Possible coseismic large-scale landslide off the northern coast of Papua New Guinea in July 1998: Geophysical and geological results from SOS cruises. *Pure and Applied Geophysics*, 160(10-11), 1923-1943.
- Matsuo, T., Morita, F., Tani, D., Nakamura, H., Higurashi, Y., Ohgi, J., et al. (2019). Anatomical variation of habitat-related changes in scapular morphology. *Anatomia Histologia Embryologia*, 48(3), 218-227.
- Matthews, C. J. D., Breed, G. A., LeBlanc, B., & Ferguson, S. H. (2020). Killer whale presence drives bowhead whale selection for sea ice in Arctic seascapes of fear. *Proceedings of the National Academy of Sciences of the United States of America*, 117(12), 6590-6598.
- Matthews, C. J. D., & Ferguson, S. H. (2015). Seasonal foraging behaviour of Eastern Canada-West Greenland bowhead whales: an assessment of isotopic cycles along baleen. *Marine Ecology Progress Series*, 522, 269-286.
- Matthews, C. J. D., Longstaffe, F. J., & Ferguson, S. H. (2016). Dentine oxygen isotopes (O-18) as a proxy for odontocete distributions and movements. *Ecology and Evolution*, 6(14), 4643-4653.
- Matthews, C. J. D., Raverty, S. A., Noren, D. P., Arragutainaq, L., & Ferguson, S. H. (2019). Ice entrapment mortality may slow expanding presence of Arctic killer whales. *Polar Biology*, 42(3), 639-644.
- Matthews, L. P., Blades, B., & Parks, S. E. (2018). Female harbor seal (*Phoca vitulina*) behavioral response to playbacks of unde ater male acoustic advertisement displays. *Peerj*, 6.
- Matthews, L. P., McCordic, J. A., & Parks, S. E. (2014). Remote Acoustic Monitoring of North Atlantic Right Whales (*Eubalaena glacialis*) Reveals Seasonal and Diel Variations in Acoustic Behavior. *Plos One*, 9(3).
- Mattila, D. K., Clapham, P. J., Vasquez, O., & Bowman, R. S. (1994). OCCURRENCE, POPULATION COMPOSITION, AND HABITAT USE OF HUMPBACK WHALES IN SAMANA BAY, DOMINICAN-REPUBLIC. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 72(11), 1898-1907.
- Mattiucci, S., Paggi, L., Nascetti, G., Abollo, E., Webb, S. C., Pascual, S., et al. (2001). Genetic divergence and reproductive isolation between *Anisakis brevispiculata* and *Anisakis physeteris* (Nematoda : Anisakidae)s. *International Journal for Parasitology*, 31(1), 9-14.

- Mattiucci, S., Paggi, L., Nascetti, G., Santos, C. P., Costa, G., Di Benedetto, A. P., et al. (2002). Genetic markers in the study of *Anisakis typica* (Diesing, 1860): larval identification and genetic relationships with other species of *Anisakis* Dujardin, 1845 (Nematoda : Anisakidae). *Systematic Parasitology*, 51(3), 159-170.
- Mauk, M. R., Rosell, F. I., & Mauk, A. G. (2007). Chromatographically distinguishable heme insertion isoforms of human hemopexin. *Biochemistry*, 46(51), 15033-15041.
- Mauk, M. R., Rosell, F. I., & Mauk, A. G. (2009). Metal Ion Facilitated Dissociation of Heme from b-Type Heme Proteins. *Journal of the American Chemical Society*, 131(46), 16976-16983.
- Maust-Mohl, M., Reiss, D., & Reidenberg, J. S. (2019). A Comparison of Common Hippopotamus (*Artiodactyla*) and Mysticete (*Cetacea*) Nostrils: An Open and Shut Case. *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 302(5), 693-702.
- Maust-Mohl, M., Soltis, J., & Reiss, D. (2018). Underwater click train production by the hippopotamus (*Hippopotamus amphibius*) suggests an echo-ranging function. *Behaviour*, 155(2-3), 231-251.
- May-Collado, L., Gerrodette, T., Calambokidis, J., Rasmussen, K., & Sereg, I. (2005). Patterns of cetacean sighting distribution in the Pacific Exclusive Economic Zone of Costa Rica based on data collected from 1979-2001. *Revista De Biologia Tropical*, 53(1-2), 249-263.
- May-Collado, L. J. (2010). Changes in Whistle Structure of Two Dolphin Species During Interspecific Associations. *Ethology*, 116(11), 1065-1074.
- May-Collado, L. J. (2013). Guyana dolphins (*Sotalia guianensis*) from Costa Rica emit whistles that vary with surface behaviors. *Journal of the Acoustical Society of America*, 134(4), EL359-EL365.
- May-Collado, L. J., & Forcada, J. (2012). Small-scale estimation of relative abundance for the coastal spotted dolphins (*Stenella attenuata*) in Costa Rica: the effect of habitat and seasonality. *Revista De Biologia Tropical*, 60, 133-142.
- May-Collado, L. J., & Wartzok, D. (2009). A characterization of Guyana dolphin (*Sotalia guianensis*) whistles from Costa Rica: The importance of broadband recording systems. *Journal of the Acoustical Society of America*, 125(2), 1202-1213.
- May-Collado, L. J., Amador-Caballero, M., Casas, J. J., Gamboa-Poveda, M. P., Garita-Alpizar, F., Gerrodette, T., et al. (2018). Ecology and Conservation of Cetaceans of Costa Rica and Panama. In M. R. Rossi Santos & C. W. Finkl (Eds.), *Advances in Marine Vertebrate Research in Latin America: Technological Innovation and Conservation* (Vol. 22, pp. 293-319).
- May-Collado, L. J., & Quinones-Lebron, S. G. (2014). Dolphin changes in whistle structure with watercraft activity depends on their behavioral state. *Journal of the Acoustical Society of America*, 135(4), EL193-EL198.
- Mayo, C. A., Ganley, L., Hudak, C. A., Brault, S., Marx, M. K., Burke, E., et al. (2018). Distribution, demography, and behavior of North Atlantic right whales (*Eubalaena glacialis*) in Cape Cod Bay, Massachusetts, 1998-2013. *Marine Mammal Science*, 34(4), 979-996.
- Mazumder, S., & Bhattacharya, S. (2017). Nonparametric dynamic state space modeling of observed circular time series with circular latent states: A Bayesian perspective. *Journal of Statistical Theory and Practice*, 11(4), 693-718.
- Mazzariol, S., Di Guardo, G., Petrella, A., Marsili, L., Fossi, C. M., Leonzio, C., et al. (2011). Sometimes Sperm Whales (*Physeter macrocephalus*) Cannot Find Their Way Back to the High Seas: A Multidisciplinary Study on a Mass Stranding. *Plos One*, 6(5).

- Mazzaro, L. M., Koutsos, E. A., & Williams, J. J. (2016). Current practices in aquatic animal supplementation. *Journal of Zoo and Aquarium Research*, 4(4), 202-208.
- Mazzoil, M., Gibson, Q., Durden, W. N., Borkowski, R., Bickenbach, G., McKenna, Z., et al. (2020). Spatiotemporal Movements of Common Bottlenose Dolphins (*Tursiops truncatus truncatus*) in Northeast Florida, USA. *Aquatic Mammals*, 46(3), 285-300.
- Mazzoil, M., Reif, J. S., Youngbluth, M., Murdoch, M. E., Bechdel, S. E., Howells, E., et al. (2008). Home Ranges of Bottlenose Dolphins (*Tursiops truncatus*) in the Indian River Lagoon, Florida: Environmental Correlates and Implications for Management Strategies. *Ecohealth*, 5(3), 278-288.
- McAuley, R. B., Bruce, B. D., Keay, I. S., Mountford, S., Pinnell, T., & Whoriskey, F. G. (2017). Broad-scale coastal movements of white sharks off Western Australia described by passive acoustic telemetry data. *Marine and Freshwater Research*, 68(8), 1518-1531.
- McBride, A. F., & Kritzler, H. (1951). OBSERVATIONS ON PREGNANCY, PARTURITION, AND POSTNATAL BEHAVIOR IN THE BOTTLENOSE DOLPHIN. *Journal of Mammalogy*, 32(3), 251-266.
- McBride-Kebert, S., Taylor, J. S., Lyn, H., Moore, F. R., Sacco, D. F., Kar, B., et al. (2019). Controlling for Survey Effort Is Worth the Effort: Comparing Bottlenose Dolphin (*Tursiops truncatus*) Habitat Use Between Standardized and Opportunistic Photographic-Identification Surveys. *Aquatic Mammals*, 45(1), 21-29.
- McCabe, E. J. B., Gannon, D. P., Barros, N. B., & Wells, R. S. (2010). Prey selection by resident common bottlenose dolphins (*tursiops truncatus*) in Sarasota Bay, Florida. *Marine Biology*, 157(5), 931-942.
- McCafferty, D. J., Currie, J., & Sparling, C. E. (2007). The effect of instrument attachment on the surface temperature of juvenile grey seals (*Halichoerus grypus*) as measured by infrared thermography. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 54(3-4), 424-436.
- McCafferty, D. J., Moss, S., Bennett, K., & Pomeroy, P. P. (2005). Factors influencing the radiative surface temperature of grey seal (*Halichoerus grypus*) pups during early and late lactation. *Journal of Comparative Physiology B-Biochemical Systemic and Environmental Physiology*, 175(6), 423-431.
- McCann, D. L., & Bell, P. S. (2017). Observations and tracking of killer whales (*Orcinus orca*) with shore-based X-band marine radar at a marine energy test site. *Marine Mammal Science*, 33(3), 904-912.
- McCauley, R. D., Gavrilov, A. N., Jolliffe, C. D., Ward, R., & Gill, P. C. (2018). Pygmy blue and Antarctic blue whale presence, distribution and population parameters in southern Australia based on passive acoustics. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 157, 154-168.
- McClatchie, S., Charter, R., Watson, W., Lo, N., Hill, K., Manzano-Sarabia, M., et al. (2009). THE STATE OF THE CALIFORNIA CURRENT, SPRING 2008-2009 COLD CONDITIONS DRIVE REGIONAL DIFFERENCES IN COASTAL PRODUCTION. *California Cooperative Oceanic Fisheries Investigations Reports*, 50, 43-68.
- McClellan, D. A., & McCracken, K. G. (2001). Estimating the influence of selection on the variable amino acid sites of the cytochrome b protein functional domains. *Molecular Biology and Evolution*, 18(6), 917-925.
- McCordic, J. A., Root-Gutteridge, H., Cusano, D. A., Denes, S. L., & Parks, S. E. (2016). Calls of North Atlantic right whales *Eubalaena glacialis* contain information on individual identity and age class. *Endangered Species Research*, 30, 157-169.
- McCormick-Ray, J., Warwick, R. M., & Ray, G. C. (2011). Benthic macrofaunal compositional variations in the northern Bering Sea. *Marine Biology*, 158(6), 1365-1376.
- McCowan, B., Marino, L., Vance, E., Walke, L., & Reiss, D. (2000). Bubble ring play of bottlenose dolphins (*Tursiops truncatus*): Implications for cognition. *Journal of Comparative Psychology*, 114(1), 98-106.

- McCowan, B., & Reiss, D. (1995a). MATERNAL AGGRESSIVE CONTACT VOCALIZATIONS IN CAPTIVE BOTTLE-NOSED DOLPHINS (*TURSIOPS-TRUNCATUS*) - WIDE-BAND, LOW-FREQUENCY SIGNALS DURING MOTHER-AUNT-INFANT INTERACTIONS. *Zoo Biology*, 14(4), 293-309.
- McCowan, B., & Reiss, D. (1995b). WHISTLE CONTOUR DEVELOPMENT IN CAPTIVE-BORN INFANT BOTTLE-NOSED DOLPHINS (*TURSIOPS-TRUNCATUS*) - ROLE OF LEARNING. *Journal of Comparative Psychology*, 109(3), 242-260.
- McCue, L. M., Cioffi, W. R., Heithaus, M. R., Barr, L., & Connor, R. C. (2020). Synchrony, leadership, and association in male Indo-pacific bottlenose dolphins (*Tursiops aduncus*). *Ethology*, 126(7), 741-750.
- McDonald, B. I., Johnson, M., & Madsen, P. T. (2018). Dive heart rate in harbour porpoises is influenced by exercise and expectations. *Journal of Experimental Biology*, 221(1).
- McDonald, E. M., Moran, J. L., DeAngelis, A. I., & Rice, A. N. (2017). Building time-budgets from bioacoustic signals to measure population-level changes in behavior: a case study with sperm whales in the Gulf of Mexico. *Ecological Indicators*, 72, 360-364.
- McDonald, M. A., Calambokidis, J., Teranishi, A. M., & Hildebrand, J. A. (2001). The acoustic calls of blue whales off California with gender data. *Journal of the Acoustical Society of America*, 109(4), 1728-1735.
- McDonald, M. A., Hildebrand, J. A., & Webb, S. C. (1995). BLUE AND FIN WHALES OBSERVED ON A SEA-FLOOR ARRAY IN THE NORTHEAST PACIFIC. *Journal of the Acoustical Society of America*, 98(2), 712-721.
- McDowell, G., & Ford, J. D. (2014). The socio-ecological dimensions of hydrocarbon development in the Disko Bay region of Greenland: Opportunities, risks, and tradeoffs. *Applied Geography*, 46, 98-110.
- McFee, W. E., Speakman, T. R., Balthis, L., Adams, J. D., & Zolman, E. S. (2014). Reproductive seasonality of a recently designated bottlenose dolphin stock near Charleston, South Carolina, USA. *Marine Mammal Science*, 30(2), 528-543.
- McGovern, T. H., Perdikaris, S., Einarsson, A., & Sidell, J. (2006). Coastal connections, local fishing, and sustainable egg harvesting: patterns of Viking Age inland wild resource use in Myvatn district, Northern Iceland. *Environmental Archaeology*, 11(2), 187-205.
- McGuire, T. L., & Aliaga-Rossel, E. (2010). SEASONAL ECOLOGY OF INIA IN THREE RIVER BASINS OF SOUTH AMERICA (ORINOCO, AMAZON, AND UPPER MADEIRA).
- McGuire, T. L., & Aliaga-Rossel, E. R. (2007). Seasonality of reproduction in Amazon River Dolphins (*Inia geoffrensis*) in three major river basins of South America. *Biotropica*, 39(1), 129-135.
- McGuire, T. L., Boor, G. K. H., McClung, J. R., Stephens, A. D., Garner, C., Shelden, K. E. W., et al. Distribution and habitat use by endangered Cook Inlet beluga whales: Patterns observed during a photo-identification study, 2005-2017. *Aquatic Conservation-Marine and Freshwater Ecosystems*.
- McGuire, T. L., & Winemiller, K. O. (1998). Occurrence patterns, habitat associations, and potential prey of the river dolphin, *Inia geoffrensis*, in the Cinaruco river, Venezuela. *Biotropica*, 30(4), 625-638.
- McHugh, K. A., Allen, J. B., Barleycorn, A. A., & Wells, R. S. (2011a). Natal philopatry, ranging behavior, and habitat selection of juvenile bottlenose dolphins in Sarasota Bay, Florida. *Journal of Mammalogy*, 92(6), 1298-1313.
- McHugh, K. A., Allen, J. B., Barleycorn, A. A., & Wells, R. S. (2011b). Severe *Karenia brevis* red tides influence juvenile bottlenose dolphin (*Tursiops truncatus*) behavior in Sarasota Bay, Florida. *Marine Mammal Science*, 27(3), 622-643.

- McInnes, A. M., McGeorge, C., Ginsberg, S., Pichegru, L., & Pistorius, P. A. (2017). Group foraging increases foraging efficiency in a piscivorous diver, the African penguin. *Royal Society Open Science*, 4(9).
- McIntyre, T., de Bruyn, P. J. N., Ansorge, I. J., Bester, M. N., Bornemann, H., Plotz, J., et al. (2010). A lifetime at depth: vertical distribution of southern elephant seals in the water column. *Polar Biology*, 33(8), 1037-1048.
- McKenna, M. F., Calambokidis, J., Oleson, E. M., Laist, D. W., & Goldbogen, J. A. (2015). Simultaneous tracking of blue whales and large ships demonstrates limited behavioral responses for avoiding collision. *Endangered Species Research*, 27(3), 219-232.
- McKinney, J. A., Hoffmayer, E. R., Holmberg, J., Graham, R. T., Driggers, W. B., de la Parra-Venegas, R., et al. (2017). Long-term assessment of whale shark population demography and connectivity using photo-identification in the Western Atlantic Ocean. *Plos One*, 12(8).
- McKinney, J. A., Hoffmayer, E. R., Wu, W., Fulford, R., & Hendon, J. M. (2012). Feeding habitat of the whale shark *Rhincodon typus* in the northern Gulf of Mexico determined using species distribution modelling. *Marine Ecology Progress Series*, 458, 199-211.
- McKinstry, C. A. E., Westgate, A. J., & Koopman, H. N. (2013). Annual variation in the nutritional value of Stage V *Calanus finmarchicus*: implications for right whales and other copepod predators. *Endangered Species Research*, 20(3), 195-204.
- McLellan, W. A., McAlarney, R. J., Cummings, E. W., Read, A. J., Paxton, C. G. M., Bell, J. T., et al. (2018). Distribution and abundance of beaked whales (Family Ziphiidae) Off Cape Hatteras, North Carolina, USA. *Marine Mammal Science*, 34(4), 997-1017.
- McLeod, B. A., & White, B. N. (2010). Tracking mtDNA Heteroplasmy through Multiple Generations in the North Atlantic Right Whale (*Eubalaena glacialis*). *Journal of Heredity*, 101(2), 235-239.
- McMahon, C. R., Burton, H. R., & Bester, M. N. (2003). A demographic comparison of two southern elephant seal populations. *Journal of Animal Ecology*, 72(1), 61-74.
- McMahon, C. R., Hindell, M. A., Charrassin, J. B., Corney, S., Guinet, C., Harcourt, R., et al. (2019). Finding mesopelagic prey in a changing Southern Ocean. *Scientific Reports*, 9.
- McMillan, C. J., Towers, J. R., & Hildering, J. (2019). The innovation and diffusion of "trap-feeding," a novel humpback whale foraging strategy. *Marine Mammal Science*, 35(3), 779-796.
- McQuinn, I. H., Lesage, V., Carrier, D., Larrivee, G., Samson, Y., Chartrand, S., et al. (2011). A threatened beluga (*Delphinapterus leucas*) population in the traffic lane: Vessel-generated noise characteristics of the Saguenay-St. Lawrence Marine Park, Canada. *Journal of the Acoustical Society of America*, 130(6), 3661-3673.
- McShane, L. J., Estes, J. A., Riedman, M. L., & Staedler, M. M. (1995). REPERTOIRE, STRUCTURE, AND INDIVIDUAL VARIATION OF VOCALIZATIONS IN THE SEA OTTER. *Journal of Mammalogy*, 76(2), 414-427.
- McSweeney, D. J., Baird, R. W., Mahaffy, S. D., Webster, D. L., & Schorr, G. S. (2009). Site fidelity and association patterns of a rare species: Pygmy killer whales (*Feresa attenuata*) in the main Hawaiian Islands. *Marine Mammal Science*, 25(3), 557-572.
- Meager, J. J., Hawkins, E. R., Ansmann, I., & Parra, G. J. (2018). Long-term trends in habitat use and site fidelity by Australian humpback dolphins *Sousa sahalensis* in a near-urban embayment. *Marine Ecology Progress Series*, 603, 227-242.

- Meagher, E. M., McLellan, W. A., Westgate, A. J., Wells, R. S., Frierson, D., & Pabst, D. A. (2002). The relationship between heat flow and vasculature in the dorsal fin of wild bottlenose dolphins *Tursiops truncatus*. *Journal of Experimental Biology*, 205(22), 3475-3486.
- Measures, L. N., Dubey, J. R., Labelle, P., & Martineau, D. (2004). Seroprevalence of *Toxoplasma gondii* in Canadian pinnipeds. *Journal of Wildlife Diseases*, 40(2), 294-300.
- Meekan, M. G., Fuiman, L. A., Davis, R., Berger, Y., & Thums, M. (2015). Swimming strategy and body plan of the world's largest fish: implications for foraging efficiency and thermoregulation. *Frontiers in Marine Science*, 2.
- Meekan, M. G., Jarman, S. N., McLean, C., & Schultz, M. B. (2009). DNA evidence of whale sharks (*Rhincodon typus*) feeding on red crab (*Gecarcoidea natalis*) larvae at Christmas Island, Australia. *Marine and Freshwater Research*, 60(6), 607-609.
- Meeten, F., Ivak, P., Dash, S. R., Knowles, S., Duka, T., Scott, R., et al. (2015). The Effect of Facial Expressions on the Evaluation of Ambiguous Statements. *Journal of Experimental Psychopathology*, 6(3), 253-263.
- Meheust, E., Alfonsi, E., Le Menec, P., Hassani, S., & Jung, J. L. (2015). DNA barcoding for the identification of soft remains of prey in the stomach contents of grey seals (*Halichoerus grypus*) and harbour porpoises (*Phocoena phocoena*). *Marine Biology Research*, 11(4), 385-395.
- Mehta, A. V., Allen, J. M., Constantine, R., Garrigue, C., Jann, B., Jenner, C., et al. (2007). Baleen whales are not important as prey for killer whales *Orcinus orca* in high-latitude regions. *Marine Ecology Progress Series*, 348, 297-307.
- Mei, Z. G., Han, Y., Dong, L. J., Turvey, S. T., Hao, Y. J., Wang, K. X., et al. (2019). The impact of fisheries management practices on the survival of the Yangtze finless porpoise in China. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 29(4), 639-646.
- Meier, S. K., Yazvenko, S. B., Blokhin, S. A., Wainwright, P., Maminov, M. K., Yakovlev, Y. M., et al. (2007). Distribution and abundance of western gray whales off northeastern Sakhalin Island, Russia, 2001-2003. *Environmental Monitoring and Assessment*, 134(1-3), 107-136.
- Meijler, F. L., Billette, J., Jalife, J., Kik, M. J. L., Reiber, J. H. C., Stokhof, A. A., et al. (2005). Atrioventricular conduction in mammalian species: Hemodynamic and electrical scaling. *Heart Rhythm*, 2(2), 188-196.
- Meir, J. U., Champagne, C. D., Costa, D. P., Williams, C. L., & Ponganis, P. J. (2009). Extreme hypoxemic tolerance and blood oxygen depletion in diving elephant seals. *American Journal of Physiology-Regulatory Integrative and Comparative Physiology*, 297(4), R927-R939.
- Meir, J. U., & Ponganis, P. J. (2010). Blood Temperature Profiles of Diving Elephant Seals. *Physiological and Biochemical Zoology*, 83(3), 531-540.
- Meise, K., Mueller, B., Zein, B., & Trillmich, F. (2014). Applicability of Single-Camera Photogrammetry to Determine Body Dimensions of Pinnipeds: Galapagos Sea Lions as an Example. *Plos One*, 9(7).
- Meissner, A. M., Christiansen, F., Martinez, E., Pawley, M. D. M., Orams, M. B., & Stockin, K. A. (2015). Behavioural Effects of Tourism on Oceanic Common Dolphins, *Delphinus* sp., in New Zealand: The Effects of Markov Analysis Variations and Current Tour Operator Compliance with Regulations. *Plos One*, 10(1).
- Mel'nikov, V. V. (2000). Humpback whales *Megaptera novaeangliae* off Chukchi Peninsula. *Oceanology*, 40(6), 844-849.
- Melcon, M. L., Failla, M., & Iniguez, M. A. (2012). Echolocation behavior of franciscana dolphins (*Pontoporia blainvillei*) in the wild. *Journal of the Acoustical Society of America*, 131(6), EL448-EL453.

- Meliza, C. D., Keen, S. C., & Rubenstein, D. R. (2013). Pitch- and spectral-based dynamic time warping methods for comparing field recordings of harmonic avian vocalizations. *Journal of the Acoustical Society of America*, 134(2), 1407-1415.
- Mellinger, D. K., & Clark, C. W. (2000). Recognizing transient low-frequency whale sounds by spectrogram correlation. *Journal of the Acoustical Society of America*, 107(6), 3518-3529.
- Mellinger, D. K., Nieukirk, S. L., Matsumoto, H., Heimlich, S. L., Dziak, R. P., Haxel, J., et al. (2007). Seasonal occurrence of North Atlantic right whale (*Eubalaena glacialis*) vocalizations at two sites on the Scotian Shelf. *Marine Mammal Science*, 23(4), 856-867.
- Mellinger, D. K., Stafford, K. M., & Fox, C. G. (2004). Seasonal occurrence of sperm whale (*Physeter macrocephalus*) sounds in the Gulf of Alaska, 1999-2001. *Marine Mammal Science*, 20(1), 48-62.
- Melly, B. L., McGregor, G., Hofmeyr, G. J. G., & Plon, S. (2018). Spatio-temporal distribution and habitat preferences of cetaceans in Algoa Bay, South Africa. *Journal of the Marine Biological Association of the United Kingdom*, 98(5), 1065-1079.
- Melnikov, V. V., Litovka, D. I., Zagrebin, I. A., Zelensky, G. M., & Ainana, L. I. (2004). Shore-based counts of bowhead whales along the Chukotka Peninsula in May and June 1999-2001. *Arctic*, 57(3), 290-298.
- Melo, O. P., Ramos, R. M. A., & Di Benedetto, A. P. M. (2006). Helminths of the marine tucuxi, *Sotalia fluviatilis* (Gervais, 1853) (Cetacea : Delphinidae), in northern Rio de Janeiro State, Brazil. *Brazilian Archives of Biology and Technology*, 49(1), 145-148.
- Melo, S. L. S., Haiter-Neto, F., Correa, L. R., Scarfe, W. C., & Farman, A. G. (2013). Comparative diagnostic yield of cone beam CT reconstruction using various software programs on the detection of vertical root fractures. *Dentomaxillofacial Radiology*, 42(9).
- Menard, F., Fonteneau, A., Gaertner, D., Nordstrom, V., Stequert, B., & Marchal, E. (2000). Exploitation of small tunas by a purse-seine fishery with fish aggregating devices and their feeding ecology in an eastern tropical Atlantic ecosystem. *Ices Journal of Marine Science*, 57(3), 525-530.
- Mendes, S., Turrell, W., Lutkebohle, T., & Thompson, P. (2002). Influence of the tidal cycle and a tidal intrusion front on the spatio-temporal distribution of coastal bottlenose dolphins. *Marine Ecology Progress Series*, 239, 221-229.
- Mendez, M., Rosenbatan, H. C., & Bordino, P. (2008). Conservation genetics of the franciscana dolphin in Northern Argentina: population structure, by-catch impacts, and management implications. *Conservation Genetics*, 9(2), 419-435.
- Mendez-Fernandez, P., Bustamante, P., Bode, A., Chouvelon, T., Ferreira, M., Lopez, A., et al. (2012). Foraging ecology of five toothed whale species in the Northwest Iberian Peninsula, inferred using carbon and nitrogen isotope ratios. *Journal of Experimental Marine Biology and Ecology*, 413, 150-158.
- Menezes, R., da Cunha-Neto, M. A., de Mesquita, G. C., & da Silva, G. B. (2019). Ingestion of macroplastic debris by the common dolphinfish (*Coryphaena hippurus*) in the Western Equatorial Atlantic. *Marine Pollution Bulletin*, 141, 161-163.
- Menze, S., Zitterbart, D. P., van Opzeeland, I., & Boebel, O. (2017). The influence of sea ice, wind speed and marine mammals on Southern Ocean ambient sound. *Royal Society Open Science*, 4(1).
- Mercado, E. (2018). The Sonar Model for Humpback Whale Song Revised. *Frontiers in Psychology*, 9.
- Mercado, E. (2020). Humpback Whale (*Megaptera novaeangliae*) Sonar: Ten Predictions. *Journal of Comparative Psychology*, 134(1), 123-131.

- Merchant, N. D. (2019). Underwater noise abatement: Economic factors and policy options. *Environmental Science & Policy*, 92, 116-123.
- Merchant, N. D., Pirota, E., Barton, T. R., & Thompson, P. M. (2014). Monitoring ship noise to assess the impact of coastal developments on marine mammals. *Marine Pollution Bulletin*, 78(1-2), 85-95.
- Merchant, N. D., Pirota, E., Barton, T. R., & Thompson, P. M. (2016). Soundscape and Noise Exposure Monitoring in a Marine Protected Area Using Shipping Data and Time-Lapse Footage. In A. N. Popper & A. Hawkins (Eds.), *Effects of Noise on Aquatic Life II* (Vol. 875, pp. 705-712).
- Merchant, N. D., Witt, M. J., Blondel, P., Godley, B. J., & Smith, G. H. (2012). Assessing sound exposure from shipping in coastal waters using a single hydrophone and Automatic Identification System (AIS) data. *Marine Pollution Bulletin*, 64(7), 1320-1329.
- Meredith, R. W., Gatesy, J., Murphy, W. J., Ryder, O. A., & Springer, M. S. (2009). Molecular Decay of the Tooth Gene Enamelin (ENAM) Mirrors the Loss of Enamel in the Fossil Record of Placental Mammals. *Plos Genetics*, 5(9).
- Meredith, R. W., Gatesy, J., & Springer, M. S. (2013). Molecular decay of enamel matrix protein genes in turtles and other edentulous amniotes. *Bmc Evolutionary Biology*, 13.
- Merkens, K. P., Simonis, A. E., & Oleson, E. M. (2019). Geographic and temporal patterns in the acoustic detection of sperm whales *Physeter macrocephalus* in the central and western North Pacific Ocean. *Endangered Species Research*, 39, 115-133.
- Merten, W., Appeldoorn, R., & Hammond, D. (2014). Spatial differentiation of dolphinfish (*Coryphaena hippurus*) movements relative to the Bahamian archipelago. *Bulletin of Marine Science*, 90(3), 849-864.
- Merten, W., Appeldoorn, R., & Hammond, D. (2016). Movement dynamics of dolphinfish (*Coryphaena hippurus*) in the northeastern Caribbean Sea: Evidence of seasonal re-entry into domestic and international fisheries throughout the western central Atlantic. *Fisheries Research*, 175, 24-34.
- Merten, W., Appeldoorn, R., Rivera, R., & Hammond, D. (2014). Diel vertical movements of adult male dolphinfish (*Coryphaena hippurus*) in the western central Atlantic as determined by use of pop-up satellite archival transmitters. *Marine Biology*, 161(8), 1823-1834.
- Merten, W., & Rodriguez-Ferrer, G. (2014). First stranding and sighting of the false killer whale (*Pseudorca crassidens*) off Puerto Rico. *Caribbean Journal of Science*, 48(1), 59-62.
- Methion, S., & Lopez, B. D. (2019a). First record of atypical pigmentation pattern in fin whale *Balaenoptera physalus* in the Atlantic Ocean. *Diseases of Aquatic Organisms*, 135(2), 121-125.
- Methion, S., & Lopez, B. D. (2019b). Natural and anthropogenic drivers of foraging behaviour in bottlenose dolphins: Influence of shellfish aquaculture. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 29(6), 927-937.
- Meyer, C. G., Burgess, W. C., Papastamatiou, Y. P., & Holland, K. N. (2007). Use of an implanted sound recording device (Bioacoustic Probe) to document the acoustic environment of a blacktip reef shark (*Carcharhinus melanopterus*). *Aquatic Living Resources*, 20(4), 291-298.
- Meyer, J. (2004). Bioacoustics of human whistled languages: an alternative approach to the cognitive processes of language. *Anais Da Academia Brasileira De Ciencias*, 76(2), 405-412.

- Meyer, M. A., Best, P. B., Anderson-Reade, M. D., Cliff, G., Dudley, S. F. J., & Kirkman, S. P. (2011). Trends and interventions in large whale entanglement along the South African coast. *African Journal of Marine Science*, 33(3), 429-439.
- Meyers, M. M., Francis, M. P., Erdmann, M., Constantine, R., & Sianipar, A. Movement patterns of whale sharks in Cenderawasih Bay, Indonesia, revealed through long-term satellite tagging. *Pacific Conservation Biology*.
- Meynecke, J. O., & Meager, J. J. (2016). Understanding Strandings: 25 years of Humpback Whale (*Megaptera novaeangliae*) Strandings in Queensland, Australia. *Journal of Coastal Research*, 897-901.
- Meynecke, J. O., Richards, R., & Sahin, O. (2017). Whale watch or no watch: the Australian whale watching tourism industry and climate change. *Regional Environmental Change*, 17(2), 477-488.
- Michailidis, N., Corrales, X., Karachle, P. K., Chartosia, N., Katsanevakis, S., & Sfenthourakis, S. (2019). Modelling the role of alien species and fisheries in an Eastern Mediterranean insular shelf ecosystem. *Ocean & Coastal Management*, 175, 152-171.
- Middel, H., & Verones, F. (2017). Making Marine Noise Pollution Impacts Heard: The Case of Cetaceans in the North Sea within Life Cycle Impact Assessment. *Sustainability*, 9(7).
- Mignucci-Giannoni, A. A., Hoberg, E. P., Siegel-Causey, D., & Williams, E. H. (1998). Metazoan parasites and other symbionts of cetaceans in the Caribbean. *Journal of Parasitology*, 84(5), 939-946.
- Mikhalevsky, P. N., Sagen, H., Worcester, P. F., Baggeroer, A. B., Orcutt, J., Moore, S. E., et al. (2015). Multipurpose Acoustic Networks in the Integrated Arctic Ocean Observing System. *Arctic*, 68, 11-27.
- Mikkelsen, L., Johnson, M., Wisniewska, D. M., van Neer, A., Siebert, U., Madsen, P. T., et al. (2019). Long-term sound and movement recording tags to study natural behavior and reaction to ship noise of seals. *Ecology and Evolution*, 9(5), 2588-2601.
- Mikkelsen, L., Mouritsen, K. N., Dahl, K., Teilmann, J., & Tougaard, J. (2013). Re-established stony reef attracts harbour porpoises *Phocoena phocoena*. *Marine Ecology Progress Series*, 481, 239-248.
- Mikles, C. S., Harms, C. A., Buckel, J. A., & Rudershausen, P. J. (2019). Examining the Severity of Roof-Hooking Injuries in Dolphinfish: a Comparison between Computed Tomography and Gross Necropsy. *North American Journal of Fisheries Management*, 39(1), 36-44.
- Miklosi, A., Pongracz, N., Lakatos, G., Topal, J., & Csanyi, V. (2005). A comparative study of the use of visual communicative signals in interactions between dogs (*Canis familiaris*) and humans and cats (*Felis catus*) and humans. *Journal of Comparative Psychology*, 119(2), 179-186.
- Miksis-Olds, J. L., Buck, J. R., Noad, M. J., Cato, D. H., & Stokes, M. D. (2008). Information theory analysis of Australian humpback whale song. *Journal of the Acoustical Society of America*, 124(4), 2385-2393.
- Miksis-Olds, J. L., Harris, D. V., & Mouw, C. (2019). Interpreting Fin Whale (*Balaenoptera physalus*) Call Behavior in the Context of Environmental Conditions. *Aquatic Mammals*, 45(6), 691-705.
- Miles, B. W. J., Stokes, C. R., & Jamieson, S. S. R. (2017). Simultaneous disintegration of outlet glaciers in Porpoise Bay (Wilkes Land), East Antarctica, driven by sea ice break-up. *Cryosphere*, 11(1), 427-442.
- Miller, B., & Dawson, S. (2009). A large-aperture low-cost hydrophone array for tracking whales from small boats. *Journal of the Acoustical Society of America*, 126(5), 2248-2256.
- Miller, B., Dawson, S., & Vennell, R. (2013). Underwater behavior of sperm whales off Kaikoura, New Zealand, as revealed by a three-dimensional hydrophone array. *Journal of the Acoustical Society of America*, 134(4), 2690-2700.

- Miller, B. S., Leaper, R., Calderan, S., & Gedamke, J. (2014). Red Shift, Blue Shift: Investigating Doppler Shifts, Blubber Thickness, and Migration as Explanations of Seasonal Variation in the Tonality of Antarctic Blue Whale Song. *Plos One*, 9(9).
- Miller, B. S., & Miller, E. J. (2018). The seasonal occupancy and diel behaviour of Antarctic sperm whales revealed by acoustic monitoring. *Scientific Reports*, 8.
- Miller, B. S., Wotherspoon, S., Rankin, S., Calderan, S., Leaper, R., & Keating, J. L. (2018). Estimating drift of directional sonobuoys from acoustic bearings. *Journal of the Acoustical Society of America*, 143(1), EL25-EL30.
- Miller, C. T., & Thomas, A. W. (2012). Individual recognition during bouts of antiphonal calling in common marmosets. *Journal of Comparative Physiology a-Neuroethology Sensory Neural and Behavioral Physiology*, 198(5), 337-346.
- Miller, E. J., Potts, J. M., Cox, M. J., Miller, B. S., Calderan, S., Leaper, R., et al. (2019). The characteristics of krill swarms in relation to aggregating Antarctic blue whales. *Scientific Reports*, 9.
- Miller, L. A., Pristed, J., Mohl, B., & Surlykke, A. (1995). THE CLICK-SOUNDS OF NARWHALS (MONODON-MONOCEROS) IN INGLEFIELD BAY, NORTHWEST GREENLAND. *Marine Mammal Science*, 11(4), 491-502.
- Miller, L. J., Solangi, M., & Kuczaj, S. A. (2008). Immediate response of Atlantic bottlenose dolphins to high-speed personal watercraft in the Mississippi Sound. *Journal of the Marine Biological Association of the United Kingdom*, 88(6), 1139-1143.
- Miller, P., Narazaki, T., Isojunno, S., Aoki, K., Smout, S., & Sato, K. (2016). Body density and diving gas volume of the northern bottlenose whale (*Hyperoodon ampullatus*). *Journal of Experimental Biology*, 219(16), 2458-2468.
- Miller, P. J., & Tyack, P. L. (1998). A small towed beamforming array to identify vocalizing resident killer whales (*Orcinus orca*) concurrent with focal behavioral observations. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 45(7), 1389-1405.
- Miller, P. J. O. (2002). Mixed-directionality of killer whale stereotyped calls: a direction of movement cue? *Behavioral Ecology and Sociobiology*, 52(3), 262-270.
- Miller, P. J. O., Johnson, M. P., Madsen, P. T., Biassoni, N., Quero, M., & Tyack, P. L. (2009). Using at-sea experiments to study the effects of airguns on the foraging behavior of sperm whales in the Gulf of Mexico. *Deep-Sea Research Part I-Oceanographic Research Papers*, 56(7), 1168-1181.
- Miller, P. J. O., Johnson, M. P., & Tyack, P. L. (2004). Sperm whale behaviour indicates the use of echolocation click buzzes 'creaks' in prey capture. *Proceedings of the Royal Society B-Biological Sciences*, 271(1554), 2239-2247.
- Miller, P. J. O., Johnson, M. P., Tyack, P. L., & Terray, E. A. (2004). Swimming gaits, passive drag and buoyancy of diving sperm whales *Physeter macrocephalus*. *Journal of Experimental Biology*, 207(11), 1953-1967.
- Miller, P. J. O., Kvadsheim, P. H., Lam, F. P. A., Tyack, P. L., Cure, C., DeRuiter, S. L., et al. (2015). First indications that northern bottlenose whales are sensitive to behavioural disturbance from anthropogenic noise. *Royal Society Open Science*, 2(6).
- Miller, P. J. O., Kvadsheim, P. H., Lam, F. P. A., Wensveen, P. J., Antunes, R., Alves, A. C., et al. (2012). The Severity of Behavioral Changes Observed During Experimental Exposures of Killer (*Orcinus orca*), Long-Finned Pilot (*Globicephala melas*), and Sperm (*Physeter macrocephalus*) Whales to Naval Sonar. *Aquatic Mammals*, 38(4), 362-401.

- Miller, P. J. O., Shapiro, A. D., & Deecke, V. B. (2010). The diving behaviour of mammal-eating killer whales (*Orcinus orca*): variations with ecological not physiological factors. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 88(11), 1103-1112.
- Miller, P. J. O., Shapiro, A. D., Tyack, P. L., & Solow, A. R. (2004). Call-type matching in vocal exchanges of free-ranging resident killer whales, *Orcinus orca*. *Animal Behaviour*, 67, 1099-1107.
- Miller-Rhodes, P., Popescu, M., Goeke, C., Tirabassi, T., Johnson, L., & Markowski, V. P. (2014). Prenatal exposure to the brominated flame retardant hexabromocyclododecane (HBCD) impairs measures of sustained attention and increases age-related morbidity in the Long-Evans rat. *Neurotoxicology and Teratology*, 45, 34-43.
- Milmann, L., Machado, R., Sucunza, F., de Oliveira, L. R., dos Santos, R. A., di Benedetto, A. P. M., et al. (2019). New trophic link and potential feeding area of dwarf minke whale (*Balaenoptera acutorostrata* subsp.) in mid latitude waters of the southwestern Atlantic Ocean. *Mammalia*, 83(1), 49-52.
- Milmann, L. C., Danilewicz, D., Baumgarten, J., & Ott, P. H. (2017). Temporal-spatial distribution of an island-based offshore population of common bottlenose dolphins (*Tursiops truncatus*) in the equatorial Atlantic. *Marine Mammal Science*, 33(2), 496-519.
- Milne, J. L., Goodale, M. A., & Thaler, L. (2014). The role of head movements in the discrimination of 2-D shape by blind echolocation experts. *Attention Perception & Psychophysics*, 76(6), 1828-1837.
- Milstein, T. (2008). When Whales "Speak for Themselves": Communication as a Mediating force in Wildlife Tourism. *Environmental Communication-a Journal of Nature and Culture*, 2(2), 173-192.
- Milstein, T. (2011). Nature Identification: The Power of Pointing and Naming. *Environmental Communication-a Journal of Nature and Culture*, 5(1), 3-24.
- Milstein, T., & Krollokke, C. (2012). Transcorporeal Tourism: Whales, Fetuses, and the Rupturing and Reinscribing of Cultural Constraints. *Environmental Communication-a Journal of Nature and Culture*, 6(1), 82-100.
- Milstein, T., & Pulos, A. (2015). Culture Jam Pedagogy and Practice: Relocating Culture by Staying on One's Toes. *Communication Culture & Critique*, 8(3), 395-413.
- Minamikawa, S., Iwasaki, T., & Kishiro, T. (2007). Diving behaviour of a Baird's beaked whale, *Berardius bairdii*, in the slope water region of the western North Pacific: first dive records using a data logger. *Fisheries Oceanography*, 16(6), 573-577.
- Ming, Y., Jian, J. B., Yu, X. Y., Wang, J. Z., & Liu, W. H. (2019). The genome resources for conservation of Indo-Pacific humpback dolphin, *Sousa chinensis*. *Scientific Data*, 6.
- Miocic-Stosic, J., Pleslic, G., & Holcer, D. (2020). Sea Lamprey (*Petromyzon marinus*) Attachment to the Common Bottlenose Dolphin (*Tursiops truncatus*). *Aquatic Mammals*, 46(2), 152-166.
- Miranda, J. J. L., Maillett, D. H., Soman, J., & Olson, J. S. (2005). Thermoglobin, oxygen-avid hemoglobin in a bacterial hyperthermophile. *Journal of Biological Chemistry*, 280(44), 36754-36761.
- Mirimin, L., Miller, R., Dillane, E., Berrow, S. D., Ingram, S., Cross, T. F., et al. (2011). Fine-scale population genetic structuring of bottlenose dolphins in Irish coastal waters. *Animal Conservation*, 14(4), 342-353.
- Mishima, Y., Morisaka, T., Ishikawa, M., Karasawa, Y., & Yoshida, Y. (2019). Pulsed call sequences as contact calls in Pacific white-sided dolphins (*Lagenorhynchus obliquidens*). *Journal of the Acoustical Society of America*, 146(1), 409-424.
- Mishima, Y., Morisaka, T., Sunada, T., & Miyamoto, Y. (2018). Redefinition and Sexual Difference of Contact Calls in Belugas (*Delphinapterus leucas*). *Aquatic Mammals*, 44(5), 538-554.

- Misra, B. B., Ruiz-Hernandez, I. M., Hernandez-Bolio, G. I., Hernandez-Nunez, E., Diaz-Gamboa, R., & Colli-Dula, R. C. (2019). H-1 NMR metabolomic analysis of skin and blubber of bottlenose dolphins reveals a functional metabolic dichotomy. *Comparative Biochemistry and Physiology D-Genomics & Proteomics*, 30, 25-32.
- Mitani, Y., Bando, T., Takai, N., & Sakamoto, W. (2006). Patterns of stable carbon and nitrogen isotopes in the baleen of common minke whale *Balaenoptera acutorostrata* from the western North Pacific. *Fisheries Science*, 72(1), 69-76.
- Mitchell, B. R., Makagon, M. M., Jaeger, M. M., & Barrett, R. H. (2006). Information content of coyote barks and howls. *Bioacoustics-the International Journal of Animal Sound and Its Recording*, 15(3), 289-314.
- Miyaji, K., Nagao, K., Bannai, M., Asakawa, H., Kohyama, K., Ohtsu, D., et al. (2010). Characteristic Metabolism of Free Amino Acids in Cetacean Plasma: Cluster Analysis and Comparison with Mice. *Plos One*, 5(11).
- Mizroch, S. A., Herman, L. M., Straley, J. M., Glockner-Ferrari, D. A., Jurasz, C., Darling, J., et al. (2004). Estimating the adult survival rate of central North Pacific humpback whales (*Megaptera novaeangliae*). *Journal of Mammalogy*, 85(5), 963-972.
- Mizroch, S. A., Tillman, M. F., Jurasz, S., Straley, J. M., von Ziegesar, O., Herman, L. M., et al. (2011). Long-term survival of humpback whales radio-tagged in Alaska from 1976 through 1978. *Marine Mammal Science*, 27(1), 217-229.
- Mocklin, J. A., Rugh, D. J., Moore, S. E., & Angliss, R. P. (2012). Using aerial photography to investigate evidence of feeding by bowhead whales. *Marine Mammal Science*, 28(3), 602-619.
- Mogoe, T., Suzuki, T., Asada, M., Fukui, Y., Ishikawa, H., & Ohsumi, S. (2000). Functional reduction of the southern minke whale (*Balaenoptera acutorostrata*) testis during the feeding season. *Marine Mammal Science*, 16(3), 559-569.
- Mohammad, B., & McHugh, R. (2011). Automatic Detection and Characterization of Dispersive North Atlantic Right Whale Upcalls Recorded in a Shallow-Water Environment Using a Region-Based Active Contour Model. *Iee Journal of Oceanic Engineering*, 36(3), 431-440.
- Mohanakrishnan, U., & Ramakrishnan, B. (2020). MCTRP: An Energy Efficient Tree Routing Protocol for Vehicular Ad Hoc Network Using Genetic Whale Optimization Algorithm. *Wireless Personal Communications*, 110(1), 185-206.
- Mohl, B. (2001). Sound transmission in the nose of the sperm whale *Physeter catodon*. A post mortem study. *Journal of Comparative Physiology a-Sensory Neural and Behavioral Physiology*, 187(5), 335-340.
- Mohl, B., Madsen, P. T., Wahlberg, M., Au, W. W. L., Nachtigall, P. E., & Ridgway, S. H. (2003). Sound transmission in the spermaceti complex of a recently expired sperm whale calf. *Acoustics Research Letters Online-Arlo*, 4(1), 19-24.
- Molnar, C., Kaplan, F., Roy, P., Pachet, F., Pongracz, P., Doka, A., et al. (2008). Classification of dog barks: a machine learning approach. *Animal Cognition*, 11(3), 389-400.
- Monaco, C., Ibanez, J. M., Carrion, F., & Tringali, L. M. (2016). Cetacean behavioral responses to noise exposure generated by seismic surveys: how to mitigate better? *Annals of Geophysics*, 59(4).
- Monczak, A., Mueller, C., Miller, M. E., Ji, Y. M., Borgianini, S. A., & Montie, E. W. (2019). Sound patterns of snapping shrimp, fish, and dolphins in an estuarine soundscape of the southeastern USA. *Marine Ecology Progress Series*, 609, 49-68.

- Mondreti, R., Davidar, P., Ryan, P. G., Thiebot, J. B., & Gremillet, D. (2020). SEABIRD AND CETACEAN OCCURRENCE IN THE BAY OF BENGAL ASSOCIATED WITH MARINE PRODUCTIVITY AND COMMERCIAL FISHING EFFORT. *Marine Ornithology*, 48(1), 91-101.
- Monnahan, C. C., Acevedo, J., Noble Hendrix, A., Gende, S., Aguayo-Lobo, A., & Martinez, F. (2019). Population trends for humpback whales (*Megaptera novaeangliae*) foraging in the Francisco Coloane Coastal-Marine Protected Area, Magellan Strait, Chile. *Marine Mammal Science*, 35(4), 1212-1231.
- Monsarrat, S., Pennino, M. G., Smith, T. D., Reeves, R. R., Meynard, C. N., Kaplan, D. M., et al. (2015). Historical summer distribution of the endangered North Atlantic right whale (*Eubalaena glacialis*): a hypothesis based on environmental preferences of a congeneric species. *Diversity and Distributions*, 21(8), 925-937.
- Monsarrat, S., Pennino, M. G., Smith, T. D., Reeves, R. R., Meynard, C. N., Kaplan, D. M., et al. (2016). A spatially explicit estimate of the prewhaling abundance of the endangered North Atlantic right whale. *Conservation Biology*, 30(4), 783-791.
- Monteiro, E. L. A., Deconto, L. S., Louzada, C. N., Wanderley, R. P., Godoy, D. F., & Medeiros, E. (2018). Long-Term Monitoring of Dolphins in a Large Estuarine System of Southeastern Brazil. In M. R. RossiSantos & C. W. Finkl (Eds.), *Advances in Marine Vertebrate Research in Latin America: Technological Innovation and Conservation* (Vol. 22, pp. 15-40).
- Monteiro, E. L. A., & Monteiro, K. (2001). Low-frequency sounds emitted by *Sotalia fluviatilis guianensis* (Cetacea : Delphinidae) in an estuarine region in southeastern Brazil. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 79(1), 59-66.
- Monteiro, L. R., Ramos, J. A., Furness, R. W., & DelNevo, A. J. (1996). Movements, morphology, breeding, molt, diet and feeding of seabirds in the Azores. *Colonial Waterbirds*, 19(1), 82-97.
- Montero-Quintana, A. N., Vazquez-Haikin, J. A., Merklings, T., Blanchard, P., & Osorio-Beristain, M. (2020). Ecotourism impacts on the behaviour of whale sharks: an experimental approach. *Oryx*, 54(2), 270-275.
- Montes, N., Swett, R., Jacobson, S. K., & Sidman, C. (2018). Factors Influencing Recreational Boaters' Intentions to Comply with Right Whale Regulations in the Southeastern United States. *Society & Natural Resources*, 31(4), 473-488.
- Montie, E. W., Pussini, N., Schneider, G. E., Battey, T. W. K., Dennison, S., Barakos, J., et al. (2009). Neuroanatomy and Volumes of Brain Structures of a Live California Sea Lion (*Zalophus californianus*) From Magnetic Resonance Images. *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 292(10), 1523-1547.
- Montie, E. W., Wheeler, E., Pussini, N., Battey, T. W. K., Barakos, J., Dennison, S., et al. (2010). Magnetic resonance imaging quality and volumes of brain structures from live and postmortem imaging of California sea lions with clinical signs of domoic acid toxicosis. *Diseases of Aquatic Organisms*, 91(3), 243-256.
- Moon, J. H., Kim, J. H., Kim, K., Kang, T. H., Kim, B., Kim, C. H., et al. (1997). Absolute surface density of the amine group of the aminosilylated thin layers: Ultraviolet-visible spectroscopy, second harmonic generation, and synchrotron-radiation photoelectron spectroscopy study. *Langmuir*, 13(16), 4305-4310.
- Moore, J. C., Zauderer, M., Natarajana, K., & Jensen, P. E. (1997). Peptide binding to mixed isotype A beta E-d alpha(d) class II histocompatibility molecules. *Molecular Immunology*, 34(2), 145-155.
- Moore, J. E., & Barlow, J. P. (2013). Declining Abundance of Beaked Whales (Family Ziphiidae) in the California Current Large Marine Ecosystem. *Plos One*, 8(1).
- Moore, M. J., Berrow, S. D., Jensen, B. A., Carr, P., Sears, R., Rowntree, V. J., et al. (1999). Relative abundance of large whales around South Georgia (1979-1998). *Marine Mammal Science*, 15(4), 1287-1302.

- Moore, M. J., Hammar, T., Arruda, J., Cramer, S., Dennison, S., Montie, E., et al. (2011). Hyperbaric computed tomographic measurement of lung compression in seals and dolphins. *Journal of Experimental Biology*, 214(14), 2390-2397.
- Moore, P. G. (2002). Mammals in intertidal and maritime ecosystems: Interactions, impacts and implications. In R. N. Gibson, M. Barnes & R. J. A. Atkinson (Eds.), *Oceanography and Marine Biology*, Vol 40 (Vol. 40, pp. 491-608).
- Moore, R. B. T., Douglas, D. C., Nollens, H. H., Croft, L., & Wells, R. S. (2020). Post-Release Monitoring of a Stranded and Rehabilitated Short-Finned Pilot Whale (*Globicephala macrorhynchus*) Reveals Current-Assisted Travel. *Aquatic Mammals*, 46(2), 200-214.
- Moore, R. C., Loseto, L., Noel, M., Etemadifar, A., Brewster, J. D., MacPhee, S., et al. (2020). Microplastics in beluga whales (*Delphinapterus leucas*) from the Eastern Beaufort Sea. *Marine Pollution Bulletin*, 150.
- Moore, S. E., & Clarke, J. T. (1991). ESTIMATES OF BOWHEAD WHALE (*BALAENA-MYSTICETUS*) NUMBERS IN THE BEAUFORT SEA DURING LATE SUMMER. *Arctic*, 44(1), 43-46.
- Moore, S. E., & Clarke, J. T. (1992). PATTERNS OF BOWHEAD WHALE DISTRIBUTION AND ABUNDANCE NEAR BARROW, ALASKA, IN FALL 1982-1989. *Marine Mammal Science*, 8(1), 27-36.
- Moore, S. E., George, J. C., Coyle, K. O., & Weingartner, T. J. (1995). BOWHEAD WHALES ALONG THE CHUKOTKA COAST IN AUTUMN. *Arctic*, 48(2), 155-160.
- Moore, S. E., George, J. C., Sheffield, G., Bacon, J., & Ashjian, C. J. (2010). Bowhead Whale Distribution and Feeding near Barrow, Alaska, in Late Summer 2005-06. *Arctic*, 63(2), 195-205.
- Moore, S. E., Grebmeier, J. M., & Davies, J. R. (2003). Gray whale distribution relative to forage habitat in the northern Bering Sea: current conditions and retrospective summary. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 81(4), 734-742.
- Moore, S. E., & Hauser, D. D. W. (2019). Marine mammal ecology and health: finding common ground between conventional science and indigenous knowledge to track arctic ecosystem variability. *Environmental Research Letters*, 14(7).
- Moore, S. E., Howe, B. M., Stafford, K. M., & Boyd, M. L. (2007). Including whale call detection in standard ocean measurements: Application of acoustic Seagliders. *Marine Technology Society Journal*, 41(4), 53-57.
- Moore, S. E., & Huntington, H. P. (2008). Arctic marine mammals and climate change: Impacts and resilience. *Ecological Applications*, 18(2), S157-S165.
- Moore, S. E., & Reeves, R. R. (2018). Tracking arctic marine mammal resilience in an era of rapid ecosystem alteration. *Plos Biology*, 16(10).
- Moore, S. E., Stafford, K. M., Melling, H., Berchok, C., Wiig, O., Kovacs, K. M., et al. (2012). Comparing marine mammal acoustic habitats in Atlantic and Pacific sectors of the High Arctic: year-long records from Fram Strait and the Chukchi Plateau. *Polar Biology*, 35(3), 475-480.
- Moore, S. E., Waite, J. M., Friday, N. A., & Honkalehto, T. (2002). Cetacean distribution and relative abundance on the central-eastern and the southeastern Bering Sea shelf with reference to oceanographic domains. *Progress in Oceanography*, 55(1-2), 249-261.
- Moore, T. J., Redfern, J. V., Carver, M., Hastings, S., Adams, J. D., & Silber, G. K. (2018). Exploring ship traffic variability off California. *Ocean & Coastal Management*, 163, 515-527.

- Morais, R. A., Brown, J., Bedard, S., Ferreira, C. E. L., Floeter, S. R., Quimbayo, J. P., et al. (2017). Mob rulers and part-time cleaners: two reef fish associations at the isolated Ascension Island. *Journal of the Marine Biological Association of the United Kingdom*, 97(4), 799-811.
- Morales-Rincon, N., Morteo, E., & Delfin-Alfonso, C. A. (2019). Influence of artisanal fisheries on the behaviour and social structure of *Tursiops truncatus* in the South-western Gulf of Mexico. *Journal of the Marine Biological Association of the United Kingdom*, 99(8), 1841-1849.
- Moran, J. R., Heintz, R. A., Straley, J. M., & Vollenweider, J. J. (2018). Regional variation in the intensity of humpback whale predation on Pacific herring in the Gulf of Alaska. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 147, 187-195.
- Moran, J. R., O'Dell, M. B., Arimitsu, M. L., Straley, J. M., & Dickson, D. M. S. (2018). Seasonal distribution of Dall's porpoise in Prince William Sound, Alaska. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 147, 164-172.
- Morano, J. L., Rice, A. N., Tielens, J. T., Estabrook, B. J., Murray, A., Roberts, B. L., et al. (2012). Acoustically Detected Year-Round Presence of Right Whales in an Urbanized Migration Corridor. *Conservation Biology*, 26(4), 698-707.
- Morano, J. L., Salisbury, D. P., Rice, A. N., Conklin, K. L., Falk, K. L., & Clark, C. W. (2012). Seasonal and geographical patterns of fin whale song in the western North Atlantic Ocean. *Journal of the Acoustical Society of America*, 132(2), 1207-1212.
- Morato, T., Varkey, D. A., Damaso, C., Machete, M., Santos, M., Prieto, R., et al. (2008). Evidence of a seamount effect on aggregating visitors. *Marine Ecology Progress Series*, 357, 23-32.
- Moreno, K., & Acevedo-Gutierrez, A. (2016). The social structure of Golfo Dulce bottlenose dolphins (*Tursiops truncatus*) and the influence of behavioural state. *Royal Society Open Science*, 3(8).
- Moreno, P., & Mathews, M. (2018). Identifying Foraging Hotspots of Bottlenose Dolphins in a Highly Dynamic System: A Method to Enhance Conservation in Estuaries. *Aquatic Mammals*, 44(6), 694-710.
- Morete, M. E., Abras, D., & Martins, C. C. A. (2018). Land-Based Station Studies of Aquatic Mammals in Latin America: Understanding Behavior for Conservation. In M. R. RossiSantos & C. W. Finkl (Eds.), *Advances in Marine Vertebrate Research in Latin America: Technological Innovation and Conservation* (Vol. 22, pp. 77-112).
- Morete, M. E., Bisi, T. L., & Rosso, S. (2007). Temporal pattern of humpback whale (*Megaptera novaeangliae*) group structure around Abrolhos Archipelago breeding region, Bahia, Brazil. *Journal of the Marine Biological Association of the United Kingdom*, 87(1), 87-92.
- Morete, M. E., Freitas, A., Engel, M. H., Pace, R. M., & Clapham, P. J. (2003). A novel behavior observed in humpback whales on wintering grounds at Abrolhos Bank (Brazil). *Marine Mammal Science*, 19(4), 694-707.
- Moretti, D., Thomas, L., Marques, T., Harwood, J., Dille, A., Neales, B., et al. (2014). A Risk Function for Behavioral Disruption of Blainville's Beaked Whales (*Mesoplodon densirostris*) from Mid-Frequency Active Sonar. *Plos One*, 9(1).
- Morgane, P. J., Jacobs, M. S., & McFarland, W. L. (1980). THE ANATOMY OF THE BRAIN OF THE BOTTLENOSE DOLPHIN (*TURSIOPS-TRUNCATUS*) - SURFACE CONFIGURATIONS OF THE TELEENCEPHALON OF THE BOTTLENOSE DOLPHIN WITH COMPARATIVE ANATOMICAL OBSERVATIONS IN 4 OTHER CETACEAN SPECIES. *Brain Research Bulletin*, 5, 1-107.
- Mori, M., & Butterworth, D. S. (2004). Consideration of multispecies interactions in the Antarctic: A preliminary model of the minke whale - Blue whale - Krill interaction. *African Journal of Marine Science*, 26, 245-259.

- Morimura, N., & Mori, Y. (2019). Social responses of travelling finless porpoises to boat traffic risk in Misumi West Port, Ariake Sound, Japan. *Plos One*, 14(1).
- Morin, P. A., Archer, F. I., Foote, A. D., Vilstrup, J., Allen, E. E., Wade, P., et al. (2010). Complete mitochondrial genome phylogeographic analysis of killer whales (*Orcinus orca*) indicates multiple species. *Genome Research*, 20(7), 908-916.
- Morisaka, T., Karczmarski, L., Akamatsu, T., Sakai, M., Dawson, S., & Thornton, M. (2011). Echolocation signals of Heaviside's dolphins (*Cephalorhynchus heavisidii*). *Journal of the Acoustical Society of America*, 129(1), 449-457.
- Morisaka, T., Sakai, M., Kogi, K., Nakasuji, A., Sakakibara, K., Kasanuki, Y., et al. (2013). Spontaneous Ejaculation in a Wild Indo-Pacific Bottlenose Dolphin (*Tursiops aduncus*). *Plos One*, 8(8).
- Morisaka, T., Yoshida, Y., Akune, Y., Mishima, H., & Nishimoto, S. (2013). Exchange of "signature" calls in captive belugas (*Delphinapterus leucas*). *Journal of Ethology*, 31(2), 141-149.
- Morissette, L., & Brodie, P. F. (2014). Assessing the trophic impacts of marine mammals: From metabolism to food web indices. *Marine Mammal Science*, 30(3), 939-960.
- Morizur, Y., Berrow, S. D., Tregenza, N. J. C., Couperus, A. S., & Pouvreau, S. (1999). Incidental catches of marine-mammals in pelagic trawl fisheries of the northeast Atlantic. *Fisheries Research*, 41(3), 297-307.
- Morlon, H., Parsons, T. L., & Plotkin, J. B. (2011). Reconciling molecular phylogenies with the fossil record. *Proceedings of the National Academy of Sciences of the United States of America*, 108(39), 16327-16332.
- Morrice, M. G., Burton, H. R., & Green, K. (1994). MICROGEOGRAPHIC VARIATION AND SONGS IN THE UNDERWATER VOCALIZATION REPERTOIRE OF THE WEDDELL SEAL (*LEPTONYCHOTES-WEDDELLII*) FROM THE VESTFOLD HILLS, ANTARCTICA. *Polar Biology*, 14(7), 441-446.
- Morrison, R., & Reiss, D. (2018). Precocious development of self-awareness in dolphins. *Plos One*, 13(1).
- Morteo, E., Rocha-Olivares, A., & Abarca-Arenas, L. G. (2014). Sexual Segregation of Coastal Bottlenose Dolphins (*Tursiops truncatus*) in the Southwestern Gulf of Mexico. *Aquatic Mammals*, 40(4), 375-385.
- Morteo, E., Rocha-Olivares, A., & Abarca-Arenas, L. G. (2017). Abundance, Residency, and Potential Hazards for Coastal Bottlenose Dolphins (*Tursiops truncatus*) Off a Productive Lagoon in the Gulf of Mexico. *Aquatic Mammals*, 43(3), 308-319.
- Morteo, E., Rocha-Olivares, A., Morteo, R., & Weller, D. W. (2017). Phenotypic variation in dorsal fin morphology of coastal bottlenose dolphins (*Tursiops truncatus*) off Mexico. *PeerJ*, 5.
- Mortola, J. P., & Seguin, J. (2009). End-tidal CO₂ in some aquatic mammals of large size. *Zoology*, 112(2), 77-85.
- Morton, A. (2000). Occurrence, photo-identification and prey of pacific white-sided dolphins (*Lagenorhynchus obliquidens*) in the Broughton Archipelago, Canada 1984-1998. *Marine Mammal Science*, 16(1), 80-93.
- Motani, R., Chen, X. H., Jiang, D. Y., Cheng, L., Tintori, A., & Rieppel, O. (2015). Lunge feeding in early marine reptiles and fast evolution of marine tetrapod feeding guilds. *Scientific Reports*, 5.
- Motani, R., Ji, C., Tomita, T., Kelley, N., Maxwell, E., Jiang, D. Y., et al. (2013). Absence of Suction Feeding Ichthyosaurs and Its Implications for Triassic Mesopelagic Paleocology. *Plos One*, 8(12).
- Motani, R., Jiang, D. Y., Tintori, A., Rieppel, O., & Chen, G. B. (2014). Terrestrial Origin of Viviparity in Mesozoic Marine Reptiles Indicated by Early Triassic Embryonic Fossils. *Plos One*, 9(2).

- Mottershead, R., & Davidson, P. (2009). THE YANNARIE SOLAR PROJECT: DESIGN OF A SOLAR SALTFIELD IN WESTERN AUSTRALIA TO SAFEGUARD THE NATURAL ENVIRONMENT. *Global Nest Journal*, 11(1), 10-18.
- Mouillot, D., & Viale, D. (2001). Satellite tracking of a fin whale (*Balaenoptera physalus*) in the north-western Mediterranean Sea and fractal analysis of its trajectory. *Hydrobiologia*, 452(1-3), 163-171.
- Moulins, A., Rosso, M., Nani, B., & Wurtz, M. (2007). Aspects of the distribution of Cuvier's beaked whale (*Ziphius cavirostris*) in relation to topographic features in the Pelagos Sanctuary (north-western Mediterranean Sea). *Journal of the Marine Biological Association of the United Kingdom*, 87(1), 177-186.
- Moura, A. E., Nielsen, S. C. A., Vilstrup, J. T., Moreno-Mayar, J. V., Gilbert, M. T. P., Gray, H. W. I., et al. (2013). Recent Diversification of a Marine Genus (*Tursiops* spp.) Tracks Habitat Preference and Environmental Change. *Systematic Biology*, 62(6), 865-877.
- Moura, A. E., Shreves, K., Pilot, M., Andrews, K. R., Moore, D. M., Kishida, T., et al. (2020). Phylogenomics of the genus *Tursiops* and closely related Delphininae reveals extensive reticulation among lineages and provides inference about eco-evolutionary drivers. *Molecular Phylogenetics and Evolution*, 146.
- Moura, A. E., van Rensburg, C. J., Pilot, M., Tehrani, A., Best, P. B., Thornton, M., et al. (2014). Killer Whale Nuclear Genome and mtDNA Reveal Widespread Population Bottleneck during the Last Glacial Maximum. *Molecular Biology and Evolution*, 31(5), 1121-1131.
- Moura, J. F., Pivari, D., & Pagliani, B. (2019). Environmental factors related to group size and habitat use of Guiana dolphins from Sao Marcos Bay, Amazon coast. *Tropical Ecology*, 60(3), 426-432.
- Moura, J. F., Rodrigues, D. P., Roges, E. M., Souza, R. L., Ott, P. H., Tavares, M., et al. (2013). Humpback whales washed ashore in southeastern Brazil from 1981 to 2011: stranding patterns and microbial pathogens survey. *Biologia*, 68(5), 992-999.
- Moura, R. L., Moraes, F. C., Amado, G. M., Neves, L. M., Kassuga, A. D., D'Agostini, D., et al. (2019). A dark side of cleaning symbiosis: manned submersible observations. *Marine Biodiversity*, 49(2), 1037-1041.
- Mourlam, M. J., & Orliac, M. J. (2018). Protocetid (Cetacea, Artiodactyla) bullae and petrosals from the middle Eocene locality of Kpogame, Togo: new insights into the early history of cetacean hearing. *Journal of Systematic Palaeontology*, 16(8), 621-644.
- Muhamad, H. M., Xu, X. M., Zhang, X. L., Jaaman, S. A., & Muda, A. M. (2018). Whistle description of Irrawaddy dolphins (*Orcaella brevirostris*) in Bay of Brunei, Sarawak, Malaysia. *Journal of the Acoustical Society of America*, 143(5), 2708-2714.
- Muir, J. E., Ainsworth, L., Joy, R., Racca, R., Bychkov, Y., Gailey, G., et al. (2015). Distance from shore as an indicator of disturbance of gray whales during a seismic survey off Sakhalin Island, Russia. *Endangered Species Research*, 29(2), 161-+.
- Muir, J. E., Ainsworth, L., Racca, R., Bychkov, Y., Gailey, G., Vladimirov, V., et al. (2016). Gray whale densities during a seismic survey off Sakhalin Island, Russia. *Endangered Species Research*, 29(3), 211-227.
- Muir, J. E., Joy, R., Bychkov, Y., Broker, K., Gailey, G., Vladimirov, V., et al. (2015). Delineation of a coastal gray whale feeding area using opportunistic and systematic survey effort. *Endangered Species Research*, 29(2), 147-160.
- Muirhead, C. A., Warde, A. M., Biedron, I. S., Mihnovets, A. N., Clark, C. W., & Rice, A. N. (2018). Seasonal acoustic occurrence of blue, fin, and North Atlantic right whales in the New York Bight. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 28(3), 744-753.

- Mukhedkar, M. M., & Kolekar, U. (2019). Trust-Based Secure Routing in Mobile Ad Hoc Network Using Hybrid Optimization Algorithm. *Computer Journal*, 62(10), 1528-1545.
- Mukhedkar, M. M., & Kolekar, U. (2020). E-TDGO: An encrypted trust-based dolphin glowworm optimization for secure routing in mobile ad hoc network. *International Journal of Communication Systems*, 33(7).
- Mullin, K. D., & Fulling, G. L. (2004). Abundance of cetaceans in the oceanic northern Gulf of Mexico, 1996-2001. *Marine Mammal Science*, 20(4), 787-807.
- Mulson, J., Finneran, J. J., & Houser, D. S. (2011). California sea lion (*Zalophus californianus*) aerial hearing sensitivity measured using auditory steady-state response and psychophysical methods. *Journal of the Acoustical Society of America*, 129(4), 2298-2306.
- Mulson, J., Houser, D. S., & Finneran, J. J. (2014). Aerial hearing thresholds and detection of hearing loss in male California sea lions (*Zalophus californianus*) using auditory evoked potentials. *Marine Mammal Science*, 30(4), 1383-1400.
- Mulson, J., & Reichmuth, C. (2010). Psychophysical and electrophysiological aerial audiograms of a Steller sea lion (*Eumetopias jubatus*). *Journal of the Acoustical Society of America*, 127(4), 2692-2701.
- Munger, L., Piwetz, S., Lammers, M. O., & Wursig, B. (2018). Passive Acoustic Monitoring and Concurrent Theodolite Observations of Indo-Pacific Humpback Dolphins (*Sousa chinensis*) in Hong Kong: A Case Study. *Aquatic Mammals*, 44(6), 729-735.
- Munger, L. M., Camacho, D., Havron, A., Campbell, G., Calambokidis, J., Douglas, A., et al. (2009). BALEEN WHALE DISTRIBUTION RELATIVE TO SURFACE TEMPERATURE AND ZOOPLANKTON ABUNDANCE OFF SOUTHERN CALIFORNIA, 2004-2008. *California Cooperative Oceanic Fisheries Investigations Reports*, 50, 155-168.
- Munger, L. M., Lammers, M. O., Fisher-Pool, P., & Wong, K. (2012). Humpback whale (*Megaptera novaeangliae*) song occurrence at American Samoa in long-term passive acoustic recordings, 2008-2009. *Journal of the Acoustical Society of America*, 132(4), 2265-2272.
- Munguia-Vega, A., Esquer-Garrigos, Y., Rojas-Bracho, L., Vazquez-Juarez, R., Castro-Prieto, A., & Flores-Ramirez, S. (2007). Genetic drift vs. natural selection in a long-term small isolated population: major histocompatibility complex class II variation in the Gulf of California endemic porpoise (*Phocoena sinus*). *Molecular Ecology*, 16(19), 4051-4065.
- Muniz, F., De Gibert, J. M., & Esperante, R. (2010). FIRST TRACE-FOSSIL EVIDENCE OF BONE-EATING WORMS IN WHALE CARCASSES. *Palaeos*, 25(3-4), 269-273.
- Munoz-Lechuga, R., & Coelho, R. (2018). Depredation in pelagic surface longlines in the Atlantic and Indian Oceans. *Fisheries Management and Ecology*, 25(6), 429-440.
- Murakami, M. (2016). A new extinct inioid (Cetacea, Odontoceti) from the upper Miocene Senhata Formation, Chiba, central Japan: the first record of Iniioidea from the North Pacific Ocean. *Paleontological Research*, 20(3), 207-225.
- Murakami, M., Shimada, C., Hikida, Y., & Hirano, H. (2012). A NEW BASAL PORPOISE, PTEROPHOCAENA NISHINOI (CETACEA, ODONTOCETI, DELPHINOIDEA), FROM THE UPPER MIOCENE OF JAPAN AND ITS PHYLOGENETIC RELATIONSHIPS. *Journal of Vertebrate Paleontology*, 32(5), 1157-1171.
- Murakami, M., Shimada, C., Hikida, Y., Soeda, Y., & Hirano, H. (2014). EODELPHIS KABATENSIS, A NEW NAME FOR THE OLDEST TRUE DOLPHIN STENELLA KABATENSIS HORIKAWA, 1977 (CETACEA, ODONTOCETI, DELPHINIDAE), FROM THE UPPER MIOCENE OF JAPAN, AND THE PHYLOGENY AND PALEOBIOGEOGRAPHY OF DELPHINOIDEA. *Journal of Vertebrate Paleontology*, 34(3), 491-511.

- Murase, H., Hakamada, T., Matsuoka, K., Nishiwaki, S., Inagake, D., Okazaki, M., et al. (2014). Distribution of sei whales (*Balaenoptera borealis*) in the subarctic-subtropical transition area of the western North Pacific in relation to oceanic fronts. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 107, 22-28.
- Murase, H., Matsuoka, K., Ichii, T., & Nishiwaki, S. (2002). Relationship between the distribution of euphausiids and baleen whales in the Antarctic (35 degrees E-145 degrees W). *Polar Biology*, 25(2), 135-145.
- Murase, H., Tamura, T., Otani, S., & Nishiwaki, S. (2016). Satellite tracking of Bryde's whales *Balaenoptera edeni* in the offshore western North Pacific in summer 2006 and 2008. *Fisheries Science*, 82(1), 35-45.
- Murphy, C. J., & Howland, H. C. (1990). THE FUNCTIONAL-SIGNIFICANCE OF CRESCENT-SHAPED PUPILS AND MULTIPLE PUPILLARY APERTURES. *Journal of Experimental Zoology*, 22-28.
- Murphy, S., Collet, A., & Rogan, E. (2005). Mating strategy in the male common dolphin (*Delphinus delphis*): What gonadal analysis tells us. *Journal of Mammalogy*, 86(6), 1247-1258.
- Murray, A., Dunlop, R. A., Noad, M. J., & Goldizen, A. W. (2018). Stereotypic and complex phrase types provide structural evidence for a multi-message display in humpback whales (*Megaptera novaeangliae*). *Journal of the Acoustical Society of America*, 143(2), 980-994.
- Murray, B. W., Malik, S., & White, B. N. (1995). SEQUENCE VARIATION AT THE MAJOR HISTOCOMPATIBILITY COMPLEX LOCUS DQ-BETA IN BELUGA WHALES (*DELPHINAPTERUS-LEUCAS*). *Molecular Biology and Evolution*, 12(4), 582-593.
- Mussi, B., Miragliuolo, A., Zucchini, A., & Pace, D. S. (2014). Occurrence and spatio-temporal distribution of sperm whale (*Physeter macrocephalus*) in the submarine canyon of Cuma (Tyrrhenian Sea, Italy). *Aquatic Conservation-Marine and Freshwater Ecosystems*, 24, 59-70.
- Mustika, P. L. K., Birtles, A., Everingham, Y., & Marsh, H. (2015). Evaluating the potential disturbance from dolphin watching in Lovina, north Bali, Indonesia. *Marine Mammal Science*, 31(2), 808-817.
- Mustika, P. L. K., Birtles, A., Welters, R., & Marsh, H. (2012). The economic influence of community-based dolphin watching on a local economy in a developing country: Implications for conservation. *Ecological Economics*, 79, 11-20.
- Muzquiz-Villalobos, M., & Pompa-Mansilla, S. (2018). Marine mammals of Mexico: Richness patterns, protected areas, and conservation trends. *Estuarine Coastal and Shelf Science*, 208, 153-160.
- Myers, A. E., & Hays, G. C. (2007). A novel technique for measuring heart rate in a free swimming marine vertebrate. *Journal of Experimental Marine Biology and Ecology*, 349(1), 45-51.
- Myers, H. J., & Moore, M. J. (2020). Reducing effort in the US American lobster (*Homarus americanus*) fishery to prevent North Atlantic right whale (*Eubalaena glacialis*) entanglements may support higher profits and long-term sustainability. *Marine Policy*, 118.
- Myers, H. J., Moore, M. J., Baumgartner, M. F., Brilliant, S. W., Katona, S. K., Knowlton, A. R., et al. (2019). Ropeless fishing to prevent large whale entanglements: Ropeless Consortium report. *Marine Policy*, 107.
- Myers, R. A., Gingras, M. K., Keyes, G., Konhauser, K. O., & Zonneveld, J. P. (2019). BIORESUSPENSION BEHAVIORS OF THE GOBIID, VALENCIENNEA PUELLARIS, AND THE BIOGENIC SEDIMENTARY STRUCTURES IT PRODUCES. *Palaeos*, 34(4), 179-189.
- Myrberg, A. A. (1997). Underwater sound: Its relevance to behavioral functions among fishes and marine mammals. *Marine and Freshwater Behaviour and Physiology*, 29(1-4), 3-21.

- Na, H., & Song, G. (2015). Quantitative delineation of how breathing motions open ligand migration channels in myoglobin and its mutants. *Proteins-Structure Function and Bioinformatics*, 83(4), 757-770.
- Nagy, J. A., Johnson, D. L., Larter, N. C., Campbell, M. W., Derocher, A. E., Kelly, A., et al. (2011). Subpopulation structure of caribou (*Rangifer tarandus* L.) in arctic and subarctic Canada. *Ecological Applications*, 21(6), 2334-2348.
- Naito, Y., Costa, D. P., Adachi, T., Robinson, P. W., Fowler, M., & Takahashi, A. (2013). Unravelling the mysteries of a mesopelagic diet: a large apex predator specializes on small prey. *Functional Ecology*, 27(3), 710-717.
- Naito, Y., Costa, D. P., Adachi, T., Robinson, P. W., Peterson, S. H., Mitani, Y., et al. (2017). Oxygen minimum zone: An important oceanographic habitat for deep-diving northern elephant seals, *Mirounga angustirostris*. *Ecology and Evolution*, 7(16), 6259-6270.
- Nakagun, S., Layusa, C. A. A., & Acebes, J. M. V. (2016). SEABIRD FAUNA OF THE BABUYAN CHANNEL AND ADJACENT WATERS, NORTHERN LUZON, PHILIPPINES. *Marine Ornithology*, 44(1), 43-49.
- Nakahara, F., & Miyazaki, N. (2011). Vocal exchanges of signature whistles in bottlenose dolphins (*Tursiops truncatus*). *Journal of Ethology*, 29(2), 309-320.
- Nakamura, G., & Kato, H. (2014). Developmental Changes in the Skull Morphology of Common Minke Whales *Balaenoptera acutorostrata*. *Journal of Morphology*, 275(10), 1113-1121.
- Nakashima, T., Kobayashi, N., Yamada, H., Katsumata, T., Yoshida, R., Kato, H., et al. (2015). Repellence Effect of the New Sound for Underwater Speaker of Hydrofoil. *Transnav-International Journal on Marine Navigation and Safety of Sea Transportation*, 9(2), 207-211.
- Narvaez, D. A., Vargas, C. A., Cuevas, L. A., Garcia-Loyola, S. A., Lara, C., Segura, C., et al. (2019). Dominant scales of subtidal variability in coastal hydrography of the Northern Chilean Patagonia. *Journal of Marine Systems*, 193, 59-73.
- Naser-Ud-Din, S., Sowman, P. F., Sampson, W. J., Dreyer, C. W., & Turker, K. S. (2011). Masseter length determines muscle spindle reflex excitability during jaw-closing movements. *American Journal of Orthodontics and Dentofacial Orthopedics*, 139(4), E305-E313.
- Nash, S. B., Dawson, A., Burkhard, M., Waugh, C., & Huston, W. (2014). Detoxification enzyme activities (CYP1A1 and GST) in the skin of humpback whales as a function of organochlorine burdens and migration status. *Aquatic Toxicology*, 155, 207-212.
- Nash, S. M. B., Waugh, C. A., & Schlabach, M. (2013). Metabolic Concentration of Lipid Soluble Organochlorine Burdens in the Blubber of Southern Hemisphere Humpback Whales Through Migration and Fasting. *Environmental Science & Technology*, 47(16), 9404-9413.
- Nathanson, D. E., & Defaria, S. (1993). COGNITIVE IMPROVEMENT OF CHILDREN IN WATER WITH AND WITHOUT DOLPHINS. *Anthrozoos*, 6(1), 17-29.
- Natoli, A., Peddemors, V. M., & Hoelzel, A. R. (2008). Population structure of bottlenose dolphins (*Tursiops aduncus*) impacted by bycatch along the east coast of South Africa. *Conservation Genetics*, 9(3), 627-636.
- Naylor, W., & Parsons, E. C. M. (2018). An Online Survey of Public Knowledge, Attitudes, and Perceptions Toward Whales and Dolphins, and Their Conservation. *Frontiers in Marine Science*, 5.
- Nazemian, A., & Ghadimi, P. (2020). Shape optimization of a hydrofoil with leading-edge protuberances using full factorial sweep sampling and an RBF surrogate model. *Scientific Journals of the Maritime University of Szczecin-Zeszyty Naukowe Akademii Morskiej W Szczecinie*, 62(134), 116-123.

- Neenan, J. M., Reich, T., Evers, S. W., Druckenmiller, P. S., Voeten, D., Choiniere, J. N., et al. (2017). Evolution of the Sauropterygian Labyrinth with Increasingly Pelagic Lifestyles. *Current Biology*, 27(24), 3852-+.
- Neilson, B. T., Cardenas, M. B., O'Connor, M. T., Rasmussen, M. T., King, T. V., & Kling, G. W. (2018). Groundwater Flow and Exchange Across the Land Surface Explain Carbon Export Patterns in Continuous Permafrost Watersheds. *Geophysical Research Letters*, 45(15), 7596-7605.
- Nelms, S. E., Galloway, T. S., Godley, B. J., Jarvis, D. S., & Lindeque, P. K. (2018). Investigating microplastic trophic transfer in marine top predators. *Environmental Pollution*, 238, 999-1007.
- Nelson, J. D., & Eckert, S. A. (2007). Foraging ecology of whale sharks (*Rhincodon typus*) within Bahia de Los Angeles, Baja California Norte, Mexico. *Fisheries Research*, 84(1), 47-64.
- Nelson, M. L., Gilbert, J. R., & Boyle, K. J. (2006). The influence of siting and deterrence methods on seal predation at Atlantic salmon (*Salmo salar*) farms in Maine, 2001-2003. *Canadian Journal of Fisheries and Aquatic Sciences*, 63(8), 1710-1721.
- Nemiroff, L., & Whitehead, H. (2009). STRUCTURAL CHARACTERISTICS OF PULSED CALLS OF LONG-FINNED PILOT WHALES *GLOBICEPHALA MELAS*. *Bioacoustics-the International Journal of Animal Sound and Its Recording*, 19(1-2), 67-92.
- Nery, M. F., Especie, M. D., & Simao, S. M. (2008). Site fidelity of *Sotalia guianensis* (Cetacea : Delphinidae) in Sepetiba Bay, Rio de Janeiro, Brazil. *Revista Brasileira De Zoologia*, 25(2), 182-187.
- Nery, M. F., Gonzalez, D. J., & Opazo, J. C. (2013). How to Make a Dolphin: Molecular Signature of Positive Selection in Cetacean Genome. *Plos One*, 8(6).
- Nesbitt, E. A. (2005). A novel trophic relationship between cassid gastropods and mysticete whale carcasses. *Lethaia*, 38(1), 17-25.
- Neto, M. P., Silveira, M., & dos Santos, M. E. (2016). Training Bottlenose Dolphins to Overcome Avoidance of Environmental Enrichment Objects in Order to Stimulate Play Activities. *Zoo Biology*, 35(3), 210-215.
- Neves, V., Nolf, D., & Clarke, M. (2012). Spatio-temporal variation in the diet of Cory's shearwater *Calonectris diomedea* in the Azores archipelago, northeast Atlantic. *Deep-Sea Research Part I-Oceanographic Research Papers*, 70, 1-13.
- Neves-Graca, K. (2004). Revisiting the tragedy of the commons: Ecological dilemmas of whale watching in the Azores. *Human Organization*, 63(3), 289-300.
- New, L., Lusseau, D., & Harcourt, R. (2020). Dolphins and Boats: When Is a Disturbance, Disturbing? *Frontiers in Marine Science*, 7.
- New, L. F., Hall, A. J., Harcourt, R., Kaufman, G., Parsons, E. C. M., Pearson, H. C., et al. (2015). The modelling and assessment of whale-watching impacts. *Ocean & Coastal Management*, 115, 10-16.
- New, L. F., Moretti, D. J., Hooker, S. K., Costa, D. P., & Simmons, S. E. (2013). Using Energetic Models to Investigate the Survival and Reproduction of Beaked Whales (family Ziphiidae). *Plos One*, 8(7).
- Newsome, S. D., Etnier, M. A., Monson, D. H., & Fogel, M. L. (2009). Retrospective characterization of ontogenetic shifts in killer whale diets via delta C-13 and delta N-15 analysis of teeth. *Marine Ecology Progress Series*, 374, 229-242.
- Ng, S. L., & Leung, S. (2003). Behavioral response of Indo-Pacific humpback dolphin (*Sousa chinensis*) to vessel traffic. *Marine Environmental Research*, 56(5), 555-567.

- Ngo, M. C., Heide-Jorgensen, M. P., & Ditlevsen, S. (2019). Understanding narwhal diving behaviour using Hidden Markov Models with dependent state distributions and long range dependence. *Plos Computational Biology*, 15(3).
- Nguyen, B. D., Xia, Z. C., Yeh, D. C., Vyas, K., Deaguero, H., & La Mar, G. N. (1999). Solution NMR determination of the anisotropy and orientation of the paramagnetic susceptibility tensor as a function of temperature for metmyoglobin cyanide: Implications for the population of excited electronic states. *Journal of the American Chemical Society*, 121(1), 208-217.
- Nguyen, B. M., Tran, T., Nguyen, T., & Nguyen, G. (2020). Hybridization of Galactic Swarm and Evolution Whale Optimization for Global Search Problem. *Ieee Access*, 8, 74991-75010.
- Nica, I., Stoleriu, S., Iovan, G., Pancu, G., Ursu, L., Georgescu, A., et al. (2018). QUALITATIVE ASSESSMENT OF SURFACE CHARACTERISTICS OF FLOWABLE COMPOSITE SUBMITTED TO ACIDIC CHALLENGES. *International Journal of Medical Dentistry*, 22(4), 358-367.
- Nichol, L. M., & Shackleton, D. M. (1996). Seasonal movements and foraging behaviour of northern resident killer whales (*Orcinus orca*) in relation to the inshore distribution of salmon (*Oncorhynchus* spp) in British Columbia. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 74(6), 983-991.
- Nichols, O. C., & Hamilton, P. K. (2004). Occurrence of the parasitic sea lamprey, *Petromyzon marinus*, on western North Atlantic right whales, *Eubalaena glacialis*. *Environmental Biology of Fishes*, 71(4), 413-417.
- Nichols, O. C., Kenney, R. D., & Brown, M. W. (2008). Spatial and temporal distribution of North Atlantic right whales (*Eubalaena glacialis*) in Cape Cod Bay, and implications for management. *Fishery Bulletin*, 106(3), 270-280.
- Nickels, C. F., Sala, L. M., & Ohman, M. D. (2019). The euphausiid prey field for blue whales around a steep bathymetric feature in the southern California current system. *Limnology and Oceanography*, 64(1), 390-405.
- Nicol, S. (2003). Living krill, zooplankton and experimental investigations: A discourse on the role of krill and their experimental study in marine ecology. *Marine and Freshwater Behaviour and Physiology*, 36(4), 191-205.
- Nicol, S., Constable, A. J., & Pauly, T. (2000). Estimates of circumpolar abundance of Antarctic krill based on recent acoustic density measurements. *Ccamlr Science*, 7, 87-99.
- Nielsen, M. H., Bach, L., & Bollwerk, S. M. (2015). Spreading of sediment due to underwater blasting and dredging: Field observations from quay construction in Sisimiut, Greenland. *Ocean & Coastal Management*, 116, 512-522.
- Nielsen, M. L. K., Bejder, L., Videsen, S. K. A., Christiansen, F., & Madsen, P. T. (2019). Acoustic crypsis in southern right whale mother-calf pairs: infrequent, low-output calls to avoid predation? *Journal of Experimental Biology*, 222(13).
- Nielsen, M. L. K., Sprogis, K. R., Bejder, L., Madsen, P. T., & Christiansen, F. (2019). Behavioural development in southern right whale calves. *Marine Ecology Progress Series*, 629, 219-234.
- Nielsen, N. H., Laidre, K., Larsen, R. S., & Heide-Jorgensen, M. P. (2015). Identification of Potential Foraging Areas for Bowhead Whales in Baffin Bay and Adjacent Waters. *Arctic*, 68(2), 169-179.
- Nielsen, N. H., Teilmann, J., Sveegaard, S., Hansen, R. G., Sinding, M. H. S., Dietz, R., et al. (2018). Oceanic movements, site fidelity and deep diving in harbour porpoises from Greenland show limited similarities to animals from the North Sea. *Marine Ecology Progress Series*, 597, 259-272.
- Nienaber, J., Thomson, J., Horning, M., Polasek, L., & Mellish, J. A. (2010). Surface temperature patterns in seals and sea lions: A validation of temporal and spatial consistency. *Journal of Thermal Biology*, 35(8), 435-440.

- Nienhaus, G. U., Chu, K., & Jesse, K. (1998). Structural heterogeneity and ligand binding in carbonmonoxy myoglobin crystals at cryogenic temperatures. *Biochemistry*, 37(19), 6819-6823.
- Nienhaus, K., Deng, P. C., Kriegl, J. M., & Nienhaus, G. U. (2003). Structural dynamics of myoglobin: Spectroscopic and structural characterization of ligand docking sites in myoglobin mutant L29W. *Biochemistry*, 42(32), 9633-9646.
- Nieukirk, S. L., Mellinger, D. K., Dziak, R. P., Matsumoto, H., & Klinck, H. (2020). Multi-year occurrence of sei whale calls in North Atlantic polar waters. *Journal of the Acoustical Society of America*, 147(3), 1842-1850.
- Nieukirk, S. L., Mellinger, D. K., Moore, S. E., Klinck, K., Dziak, R. P., & Goslin, J. (2012). Sounds from airguns and fin whales recorded in the mid-Atlantic Ocean, 1999-2009. *Journal of the Acoustical Society of America*, 131(2), 1102-1112.
- Nifong, J. C., Nifong, R. L., Silliman, B. R., Lowers, R. H., Guillette, L. J., Ferguson, J. M., et al. (2014). Animal-Borne Imaging Reveals Novel Insights into the Foraging Behaviors and Diel Activity of a Large-Bodied Apex Predator, the American Alligator (*Alligator mississippiensis*). *Plos One*, 9(1).
- Nijs, G., & Rowntree, V. J. (2017). Rare sightings of southern right whales (*Eubalaena australis*) on a feeding ground off the South Sandwich Islands, including a known individual from Peninsula Valdes, Argentina. *Marine Mammal Science*, 33(1), 342-349.
- Nikaido, M., Matsuno, F., Hamilton, H., Brownell, R. L., Cao, Y., Ding, W., et al. (2001). Retroposon analysis of major cetacean lineages: The monophyly of toothed whales and the paraphyly of river dolphins. *Proceedings of the National Academy of Sciences of the United States of America*, 98(13), 7384-7389.
- Nikaido, M., Piskurek, O., & Okada, N. (2007). Toothed whale monophyly reassessed by SINE insertion analysis: The absence of lineage sorting effects suggests a small population of a common ancestral species. *Molecular Phylogenetics and Evolution*, 43(1), 216-224.
- Nikolich, K., Frouin-Mouy, H., & Acevedo-Gutierrez, A. (2016). Quantitative classification of harbor seal breeding calls in Georgia Strait, Canada. *Journal of the Acoustical Society of America*, 140(2), 1300-1308.
- Nikolich, K., Frouin-Mouy, H., & Acevedo-Gutierrez, A. (2018). Clear diel patterns in breeding calls of harbor seals (*Phoca vitulina*) at Hornby Island, British Columbia, Canada. *Canadian Journal of Zoology*, 96(11), 1236-1243.
- Nikolich, K., & Towers, J. R. (2020). Vocalizations of common minke whales (*Balaenoptera acutorostrata*) in an eastern North Pacific feeding ground. *Bioacoustics-the International Journal of Animal Sound and Its Recording*, 29(1), 97-108.
- Nimak-Wood, M., Pleslic, G., Rako, N., Mackelworth, P., Holcer, D., & Fortuna, C. M. (2011). PRESENCE OF A SOLITARY STRIPED DOLPHIN (*STENELLA COERULEOALBA*) IN MALI LOSINJ HARBOUR, NORTHERN ADRIATIC SEA, CROATIA. *Vie Et Milieu-Life and Environment*, 61(2), 87-93.
- Ninomiya, H., Akiyama, E., Simazaki, K., Oguri, A., Jitsumoto, M., & Fukuyama, T. (2011). Functional anatomy of the footpad vasculature of dogs: scanning electron microscopy of vascular corrosion casts. *Veterinary Dermatology*, 22(6), 475-481.
- Ninomiya, H., Inomata, T., Shirouzu, H., & Katsumata, E. (2005). Microanatomy of the terminal air spaces of Baird's beaked whale (*Berardius bairdii*) lungs. *Journal of Veterinary Medical Science*, 67(5), 473-479.
- Ninomiya, H., & Yoshida, E. (2007). Functional anatomy of the ocular circulatory system: vascular corrosion casts of the cetacean eye. *Veterinary Ophthalmology*, 10(4), 231-238.
- Nishi, A., & Kusaka, H. (2019). Effect of Foehn Wind on Record-Breaking High Temperature Event (41.1 degrees C) at Kumagaya on 23 July 2018. *Sola*, 15, 17-21.

- Nishihara, H., Hasegawa, M., & Okada, N. (2006). Pegasoferae, an unexpected mammalian clade revealed by tracking ancient retroposon insertions. *Proceedings of the National Academy of Sciences of the United States of America*, 103(26), 9929-9934.
- Nishimoto, M., Komatsu, U., Tamai, N., Yamanaka, M., Kaneshina, S., Ogli, K., et al. (2011). Intrinsic interaction mode of an inhalation anesthetic with globular proteins: a comparative study on ligand recognition. *Colloid and Polymer Science*, 289(17-18), 1785-1797.
- Nishizawa, B., Sugawara, T., Young, L. C., Vanderwerf, E. A., Yoda, K., & Watanuki, Y. (2018). Albatross-borne loggers show feeding on deep-sea squids: implications for the study of squid distributions. *Marine Ecology Progress Series*, 592, 257-265.
- Niu, F. Q., Yang, Y. M., Zhou, Z. M., Wang, X. Y., Monanunsap, S., & Junchompoo, C. (2019). Echolocation clicks of free-ranging Irrawaddy dolphins (*Orcaella brevirostris*) in Trat Bay, the eastern Gulf of Thailand. *Journal of the Acoustical Society of America*, 145(5), 3031-3037.
- Noad, M. J., & Cato, D. H. (2007). Swimming speeds of singing and non-singing humpback whales during migration. *Marine Mammal Science*, 23(3), 481-495.
- Noad, M. J., Dunlop, R. A., & Mack, A. K. (2017). Changes in humpback whale singing behavior with abundance: Implications for the development of acoustic surveys of cetaceans. *Journal of the Acoustical Society of America*, 142(3), 1611-1618.
- Noakes, S. E., Pyenson, N. D., & McFall, G. (2013). Late Pleistocene gray whales (*Eschrichtius robustus*) offshore Georgia, USA, and the antiquity of gray whale migration in the North Atlantic Ocean. *Palaeogeography Palaeoclimatology Palaeoecology*, 392, 502-509.
- Nocek, J. M., Sishta, B. P., Cameron, J. C., Mauk, A. G., & Hoffmann, B. M. (1997). Cyclic electron transfer within the Zn-myoglobin, cytochrome b(5) complex. *Journal of the American Chemical Society*, 119(9), 2146-2155.
- Noke, W. D., & Odell, D. K. (2002). Interactions between the Indian River Lagoon blue crab fishery and the bottlenose dolphin, *Tursiops truncatus*. *Marine Mammal Science*, 18(4), 819-832.
- Noren, D. P., & Hauser, D. D. W. (2016). Surface-Based Observations Can Be Used to Assess Behavior and Fine-Scale Habitat Use by an Endangered Killer Whale (*Orcinus orca*) Population. *Aquatic Mammals*, 42(2), 168-183.
- Noren, S. R. (2004). Buffering capacity of the locomotor muscle in cetaceans: Correlates with postpartum development, dive duration, and swim performance. *Marine Mammal Science*, 20(4), 808-822.
- Noren, S. R., Cuccurullo, V., & Williams, T. M. (2004). The development of diving bradycardia in bottlenose dolphins (*Tursiops truncatus*). *Journal of Comparative Physiology B-Biochemical Systemic and Environmental Physiology*, 174(2), 139-147.
- Noren, S. R., Kendall, T., Cuccurullo, V., & Williams, T. M. (2012). The dive response redefined: underwater behavior influences cardiac variability in freely diving dolphins. *Journal of Experimental Biology*, 215(16), 2735-2741.
- Noren, S. R., Noren, D. P., & Gaydos, J. K. (2014). Living in the fast lane: rapid development of the locomotor muscle in immature harbor porpoises (*Phocoena phocoena*). *Journal of Comparative Physiology B-Biochemical Systems and Environmental Physiology*, 184(8), 1065-1076.
- Noren, S. R., Poll, C. P., & Edwards, M. S. (2018). Body Growth and Rapid Hematological Development Support Breath Hold of Baby Belugas (*Delphinapterus leucas*) during Subice Transit. *Physiological and Biochemical Zoology*, 91(1), 691-704.

- Noren, S. R., & West, K. (2020). Extremely Elevated Myoglobin Contents in the Pelagic Melon-Headed Whale (*Peponocephala electra*) after Prolonged Postnatal Maturation. *Physiological and Biochemical Zoology*, 93(2), 153-159.
- Norman, B. M., Holmberg, J. A., Arzoumanian, Z., Reynolds, S. D., Wilson, R. P., Rob, D., et al. (2017). Undersea Constellations: The Global Biology of an Endangered Marine Megavertebrate Further Informed through Citizen Science. *Bioscience*, 67(12), 1029-1043.
- Norman, B. M., & Stevens, J. D. (2007). Size and maturity status of the whale shark (*Rhincodon typus*) at Ningaloo Reef in Western Australia. *Fisheries Research*, 84(1), 81-86.
- Norman, F. I. (2000). Preliminary investigation of the bycatch of marine birds and mammals in inshore commercial fisheries, Victoria, Australia. *Biological Conservation*, 92(2), 217-226.
- Norman, R. J. D. (1997). Tetraphyllidean cysticerci in the peritoneal cavity of the common dolphin. *Journal of Wildlife Diseases*, 33(4), 891-895.
- Norman, S. A., Flynn, K. R., Zerbini, A. N., Gulland, F. M. D., Moore, M. J., Raverty, S., et al. (2018). Assessment of wound healing of tagged gray (*Eschrichtius robustus*) and blue (*Balaenoptera musculus*) whales in the eastern North Pacific using long-term series of photographs. *Marine Mammal Science*, 34(1), 27-53.
- Norris, T. F., Mc Donald, M., & Barlow, J. (1999). Acoustic detections of singing humpback whales (*Megaptera novaeangliae*) in the eastern North Pacific during their northbound migration. *Journal of the Acoustical Society of America*, 106(1), 506-514.
- Norstrom, R. J., & Muir, D. C. G. (1994). CHLORINATED-HYDROCARBON CONTAMINANTS IN ARCTIC MARINE MAMMALS. *Science of the Total Environment*, 154(2-3), 107-128.
- Norton, D. W., & Gaylord, A. G. (2004). Drift velocities of ice floes in Alaska's northern Chukchi sea flaw zone: Determinants of success by spring subsistence whalers in 2000 and 2001. *Arctic*, 57(4), 347-362.
- Nosal, E. M., & Frazer, L. N. (2006). Track of a sperm whale from delays between direct and surface-reflected clicks. *Applied Acoustics*, 67(11-12), 1187-1201.
- Nosal, E. M., & Frazer, L. N. (2007). Sperm whale three-dimensional track, swim orientation, beam pattern, and click levels observed on bottom-mounted hydrophones. *Journal of the Acoustical Society of America*, 122(4), 1969-1978.
- Notarbartolo-Di-Sciarai, G., Hanafy, M. H., Fouda, M. M., Afifi, A., & Costa, M. (2009). Spinner dolphin (*Stenella longirostris*) resting habitat in Samadai Reef (Egypt, Red Sea) protected through tourism management. *Journal of the Marine Biological Association of the United Kingdom*, 89(1), 211-216.
- Nottestad, L. (1998). Extensive gas bubble release in Norwegian spring-spawning herring (*Clupea harengus*) during predator avoidance. *Ices Journal of Marine Science*, 55(6), 1133-1140.
- Nottestad, L., & Axelsen, B. E. (1999). Herring schooling manoeuvres in response to killer whale attacks. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 77(10), 1540-1546.
- Nottestad, L., Ferno, A., Mackinson, S., Pitcher, T., & Misund, O. A. (2002). How whales influence herring school dynamics in a cold-front area of the Norwegian Sea. *Ices Journal of Marine Science*, 59(2), 393-400.
- Nottestad, L., Krafft, B. A., Anthonypillai, V., Bernasconi, M., Langard, L., Mork, H. L., et al. (2015). Recent changes in distribution and relative abundance of cetaceans in the Norwegian Sea and their relationship with potential prey. *Frontiers in Ecology and Evolution*, 2.

- Nottestad, L., Sivle, L. D., Krafft, B. A., Langard, L., Anthonypillai, V., Bernasconi, M., et al. (2014). Ecological aspects of fin whale and humpback whale distribution during summer in the Norwegian Sea. *Marine Ecology-an Evolutionary Perspective*, 35(2), 221-232.
- Nottestad, L., Sivle, L. D., Krafft, B. A., Langard, L., Anthonypillai, V., Bernasconi, M., et al. (2014). Prey selection of offshore killer whales *Orcinus orca* in the Northeast Atlantic in late summer: spatial associations with mackerel. *Marine Ecology Progress Series*, 499, 275-283.
- Nousek-McGregor, A. E., Miller, C. A., Moore, M. J., & Nowacek, D. P. (2014). Effects of Body Condition on Buoyancy in Endangered North Atlantic Right Whales. *Physiological and Biochemical Zoology*, 87(1), 160-171.
- Nowacek, D. P. (2002). Sequential foraging behaviour of bottlenose dolphins, *Tursiops truncatus*, in Sarasota Bay, FL. *Behaviour*, 139, 1125-1145.
- Nowacek, D. P. (2005). Acoustic ecology of foraging bottlenose dolphins (*Tursiops truncatus*), habitat-specific use of three sound types. *Marine Mammal Science*, 21(4), 587-602.
- Nowacek, D. P., Christiansen, F., Bejder, L., Goldbogen, J. A., & Friedlaender, A. S. (2016). Studying cetacean behaviour: new technological approaches and conservation applications. *Animal Behaviour*, 120, 235-244.
- Nowacek, D. P., Friedlaender, A. S., Halpin, P. N., Hazen, E. L., Johnston, D. W., Read, A. J., et al. (2011). Super-Aggregations of Krill and Humpback Whales in Wilhelmina Bay, Antarctic Peninsula. *Plos One*, 6(4).
- Nowacek, D. P., Johnson, M. P., & Tyack, P. L. (2004). North Atlantic right whales (*Eubalaena glacialis*) ignore ships but respond to alerting stimuli. *Proceedings of the Royal Society B-Biological Sciences*, 271(1536), 227-231.
- Nowacek, D. P., Johnson, M. P., Tyack, P. L., Shorter, K. A., McLellan, W. A., & Pabst, D. A. (2001). Buoyant balaenids: the ups and downs of buoyancy in right whales. *Proceedings of the Royal Society B-Biological Sciences*, 268(1478), 1811-1816.
- Nowacek, D. P., Tyack, P. L., & Wells, R. S. (2001). A platform for continuous behavioral and acoustic observation of free-ranging marine mammals: Overhead video combined with underwater audio. *Marine Mammal Science*, 17(1), 191-199.
- Nowacek, S. M., Wells, R. S., Owen, E. C. G., Speakman, T. R., Flamm, R. O., & Nowacek, D. P. (2004). Florida manatees, *Trichechus manatus latirostris*, respond to approaching vessels. *Biological Conservation*, 119(4), 517-523.
- Nowacek, S. M., Wells, R. S., & Solow, A. R. (2001). Short-term effects of boat traffic on bottlenose dolphins, *Tursiops truncatus*, in Sarasota Bay, Florida. *Marine Mammal Science*, 17(4), 673-688.
- Nunes, J., Freitas, R. H. A., Reis, J. A., Loiola, M., & Sampaio, C. L. S. (2015). Feeding behaviour of the common dolphin *Coryphaena hippurus*: older fish use more complex foraging strategies. *Journal of the Marine Biological Association of the United Kingdom*, 95(6), 1277-1284.
- Nunny, L., & Simmonds, M. P. (2019). A Global Reassessment of Solitary-Sociable Dolphins. *Frontiers in Veterinary Science*, 5.
- Nuutila, H. K., Brundiers, K., Dahne, M., Koblitz, J. C., Thomas, L., Courtene-Jones, W., et al. (2018). Estimating effective detection area of static passive acoustic data loggers from playback experiments with cetacean vocalisations. *Methods in Ecology and Evolution*, 9(12), 2362-2371.
- Nuutila, H. K., Courtene-Jones, W., Baulch, S., Simon, M., & Evans, P. G. H. (2017). Don't forget the porpoise: acoustic monitoring reveals fine scale temporal variation between bottlenose dolphin and harbour porpoise in Cardigan Bay SAC. *Marine Biology*, 164(3).

- Nuuttila, H. K., Meier, R., Evans, P. G. H., Turner, J. R., Bennell, J. D., & Hiddink, J. G. (2013). Identifying Foraging Behaviour of Wild Bottlenose Dolphins (*Tursiops truncatus*) and Harbour Porpoises (*Phocoena phocoena*) with Static Acoustic Dataloggers. *Aquatic Mammals*, 39(2), 147-161.
- Nuuttila, H. K., Thomas, L., Hiddink, J. G., Meier, R., Turner, J. R., Bennell, J. D., et al. (2013). Acoustic detection probability of bottlenose dolphins, *Tursiops truncatus*, with static acoustic dataloggers in Cardigan Bay, Wales. *Journal of the Acoustical Society of America*, 134(3), 2596-2609.
- Nyhus, E. S., Lindqvist, C., Kovacs, K., Lydersen, C., Wiig, O., & Bachmann, L. (2016). Mitogenomes of contemporary Spitsbergen stock bowhead whales (*Balaena mysticetus*). *Mitochondrial DNA Part B-Resources*, 1(1), 898-900.
- Nykanen, M., Dillane, E., Englund, A., Foote, A. D., Ingram, S. N., Louis, M., et al. (2018). Quantifying dispersal between marine protected areas by a highly mobile species, the bottlenose dolphin, *Tursiops truncatus*. *Ecology and Evolution*, 8(18), 9241-9258.
- Nykanen, M., Louis, M., Dillane, E., Alfonsi, E., Berrow, S., O'Brien, J., et al. (2019). Fine-scale population structure and connectivity of bottlenose dolphins, *Tursiops truncatus*, in European waters and implications for conservation. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 29, 197-211.
- Nystuen, J. A., Amitai, E., Anagnostou, E. N., & Anagnostou, M. N. (2008). Spatial averaging of oceanic rainfall variability using underwater sound: Ionian sea rainfall experiment 2004. *Journal of the Acoustical Society of America*, 123(4), 1952-1962.
- O'Brien, K., & Whitehead, H. (2013). Population analysis of Endangered northern bottlenose whales on the Scotian Shelf seven years after the establishment of a Marine Protected Area. *Endangered Species Research*, 21(3), 273-284.
- O'Brien, O., Allen, S. J., Krutzen, M., & Connor, R. C. (2020). Alliance-specific habitat selection by male Indo-Pacific bottlenose dolphins in Shark Bay, Western Australia. *Animal Behaviour*, 164, 39-49.
- O'Callaghan, S. A. (2019). NORTH ATLANTIC RIGHT WHALES (*EUBALAENA GLACIALIS*) IN IRISH WATERS: 1300-1987. *Biology and Environment-Proceedings of the Royal Irish Academy*, 119B(2-3), 111-122.
- O'Corry-Crowe, G., Lydersen, C., Heide-Jorgensen, M. P., Hansen, L., Mukhametov, L. M., Dove, O., et al. (2010). Population genetic structure and evolutionary history of North Atlantic beluga whales (*Delphinapterus leucas*) from West Greenland, Svalbard and the White Sea. *Polar Biology*, 33(9), 1179-1194.
- O'Corry-Crowe, G., Mahoney, A. R., Suydam, R., Quakenbush, L., Whiting, A., Lowry, L., et al. (2016). Genetic profiling links changing sea-ice to shifting beluga whale migration patterns. *Biology Letters*, 12(11).
- O'Donoghue, S. H., Drapeau, L., Dudley, S. F. J., & Peddemors, V. M. (2010). The KwaZulu-Natal sardine run: shoal distribution in relation to nearshore environmental conditions, 1997-2007. *African Journal of Marine Science*, 32(2), 293-307.
- O'Donoghue, S. H., Drapeau, L., & Peddemors, V. M. (2010). Broad-scale distribution patterns of sardine and their predators in relation to remotely sensed environmental conditions during the KwaZulu-Natal sardine run. *African Journal of Marine Science*, 32(2), 279-291.
- O'Dor, R. K., Fennel, K., & Vanden Berghe, E. (2009). A one ocean model of biodiversity. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 56(19-20), 1816-1823.
- O'Driscoll, K., Hanlon, A., & Boyle, L. (2008). The Effect of Out-Wintering Pad Design on the Synchrony of Dairy Cow Behavior. *Journal of Dairy Science*, 91(12), 4651-4660.
- O'Leary, M. A. (2001). The phylogenetic position of cetaceans: Further combined data analyses, comparisons with the stratigraphic record and a discussion of character optimization. *American Zoologist*, 41(3), 487-506.

- O'Leary, M. A., & Uhen, M. D. (1999). The time of origin of whales and the role of behavioral changes in the terrestrial-aquatic transition. *Paleobiology*, 25(4), 534-556.
- Oakley, J. A., Jenkins, R. E., Thomas, T., Williams, A. T., & Phillips, M. R. (2016). Assessing harbour porpoise populations in south-west Wales, data issues and implications for conservation and management. *Ocean & Coastal Management*, 119, 45-57.
- Oakley, J. A., Williams, A. T., & Thomas, T. (2017). Reactions of harbour porpoise (*Phocoena phocoena*) to vessel traffic in the coastal waters of South West Wales, UK. *Ocean & Coastal Management*, 138, 158-169.
- Obusan, M. C. M., Aragonés, L. V., Salibay, C. C., Siringan, M. A. T., & Rivera, W. L. (2015). Occurrence of Human Pathogenic Bacteria and *Toxoplasma gondii* in Cetaceans Stranded in the Philippines: Providing Clues on Ocean Health Status. *Aquatic Mammals*, 41(2), 149-166.
- Obusan, M. C. M., Rivera, W. L., Siringan, M. A. T., & Aragonés, L. V. (2016). Stranding events in the Philippines provide evidence for impacts of human interactions on cetaceans. *Ocean & Coastal Management*, 134, 41-51.
- Ochiai, Y., Watanabe, Y., Ozawa, H., Ikegami, S., Uchida, N., & Watabe, S. (2010). Thermal Denaturation Profiles of Tuna Myoglobin. *Bioscience Biotechnology and Biochemistry*, 74(8), 1673-1679.
- Ochoa, J. L., SanchezPaz, A., CruzVillacorta, A., NunezVazquez, E., & SierraBeltran, A. (1997). Toxic events in the northwest Pacific coastline of Mexico during 1992-1995: origin and impact. *Hydrobiologia*, 352, 195-200.
- Oedekoven, C., Fleishman, E., Hamilton, P., Clark, J. S., & Schick, R. S. (2015). Expert elicitation of seasonal abundance of North Atlantic right whales *Eubalaena glacialis* in the mid-Atlantic. *Endangered Species Research*, 29(1), 51-58.
- Oelschlager, H. H. A., Ridgway, S. H., & Knauth, M. (2010). Cetacean Brain Evolution: Dwarf Sperm Whale (*Kogia sima*) and Common Dolphin (*Delphinus delphis*) - An Investigation with High-Resolution 3D MRI. *Brain Behavior and Evolution*, 75(1), 33-62.
- Oen, E. O. (1995). A NORWEGIAN PENTHRITE GRANADE FOR MINKE WHALES - HUNTING TRIALS WITH PROTOTYPES AND RESULTS FROM THE HUNT IN 1984, 1985 AND 1986. *Acta Veterinaria Scandinavica*, 36(1), 111-121.
- Ogundile, O. O., & Versfeld, D. J. J. (2020). Analysis of Template-Based Detection Algorithms for Inshore Bryde's Whale Short Pulse Calls. *Ieee Access*, 8, 14377-14385.
- Ohland, D. P., Harley, E. H., & Best, P. B. (1995). Systematics of Cetaceans Using Restriction Site Mapping of Mitochondrial DNA. *Molecular Phylogenetics and Evolution*, 4(1), 10-19.
- Ohlberger, J., Schindler, D. E., Ward, E. J., Walsworth, T. E., & Essington, T. E. (2019). Resurgence of an apex marine predator and the decline in prey body size. *Proceedings of the National Academy of Sciences of the United States of America*, 116(52), 26682-26689.
- Ohsumi, S., & Tamura, T. (2002). Dietary studies on baleen whales in the North Pacific. *Fisheries Science*, 68, 260-263.
- Okamura, H. (2003). A line transect method to estimate abundance of long-diving animals. *Fisheries Science*, 69(6), 1176-1181.
- Okamura, H., Kitakado, T., Hiramatsu, K., & Mori, M. (2003). Abundance estimation of diving animals by the double-platform line transect method. *Biometrics*, 59(3), 512-520.

- Okamura, H., Minamikawa, S., & Kitakado, T. (2006). Effect of surfacing patterns on abundance estimates of long-diving animals. *Fisheries Science*, 72(3), 631-638.
- Okamura, H., Minamikawa, S., Skaug, H. J., & Kishiro, T. (2012). Abundance Estimation of Long-Diving Animals Using Line Transect Methods. *Biometrics*, 68(2), 504-513.
- Okkonen, S., Ashjian, C., Campbell, R. G., & Alatalo, P. (2019). The encoding of wind forcing into the Pacific-Arctic pressure head, Chukchi Sea ice retreat and late-summer Barrow Canyon water masses. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 162, 22-31.
- Okkonen, S. R., Ashjian, C. J., Campbell, R. G., Clarke, J. T., Moore, S. E., & Taylor, K. D. (2011). Satellite observations of circulation features associated with a bowhead whale feeding 'hotspot' near Barrow, Alaska. *Remote Sensing of Environment*, 115(8), 2168-2174.
- Okkonen, S. R., Clarke, J. T., & Potter, R. A. (2018). Relationships among high river discharges, upwelling events, and bowhead whale (*Balaena mysticetus*) occurrence in the central Alaskan Beaufort Sea. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 152, 195-202.
- Okoshi, K., & Ikeuchi, S. (1999). Evolution of Lyman alpha clouds at low redshifts. *Publications of the Astronomical Society of Japan*, 51(1), 63-70.
- Okuyama, J., Tamatsu, Y., Shimada, K., Hoshi, H., & Iwai, J. (2004). The arterial circle of Willis of the mouse helps to decipher secrets of cerebral vascular accidents in the human. *Medical Hypotheses*, 63(6), 997-1009.
- Olafsdottir, D., & Shinn, A. P. (2013). Epibiotic macrofauna on common minke whales, *Balaenoptera acutorostrata* Lacepede, 1804, in Icelandic waters. *Parasites & Vectors*, 6.
- Olateju, O. I., Bhagwandin, A., Ihunwo, A. O., & Manger, P. R. (2017). Changes in the Cholinergic, Catecholaminergic, Orexinergic and Serotonergic Structures Forming Part of the Sleep Systems of Adult Mice Exposed to Intrauterine Alcohol. *Frontiers in Neuroanatomy*, 11.
- Olavarria, C., Baker, C. S., Garrigue, C., Poole, M., Hauser, N., Caballero, S., et al. (2007). Population structure of South Pacific humpback whales and the origin of the eastern Polynesian breeding grounds. *Marine Ecology Progress Series*, 330, 257-268.
- Olaya-Ponzzone, L., Espada, R., Moreno, E. M., Marcial, I. C., & Garcia-Gomez, J. C. (2020). Injuries, healing and management of common dolphins (*Delphinus delphis*) in human-impacted waters in the south Iberian Peninsula. *Journal of the Marine Biological Association of the United Kingdom*, 100(2), 315-325.
- Oleson, E. M., Calambokidis, J., Barlow, J., & Hildebrand, J. A. (2007). Blue whale visual and acoustic encounter rates in the southern California bight. *Marine Mammal Science*, 23(3), 574-597.
- Oleson, E. M., Calambokidis, J., Burgess, W. C., McDonald, M. A., LeDuc, C. A., & Hildebrand, J. A. (2007). Behavioral context of call production by eastern North Pacific blue whales. *Marine Ecology Progress Series*, 330, 269-284.
- Oleson, E. M., Sirovic, A., Bayless, A. R., & Hildebrand, J. A. (2014). Synchronous Seasonal Change in Fin Whale Song in the North Pacific. *Plos One*, 9(12).
- Oleson, E. M., Wiggins, S. M., & Hildebrand, J. A. (2007). Temporal separation of blue whale call types on a southern California feeding ground. *Animal Behaviour*, 74, 881-894.
- Olin, J. A., Fair, P. A., Recks, M. A., Zolman, E., Adams, J., & Fisk, A. T. (2012). Unique seasonal forage bases within a local population of bottlenose dolphin (*Tursiops truncatus*). *Marine Mammal Science*, 28(1), E28-E40.

- Oliva, M., Ruiz-Fernandez, J., Zarankin, A., Casanova-Katny, A., & Nofre, J. (2017). Geocology and Historical Heritage in the Ice-Free Area of Elephant Point (Antarctica). *Proposal for Future Environmental Protection. Geoheritage*, 9(1), 97-109.
- Oliveira, C., Wahlberg, M., Johnson, M., Miller, P. J. O., & Madsen, P. T. (2013). The function of male sperm whale slow clicks in a high latitude habitat: Communication, echolocation, or prey debilitation? *Journal of the Acoustical Society of America*, 133(5), 3135-3144.
- Oliveira, C., Wahlberg, M., Silva, M. A., Johnson, M., Antunes, R., Wisniewska, D. M., et al. (2016). Sperm whale codas may encode individuality as well as clan identity. *Journal of the Acoustical Society of America*, 139(5), 2860-2869.
- Oliveira, J. S. F., Georgiadis, G., Campello, S., Brandao, R. A., & Ciuti, S. (2017). Improving river dolphin monitoring using aerial surveys. *Ecosphere*, 8(8).
- Oliver, P. G. (2015). Description and morphology of the "Juan de Fuca vent mussel", *Benthomodiolus erebus* sp. n. (Bivalvia, Mytilidae, Bathymodiolinae): "Phylogenetically basal but morphologically advanced". *Zoosystematics and Evolution*, 91(2), 151-165.
- Oliver, S. P., Turner, J. R., Gann, K., Silvosa, M., & Jackson, T. D. (2013). Thresher Sharks Use Tail-Slaps as a Hunting Strategy. *Plos One*, 8(7).
- Olmos, F., Rotenberg, E., & Muscat, E. (2013). A feeding association between Wilson's Storm-petrels *Oceanites oceanicus* (Kuhl, 1820) and Rough-toothed Dolphins *Steno bredanensis* (G. Cuvier in Lesson, 1828). *Biota Neotropica*, 13(2), 303-307.
- Olofinjana, A. O., & Haque, R. (2017). Analysis of failure in a nickel coated brass dolphin striker component. *Engineering Failure Analysis*, 72, 48-57.
- Olsen, D. W., Matkin, C. O., Andrews, R. D., & Atkinson, S. (2018). Seasonal and pod-specific differences in core use areas by resident killer whales in the Northern Gulf Alaska. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 147, 196-202.
- Olsen, D. W., Matkin, C. O., Mueter, F. J., & Atkinson, S. Social behavior increases in multipod aggregations of southern Alaska resident killer whales (*Orcinus orca*). *Marine Mammal Science*.
- Olsen, S. F., Grandjean, P., Weihe, P., & Videro, T. (1993). FREQUENCY OF SEAFOOD INTAKE IN PREGNANCY AS A DETERMINANT OF BIRTH-WEIGHT - EVIDENCE FOR A DOSE-DEPENDENT RELATIONSHIP. *Journal of Epidemiology and Community Health*, 47(6), 436-440.
- Olson, J. K., Wood, J., Osborne, R. W., Barrett-Lennard, L., & Larson, S. (2018). Sightings of southern resident killer whales in the Salish Sea 1976-2014: the importance of a long-term opportunistic dataset. *Endangered Species Research*, 37, 105-118.
- Olson, P. A., Ensor, P., Olavarria, C., Bott, N., Constantine, R., Weir, J., et al. (2015). New Zealand Blue Whales: Residency, Morphology, and Feeding Behavior of a Little-Known Population. *Pacific Science*, 69(4), 477-485.
- Omeyer, L. C. M., Doherty, P. D., Dolman, S., Enever, R., Reeses, A., Tregenza, N., et al. (2020). Assessing the Effects of Banana Pingers as a Bycatch Mitigation Device for Harbour Porpoises (*Phocoena phocoena*). *Frontiers in Marine Science*, 7.
- Omre, H. (1994). TOPICS IN SPATIAL STATISTICS. *Scandinavian Journal of Statistics*, 21(4), 289-343.
- Ona, J., Duque, E., Garland, E. C., Seger, K., Narvaez, M., Maldonado, J., et al. (2019). A Giant's Dance: Underwater Social and Vocal Behavior of Humpback Whales (*Megaptera novaeangliae*) Recorded on the Northern Coast of Ecuador. *Aquatic Mammals*, 45(4), 456-464.

- Ona, J., Garland, E. C., & Denkinger, J. (2017). Southeastern Pacific humpback whales (*Megaptera novaeangliae*) and their breeding grounds: Distribution and habitat preference of singers and social groups off the coast of Ecuador. *Marine Mammal Science*, 33(1), 219-235.
- Onishi, Y., Shimamura, S., Yamanaka, T., Nakayama, R., Ozaki, K. I., Miyazaki, M., et al. (2018). Variation of geochemical environments associated with whale-fall biomass mineralization processes in the sediment during the mobile scavenger, enrichment opportunist, and sulfophilic stages. *Marine Biology*, 165(9).
- Oosthuizen, W. C., Bester, M. N., Tosh, C. A., Guinet, C., Besson, D., & de Bruyn, P. J. N. (2011). Dispersal and dispersion of southern elephant seals in the Kerguelen province, Southern Ocean. *Antarctic Science*, 23(6), 567-577.
- Orams, M. B. (1997). Historical accounts of human-dolphin interaction and recent developments in wild dolphin based tourism in Australasia. *Tourism Management*, 18(5), 317-326.
- Orbach, D. N., Eaton, J., Fiori, L., Piwetz, S., Weir, J. S., Wursig, M., et al. Mating patterns of dusky dolphins (*Lagenorhynchus obscurus*) explored using an unmanned aerial vehicle. *Marine Mammal Science*.
- Orbach, D. N., & Kirchner, T. (2014). Armed Escorts: Dusky Dolphin (*Lagenorhynchus obscurus*) Interactions with Octopuses (*Pinnoctopus cordiformis*) in New Zealand. *Aquatic Mammals*, 40(3), 285-292.
- Orbach, D. N., Marshall, C. D., Wursig, B., & Mesnick, S. L. (2016). Variation in Female Reproductive Tract Morphology of the Common Bottlenose Dolphin (*Tursiops truncatus*). *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 299(4), 520-537.
- Orbach, D. N., Packard, J. M., Keener, W., Ziltener, A., & Wursig, B. (2019). Testes Size, Vaginal Complexity, and Behavior in Toothed Whales (Odontocetes): Arms Race or Tradeoff Model for Dusky Dolphins (*Lagenorhynchus obscurus*), Harbor Porpoises (*Phocoena phocoena*), and Bottlenose Dolphins (*Tursiops* spp.)? *Journal of Comparative Psychology*, 133(3), 359-372.
- Orbach, D. N., Packard, J. M., Kirchner, T., & Wursig, B. (2015). Evasive behaviours of female dusky dolphins (*Lagenorhynchus obscurus*) during exploitative scramble competition. *Behaviour*, 152(14), 1953-1977.
- Orbach, D. N., Packard, J. M., Piwetz, S., & Wursig, B. (2015). Sex-specific variation in conspecific-acquired marking prevalence among dusky dolphins (*Lagenorhynchus obscurus*). *Canadian Journal of Zoology*, 93(5), 383-390.
- Orbach, D. N., Packard, J. M., & Wursig, B. (2014). Mating Group Size in Dusky Dolphins (*Lagenorhynchus obscurus*): Costs and Benefits of Scramble Competition. *Ethology*, 120(8), 804-815.
- Orbach, D. N., Pearson, H. C., Beier-Engelhaupt, A., Deutsch, S., Srinivasan, M., Weir, J. S., et al. (2018). Long-Term Assessment of Spatio-Temporal Association Patterns of Dusky Dolphins (*Lagenorhynchus obscurus*) off Kaikoura, New Zealand. *Aquatic Mammals*, 44(6), 608-619.
- Oremus, M., Gales, R., Kettles, H., & Baker, C. S. (2013). Genetic Evidence of Multiple Matrilines and Spatial Disruption of Kinship Bonds in Mass Strandings of Long-finned Pilot Whales, *Globicephala melas*. *Journal of Heredity*, 104(3), 301-311.
- Oremus, M., Leqata, J., & Baker, C. S. (2015). Resumption of traditional drive hunting of dolphins in the Solomon Islands in 2013. *Royal Society Open Science*, 2(5).
- Oremus, M., Poole, M. M., Albertson, G. R., & Baker, C. S. (2012). Pelagic or insular? Genetic differentiation of rough-toothed dolphins in the Society Islands, French Polynesia. *Journal of Experimental Marine Biology and Ecology*, 432, 37-46.

- Oremus, M., Poole, M. M., Steel, D., & Baker, C. S. (2007). Isolation and interchange among insular spinner dolphin communities in the South Pacific revealed by individual identification and genetic diversity. *Marine Ecology Progress Series*, 336, 275-289.
- Orgeret, F., Garrigue, C., Gimenez, O., & Pradel, R. (2014). Robust assessment of population trends in marine mammals applied to New Caledonian humpback whales. *Marine Ecology Progress Series*, 515, 265-273.
- Orliac, M., Boisserie, J. R., MacLatchy, L., & Lihoreau, F. (2010). Early Miocene hippopotamids (Cetartiodactyla) constrain the phylogenetic and spatiotemporal settings of hippopotamid origin. *Proceedings of the National Academy of Sciences of the United States of America*, 107(26), 11871-11876.
- Orr, J. R., Joe, R., & Evic, D. (2001). Capturing and handling of white whales (*Delphinapterus leucas*) in the Canadian Arctic for instrumentation and release. *Arctic*, 54(3), 299-304.
- Ortega, J. L. C., Dagostino, R. M. C., & Massam, B. H. (2013). Sustainable Tourism: Whale Watching Footprint in the Bahia de Banderas, Mexico. *Journal of Coastal Research*, 29(6), 1445-1451.
- Ortega-Ortiz, J. G., Engelhaupt, D., Winsor, M., Mate, B. R., & Hoelzel, A. R. (2012). Kinship of long-term associates in the highly social sperm whale. *Molecular Ecology*, 21(3), 732-744.
- Ortiz, G. G., Feria-Velasco, A., Pacheco-Moises, F. P., Rodriguez-Reinoso, S., Cruz-Ramos, J. A., Rosales-Corral, S. A., et al. (2009). Scanning Electron Microscopy of the Orbital Harderian Gland in the Male Atlantic Bottlenose Dolphin (*Tursiops truncatus*). *Anatomia Histologia Embryologia*, 38(4), 279-281.
- Ortiz, I., Aydin, K., Hermann, A. J., Gibson, G. A., Punt, A. E., Wiese, F. K., et al. (2016). Climate to fish: Synthesizing field work, data and models in a 39-year retrospective analysis of seasonal processes on the eastern Bering Sea shelf and slope. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 134, 390-412.
- Osborn, T. (1991). OBSERVATIONS OF THE SALT FOUNTAIN. *Atmosphere-Ocean*, 29(2), 340-356.
- Osborn, T., Farmer, D. M., Vagle, S., Thorpe, S. A., & Cure, M. (1992). MEASUREMENTS OF BUBBLE PLUMES AND TURBULENCE FROM A SUBMARINE. *Atmosphere-Ocean*, 30(3), 419-440.
- Osgood, G. J., McCord, M. E., & Baum, J. K. (2019). Using baited remote underwater videos (BRUVs) to characterize chondrichthyan communities in a global biodiversity hotspot. *Plos One*, 14(12).
- Oshea, T. J., & Brownell, R. L. (1994). ORGANOCHLORINE AND METAL CONTAMINANTS IN BALEEN WHALES - A REVIEW AND EVALUATION OF CONSERVATION IMPLICATIONS. *Science of the Total Environment*, 154(2-3), 179-200.
- Oslund, K. (2016). Greenland in the center: what happened when the Danish-Norwegian officials met English and Dutch whalers in Disko Bay, 1780-1820. *Acta Borealia*, 33(1), 81-99.
- Osterrieder, S. K., Parnum, I. M., Kent, C. P. S., & Robinson, R. W. (2017). Difficulties identifying Australian sea lions (*Neophoca cinerea*) in the wild using whisker spot patterns. *Australian Mammalogy*, 39(1), 56-71.
- Ostertag, S. K., Loseto, L. L., Snow, K., Lam, J., Hynes, K., & Gillman, D. V. (2018). "That's how we know they're healthy": the inclusion of traditional ecological knowledge in beluga health monitoring in the Inuvialuit Settlement Region. *Arctic Science*, 4(3), 292-320.
- Oswald, J. N., Au, W. W. L., & Duennebieer, F. (2011). Minke whale (*Balaenoptera acutorostrata*) boings detected at the Station ALOHA Cabled Observatory. *Journal of the Acoustical Society of America*, 129(5), 3353-3360.
- Oswald, J. N., Norris, T. F., Yack, T. M., Ferguson, E. L., Kumar, A., Nissen, J., et al. (2016). Patterns of Occurrence and Marine Mammal Acoustic Behavior in Relation to Navy Sonar Activity Off Jacksonville, Florida. In A. N. Popper & A. Hawkins (Eds.), *Effects of Noise on Aquatic Life II* (Vol. 875, pp. 791-799).

- Oswald, J. N., Ou, H., Au, W. W. L., Howe, B. M., & Duennebie, F. (2016). Listening for Whales at the Station ALOHA Cabled Observatory.
- Oswald, J. N., Rankin, S., & Barlow, J. (2004). The effect of recording and analysis bandwidth on acoustic identification of delphinid species. *Journal of the Acoustical Society of America*, 116(5), 3178-3185.
- Oswald, J. N., Rankin, S., & Barlow, J. (2007). First description of whistles of Pacific Fraser's dolphins *Lagenodelphis hosei*. *Bioacoustics-the International Journal of Animal Sound and Its Recording*, 16(2), 99-111.
- Otani, S., Naito, Y., Kato, A., & Kawamura, A. (2001). Oxygen consumption and swim speed of the harbor porpoise *Phocoena phocoena*. *Fisheries Science*, 67(5), 894-898.
- Otsuka, J., Kawai, Y., & Sugaya, N. (2001). The influence of selection on the evolutionary distance estimated from the base changes observed between homologous nucleotide sequences. *Journal of Theoretical Biology*, 213(2), 129-144.
- Ovenden, J. R., Kashiwagi, T., Broderick, D., Giles, J., & Salini, J. (2009). The extent of population genetic subdivision differs among four co-distributed shark species in the Indo-Australian archipelago. *BMC Evolutionary Biology*, 9.
- Overholtz, W. J., & Link, J. S. (2007). Consumption impacts by marine mammals, fish, and seabirds on the Gulf of Maine-Georges Bank Atlantic herring (*Clupea harengus*) complex during the years 1977-2002. *ICES Journal of Marine Science*, 64(1), 83-96.
- Oviedo, L., & Solis, M. (2008). Underwater topography determines critical breeding habitat for humpback whales near Osa Peninsula, Costa Rica: implications for marine protected areas. *Revista De Biología Tropical*, 56(2), 591-602.
- Owen, C., Rendell, L., Constantine, R., Noad, M. J., Allen, J., Andrews, O., et al. (2019). Migratory convergence facilitates cultural transmission of humpback whale song. *Royal Society Open Science*, 6(9).
- Owen, E. C. G., Wells, R. S., & Hofmann, S. (2002). Ranging and association patterns of paired and unpaired adult male Atlantic bottlenose dolphins, *Tursiops truncatus*, in Sarasota, Florida, provide no evidence for alternative male strategies. *Canadian Journal of Zoology*, 80(12), 2072-2089.
- Owen, K., Andrews, R. D., Baird, R. W., Schorr, G. S., & Webster, D. L. (2019). Lunar cycles influence the diving behavior and habitat use of short-finned pilot whales around the main Hawaiian Islands. *Marine Ecology Progress Series*, 629, 193-206.
- Owen, K., Jenner, K. C. S., Jenner, M. N. M., McCauley, R. D., & Andrews, R. D. (2019). Water temperature correlates with baleen whale foraging behaviour at multiple scales in the Antarctic. *Marine and Freshwater Research*, 70(1), 19-32.
- Owen, K., Kavanagh, A. S., Warren, J. D., Noad, M. J., Donnelly, D., Goldizen, A. W., et al. (2017). Potential energy gain by whales outside of the Antarctic: prey preferences and consumption rates of migrating humpback whales (*Megaptera novaeangliae*). *Polar Biology*, 40(2), 277-289.
- Owen, K., Warren, J. D., Noad, M. J., Donnelly, D., Goldizen, A. W., & Dunlop, R. A. (2015). Effect of prey type on the fine-scale feeding behaviour of migrating east Australian humpback whales. *Marine Ecology Progress Series*, 541, 231-244.
- Owfi, F., Braulik, G. T., & Rabbaniha, M. (2016). Species diversity and distribution pattern of marine mammals of the Persian Gulf and Gulf of Oman - Iranian Waters. *Iranian Journal of Fisheries Sciences*, 15(2), 927-944.

- Oyster, J. H., Keren, I. N., Hansen, S. J. K., & Harris, R. B. (2018). Hierarchical Mark-Recapture Distance Sampling to Estimate Moose Abundance. *Journal of Wildlife Management*, 82(8), 1668-1679.
- Ozbilgin, Y. D., Kalecik, E., & Gucu, A. C. (2018). First Record of Humpback Dolphins in Mersin Bay, the Eastern Mediterranean, Turkey. *Turkish Journal of Fisheries and Aquatic Sciences*, 18(1), 187-190.
- Ozturk, B., Tonay, M. A., Oz, M. I., Yilmaz, I. N., Ergul, H. A., & Ozturk, A. A. (2017). Sightings of cetaceans in the Western Antarctic Peninsula during the first joint Turkish-Ukrainian Antarctic Research Expedition, 2016. *Turkish Journal of Zoology*, 41(5), 955-961.
- Pabst, D. A., McLellan, W. A., & Rommel, S. A. (2016). How to Build a Deep Diver: The Extreme Morphology of Mesoplodonts. *Integrative and Comparative Biology*, 56(6), 1337-1348.
- Pace, D. S., Arcangeli, A., Mussi, B., Vivaldi, C., Ledon, C., Lagorio, S., et al. (2018). Habitat suitability modeling in different sperm whale social groups. *Journal of Wildlife Management*, 82(5), 1062-1073.
- Pace, D. S., Giacomini, G., Campana, I., Paraboschi, M., Pellegrino, G., Silvestri, M., et al. (2019). An integrated approach for cetacean knowledge and conservation in the central Mediterranean Sea using research and social media data sources. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 29(8), 1302-1323.
- Pace, D. S., Miragliuolo, A., Mariani, M., Vivaldi, C., & Mussi, B. (2014). Sociality of sperm whale off Ischia Island (Tyrrhenian Sea, Italy). *Aquatic Conservation-Marine and Freshwater Ecosystems*, 24, 71-82.
- Pace, D. S., Mussi, B., Miragliuolo, A., Vivaldi, C., & Ardizzone, G. (2016). First record of a hagfish anchored to a living bottlenose dolphin in the Mediterranean Sea. *Journal of Mammalogy*, 97(3), 960-965.
- Pace, D. S., Pulcini, M., & Triossi, F. (2012). Anthropogenic food patches and association patterns of *Tursiops truncatus* at Lampedusa island, Italy. *Behavioral Ecology*, 23(2), 254-264.
- Pace, R. M., Corkeron, P. J., & Kraus, S. D. (2017). State-space mark-recapture estimates reveal a recent decline in abundance of North Atlantic right whales. *Ecology and Evolution*, 7(21), 8730-8741.
- Pacheco, A. S., Silva, S., & Alcorta, B. (2011). Is it possible to go whale watching off the coast of Peru? A case study of humpback whales. *Latin American Journal of Aquatic Research*, 39(1), 189-196.
- Pacheco, A. S., Silva, S., Alcorta, B., Balducci, N., Guidino, C., Llapapasca, M. A., et al. (2013). Aerial behavior of humpback whales *Megaptera novaeangliae* at the southern limit of the southeast Pacific breeding area. *Revista De Biología Marina Y Oceanografía*, 48(1), 185-191.
- Pacheco, A. S., Silva, S., Alcorta, B., Gubbins, S., Guidino, C., Sanchez-Salazar, F., et al. (2019). Cetacean Diversity Revealed from Whale-Watching Observations in Northern Peru. *Aquatic Mammals*, 45(1), 116-122.
- Pacini, A. F., Nachtigall, P. E., Kloepper, L. N., Linnenschmidt, M., Sogorb, A., & Matias, S. (2010). Audiogram of a formerly stranded long-finned pilot whale (*Globicephala melas*) measured using auditory evoked potentials. *Journal of Experimental Biology*, 213(18), 3138-3143.
- Pack, A. A., Herman, L. M., Craig, A. S., Spitz, S. S., Waterman, J. O., Herman, E. Y. K., et al. (2017). Habitat preferences by individual humpback whale mothers in the Hawaiian breeding grounds vary with the age and size of their calves. *Animal Behaviour*, 133, 131-144.
- Pack, A. A., Herman, L. M., Spitz, S. S., Craig, A. S., Hakala, S., Deakos, M. H., et al. (2012). Size-assortative pairing and discrimination of potential mates by humpback whales in the Hawaiian breeding grounds. *Animal Behaviour*, 84(4), 983-993.

- Pack, A. A., Herman, L. M., Spitz, S. S., Hakala, S., Deakos, M. H., & Herman, E. Y. K. (2009). Male humpback whales in the Hawaiian breeding grounds preferentially associate with larger females. *Animal Behaviour*, 77(3), 653-662.
- Paig-Tran, E. W. M., & Summers, A. P. (2014). Comparison of the Structure and Composition of the Branchial Filters in Suspension Feeding Elasmobranchs. *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 297(4), 701-715.
- Paiva, E. G., Salgado-Kent, C., Gagnon, M. M., Parnum, I., & McCauley, R. (2015). An Assessment of the Effectiveness of High Definition Cameras as Remote Monitoring Tools for Dolphin Ecology Studies. *Plos One*, 10(5).
- Palacios, D. M., Bailey, H., Becker, E. A., Bograd, S. J., DeAngelis, M. L., Forney, K. A., et al. (2019). Ecological correlates of blue whale movement behavior and its predictability in the California Current Ecosystem during the summer-fall feeding season. *Movement Ecology*, 7.
- Palacios, D. M., Baumgartner, M. F., Laidre, K. L., & Gregr, E. J. (2013). Beyond correlation: integrating environmentally and behaviourally mediated processes in models of marine mammal distributions. *Endangered Species Research*, 22(3), 191-203.
- Palmer, K. J., Brookes, K., & Rendell, L. (2017). Categorizing click trains to increase taxonomic precision in echolocation click loggers. *Journal of the Acoustical Society of America*, 142(2), 863-877.
- Palmer, K. J., Brookes, K. L., Davies, I. M., Edwards, E., & Rendell, L. (2019). Habitat use of a coastal delphinid population investigated using passive acoustic monitoring. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 29, 254-270.
- Palsboll, P. J. (1999). Genetic tagging: contemporary molecular ecology. *Biological Journal of the Linnean Society*, 68(1-2), 3-22.
- Palsboll, P. J., Allen, J., Berube, M., Clapham, P. J., Feddersen, T. P., Hammond, P. S., et al. (1997). Genetic tagging of humpback whales. *Nature*, 388(6644), 767-769.
- Palsboll, P. J., Berube, M., Aguilar, A., Notarbartolo-Di-Sciara, G., & Nielsen, R. (2004). Discerning between recurrent gene flow and recent divergence under a finite-site mutation model applied to North Atlantic and Mediterranean Sea fin whale (*Balaenoptera physalus*) populations. *Evolution*, 58(3), 670-675.
- Panicker, D., Sutaria, D., Kumar, A., & Stafford, K. M. (2020). Cetacean Distribution and Diversity in Lakshadweep Waters, India, Using a Platform of Opportunity: October 2015 to April 2016. *Aquatic Mammals*, 46(1), 80-92.
- Panigada, S., Donovan, G. P., Druon, J. N., Lauriano, G., Pierantonio, N., Pirota, E., et al. (2017). Satellite tagging of Mediterranean fin whales: working towards the identification of critical habitats and the focussing of mitigation measures. *Scientific Reports*, 7.
- Panigada, S., Lauriano, G., Donovan, G., Pierantonio, N., Canadas, A., Vazquez, J. A., et al. (2017). Estimating cetacean density and abundance in the Central and Western Mediterranean Sea through aerial surveys: Implications for management. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 141, 41-58.
- Panigada, S., Zanardelli, M., Canese, S., & Jahoda, M. (1999). How deep can baleen whales dive? *Marine Ecology Progress Series*, 187, 309-311.
- Panigada, S., Zanardelli, M., MacKenzie, M., Donovan, C., Melin, F., & Hammond, P. S. (2008). Modelling habitat preferences for fin whales and striped dolphins in the Pelagos Sanctuary (Western Mediterranean Sea) with physiographic and remote sensing variables. *Remote Sensing of Environment*, 112(8), 3400-3412.

- Panova, E., Agafonov, A., Belikov, R., & Melnikova, F. (2019). Characteristics and microgeographic variation of whistles from the vocal repertoire of beluga whales (*Delphinapterus leucas*) from the White Sea. *Journal of the Acoustical Society of America*, 146(1), 681-692.
- Panova, E. M., Belikov, R. A., Agafonov, A. V., & Bel'kovich, V. M. (2012). The relationship between the behavioral activity and the underwater vocalization of the beluga whale (*Delphinapterus leucas*). *Oceanology*, 52(1), 79-87.
- Pansard, K. C. A., Gurgel, H. D. B., Andrade, L. C. D., & Yamamoto, M. E. (2011). Feeding ecology of the estuarine dolphin (*Sotalia guianensis*) on the coast of Rio Grande do Norte, Brazil. *Marine Mammal Science*, 27(4), 673-687.
- Papale, E., Alonge, G., Caruso, F., Grammauta, R., Mazzola, S., Mussi, B., et al. The higher, the closer, the better? Influence of sampling frequency and distance on the acoustic properties of short-beaked common dolphins burst pulses in the Mediterranean Sea. *Aquatic Conservation-Marine and Freshwater Ecosystems*.
- Papale, E., Azzolin, M., Cascao, I., Gannier, A., Lammers, M. O., Martin, V. M., et al. (2013). Geographic variability in the acoustic parameters of striped dolphin's (*Stenella coeruleoalba*) whistles. *Journal of the Acoustical Society of America*, 133(2), 1126-1134.
- Papale, E., Azzolin, M., Cascao, I., Gannier, A., Lammers, M. O., Martin, V. M., et al. (2014a). Acoustic divergence between bottlenose dolphin whistles from the Central-Eastern North Atlantic and Mediterranean Sea. *Acta Ethologica*, 17(3), 155-165.
- Papale, E., Azzolin, M., Cascao, I., Gannier, A., Lammers, M. O., Martin, V. M., et al. (2014b). Macro- and micro-geographic variation of short-beaked common dolphin's whistles in the Mediterranean Sea and Atlantic Ocean. *Ethology Ecology & Evolution*, 26(4), 392-404.
- Papale, E., Azzolin, M., & Giacoma, C. (2012). Vessel traffic affects bottlenose dolphin (*Tursiops truncatus*) behaviour in waters surrounding Lampedusa Island, south Italy. *Journal of the Marine Biological Association of the United Kingdom*, 92(8), 1877-1885.
- Papale, E., Buffa, G., Filiciotto, F., Maccarrone, V., Mazzola, S., Ceraulo, M., et al. (2015). Biphonic calls as signature whistles in a free-ranging bottlenose dolphin. *Bioacoustics-the International Journal of Animal Sound and Its Recording*, 24(3), 223-231.
- Papale, E., Gamba, M., Perez-Gil, M., Martin, V. M., & Giacoma, C. (2015). Dolphins Adjust Species-Specific Frequency Parameters to Compensate for Increasing Background Noise. *Plos One*, 10(4).
- Papastavrou, V., Leaper, R., & Lavigne, D. (2017). Why management decisions involving marine mammals should include animal welfare. *Marine Policy*, 79, 19-24.
- Paquet, D., Haycock, C., & Whitehead, H. (1997). Seasonal occurrence of Humpback Whales, *Megaptera novaeangliae*, off Brier Island, Nova Scotia. *Canadian Field-Naturalist*, 111(4), 548-552.
- Parada, P. P., & Cardenal-Lopez, A. (2014). Using Gaussian mixture models to detect and classify dolphin whistles and pulses. *Journal of the Acoustical Society of America*, 135(6), 3371-3380.
- Paradell, O. G., Lopez, B. D., & Methion, S. (2019). Modelling common dolphin (*Delphinus delphis*) coastal distribution and habitat use: Insights for conservation. *Ocean & Coastal Management*, 179.
- Parambanchary, D., & Rao, V. M. (2020). WOA-NN: a decision algorithm for vertical handover in heterogeneous networks. *Wireless Networks*, 26(1), 165-180.

- Pardo, M. A., Gerrodette, T., Beier, E., Gendron, D., Forney, K. A., Chivers, S. J., et al. (2015). Inferring Cetacean Population Densities from the Absolute Dynamic Topography of the Ocean in a Hierarchical Bayesian Framework. *Plos One*, 10(3).
- Pardo, M. A., Silverberg, N., Gendron, D., Beier, E., & Palacios, D. M. (2013). Role of environmental seasonality in the turnover of a cetacean community in the southwestern Gulf of California. *Marine Ecology Progress Series*, 487, 245-260.
- Pardo-Perez, J. M., Kear, B. P., Mallison, H., Gomez, M., Moroni, M., & Maxwell, E. E. (2018). Pathological survey on *Temnodontosaurus* from the Early Jurassic of southern Germany. *Plos One*, 13(10).
- Pardo-Perez, J. M., Kear, B. P., & Maxwell, E. E. (2020). Skeletal pathologies track body plan evolution in ichthyosaurs. *Scientific Reports*, 10(1).
- Pardue, M. T., Sivak, J. G., & Kovacs, K. M. (1993). CORNEAL ANATOMY OF MARINE MAMMALS. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 71(11), 2282-2290.
- Parish, T. R., Rahn, D. A., & Leon, D. (2016). Research Aircraft Determination of D-Value Cross Sections. *Journal of Atmospheric and Oceanic Technology*, 33(2), 391-396.
- Parisi, I., de Vincenzi, G., Torri, M., Papale, E., Mazzola, S., Bonanno, A., et al. (2017). Underwater vocal complexity of Arctic seal *Erignathus barbatus* in Kongsfjorden (Svalbard). *Journal of the Acoustical Society of America*, 142(5), 3104-3115.
- Parker-Stetter, S. L., Horne, J. K., & Weingartner, T. J. (2011). Distribution of polar cod and age-0 fish in the US Beaufort Sea. *Polar Biology*, 34(10), 1543-1557.
- Parkington, J., Fisher, J. W., Poggenpoel, C., & Kyriacou, K. (2014). Strandloping as a Resource-Gathering Strategy in the Cape, South African Holocene Later Stone Age: The Verloren Vlei Record. *Journal of Island & Coastal Archaeology*, 9(2), 219-237.
- Parks, S. E. (2003). Response of North Atlantic right whales (*Eubalaena glacialis*) to playback of calls recorded from surface active groups in both the North and South Atlantic. *Marine Mammal Science*, 19(3), 563-580.
- Parks, S. E., Brown, M. W., Conger, L. A., Hamilton, P. K., Knowlton, A. R., Kraus, S. D., et al. (2007). Occurrence, composition, and potential functions of North Atlantic right whale (*Eubalaena glacialis*) surface active groups. *Marine Mammal Science*, 23(4), 868-887.
- Parks, S. E., Cusano, D. A., Stimpert, A. K., Weinrich, M. T., Friedlaender, A. S., & Wiley, D. N. (2014). Evidence for acoustic communication among bottom foraging humpback whales. *Scientific Reports*, 4.
- Parks, S. E., Cusano, D. A., Van Parijs, S. M., & Nowacek, D. P. (2019). Acoustic crypsis in communication by North Atlantic right whale mother-calf pairs on the calving grounds. *Biology Letters*, 15(10).
- Parks, S. E., Groch, K., Flores, P., Sousa-Lima, R., & Urazghildiiev, I. R. (2016). Humans, Fish, and Whales: How Right Whales Modify Calling Behavior in Response to Shifting Background Noise Conditions. In A. N. Popper & A. Hawkins (Eds.), *Effects of Noise on Aquatic Life II* (Vol. 875, pp. 809-813).
- Parks, S. E., Hamilton, P. K., Kraus, S. D., & Tyack, P. L. (2005). The gunshot sound produced by male North Atlantic right whales (*Eubalaena glacialis*) and its potential function in reproductive advertisement. *Marine Mammal Science*, 21(3), 458-475.
- Parks, S. E., Hotchkiss, C. F., Cortopassi, K. A., & Clark, C. W. (2012). Characteristics of gunshot sound displays by North Atlantic right whales in the Bay of Fundy. *Journal of the Acoustical Society of America*, 131(4), 3173-3179.

- Parks, S. E., Miksis-Olds, J. L., & Denes, S. L. (2014). Assessing marine ecosystem acoustic diversity across ocean basins. *Ecological Informatics*, 21, 81-88.
- Parks, S. E., & Tyack, P. L. (2005). Sound production by North Atlantic right whales (*Eubalaena glacialis*) in surface active groups. *Journal of the Acoustical Society of America*, 117(5), 3297-3306.
- Parks, S. E., Urazghildiiev, I., & Clark, C. W. (2009). Variability in ambient noise levels and call parameters of North Atlantic right whales in three habitat areas. *Journal of the Acoustical Society of America*, 125(2), 1230-1239.
- Parks, S. E., Warren, J. D., Stamieszkin, K., Mayo, C. A., & Wiley, D. (2012). Dangerous dining: surface foraging of North Atlantic right whales increases risk of vessel collisions. *Biology Letters*, 8(1), 57-60.
- Parra, G. J. (2006). Resource partitioning in sympatric delphinids: Space use and habitat preferences of Australian snubfin and Indo-Pacific humpback dolphins. *Journal of Animal Ecology*, 75(4), 862-874.
- Parra, G. J. (2007). Observations of an Indo-Pacific humpback dolphin carrying a sponge: object play or tool use? *Mammalia*, 71(3), 147-149.
- Parra, G. J., Corkeron, P. J., & Arnold, P. (2011). Grouping and fission-fusion dynamics in Australian snubfin and Indo-Pacific humpback dolphins. *Animal Behaviour*, 82(6), 1423-1433.
- Parrott, L., Chion, C., Martins, C. C. A., Lamontagne, P., Turgeon, S., Landry, J. A., et al. (2011). A decision support system to assist the sustainable management of navigation activities in the St. Lawrence River Estuary, Canada. *Environmental Modelling & Software*, 26(12), 1403-1418.
- Parsons, K. M., Balcomb, K. C., Ford, J. K. B., & Durban, J. W. (2009). The social dynamics of southern resident killer whales and conservation implications for this endangered population. *Animal Behaviour*, 77(4), 963-971.
- Parsons, K. M., Durban, J. W., Burdin, A. M., Burkanov, V. N., Pitman, R. L., Barlow, J., et al. (2013). Geographic Patterns of Genetic Differentiation among Killer Whales in the Northern North Pacific. *Journal of Heredity*, 104(6), 737-+.
- Parsons, K. M., Durban, J. W., Claridge, D. E., Herzing, D. L., Balcomb, K. C., & Noble, L. R. (2006). Population genetic structure of coastal bottlenose dolphins (*Tursiops truncatus*) in the Northern Bahamas. *Marine Mammal Science*, 22(2), 276-298.
- Parsons, M. J. G., Holley, D., & McCauley, R. D. (2013). Source levels of dugong (*Dugong dugon*) vocalizations recorded in Shark Bay. *Journal of the Acoustical Society of America*, 134(3), 2582-2588.
- Paschoalini, V. U., & Santos, M. C. D. (2020). Movements and habitat use of bottlenose dolphins, *Tursiops truncatus*, in south-eastern Brazil. *Journal of the Marine Biological Association of the United Kingdom*, 100(4), 651-662.
- Passadore, C., Domingo, A., & Secchi, E. R. (2015). Analysis of marine mammal bycatch in the Uruguayan pelagic longline fishery operating in the Southwestern Atlantic Ocean. *Ices Journal of Marine Science*, 72(5), 1637-1652.
- Passadore, C., Domingo, A., Szephegyi, M., & Secchi, E. R. (2014). Influence of environmental and longline fishing operational variables on the presence of killer whales (*Orcinus orca*) in south-western Atlantic. *Journal of the Marine Biological Association of the United Kingdom*, 94(6), 1267-1276.
- Passadore, C., Moller, L., Diaz-Aguirre, F., & Parra, G. J. (2017). Demography of southern Australian bottlenose dolphins living in a protected inverse estuary. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 27(6), 1186-1197.
- Passadore, C., Moller, L., Diaz-Aguirre, F., & Parra, G. J. (2018). High site fidelity and restricted ranging patterns in southern Australian bottlenose dolphins. *Ecology and Evolution*, 8(1), 242-256.

- Pastene, L. A., & Goto, M. (2016). Genetic characterization and population genetic structure of the Antarctic minke whale *Balaenoptera bonaerensis* in the Indo-Pacific region of the Southern Ocean. *Fisheries Science*, 82(6), 873-886.
- Pastorino, G. Q., Christodoulides, Y., Curone, G., Pearce-Kelly, P., Faustini, M., Albertini, M., et al. (2017). Behavioural Profiles of Brown and Sloth Bears in Captivity. *Animals*, 7(5).
- Patel, S., Thompson, K. F., Santure, A. W., Constantine, R., & Millar, C. D. (2017). Genetic Kinship Analyses Reveal That Gray's Beaked Whales Strand in Unrelated Groups. *Journal of Heredity*, 108(4), 456-461.
- Patenaude, N. J., Richardson, W. J., Smultea, M. A., Koski, W. R., Miller, G. W., Wursig, B., et al. (2002). Aircraft sound and disturbance to bowhead and beluga whales during spring migration in the Alaskan Beaufort Sea. *Marine Mammal Science*, 18(2), 309-335.
- Paterson, W., Sparling, C. E., Thompson, D., Pomeroy, P. P., Currie, J. I., & McCafferty, D. J. (2012). Seals like it hot: Changes in surface temperature of harbour seals (*Phoca vitulina*) from late pregnancy to moult. *Journal of Thermal Biology*, 37(6), 454-461.
- Pathak, V. K., & Singh, A. K. (2017). Accuracy control of contactless laser sensor system using whale optimization algorithm and moth-flame optimization. *Tm-Technisches Messen*, 84(11), 734-746.
- Pati, A. K., & Sahoo, N. C. (2019). A novel power quality enhancement scheme for three-phase differential boost inverter-based grid-connected photovoltaic system with repetitive and feedback linearizing control. *International Transactions on Electrical Energy Systems*, 29(5).
- Patrician, M. R., & Kenney, R. D. (2010). Using the Continuous Plankton Recorder to investigate the absence of North Atlantic right whales (*Eubalaena glacialis*) from the Roseway Basin foraging ground. *Journal of Plankton Research*, 32(12), 1685-1695.
- Paudel, S., Pal, P., Cove, M. V., Jnawali, S. R., Abel, G., Koprowski, J. L., et al. (2015). The Endangered Ganges River dolphin *Platanista gangetica gangetica* in Nepal: abundance, habitat and conservation threats. *Endangered Species Research*, 29(1), 59-68.
- Pavanato, H. J., Wedekin, L. L., Guilherme-Silveira, F. R., Engel, M. H., & Kinas, P. G. (2017). Estimating humpback whale abundance using hierarchical distance sampling. *Ecological Modelling*, 358, 10-18.
- Pavlov, V. V. (2003). Wing design and morphology of the harbor porpoise dorsal fin. *Journal of Morphology*, 258(3), 284-295.
- Pavlov, V. V., & Rashad, A. M. (2012). A non-invasive dolphin telemetry tag: Computer design and numerical flow simulation. *Marine Mammal Science*, 28(1), E16-E27.
- Pavlov, V. V., Wilson, R. P., & Lucke, K. (2007). A new approach to tag design in dolphin telemetry: Computer simulations to minimise deleterious effects. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 54(3-4), 404-414.
- Paxton, K. L., Sebastian-Gonzalez, E., Hite, J. M., Crampton, L. H., Kuhn, D., & Hart, P. J. (2019). Loss of cultural song diversity and the convergence of songs in a declining Hawaiian forest bird community. *Royal Society Open Science*, 6(8).
- Pazol, K. (2003). Mating in the kakamega forest blue monkeys (*Cercopithecus mitis*): Does female sexual behavior function to manipulate paternity assessment? *Behaviour*, 140, 473-499.
- Pearce, A. F., & Feng, M. (2013). The rise and fall of the "marine heat wave" off Western Australia during the summer of 2010/2011. *Journal of Marine Systems*, 111, 139-156.

Pearson, E., Mellish, S., Sanders, B., & Litchfield, C. (2014). Marine wildlife entanglement: Assessing knowledge, attitudes, and relevant behaviour in the Australian community. *Marine Pollution Bulletin*, 89(1-2), 136-148.

Pearson, H. C. (2011). Sociability of Female Bottlenose Dolphins (*Tursiops* spp.) and Chimpanzees (*Pan troglodytes*): Understanding Evolutionary Pathways Toward Social Convergence. *Evolutionary Anthropology*, 20(3), 85-95.

Pearson, H. C., Jones, P. W., Brandon, T. P., Stockin, K. A., & Machovsky-Capuska, G. E. (2019). A biologging perspective to the drivers that shape gregariousness in dusky dolphins. *Behavioral Ecology and Sociobiology*, 73(11).

Pearson, H. C., Jones, P. W., Srinivasan, M., Lundquist, D., Pearson, C. J., Stockin, K. A., et al. (2017). Testing and deployment of C-VISS (cetacean-borne video camera and integrated sensor system) on wild dolphins. *Marine Biology*, 164(3).

Pearson, H. C., Vaughn-Hirshorn, R. L., Srinivasan, M., & Wursig, B. (2012). Avoidance of mussel farms by dusky dolphins (*Lagenorhynchus obscurus*) in New Zealand. *New Zealand Journal of Marine and Freshwater Research*, 46(4), 567-574.

Pearson, N. J., Gingras, M. K., Armitage, I. A., & Pemberton, S. G. (2007). Significance of Atlantic sturgeon feeding excavations, Mary's Point, Bay of Fundy, New Brunswick, Canada. *Palaios*, 22(5), 457-464.

Pearson, R. M., van de Merwe, J. P., & Connolly, R. M. (2020). Global oxygen isoscapes for barnacle shells: Application for tracing movement in oceans. *Science of the Total Environment*, 705.

Pearson, T., & Clarke, J. A. (2019). Urban noise and grey-headed flying-fox vocalisations: evidence of the silentium effect. *Urban Ecosystems*, 22(2), 271-280.

Peckarsky, B. L., Abrams, P. A., Bolnick, D. I., Dill, L. M., Grabowski, J. H., Luttbeg, B., et al. (2008). Revisiting the classics: Considering nonconsumptive effects in textbook examples of predator-prey interactions. *Ecology*, 89(9), 2416-2425.

Pedersen, M. B., Fahlman, A., Borque-Espinosa, A., Madsen, P. T., & Jensen, F. H. (2020). Whistling is metabolically cheap for communicating bottlenose dolphins (*Tursiops truncatus*). *Journal of Experimental Biology*, 223(1).

Pedrero, Z., Donard, O. F. X., & Amouroux, D. (2016). Pushing back the frontiers of mercury speciation using a combination of biomolecular and isotopic signatures: challenge and perspectives. *Analytical and Bioanalytical Chemistry*, 408(11), 2641-2648.

Pedro, S., Boba, C., Dietz, R., Sonne, C., Rosing-Asvid, A., Hansen, M., et al. (2017). Blubber-depth distribution and bioaccumulation of PCBs and organochlorine pesticides in Arctic-invading killer whales. *Science of the Total Environment*, 601, 237-246.

Pedulla, E., Benites, A., La Rosa, G. M., Plotino, G., Grande, N. M., Rapisarda, E., et al. (2018). Cyclic Fatigue Resistance of Heat-treated Nickel-titanium Instruments after Immersion in Sodium Hypochlorite and/or Sterilization. *Journal of Endodontics*, 44(4), 648-653.

Pedulla, E., Lo Savio, F., Boninelli, S., Plotino, G., Grande, N. M., La Rosa, G., et al. (2016). Torsional and Cyclic Fatigue Resistance of a New Nickel-Titanium Instrument Manufactured by Electrical Discharge Machining. *Journal of Endodontics*, 42(1), 156-159.

Pedulla, E., Lo Savio, F., Boninelli, S., Plotino, G., Grande, N. M., Rapisarda, E., et al. (2015). Influence of cyclic torsional preloading on cyclic fatigue resistance of nickel - titanium instruments. *International Endodontic Journal*, 48(11), 1043-1050.

- Peel, D., Miller, B. S., Kelly, N., Dawson, S., Slooten, E., & Double, M. C. (2014). A Simulation Study of Acoustic-Assisted Tracking of Whales for Mark-Recapture Surveys. *Plos One*, 9(5).
- Peklova, I., Hussey, N. E., Hedges, K. J., Treble, M. A., & Fisk, A. T. (2012). Depth and temperature preferences of the deepwater flatfish Greenland halibut *Reinhardtius hippoglossoides* in an Arctic marine ecosystem. *Marine Ecology Progress Series*, 467, 193-205.
- Peltier, H., Authier, M., Deaville, R., Dabin, W., Jepson, P. D., van Canneyt, O., et al. (2016). Small cetacean bycatch as estimated from stranding schemes: The common dolphin case in the northeast Atlantic. *Environmental Science & Policy*, 63, 7-18.
- Peltier, H., & Ridoux, V. (2015). Marine megavertebrates adrift: A framework for the interpretation of stranding data in perspective of the European Marine Strategy Framework Directive and other regional agreements. *Environmental Science & Policy*, 54, 240-247.
- Penaherrera-Palma, C., van Putten, I., Karpievitch, Y. V., Frusher, S., Llerena-Martillo, Y., Hearn, A. R., et al. (2018). Evaluating abundance trends of iconic species using local ecological knowledge. *Biological Conservation*, 225, 197-207.
- Pendleton, D. E., Pershing, A. J., Brown, M. W., Mayo, C. A., Kenney, R. D., Record, N. R., et al. (2009). Regional-scale mean copepod concentration indicates relative abundance of North Atlantic right whales. *Marine Ecology Progress Series*, 378, 211-225.
- Pendoley, K. L., Schofield, G., Whittock, P. A., Ierodiaconou, D., & Hays, G. C. (2014). Protected species use of a coastal marine migratory corridor connecting marine protected areas. *Marine Biology*, 161(6), 1455-1466.
- Peng, Q. M., Hui, L., Wang, K. M., & Chang, L. C. (2020). Effectiveness analysis of an IoT mechanism in support of monitoring Chinese white dolphins by simulation model. *Journal of Supercomputing*, 76(5), 3847-3865.
- Pennino, M. G., Merigot, B., Fonseca, V. P., Monni, V., & Rotta, A. (2017). Habitat modeling for cetacean management: Spatial distribution in the southern Pelagos Sanctuary (Mediterranean Sea). *Deep-Sea Research Part I: Topical Studies in Oceanography*, 141, 203-211.
- Pennino, M. G., Roda, M. A. P., Pierce, G. J., & Rotta, A. (2016). Effects of vessel traffic on relative abundance and behaviour of cetaceans: the case of the bottlenose dolphins in the Archipelago de La Maddalena, north-western Mediterranean sea. *Hydrobiologia*, 776(1), 237-248.
- Penny, D., Hasegawa, M., Waddell, P. J., & Hendy, M. D. (1999). Mammalian evolution: Timing and implications from using the LogDeterminant transform for proteins of differing amino acid composition. *Systematic Biology*, 48(1), 76-93.
- Penry, G. S., Baartman, A. C., & Bester, M. N. (2013). Vagrant elephant seal predation on Cape fur seal pups, Plettenberg Bay, South Africa. *Polar Biology*, 36(9), 1381-1383.
- Penry, G. S., Cockcroft, V. G., & Hammond, P. S. (2011). Seasonal fluctuations in occurrence of inshore Bryde's whales in Plettenberg Bay, South Africa, with notes on feeding and multispecies associations. *African Journal of Marine Science*, 33(3), 403-414.
- Peredo, C. M., Peredo, J. S., & Pyenson, N. D. (2018). Convergence on dental simplification in the evolution of whales. *Paleobiology*, 44(3), 434-443.
- Peredo, C. M., & Pyenson, N. D. (2018). *Salishicetus meadi*, a new aetiocetid from the late Oligocene of Washington State and implications for feeding transitions in early mysticete evolution. *Royal Society Open Science*, 5(4).

- Peredo, C. M., & Uhen, M. D. (2016). Exploration of marine mammal paleogeography in the Northern Hemisphere over the Cenozoic using beta diversity. *Palaeogeography Palaeoclimatology Palaeoecology*, 449, 227-235.
- Pereira, J. (2008). Daily species checklist from whale-watching - studying the research potential with an Azorean case study. *Journal of the Marine Biological Association of the United Kingdom*, 88(6), 1283-1288.
- Pereira, J. N., Neves, V. C., Prieto, R., Silva, M. A., Cascao, I., Oliveira, C., et al. (2011). Diet of mid-Atlantic Sowerby's beaked whales *Mesoplodon bidens*. *Deep-Sea Research Part I-Oceanographic Research Papers*, 58(11), 1084-1090.
- Perera, L. D., & Ilangakoon, A. D. (2016). Results of the first systematic boat-based seabird survey in Sri Lanka. *Forktail*(32), 58-61.
- Perez, A. R., Alves, F. R. F., Marceliano-Alves, M. F., Provenzano, J. C., Goncalves, L. S., Neves, A. A., et al. (2018). Effects of increased apical enlargement on the amount of unprepared areas and coronal dentine removal: a micro-computed tomography study. *International Endodontic Journal*, 51(6), 684-690.
- Perez, J. A. A., & Wahrlich, R. (2005). A bycatch assessment of the gillnet monkfish *Lophius gastrophysus* fishery off southern Brazil. *Fisheries Research*, 72(1), 81-95.
- Perez, J. M., Jensen, F. H., Rojano-Donate, L., & Aguilar de Soto, N. (2017). Different modes of acoustic communication in deep-diving short-finned pilot whales (*Globicephala macrorhynchus*). *Marine Mammal Science*, 33(1), 59-79.
- Perez-Alvarez, M. J., Alvarez, E., Aguayo-Lobo, A., & Olavarria, C. (2007). Occurrence and distribution of Chilean dolphin (*Cephalorhynchus eutropia*) in coastal waters of central Chile. *New Zealand Journal of Marine and Freshwater Research*, 41(4), 405-409.
- Perez-Alvarez, M. J., Vasquez, R. A., Moraga, R., Santos-Carvalho, M., Kraft, S., Sabaj, V., et al. (2018). Home sweet home: social dynamics and genetic variation of a long-term resident bottlenose dolphin population off the Chilean coast. *Animal Behaviour*, 139, 81-89.
- Perez-Enriquez, R., & Taniguchi, N. (1999). Use of microsatellite DNA as genetic tags for the assessment of a stock enhancement program of red sea bream. *Fisheries Science*, 65(3), 374-379.
- Perez-Jorge, S., Gomes, I., Hayes, K., Corti, G., Louzao, M., Genovart, M., et al. (2016). Effects of nature-based tourism and environmental drivers on the demography of a small dolphin population. *Biological Conservation*, 197, 200-208.
- Perez-Jorge, S., Tobena, M., Prieto, R., Vandeperre, F., Calmettes, B., Lehodey, P., et al. (2020). Environmental drivers of large-scale movements of baleen whales in the mid-North Atlantic Ocean. *Diversity and Distributions*, 26(6), 683-698.
- Perez-Lorenzo, J. M., Viciana-Abad, R., Reche-Lopez, P., Rivas, F., & Escolano, J. (2012). Evaluation of generalized cross-correlation methods for direction of arrival estimation using two microphones in real environments. *Applied Acoustics*, 73(8), 698-712.
- Perez-Puig, H., Heckel, G., & Breiwick, J. M. (2017). Abundance estimation of gray whale (*Eschrichtius robustus*) calves from shore-based surveys undertaken near Ensenada, Baja California, Mexico, 2004-2006. *Marine Mammal Science*, 33(2), 593-610.
- Perez-Vallazza, C., Alvarez-Vazquez, R., Cardona, L., Pintado, C., & Hernandez-Brito, J. (2008). Cetacean diversity at the west coast of La Palma Island (Canary Islands). *Journal of the Marine Biological Association of the United Kingdom*, 88(6), 1289-1296.

- Peri, E., Collareta, A., Insacco, G., & Bianucci, G. (2019). An Inticetus-like (Cetacea: Odontoceti) postcanine tooth from the Pietra leccese (Miocene, southeastern Italy) and its palaeobiogeographical implications. *Neues Jahrbuch Fur Geologie Und Palaontologie-Abhandlungen*, 291(2), 221-228.
- Peri, E., Gingerich, P. D., Aringhieri, G., & Bianucci, G. Reduction of olfactory and respiratory turbinates in the transition of whales from land to sea: the semiaquatic middle Eocene *Aegyptocetus tarfa*. *Journal of Anatomy*.
- Periago, D. R., Scarfe, W. C., Moshiri, M., Scheetz, J. P., Silveira, A. M., & Farman, A. G. (2008). Linear accuracy and reliability of cone beam CT derived 3-dimensional images constructed using an orthodontic volumetric rendering program. *Angle Orthodontist*, 78(3), 387-395.
- Perish, S. T., Kelty-Stephen, D. G., Hajnal, A., Houser, D., & Kuczaj, S. A. (2016). Fractal scaling in bottlenose dolphin (*Tursiops truncatus*) echolocation: A case study. *Physica a-Statistical Mechanics and Its Applications*, 443, 221-230.
- Permyakov, P. A., & Burkanov, V. N. (2009). Interactions between killer whales (*Orcinus orca*) and Steller sea lions (*Eumetopias jubatus*) in the vicinity of Brat Chirpoev Island, Kuril Islands. *Russian Journal of Marine Biology*, 35(3), 255-258.
- Peron, G., Bonenfant, C., Lemaitre, J. F., Ronget, V., Tidiere, M., & Gaillard, J. M. (2019). Does grandparental care select for a longer lifespan in non-human mammals? *Biological Journal of the Linnean Society*, 128(2), 360-372.
- Perrin, W. F., Schnell, G. D., Hough, D. J., Gilpatrick, J. W., & Kashiwada, J. V. (1994). REEXAMINATION OF GEOGRAPHIC-VARIATION IN CRANIAL MORPHOLOGY OF THE PANTROPICAL SPOTTED DOLPHIN, *STENELLA-ATTENUATA*, IN THE EASTERN PACIFIC. *Fishery Bulletin*, 92(2), 324-346.
- Perrtree, R. M., Kovacs, C. J., & Cox, T. M. (2014). Standardization and application of metrics to quantify human-interaction behaviors by the bottlenose dolphin (*Tursiops* spp.). *Marine Mammal Science*, 30(4), 1320-1334.
- Perrtree, R. M., Sayigh, L. S., Williford, A., Bocconcelli, A., Curran, M. C., & Cox, T. M. (2016). First observed wild birth and acoustic record of a possible infanticide attempt on a common bottlenose dolphin (*Tursiops truncatus*). *Marine Mammal Science*, 32(1), 376-385.
- Perryman, W. L., Donahue, M. A., Laake, J. L., & Martin, T. E. (1999). Diel variation in migration rates of eastern Pacific gray whales measured with thermal imaging sensors. *Marine Mammal Science*, 15(2), 426-445.
- Perryman, W. L., Donahue, M. A., Perkins, P. C., & Reilly, S. B. (2002). Gray whale calf production 1994-2000: Are observed fluctuations related to changes in seasonal ice cover? *Marine Mammal Science*, 18(1), 121-144.
- Pervushin, A. S. (1968). OBSERVATIONS OF BEHAVIOR AND FEEDING OF WHALEBONE WHALES IN AREA OF CROZET ISLANDS. *Oceanology-Ussr*, 8(1), 110-+.
- Pesce, A., Nardini, M., Dewilde, S., Capece, L., Marti, M. A., Congia, S., et al. (2011). Ligand Migration in the Apolar Tunnel of *Cerebratulus lacteus* Mini-Hemoglobin. *Journal of Biological Chemistry*, 286(7), 5347-5358.
- Peterman, R. J., Jiang, S. Y., Johe, R., & Mukherjee, P. M. (2016). Accuracy of Dolphin visual treatment objective (VTO) prediction software on class III patients treated with maxillary advancement and mandibular setback. *Progress in Orthodontics*, 17.
- Peters, S. E., Antar, M. S. M., Zalmout, I. S., & Gingerich, P. D. (2009). SEQUENCE STRATIGRAPHIC CONTROL ON PRESERVATION OF LATE EOCENE WHALES AND OTHER VERTEBRATES AT WADI AL-HITAN, EGYPT. *Palaios*, 24(5-6), 290-302.
- Petersen, M. S., Weihe, P., Choi, A., & Grandjean, P. (2008). Increased prenatal exposure to methylmercury does not affect the risk of Parkinson's disease. *Neurotoxicology*, 29(4), 591-595.

- Petersen, S. D., Hainstock, M., & Wilson, P. J. (2010). Population Genetics of Hudson Bay Marine Mammals: Current Knowledge and Future Risks.
- Peterson, M. J., & Hanselman, D. (2017). Sablefish mortality associated with whale depredation in Alaska. *Ices Journal of Marine Science*, 74(5), 1382-1394.
- Peterson, M. J., Mueter, F., Hanselman, D., Lunsford, C., Matkin, C., & Fearnbach, H. (2013). Killer whale (*Orcinus orca*) depredation effects on catch rates of six groundfish species: implications for commercial longline fisheries in Alaska. *Ices Journal of Marine Science*, 70(6), 1220-1232.
- Petrella, V., Martinez, E., Anderson, M. G., & Stockin, K. A. (2012). Whistle characteristics of common dolphins (*Delphinus sp.*) in the Hauraki Gulf, New Zealand. *Marine Mammal Science*, 28(3), 479-496.
- Petrich, J. W., Lambry, J. C., Kuczera, K., Karplus, M., Poyart, C., & Martin, J. L. (1991). LIGAND-BINDING AND PROTEIN RELAXATION IN HEME-PROTEINS - A ROOM-TEMPERATURE ANALYSIS OF NO GEMINATE RECOMBINATION. *Biochemistry*, 30(16), 3975-3987.
- Petrochenko, S. P., Potapov, A. S., & Pryadko, V. V. (1991). SOUNDS, SOURCE LEVELS, AND BEHAVIOR OF GRAY WHALES IN THE CHUKOTSKOE SEA. *Soviet Physics Acoustics-Ussr*, 37(6), 622-624.
- Peverell, S. C., McPherson, R., Garrett, R. N., & Gribble, N. A. (2006). New records of the River Shark Glyphis (*Carcharhinidae*) reported from Cape York Peninsula, northern Australia. *Zootaxa*(1233), 53-68.
- Pfeiffer, C. J. (1993). NEURAL AND MUSCULAR CONTROL FUNCTIONS OF THE GUT IN ODONTOCETES - MORPHOLOGIC EVIDENCE IN BEAKED-WHALES AND BELUGA WHALES. *Journal of Physiology-Paris*, 87(6), 349-354.
- Pfeiffer, C. J., & Rowntree, V. J. (1996). Epidermal ultrastructure of the southern right whale calf (*Eubalaena australis*). *Journal of Submicroscopic Cytology and Pathology*, 28(2), 277-286.
- Phillips, B. E., Venn-Watson, S., Archer, L. L., Nollens, H. H., & Wellehan, J. F. X. (2014). Preliminary Investigation Of Bottlenose Dolphins (*Tursiops truncatus*) for hfe Gene-related Hemochromatosis. *Journal of Wildlife Diseases*, 50(4), 891-895.
- Phillips, M. J., & Fruciano, C. (2018). The soft explosive model of placental mammal evolution. *Bmc Evolutionary Biology*, 18.
- Philpott, E., Englund, A., Ingram, S., & Rogan, E. (2007). Using T-PODs to investigate the echolocation of coastal bottlenose dolphins. *Journal of the Marine Biological Association of the United Kingdom*, 87(1), 11-17.
- Photopoulou, T., Best, P. B., Hammond, P. S., & Findlay, K. P. (2011). Movement patterns of coastal bottlenose dolphins in the presence of a fast-flowing, prevailing current: shore-based observations at Cape Vidal, South Africa. *African Journal of Marine Science*, 33(3), 393-401.
- Phu, J. L., & Palaniappan, P. (2019). Recaptured Wild Green Turtles (*Chelonia mydas*) with Newly Documented Boat Strike Injuries in Mabul Island, Sabah, Malaysia. *Chelonian Conservation and Biology*, 18(2), 265-272.
- Pian, E., Vacanti, G., Tagliaferri, G., Ghisellini, G., Maraschi, L., Treves, A., et al. (1998). BeppoSAX observations of unprecedented synchrotron activity in the BL Lacertae object Markarian 501. *Astrophysical Journal*, 492(1), L17-L20.
- Piatt, J. F., & Methven, D. A. (1992). THRESHOLD FORAGING BEHAVIOR OF BALEEN WHALES. *Marine Ecology Progress Series*, 84(3), 205-210.

- Picanco, C., Carvalho, I., & Brito, C. (2009). Occurrence and distribution of cetaceans in Sao Tome and Principe tropical archipelago and their relation to environmental variables. *Journal of the Marine Biological Association of the United Kingdom*, 89(5), 1071-1076.
- Pichegru, L., Nyengera, R., McInnes, A. M., & Pistorius, P. (2017). Avoidance of seismic survey activities by penguins. *Scientific Reports*, 7.
- Pierce, G. J., Caldas, M., Cedeira, J., Santos, M. B., Llavona, A., Covelo, P., et al. (2010). Trends in cetacean sightings along the Galician coast, north-west Spain, 2003-2007, and inferences about cetacean habitat preferences. *Journal of the Marine Biological Association of the United Kingdom*, 90(8), 1547-1560.
- Pierce, G. J., Santos, M. B., Murphy, S., Learmonth, J. A., Zuur, A. F., Rogan, E., et al. (2008). Bioaccumulation of persistent organic pollutants in female common dolphins (*Delphinus delphis*) and harbour porpoises (*Phocoena phocoena*) from western European seas: Geographical trends, causal factors and effects on reproduction and mortality. *Environmental Pollution*, 153(2), 401-415.
- Pierce, G. J., Santos, M. B., Smeenk, C., Saveliev, A., & Zuur, A. F. (2007). Historical trends in the incidence of strandings of sperm whales (*Physeter macrocephalus*) on North Sea coasts: An association with positive temperature anomalies. *Fisheries Research*, 87(2-3), 219-228.
- Pierce, S. J., Mendez-Jimenez, A., Collins, K., Rosero-Caicedo, M., & Monadjem, A. (2010). Developing a Code of Conduct for whale shark interactions in Mozambique. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 20(7), 782-788.
- Piercey, R. S., Rechsteiner, E. U., Battaile, B. C., & Trites, A. W. (2013). Seasonal Changes in the Food Intake of Captive Pacific White-Sided Dolphins (*Lagenorhynchus obliquidens*). *Aquatic Mammals*, 39(3), 211-220.
- Pierpoint, C., Allan, L., Arnold, H., Evans, P., Perry, S., Wilberforce, L., et al. (2009). Monitoring important coastal sites for bottlenose dolphin in Cardigan Bay, UK. *Journal of the Marine Biological Association of the United Kingdom*, 89(5), 1033-1043.
- Pierszalowski, S. P., Gabriele, C. M., Steel, D. J., Neilson, J. L., Vanselow, P. B. S., Cedarleaf, J. A., et al. (2016). Local recruitment of humpback whales in Glacier Bay and Icy Strait, Alaska, over 30 years. *Endangered Species Research*, 31, 177-189.
- Pikesley, S. K., Agamboue, P. D., Bayet, J. P., Bibang, J. N., Bonguno, E. A., Boussamba, F., et al. (2018). A novel approach to estimate the distribution, density and at-sea risks of a centrally-placed mobile marine vertebrate. *Biological Conservation*, 221, 246-256.
- Pillay, P., & Manger, P. R. (2004). Testing thermogenesis as the basis for the evolution of cetacean sleep phenomenology. *Journal of Sleep Research*, 13(4), 353-358.
- Pimiento, C., & Clements, C. F. (2014). When Did *Carcharocles megalodon* Become Extinct? A New Analysis of the Fossil Record. *Plos One*, 9(10).
- Pimiento, C., MacFadden, B. J., Clements, C. F., Varela, S., Jaramillo, C., Velez-Juarbe, J., et al. (2016). Geographical distribution patterns of *Carcharocles megalodon* over time reveal clues about extinction mechanisms. *Journal of Biogeography*, 43(8), 1645-1655.
- Pine, M. K., Jeffs, A. G., & Radford, C. A. (2014). The cumulative effect on sound levels from multiple underwater anthropogenic sound sources in shallow coastal waters. *Journal of Applied Ecology*, 51(1), 23-30.
- Pine, M. K., Jeffs, A. G., Wang, D., & Radford, C. A. (2016). The potential for vessel noise to mask biologically important sounds within ecologically significant embayments. *Ocean & Coastal Management*, 127, 63-73.

- Pine, M. K., Wang, D., Porter, L., & Wang, K. X. (2018). Investigating the spatiotemporal variation of fish choruses to help identify important foraging habitat for Indo-Pacific humpback dolphins, *Sousa chinensis*. *Ices Journal of Marine Science*, 75(2), 510-518.
- Pineda, J., Starczak, V., da Silva, J. C. B., Helfrich, K., Thompson, M., & Wiley, D. (2015). Whales and waves: Humpback whale foraging response and the shoaling of internal waves at Stellwagen Bank. *Journal of Geophysical Research-Oceans*, 120(4), 2555-2570.
- Pinela, A. M., Querouil, S., Magalhaes, S., Silva, M. A., Prieto, R., Matos, J. A., et al. (2009). Population genetics and social organization of the sperm whale (*Physeter macrocephalus*) in the Azores inferred by microsatellite analyses. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 87(9), 802-813.
- Pinti, J., Celani, A., Thygesen, U. H., & Mariani, P. Optimal navigation and behavioural traits in oceanic migrations. *Theoretical Ecology*.
- Pinto-Torres, M., Acevedo, J., Mora, C., Iglesias, E., Bravo, D., & Martinez, F. (2019). Sighting of southern right whale dolphin (*Lissodelphis peronii*) in the Magellan Strait, Chile. *Polar Biology*, 42(3), 633-638.
- Pinzari, F., Cornish, L., & Jungblut, A. D. (2020). Skeleton bones in museum indoor environments offer niches for fungi and are affected by weathering and deposition of secondary minerals. *Environmental Microbiology*, 22(1), 59-75.
- Pires, P. T., Ferreira, J. C., Oliveira, S. A., Silva, M. J., & Melo, P. R. (2013). Effect of ozone gas on the shear bond strength to enamel. *Journal of Applied Oral Science*, 21(2), 177-182.
- Pirotta, E., Brookes, K. L., Graham, I. M., & Thompson, P. M. (2014). Variation in harbour porpoise activity in response to seismic survey noise. *Biology Letters*, 10(5).
- Pirotta, E., Brotons, J. M., Cerda, M., Bakkers, S., & Rendell, L. E. (2020). Multi-scale analysis reveals changing distribution patterns and the influence of social structure on the habitat use of an endangered marine predator, the sperm whale *Physeter macrocephalus* in the Western Mediterranean Sea. *Deep-Sea Research Part I-Oceanographic Research Papers*, 155.
- Pirotta, E., Mangel, M., Costa, D. P., Mate, B., Goldbogen, J. A., Palacios, D. M., et al. (2018). A Dynamic State Model of Migratory Behavior and Physiology to Assess the Consequences of Environmental Variation and Anthropogenic Disturbance on Marine Vertebrates. *American Naturalist*, 191(2), E40-E56.
- Pirotta, E., Matthiopoulos, J., MacKenzie, M., Scott-Hayward, L., & Rendell, L. (2011). Modelling sperm whale habitat preference: a novel approach combining transect and follow data. *Marine Ecology Progress Series*, 436, 257-272.
- Pirotta, E., New, L., & Marcoux, M. (2018). Modelling beluga habitat use and baseline exposure to shipping traffic to design effective protection against prospective industrialization in the Canadian Arctic. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 28(3), 713-722.
- Pirotta, E., Thompson, P. M., Cheney, B., Donovan, C. R., & Lusseau, D. (2015). Estimating spatial, temporal and individual variability in dolphin cumulative exposure to boat traffic using spatially explicit capture-recapture methods. *Animal Conservation*, 18(1), 20-31.
- Pirotta, E., Thompson, P. M., Miller, P. I., Brookes, K. L., Cheney, B., Barton, T. R., et al. (2014). Scale-dependent foraging ecology of a marine top predator modelled using passive acoustic data. *Functional Ecology*, 28(1), 206-217.
- Pirotta, V., Reynolds, W., Ross, G., Jonsen, I., Grech, A., Slip, D., et al. (2020). A citizen science approach to long-term monitoring of humpback whales (*Megaptera novaeangliae*) off Sydney, Australia. *Marine Mammal Science*, 36(2), 472-485.

- Pirotta, V., Slip, D., Jonsen, I. D., Peddemors, V. M., Cato, D. H., Ross, G., et al. (2016). Migrating humpback whales show no detectable response to whale alarms off Sydney, Australia. *Endangered Species Research*, 29(3), 201-209.
- Pirotta, V., Smith, A., Ostrowski, M., Russell, D., Jonsen, I. D., Grech, A., et al. (2017). An Economical Custom-Built Drone for Assessing Whale Health. *Frontiers in Marine Science*, 4.
- Pistorius, P. A., Meyer, M. A., Reisinger, R. R., & Kirkman, S. P. (2012). Killer whale predation on subantarctic fur seals at Prince Edward Island, Southern Indian Ocean. *Polar Biology*, 35(11), 1767-1772.
- Pitman, R. L., Ballance, L. T., Mesnick, S. I., & Chivers, S. J. (2001). Killer whale predation on sperm whales: Observations and implications. *Marine Mammal Science*, 17(3), 494-507.
- Pitman, R. L., & Durban, J. W. (2010). Killer whale predation on penguins in Antarctica. *Polar Biology*, 33(11), 1589-1594.
- Pitman, R. L., Durban, J. W., Greenfelder, M., Guinet, C., Jorgensen, M., Olson, P. A., et al. (2011). Observations of a distinctive morphotype of killer whale (*Orcinus orca*), type D, from subantarctic waters. *Polar Biology*, 34(2), 303-306.
- Pitman, R. L., Durban, J. W., Joyce, T., Fearnbach, H., Panigada, S., & Lauriano, G. (2020). Skin in the game: Epidermal molt as a driver of long-distance migration in whales. *Marine Mammal Science*, 36(2), 565-594.
- Pitman, R. L., Totterdell, J. A., Fearnbach, H., Ballance, L. T., Durban, J. W., & Kemps, H. (2015). Whale killers: Prevalence and ecological implications of killer whale predation on humpback whale calves off Western Australia. *Marine Mammal Science*, 31(2), 629-657.
- Pivari, D., & Rosso, S. (2005). Whistles of small groups of *Sotalia fluviatilis* during foraging behavior in southeastern Brazil. *Journal of the Acoustical Society of America*, 118(4), 2725-2731.
- Piwetz, S. (2019). Common bottlenose dolphin (*Tursiops truncatus*) behavior in an active narrow seaport. *Plos One*, 14(2).
- Piwetz, S., Gailey, G., Munger, L., Lammers, M. O., Jefferson, T. A., & Wursig, B. (2018). Theodolite Tracking in Marine Mammal Research: From Roger Payne to the Present. *Aquatic Mammals*, 44(6), 683-693.
- Plachta, D. T. T., Song, J. K., Halvorsen, M. B., & Popper, A. N. (2004). Neuronal encoding of ultrasonic sound by a fish. *Journal of Neurophysiology*, 91(6), 2590-2597.
- Platto, S., Wang, D., & Wang, K. X. (2016). Variation in the emission rate of sounds in a captive group of false killer whales *Pseudorca crassidens* during feedings: possible food anticipatory vocal activity? *Chinese Journal of Oceanology and Limnology*, 34(6), 1218-1237.
- Platto, S., Zhang, C., Pine, M. K., Feng, W. K., Yang, L. G., Irwin, A., et al. (2017). Behavioral laterality in Yangtze finless porpoises (*Neophocaena asiaorientalis asiaorientalis*). *Behavioural Processes*, 140, 104-114.
- Plotnik, J. M., de Waal, F. B. M., Moore, D., & Reiss, D. (2010). Self-Recognition in the Asian Elephant and Future Directions for Cognitive Research With Elephants in Zoological Settings. *Zoo Biology*, 29(2), 179-191.
- Podolskiy, E. A., & Sugiyama, S. (2020). Soundscape of a Narwhal Summering Ground in a Glacier Fjord (Inglefield Bredning, Greenland). *Journal of Geophysical Research-Oceans*, 125(5).
- Podos, J., da Silva, V. M. F., & Rossi-Santos, M. R. (2002). Vocalizations of amazon river dolphins, *Inia geoffrensis*: Insights into the evolutionary origins of delphinid whistles. *Ethology*, 108(7), 601-612.

- Polcyn, M. J., Jacobs, L. L., Araujo, R., Schulp, A. S., & Mateus, O. (2014). Physical drivers of mosasaur evolution. *Palaeogeography Palaeoclimatology Palaeoecology*, 400, 17-27.
- Poleti, M. L., Fernandes, T. M. F., Pagin, O., Moretti, M. R., & Rubira-Bullen, I. R. F. (2016). Analysis of linear measurements on 3D surface models using CBCT data segmentation obtained by automatic standard pre-set thresholds in two segmentation software programs: an in vitro study. *Clinical Oral Investigations*, 20(1), 179-185.
- Polyak, L., Alley, R. B., Andrews, J. T., Brigham-Grette, J., Cronin, T. M., Darby, D. A., et al. (2010). History of sea ice in the Arctic. *Quaternary Science Reviews*, 29(15-16), 1757-1778.
- Pomerleau, C., Ferguson, S. H., & Walkusz, W. (2011). Stomach contents of bowhead whales (*Balaena mysticetus*) from four locations in the Canadian Arctic. *Polar Biology*, 34(4), 615-620.
- Pomilla, C., & Rosenbaum, H. C. (2005). Against the current: an inter-oceanic whale migration event. *Biology Letters*, 1(4), 476-479.
- Ponce, D., Thode, A. M., Guerra, M., Urban, R. J., & Swartz, S. (2012). Relationship between visual counts and call detection rates of gray whales (*Eschrichtius robustus*) in Laguna San Ignacio, Mexico. *Journal of the Acoustical Society of America*, 131(4), 2700-2713.
- Ponce-Garcia, C., Ruellas, A. C. D., Cevitanes, L. H. S., Flores-Mir, C., Carey, J. P., & Lagravere-Vich, M. (2020). Measurement error and reliability of three available 3D superimposition methods in growing patients. *Head & Face Medicine*, 16(1).
- Pond, M. P., Wenke, B. B., Preimesberger, M. R., Rice, S. L., & Lecomte, J. T. J. (2012). 3-Fluorotyrosine as a Complementary Probe of Hemoglobin Structure and Dynamics: A 19F-NMR Study of *Synechococcus* sp PCC 7002 GlnN. *Chemistry & Biodiversity*, 9(9), 1703-1717.
- Ponganis, P. J. (2007). Bio-logging of physiological parameters in higher marine vertebrates. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 54(3-4), 183-192.
- Ponganis, P. J., & Kooyman, G. L. (1999). Heart rate and electrocardiogram characteristics of a young California gray whale (*Eschrichtius robustus*). *Marine Mammal Science*, 15(4), 1198-1207.
- Pongracz, J. D., & Derocher, A. E. (2017). Summer refugia of polar bears (*Ursus maritimus*) in the southern Beaufort Sea. *Polar Biology*, 40(4), 753-763.
- Ponnampalam, L. S. (2012). OPPORTUNISTIC OBSERVATIONS ON THE DISTRIBUTION OF CETACEANS IN THE MALAYSIAN SOUTH CHINA, SULU AND SULAWESI SEAS AND AN UPDATED CHECKLIST OF MARINE MAMMALS IN MALAYSIA. *Raffles Bulletin of Zoology*, 60(1), 221-231.
- Ponnampalam, L. S. (2016). No Danger in Sight? An Observation of Sperm Whales (*Physeter macrocephalus*) in Marguerite Formation off Muscat, Sultanate of Oman. *Aquatic Mammals*, 42(2), 162-167.
- Ponnampalam, L. S., Hines, E. M., Monanunsap, S., Ilangakoon, A. D., Junchompoo, C., Adulyanukosol, K., et al. (2013). Behavioral Observations of Coastal Irrawaddy Dolphins (*Orcaella brevirostris*) in Trat Province, Eastern Gulf of Thailand. *Aquatic Mammals*, 39(4), 401-408.
- Popov, V., Langrock, R., DeRuiter, S. L., & Visser, F. (2017). An analysis of pilot whale vocalization activity using hidden Markov models. *Journal of the Acoustical Society of America*, 141(1), 159-171.
- Popov, V. V., & Supin, A. Y. (1991). INTERAURAL INTENSITY AND LATENCY DIFFERENCE IN THE DOLPHINS AUDITORY-SYSTEM. *Neuroscience Letters*, 133(2), 295-297.
- Popov, V. V., Supin, A. Y., Klishin, V. O., Tarakanov, M. B., & Pletenko, M. G. (2008). Evidence for double acoustic windows in the dolphin, *Tursiops truncatus*. *Journal of the Acoustical Society of America*, 123(1), 552-560.

- Popov, V. V., Supin, A. Y., Nechaev, D. I., Lemazina, A. A., & Sysueva, E. V. (2019). Position of an acoustic window in a beluga whale: Computation based on auditory evoked potential latencies. *Journal of the Acoustical Society of America*, 145(6), 3578-3585.
- Popov, V. V., Sysueva, E. V., Nechaev, D. I., Lemazina, A. A., & Supin, A. Y. (2016). Auditory sensitivity to local stimulation of the head surface in a beluga whale (*Delphinapterus leucas*). *Journal of the Acoustical Society of America*, 140(2), 1218-1226.
- Post, K., Louwye, S., & Lambert, O. (2017). *Scaldiporia vandokkumi*, a new pontoporiid (Mammalia, Cetacea, Odontoceti) from the Late Miocene to earliest Pliocene of the Westerschelde estuary (The Netherlands). *PeerJ*, 5.
- Post, M. L., Decker, R., Sapell, A. R., & Hart, J. S. (2018). Effect of bio-inspired sinusoidal leading-edges on wings. *Aerospace Science and Technology*, 81, 128-140.
- Potvin, J., Goldbogen, J. A., & Shadwick, R. E. (2012). Metabolic Expenditures of Lunge Feeding Rorquals Across Scale: Implications for the Evolution of Filter Feeding and the Limits to Maximum Body Size. *Plos One*, 7(9).
- Powell, R. B., Brownlee, M. T. J., Kellert, S. R., & Ham, S. H. (2012). From awe to satisfaction: immediate affective responses to the Antarctic tourism experience. *Polar Record*, 48(245), 145-156.
- Powers, K. D., Wiley, D. N., Allyn, A. J., Welch, L. J., & Ronconi, R. A. (2017). Movements and foraging habitats of great shearwaters *Puffinus gravis* in the Gulf of Maine. *Marine Ecology Progress Series*, 574, 211-226.
- Prat, Y., Taub, M., & Yovel, Y. (2016). Everyday bat vocalizations contain information about emitter, addressee, context, and behavior. *Scientific Reports*, 6.
- Pratt, S., & Sontikul, W. (2016). CAN MARINE WILDLIFE TOURISM PROVIDE AN "EDUTAINING" EXPERIENCE? *Journal of Travel & Tourism Marketing*, 33(6), 867-884.
- Preen, A. (1998). Marine protected areas and dugong conservation along Australia's Indian Ocean coast. *Environmental Management*, 22(2), 173-181.
- Premus, V., & Spiesberger, J. L. (1997). Can acoustic multipath explain finback (*B-physalus*) 20-Hz doublets in shallow water? *Journal of the Acoustical Society of America*, 101(2), 1127-1138.
- Presotto, A., Remillard, C., Spagnoletti, N., Salmi, R., Verderane, M., Stafford, K., et al. (2020). Rare Bearded Capuchin (*Sapajus libidinosus*) Tool-Use Culture is Threatened by Land use Changes in Northeastern Brazil. *International Journal of Primatology*, 41(4), 596-613.
- Priede, I. G., Froese, R., Bailey, D. M., Bergstad, O. A., Collins, M. A., Dyb, J. E., et al. (2006). The absence of sharks from abyssal regions of the world's oceans. *Proceedings of the Royal Society B-Biological Sciences*, 273(1592), 1435-1441.
- Prieto, R., Silva, M. A., Waring, G. T., & Goncalves, J. M. A. (2014). Sei whale movements and behaviour in the North Atlantic inferred from satellite telemetry. *Endangered Species Research*, 26(2), 103-113.
- Prieto, R., Tobena, M., & Silva, M. A. (2017). Habitat preferences of baleen whales in a mid-latitude habitat. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 141, 155-167.
- Primmer, C. R., Painter, J. N., Koskinen, M. T., Palo, J. U., & Merila, J. (2005). Factors affecting avian cross-species microsatellite amplification. *Journal of Avian Biology*, 36(4), 348-360.
- Pripp, T., Gammelsrod, T., & Krakstad, J. O. (2014). Physical influence on biological production along the western shelf of Madagascar. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 100, 174-183.

- Prokopov, A. F., & Voronina, T. N. (2009). Engineered Natural Longevity-Enhancing Interventions.
- Proops, L., McComb, K., & Reby, D. (2009). Cross-modal individual recognition in domestic horses (*Equus caballus*). *Proceedings of the National Academy of Sciences of the United States of America*, 106(3), 947-951.
- Pulis, E. E., Wells, R. S., Schorr, G. S., Douglas, D. C., Samuelson, M. M., & Solangi, M. (2018). Movements and Dive Patterns of Pygmy Killer Whales (*Feresa attenuata*) Released in the Gulf of Mexico Following Rehabilitation. *Aquatic Mammals*, 44(5), 555-567.
- Purcell, J. E., Hopcroft, R. R., Kosobokova, K. N., & Whitley, T. E. (2010). Distribution, abundance, and predation effects of epipelagic ctenophores and jellyfish in the western Arctic Ocean. *Deep-Sea Research Part II: Topical Studies in Oceanography*, 57(1-2), 127-135.
- Purdon, J., Shabangu, F., Pienaar, M., Somers, M. J., & Findlay, K. (2020). South Africa's newly approved marine protected areas have increased the protected modelled habitat of nine odontocete species. *Marine Ecology Progress Series*, 633, 1-21.
- Pusineri, C., Barbraud, C., Kiszka, J., Caceres, S., Mougnot, J., Daudin, G., et al. (2014). Capture-mark-recapture modelling suggests an Endangered status for the Mayotte Island (eastern Africa) population of Indo-Pacific bottlenose dolphins. *Endangered Species Research*, 23(1), 23-33.
- Putland, R. L., Constantine, R., & Radford, C. A. (2017). Exploring spatial and temporal trends in the soundscape of an ecologically significant embayment. *Scientific Reports*, 7.
- Putland, R. L., Merchant, N. D., Farcas, A., & Radford, C. A. (2018). Vessel noise cuts down communication space for vocalizing fish and marine mammals. *Global Change Biology*, 24(4), 1708-1721.
- Putland, R. L., Ranjard, L., Constantine, R., & Radford, C. A. (2018). A hidden Markov model approach to indicate Bryde's whale acoustics. *Ecological Indicators*, 84, 479-487.
- Putra, M. I. H., & Mustika, P. L. K. Incorporating in situ prey distribution into foraging habitat modelling for marine megafauna in the Solor waters of the Savu Sea, Indonesia. *Aquatic Conservation-Marine and Freshwater Ecosystems*.
- Pyc, C. D., Geoffroy, M., & Knudsen, F. R. (2016). An evaluation of active acoustic methods for detection of marine mammals in the Canadian Beaufort Sea. *Marine Mammal Science*, 32(1), 202-219.
- Pyenson, N. D. (2010). Carcasses on the coastline: measuring the ecological fidelity of the cetacean stranding record in the eastern North Pacific Ocean. *Paleobiology*, 36(3), 453-480.
- Pyenson, N. D. (2011). The high fidelity of the cetacean stranding record: insights into measuring diversity by integrating taphonomy and macroecology. *Proceedings of the Royal Society B-Biological Sciences*, 278(1724), 3608-3616.
- Pyenson, N. D., Goldbogen, J. A., & Shadwick, R. E. (2013). Mandible allometry in extant and fossil Balaenopteridae (Cetacea: Mammalia): the largest vertebrate skeletal element and its role in rorqual lunge feeding. *Biological Journal of the Linnean Society*, 108(3), 586-599.
- Pyenson, N. D., Goldbogen, J. A., Vogl, A. W., Szathmary, G., Drake, R. L., & Shadwick, R. E. (2012). Discovery of a sensory organ that coordinates lunge feeding in rorqual whales. *Nature*, 485(7399), 498-501.
- Pyenson, N. D., Kelley, N. P., & Parham, J. F. (2014). Marine tetrapod macroevolution: Physical and biological drivers on 250 Ma of invasions and evolution in ocean ecosystems. *Palaeogeography Palaeoclimatology Palaeoecology*, 400, 1-8.

- Pyenson, N. D., & Lindberg, D. R. (2011). What Happened to Gray Whales during the Pleistocene? The Ecological Impact of Sea-Level Change on Benthic Feeding Areas in the North Pacific Ocean. *Plos One*, 6(7).
- Pyenson, N. D., & Vermeij, G. J. (2016). The rise of ocean giants: maximum body size in Cenozoic marine mammals as an indicator for productivity in the Pacific and Atlantic Oceans. *Biology Letters*, 12(7).
- Qais, M. H., Hasanien, H. M., & Alghuwainem, S. (2020). Enhanced whale optimization algorithm for maximum power point tracking of variable-speed wind generators. *Applied Soft Computing*, 86.
- Qu, C. J., & Stewart, K. A. (2019). Evaluating monitoring options for conservation: comparing traditional and environmental DNA tools for a critically endangered mammal. *Science of Nature*, 106(3-4).
- Quaek-Davies, K., Bendall, V. A., MacKenzie, K. M., Hetherington, S., Newton, J., & Trueman, C. N. (2018). Teleost and elasmobranch eye lenses as a target for life-history stable isotope analyses. *PeerJ*, 6.
- Quakenbush, L. T., Citta, J. J., George, J. C., Small, R. J., & Heide-Jorgensen, M. P. (2010). Fall and Winter Movements of Bowhead Whales (*Balaena mysticetus*) in the Chukchi Sea and Within a Potential Petroleum Development Area. *Arctic*, 63(3), 289-307.
- Querouil, S., Silva, M. A., Cascao, I., Magalhaes, S., Seabra, M. I., Machete, M. A., et al. (2008). Why Do Dolphins Form Mixed-Species Associations in the Azores? *Ethology*, 114(12), 1183-1194.
- Quick, N., Callahan, H., & Read, A. J. (2018). Two-component calls in short-finned pilot whales (*Globicephala macrorhynchus*). *Marine Mammal Science*, 34(1), 155-168.
- Quick, N., Scott-Hayward, L., Sadykova, D., Nowacek, D., & Read, A. (2017). Effects of a scientific echo sounder on the behavior of short-finned pilot whales (*Globicephala macrorhynchus*). *Canadian Journal of Fisheries and Aquatic Sciences*, 74(5), 716-726.
- Quick, N. J., Isojunno, S., Sadykova, D., Bowers, M., Nowacek, D. P., & Read, A. J. (2017). Hidden Markov models reveal complexity in the diving behaviour of short-finned pilot whales. *Scientific Reports*, 7.
- Quick, N. J., & Janik, V. M. (2008). Whistle rates of wild bottlenose dolphins (*Tursiops truncatus*): Influences of group size and behavior. *Journal of Comparative Psychology*, 122(3), 305-311.
- Quillin, M. L., Li, T. S., Olson, J. S., Phillips, G. N., Dou, Y., Ikedasaito, M., et al. (1995). STRUCTURAL AND FUNCTIONAL-EFFECTS OF APOLAR MUTATIONS OF THE DISTAL VALINE IN MYOGLOBIN. *Journal of Molecular Biology*, 245(4), 416-436.
- Quintana-Rizzo, E., & Wells, R. S. (2016). Behavior of an Adult Female Bottlenose Dolphin (*Tursiops truncatus*) Toward an Unrelated Dead Calf. *Aquatic Mammals*, 42(2), 198-202.
- Quiros, A. L. (2007). Tourist compliance to a Code of Conduct and the resulting effects on whale shark (*Rhincodon typus*) behavior in Donsol, Philippines. *Fisheries Research*, 84(1), 102-108.
- Rabitz, F. (2019). Gene drives and the international biodiversity regime. *Review of European Comparative & International Environmental Law*, 28(3), 339-348.
- Racca, R., Austin, M., Rutenko, A., & Broker, K. (2015). Monitoring the gray whale sound exposure mitigation zone and estimating acoustic transmission during a 4-D seismic survey, Sakhalin Island, Russia. *Endangered Species Research*, 29(2), 131-+.
- Rachinas-Lopes, P., Luis, A. R., Borges, A. S., Neto, M., & dos Santos, M. E. (2017). Whistle Stability and Variation in Captive Bottlenose Dolphins (*Tursiops truncatus*) Recorded in Isolation and Social Contexts. *Aquatic Mammals*, 43(1), 1-13.

- Rachinas-Lopes, P., Ribeiro, R., dos Santos, M. E., & Costa, R. M. (2018). D-Track-A semi-automatic 3D video-tracking technique to analyse movements and routines of aquatic animals with application to captive dolphins. *Plos One*, 13(8).
- Racicot, R. A., & Berta, A. (2013). Comparative morphology of porpoise (Cetacea: Phocoenidae) pterygoid sinuses: Phylogenetic and functional implications. *Journal of Morphology*, 274(1), 49-62.
- Racicot, R. A., & Colbert, M. W. (2013). Morphology and Variation in Porpoise (Cetacea: Phocoenidae) Cranial Endocasts. *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 296(6), 979-992.
- Racicot, R. A., Darroch, S. A. F., & Kohno, N. (2018). Neuroanatomy and inner ear labyrinths of the narwhal, *Monodon monoceros*, and beluga, *Delphinapterus leucas* (Cetacea: Monodontidae). *Journal of Anatomy*, 233(4), 421-439.
- Racicot, R. A., Demere, T. A., Beatty, B. L., & Boessenecker, R. W. (2014). Unique Feeding Morphology in a New Prognathous Extinct Porpoise from the Pliocene of California. *Current Biology*, 24(7), 774-779.
- Racicot, R. A., Gearty, W., Kohno, N., & Flynn, J. J. (2016). Comparative anatomy of the bony labyrinth of extant and extinct porpoises (Cetacea: Phocoenidae). *Biological Journal of the Linnean Society*, 119(4), 831-846.
- Racicot, R. A., & Rowe, T. (2014). ENDOCRANIAL ANATOMY OF A NEW FOSSIL PORPOISE (ODONTOCETI, PHOCOENIDAE) FROM THE PLIOCENE SAN DIEGO FORMATION OF CALIFORNIA. *Journal of Paleontology*, 88(4), 652-663.
- Rafeld, H., Fritz-Morgenthal, S. G., & Posch, P. N. (2020). Whale Watching on the Trading Floor: Unravelling Collusive Rogue Trading in Banks. *Journal of Business Ethics*, 165(4), 633-657.
- Rajaraman, K., Qin, J., Lamar, G. N., Chiu, M. L., & Sligar, S. G. (1993). SOLUTION STRUCTURE DETERMINATION OF THE HEME CAVITY IN THE E7-HIS - VAL CYANO-MET MYOGLOBIN POINT MUTANT BASED ON THE H-1-NMR DETECTED DIPOLAR FIELD OF THE IRON - EVIDENCE FOR CONTRACTION OF THE HEME POCKET. *Biochemistry*, 32(21), 5670-5680.
- Rajaraman, K., Qin, J., Lamar, G. N., Chiu, M. L., & Sligar, S. G. (1994). CORRELATION BETWEEN THE STERIC BULK OF THE DISTAL E7 AND E11 RESIDUES AND THE TILT OF THE FEEN UNIT IN CYANOMETMYOGLOBIN AS DETERMINED BY NMR FROM THE ORIENTATION OF THE MAGNETIC AXES IN SINGLE AND DOUBLE POINT MUTANTS. *Biochemistry*, 33(18), 5493-5501.
- Ramadan, H. S. (2017). Optimal fractional order PT control applicability for enhanced dynamic behavior of on-grid solar PV systems. *International Journal of Hydrogen Energy*, 42(7), 4017-4031.
- Ramassamy, B., Lambert, O., Collareta, A., Urbina, M., & Bianucci, G. (2018). Description of the skeleton of the fossil beaked whale *Messapicetus gregarius*: searching potential proxies for deep-diving abilities. *Fossil Record*, 21(1), 11-32.
- Ramassamy, B., & Lauridsen, H. (2019). A new specimen of Ziphiidae (Cetacea, Odontoceti) from the late Miocene of Denmark with morphological evidence for suction feeding behaviour. *Royal Society Open Science*, 6(10).
- Rambaldi, A. M., Cozzi, B., Grandis, A., Canova, M., Mazzoni, M., & Bombardi, C. (2017). Distribution of Calretinin Immunoreactivity in the Lateral Nucleus of the Bottlenose Dolphin (*Tursiops truncatus*) Amygdala. *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 300(11), 2008-2016.
- Ramirez, T., Sacchini, S., Paz, Y., Rosales, R. S., Camara, N., Andrada, M., et al. (2020). Comparison of Methods for the Histological Evaluation of Odontocete Spiral Ganglion Cells. *Animals*, 10(4).

- Ramirez-Flores, O., Birtles, A., Pazmino, D., Zenger, K. R., & Van-Herwerden, L. (2019). Dwarf minke whales from the South Pacific share a matrilineal lineage distinct from *Balaenoptera acutorostrata acutorostrata* and *B. a. scammoni*. *Australian Mammalogy*, 41(2), 231-240.
- Ramirez-Leon, M. R., Alvarez-Borrego, S., Thompson, C. T., Castro, G. G., & Dziendzielewski, G. H. (2015). Nutrient input from the Colorado River to the northern Gulf of California is not required to maintain a productive pelagic ecosystem. *Ciencias Marinas*, 41(2), 169-188.
- Ramirez-Macias, D., Queiroz, N., Pierce, S. J., Humphries, N. E., Sims, D. W., & Brunnschweiler, J. M. (2017). Oceanic adults, coastal juveniles: tracking the habitat use of whale sharks off the Pacific coast of Mexico. *PeerJ*, 5.
- Ramos, E. A., Maloney, B., Magnasco, M. O., & Reiss, D. (2018). Bottlenose Dolphins and Antillean Manatees Respond to Small Multi-Rotor Unmanned Aerial Systems. *Frontiers in Marine Science*, 5.
- Ramos, R., Carlile, N., Madeiros, J., Ramirez, I., Paiva, V. H., Dinis, H. A., et al. (2017). It is the time for oceanic seabirds: Tracking year-round distribution of gadfly petrels across the Atlantic Ocean. *Diversity and Distributions*, 23(7), 794-805.
- Ramp, C., Hagen, W., Palsboll, P., Berube, M., & Sears, R. (2010). Age-related multi-year associations in female humpback whales (*Megaptera novaeangliae*). *Behavioral Ecology and Sociobiology*, 64(10), 1563-1576.
- Ramsay, G., Ionescu, R., & Eftink, M. R. (1995). MODIFIED SPECTROPHOTOMETER FOR MULTIDIMENSIONAL CIRCULAR-DICHROISM FLUORESCENCE DATA-ACQUISITION IN TITRATION EXPERIMENTS - APPLICATION TO THE PH AND GUANIDINE-HCL INDUCED UNFOLDING OF APOMYOGLOBIN. *Biophysical Journal*, 69(2), 701-707.
- Ramsey, G. (2013). Culture in humans and other animals. *Biology & Philosophy*, 28(3), 457-479.
- Ramsey, L. A., Walker, R. T., & Jackson, J. (2008). Fold evolution and drainage development in the Zagros mountains of Fars province, SE Iran. *Basin Research*, 20(1), 23-48.
- Ramsier, M. A., Cunningham, A. J., Moritz, G. L., Finneran, J. J., Williams, C. V., Ong, P. S., et al. (2012). Primate communication in the pure ultrasound. *Biology Letters*, 8(4), 508-511.
- Randall, J. A., McCowan, B., Collins, K. C., Hooper, S. L., & Rogovin, K. (2005). Alarm signals of the great gerbil: Acoustic variation by predator context, sex, age, individual, and family group. *Journal of the Acoustical Society of America*, 118(4), 2706-2714.
- Rani, K. V., & Jawhar, S. J. Lung Lesion Classification Scheme Using Optimization Techniques and Hybrid (KNN-SVM) Classifier. *Iete Journal of Research*.
- Rankin, R. W., Nicholson, K. E., Allen, S. J., Krutzen, M., Bejder, L., & Pollock, K. H. (2016). A Full-Capture Hierarchical Bayesian Model of Pollock's Closed Robust Design and Application to Dolphins. *Frontiers in Marine Science*, 3.
- Rankin, S., Archer, F., & Barlow, J. (2013). Vocal activity of tropical dolphins is inhibited by the presence of killer whales, *Orcinus orca*. *Marine Mammal Science*, 29(4), 679-690.
- Rankin, S., Archer, F., Keating, J. L., Oswald, J. N., Oswald, M., Curtis, A., et al. (2017). Acoustic classification of dolphins in the California Current using whistles, echolocation clicks, and burst pulses. *Marine Mammal Science*, 33(2), 520-540.
- Rankin, S., & Barlow, J. (2007). Sounds recorded in the presence of Blainville's beaked whales, *Mesoplodon densirostris*, near Hawai'i (L). *Journal of the Acoustical Society of America*, 122(1), 42-45.

- Rankin, S., Oedekoven, C., & Archer, F. (2020). Mark recapture distance sampling: using acoustics to estimate the fraction of dolphins missed by observers during shipboard line-transect surveys. *Environmental and Ecological Statistics*, 27(2), 233-251.
- Rasmussen, K., Calambokidis, J., & Steiger, G. H. (2012). Distribution and migratory destinations of humpback whales off the Pacific coast of Central America during the boreal winters of 1996-2003. *Marine Mammal Science*, 28(3), E267-E279.
- Rasmussen, K., Palacios, D. M., Calambokidis, J., Saborio, M. T., Dalla Rosa, L., Secchi, E. R., et al. (2007). Southern Hemisphere humpback whales wintering off Central America: insights from water temperature into the longest mammalian migration. *Biology Letters*, 3(3), 302-305.
- Rasmussen, L. E. L., Krishnamurthy, V., & Sukumar, R. (2005). Behavioural and chemical confirmation of the preovulatory pheromone, (Z)-7-dodecenyl acetate, in wild Asian elephants: its relationship to musth. *Behaviour*, 142, 351-396.
- Rasmussen, L. E. L., Lazar, J., & Greenwood, D. R. (2003). Olfactory adventures of elephantine pheromones. *Biochemical Society Transactions*, 31, 137-141.
- Rasmussen, M. H., Akamatsu, T., Teilmann, J., Vikiugsson, G., & Miller, L. A. (2013). Biosonar, diving and movements of two tagged white-beaked dolphin in Icelandic waters. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 88-89, 97-105.
- Rasmussen, M. H., Atem, A. C. G., & Miller, L. A. (2016). Behavioral Responses by Icelandic White-Beaked Dolphins (*Lagenorhynchus albirostris*) to Playback Sounds. *Aquatic Mammals*, 42(3), 317-329.
- Rasmussen, M. H., Koblitz, J. C., & Laidre, K. L. (2015). Buzzes and High-Frequency Clicks Recorded from Narwhals (*Monodon monoceros*) at Their Wintering Ground. *Aquatic Mammals*, 41(3), 256-264.
- Rasmussen, M. H., Lammers, M., Beedholm, K., & Miller, L. A. (2006). Source levels and harmonic content of whistles in white-beaked dolphins (*Lagenorhynchus albirostris*). *Journal of the Acoustical Society of America*, 120(1), 510-517.
- Raston, P. L., Xu, Y., Jager, W., Potapov, A. V., Surin, L. A., Dumesh, B. S., et al. (2010). Rotational study of carbon monoxide isotopologues in small He-4 clusters. *Physical Chemistry Chemical Physics*, 12(29), 8260-8267.
- Rathore, R. S., Sangwan, S., Mazumdar, S., Kaiwartya, O., Adhikari, K., Kharel, R., et al. (2020). W-GUN: Whale Optimization for Energy and Delay-Centric Green Underwater Networks. *Sensors*, 20(5).
- Ratre, A. (2020). Stochastic Gradient Descent-Whale Optimization Algorithm-Based Deep Convolutional Neural Network To Crowd Emotion Understanding. *Computer Journal*, 63(2), 267-282.
- Rattenborg, N. C., Amlaner, C. J., & Lima, S. L. (2001). Unilateral eye closure and interhemispheric EEG asymmetry during sleep in the pigeon (*Columba livia*). *Brain Behavior and Evolution*, 58(6), 323-332.
- Raudino, H. C., Tyne, J. A., Smith, A., Ottewell, K., McArthur, S., Kopps, A. M., et al. (2019). Challenges of collecting blow from small cetaceans. *Ecosphere*, 10(10).
- Raum-Suryan, K. L., & Harvey, J. T. (1998). Distribution and abundance of and habitat use by harbor porpoise, *Phocoena phocoena*, off the northern San Juan Islands, Washington. *Fishery Bulletin*, 96(4), 808-822.
- Ravara, A., Marcal, A. R., Wiklund, H., & Hilario, A. (2015). First account on the diversity of Ophryotrocha (Annelida, Dorvilleidae) from a mammal-fall in the deep-Atlantic Ocean with the description of three new species. *Systematics and Biodiversity*, 13(6), 875-890.

- Rayment, W., Dawson, S., Slooten, E., Brager, S., Fresne, S. D., & Webster, T. (2009). Kernel density estimates of alongshore home range of Hector's dolphins at Banks Peninsula, New Zealand. *Marine Mammal Science*, 25(3), 537-556.
- Rayment, W., Dawson, S., & Webster, T. (2015). Breeding status affects fine-scale habitat selection of southern right whales on their wintering grounds. *Journal of Biogeography*, 42(3), 463-474.
- Rayment, W., & Webster, T. (2009). Observations of Hector's dolphins (*Cephalorhynchus hectori*) associating with inshore fishing trawlers at Banks Peninsula, New Zealand. *New Zealand Journal of Marine and Freshwater Research*, 43(4), 911-916.
- Rayment, W., Webster, T., Brough, T., Jowett, T., & Dawson, S. (2018). Seen or heard? A comparison of visual and acoustic autonomous monitoring methods for investigating temporal variation in occurrence of southern right whales. *Marine Biology*, 165(1).
- Read, A. J., Waples, D. M., Urian, K. W., & Swanner, D. (2003). Fine-scale behaviour of bottlenose dolphins around gillnets. *Proceedings of the Royal Society B-Biological Sciences*, 270, S90-S92.
- Read, A. J., & Westgate, A. J. (1997). Monitoring the movements of harbour porpoises (*Phocoena phocoena*) with satellite telemetry. *Marine Biology*, 130(2), 315-322.
- Rebull, O. G., Cusi, J. D., Fernandez, M. R., & Muset, J. G. (2006). Tracking fin whale calls offshore the Galicia Margin, North East Atlantic Ocean. *Journal of the Acoustical Society of America*, 120(4), 2077-2085.
- Reby, D., Andre-Obrecht, R., Galinier, A., Farinas, J., & Cargnelutti, B. (2006). Cepstral coefficients and hidden Markov models reveal idiosyncratic voice characteristics in red deer (*Cervus elaphus*) stags. *Journal of the Acoustical Society of America*, 120(6), 4080-4089.
- Recalde-Salas, A., Erbe, C., Kent, C. S., & Parsons, M. (2020). Non-song Vocalizations of Humpback Whales in Western Australia. *Frontiers in Marine Science*, 7.
- Recalde-Salas, A., Kent, C. P. S., Parsons, M. J. G., Marley, S. A., & McCauley, R. D. (2014). Non-song vocalizations of pygmy blue whales in Geographe Bay, Western Australia. *Journal of the Acoustical Society of America*, 135(5), EL213-EL218.
- Rechimont, M. E., Lara-Dominguez, A. L., Morteo, E., Martinez-Serrano, I., & Equihua, M. (2018). Depredation by Coastal Bottlenose Dolphins (*Tursiops truncatus*) in the Southwestern Gulf of Mexico in Relation to Fishing Techniques. *Aquatic Mammals*, 44(5), 469-481.
- Reckendorf, A., Wohlsein, P., Lakemeyer, J., Stokholm, I., von Vietinghoff, V., & Lehnert, K. (2019). There and back again - The return of the nasal mite *Halarachne halichoeri* to seals in German waters. *International Journal for Parasitology-Parasites and Wildlife*, 9, 112-118.
- Record, N. R., Ji, R. B., Maps, F., Varpe, O., Runge, J. A., Petrik, C. M., et al. (2018). Copepod diapause and the biogeography of the marine lipid landscape. *Journal of Biogeography*, 45(10), 2238-2251.
- Redfern, J. V., Moore, T. J., Becker, E. A., Calambokidis, J., Hastings, S. P., Irvine, L. M., et al. (2019). Evaluating stakeholder-derived strategies to reduce the risk of ships striking whales. *Diversity and Distributions*, 25(10), 1575-1585.
- Redman, E., & Redman, A. (2014). Transforming sustainable food and waste behaviors by realigning domains of knowledge in our education system. *Journal of Cleaner Production*, 64, 147-157.
- Reed, J. Z., Chambers, C., Hunter, C. J., Lockyer, C., Kastelein, R., Fedak, M. A., et al. (2000). Gas exchange and heart rate in the harbour porpoise, *Phocoena phocoena*. *Journal of Comparative Physiology B-Biochemical Systemic and Environmental Physiology*, 170(1), 1-10.

- Rees, A. F., Carreras, C., Broderick, A. C., Margaritoulis, D., Stringell, T. B., & Godley, B. J. (2017). Linking loggerhead locations: using multiple methods to determine the origin of sea turtles in feeding grounds. *Marine Biology*, 164(2).
- Rees, A. F., Margaritoulis, D., Newman, R., Riggall, T. E., Tsaros, P., Zbinden, J. A., et al. (2013). Ecology of loggerhead marine turtles *Caretta caretta* in a neritic foraging habitat: movements, sex ratios and growth rates. *Marine Biology*, 160(3), 519-529.
- Reeves, L. E., & Gillett-Kaufman, J. L. (2020). Interactions between the imperiled West Indian manatee, *Trichechus manatus*, and mosquitoes (Diptera: Culicidae) in Everglades National Park, Florida, USA. *Scientific Reports*, 10(1).
- Reeves, R. R., Ewins, P. J., Agbayani, S., Heide-Jorgensen, M. P., Kovacs, K. M., Lydersen, C., et al. (2014). Distribution of endemic cetaceans in relation to hydrocarbon development and commercial shipping in a warming Arctic. *Marine Policy*, 44, 375-389.
- Reeves, R. R., & Heide-Jorgensen, M. P. (1996). Recent status of bowhead whales, *Balaena mysticetus*, in the wintering grounds off West Greenland. *Polar Research*, 15(2), 115-125.
- Reeves, R. R., & Mitchell, E. (1993). STATUS OF BAIRD BEAKED-WHALE, *BERARDIUS-BAIRDII*. *Canadian Field-Naturalist*, 107(4), 509-523.
- Reeves, R. R., Smith, T. D., Josephson, E. A., Clapham, P. J., & Woolmer, G. (2004). Historical observations of humpback and blue whales in the North Atlantic Ocean: Clues to migratory routes and possibly additional feeding grounds. *Marine Mammal Science*, 20(4), 774-786.
- Reggente, M. A. L., Alves, F., Nicolau, C., Freitas, L., Cagnazzi, D., Baird, R. W., et al. (2016). Nurturant behavior toward dead conspecifics in free-ranging mammals: new records for odontocetes and a general review. *Journal of Mammalogy*, 97(5), 1428-1434.
- Rehn, N., Filatova, O. A., Durban, J. W., & Foote, A. D. (2011). Cross-cultural and cross-ecotype production of a killer whale 'excitement' call suggests universality. *Naturwissenschaften*, 98(1), 1-6.
- Rehn, N., Teichert, S., & Thomsen, F. (2007). Structural and temporal emission patterns of variable pulsed calls in free-ranging killer whales (*Orcinus orca*). *Behaviour*, 144, 307-329.
- Rehorek, S. J., Hillenius, W. J., Lovano, D. M., & Thewissen, J. G. M. (2018). Ontogeny of the Orbital Glands and Their Environs in the Pantropical Spotted Dolphin (*Stenella attenuata*: Delphinidae). *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 301(1), 77-87.
- Rehorek, S. J., Stimmelmayer, R., George, J. C., Suydam, R., McBurney, D. M., & Thewissen, J. G. M. (2019). Structure of the external auditory meatus of the Bowhead whale (*Balaena mysticetus*) and its relation to their seasonal migration. *Journal of Anatomy*, 234(2), 201-215.
- Reichmuth, C., Holt, M. M., Mulsow, J., Sills, J. M., & Southall, B. L. (2013). Comparative assessment of amphibious hearing in pinnipeds. *Journal of Comparative Physiology a-Neuroethology Sensory Neural and Behavioral Physiology*, 199(6), 491-507.
- Reid, K., Mann, J., Weiner, J. R., & Hecker, N. (1995). INFANT DEVELOPMENT IN 2 AQUARIUM BOTTLE-NOSED DOLPHINS. *Zoo Biology*, 14(2), 135-147.
- Reidenberg, J. S., & Laitman, J. T. (2007). Blowing bubbles: An aquatic adaptation that risks protection of the respiratory tract in humpback whales (*Megaptera novaeangliae*). *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 290(6), 569-580.

- Reidenerg, J. S. (2007). Anatomical adaptations of aquatic mammals. *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 290(6), 507-513.
- Reilly, S., Hedley, S., Borberg, J., Hewitt, R., Thiele, D., Watkins, J., et al. (2004). Biomass and energy transfer to baleen whales in the South Atlantic sector of the Southern Ocean. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 51(12-13), 1397-1409.
- Reilly, S. B., & Fiedler, P. C. (1994). INTERANNUAL VARIABILITY OF DOLPHIN HABITATS IN THE EASTERN TROPICAL PACIFIC .1. RESEARCH VESSEL SURVEYS, 1986-1990. *Fishery Bulletin*, 92(2), 434-450.
- Reimer, J., Gravel, C., Brown, M. W., & Taggart, C. T. (2016). Mitigating vessel strikes: The problem of the peripatetic whales and the peripatetic fleet. *Marine Policy*, 68, 91-99.
- Reisinger, R. R., de Bruyn, P. J. N., & Bester, M. N. (2011). Abundance estimates of killer whales at subantarctic Marion Island. *Aquatic Biology*, 12(2), 177-185.
- Reisinger, R. R., de Bruyn, P. J. N., Tosh, C. A., Oosthuizen, W. C., Mufanadzo, N. T., & Bester, M. N. (2011). Prey and seasonal abundance of killer whales at sub-Antarctic Marion Island. *African Journal of Marine Science*, 33(1), 99-105.
- Reisinger, R. R., Keith, M., Andrews, R. D., & de Bruyn, P. J. N. (2015). Movement and diving of killer whales (*Orcinus orca*) at a Southern Ocean archipelago. *Journal of Experimental Marine Biology and Ecology*, 473, 90-102.
- Reisinger, R. R., Oosthuizen, W. C., Peron, G., Toussaint, D. C., Andrews, R. D., & de Bruyn, P. J. N. (2014). Satellite Tagging and Biopsy Sampling of Killer Whales at Subantarctic Marion Island: Effectiveness, Immediate Reactions and Long-Term Responses. *Plos One*, 9(11).
- Reiss, D., & McCowan, B. (1993). SPONTANEOUS VOCAL MIMICRY AND PRODUCTION BY BOTTLE-NOSED DOLPHINS (*TURSIOPS-TRUNCATUS*) - EVIDENCE FOR VOCAL LEARNING. *Journal of Comparative Psychology*, 107(3), 301-312.
- Reiss, L., Haussermann, V., & Mayr, C. (2020). Stable isotope records of sei whale baleens from Chilean Patagonia as archives for feeding and migration behavior. *Ecology and Evolution*, 10(2), 808-818.
- Rejman, M., Siemontowski, P., & Siemienski, A. (2020). Comparison of performance of various leg-kicking techniques in fin swimming in terms of achieving the different goals of underwater activities. *Plos One*, 15(8).
- Rek, P., & Magrath, R. D. (2016). Multimodal duetting in magpie-larks: how do vocal and visual components contribute to a cooperative signal's function? *Animal Behaviour*, 117, 35-42.
- Rekdahl, M., Tisch, C., Cerchio, S., & Rosenbaum, H. (2017). Common nonsong social calls of humpback whales (*Megaptera novaeangliae*) recorded off northern Angola, southern Africa. *Marine Mammal Science*, 33(1), 365-375.
- Rekdahl, M. L., Dunlop, R. A., Goldizen, A. W., Garland, E. C., Biassoni, N., Miller, P., et al. (2015). Non-song social call bouts of migrating humpback whales. *Journal of the Acoustical Society of America*, 137(6), 3042-3053.
- Rekdal, S. L., Hansen, R. G., Borchers, D., Bachmann, L., Laidre, K. L., Wiig, O., et al. (2015). Trends in bowhead whales in West Greenland: Aerial surveys vs. genetic capture-recapture analyses. *Marine Mammal Science*, 31(1), 133-154.
- Remeslo, A., Yukhov, V., Bolstad, K., & Laptikhovsky, V. (2019). Distribution and biology of the colossal squid, *Mesonychoteuthis hamiltoni*: New data from depredation in toothfish fisheries and sperm whale stomach contents. *Deep-Sea Research Part I-Oceanographic Research Papers*, 147, 121-127.

- Remeslo, A. V., Yakushev, M. R., & Laptikhovsky, V. (2015). Alien vs. Predator: interactions between the colossal squid (*Mesonychoteuthis hamiltoni*) and the Antarctic toothfish (*Dissostichus mawsoni*). *Journal of Natural History*, 49(41-42), 2483-2491.
- Renault-Braga, E. P., Groch, K. R., Flores, P. A. D., Secchi, E. R., & Dalla-Rosa, L. (2018). Area usage estimation and spatiotemporal variability in distribution patterns of southern right whales, *Eubalaena australis*, of southern Brazil. *Marine Ecology-an Evolutionary Perspective*, 39(3).
- Rendell, L., & Whitehead, H. (2004). Do sperm whales share coda vocalizations? - Insights into coda usage from acoustic size measurement. *Animal Behaviour*, 67, 865-874.
- Rendell, L., Whitehead, H., & Escribano, R. (2004). Sperm whale habitat use and foraging success off northern Chile: evidence of ecological links between coastal and pelagic systems. *Marine Ecology Progress Series*, 275, 289-295.
- Rendell, L. E., Matthews, J. N., Gill, A., Gordon, J. C. D., & Macdonald, D. W. (1999). Quantitative analysis of tonal calls from five odontocete species, examining interspecific and intraspecific variation. *Journal of Zoology*, 249, 403-410.
- Rendell, L. E., & Whitehead, H. (2003). Comparing repertoires of sperm whale codas: A multiple methods approach. *Bioacoustics-the International Journal of Animal Sound and Its Recording*, 14(1), 61-81.
- Resnick, C. M., Dang, R. R., Glick, S. J., & Padwa, B. L. (2017). Accuracy of three-dimensional soft tissue prediction for Le Fort I osteotomy using Dolphin 3D software: a pilot study. *International Journal of Oral and Maxillofacial Surgery*, 46(3), 289-295.
- Ressurreicao, A., & Giacomello, E. (2013). Quantifying the direct use value of Condor seamount. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 98, 209-217.
- Retamal, L., Vincent, W. F., Martineau, C., & Osburn, C. L. (2007). Comparison of the optical properties of dissolved organic matter in two river-influenced coastal regions of the Canadian Arctic. *Estuarine Coastal and Shelf Science*, 72(1-2), 261-272.
- Retheesh, T. B., Roul, S. K., Prakasan, D., Beni, N., Thangaraja, R., & Abdussamad, E. M. (2017). First Record of Abnormal Hermaphroditism in the Common Dolphin Fish, *Coryphaena hippurus* (Linnaeus, 1758). *Thalassas*, 33(2), 173-177.
- Revuelta, O., Domenech, F., Fraija-Fernandez, N., Gozalbes, P., Novillo, O., Penades-Suay, J., et al. (2018). Interaction between bottlenose dolphins (*Tursiops truncatus*) and artisanal fisheries in the Valencia region (Spanish Mediterranean Sea). *Ocean & Coastal Management*, 165, 117-125.
- Rey, A. R., & Schiavini, A. C. M. (2000). Distribution, abundance and associations of seabirds in the Beagle Channel, Tierra del Fuego, Argentina. *Polar Biology*, 23(5), 338-345.
- Reyes, M. V. R., Baumann-Pickering, S., Simonis, A., Melcon, M. L., Trickey, J., Hildebrand, J., et al. (2017). High-Frequency Modulated Signals Recorded Off the Antarctic Peninsula Area: Are Killer Whales Emitting Them? *Acoustics Australia*, 45(2), 253-260.
- Reyes, M. V. R., Iniguez, M. A., Hevia, M., Hildebrand, J. A., & Melcon, M. L. (2015). Description and clustering of echolocation signals of Commerson's dolphins (*Cephalorhynchus commersonii*) in Bahia San Julian, Argentina. *Journal of the Acoustical Society of America*, 138(4), 2046-2053.
- Reyes, M. V. R., Tossenberger, V. P., Iniguez, M. A., Hildebrand, J. A., & Melcon, M. L. (2016). Communication sounds of Commerson's dolphins (*Cephalorhynchus commersonii*) and contextual use of vocalizations. *Marine Mammal Science*, 32(4), 1219-1233.

- Reynolds, S. D., Norman, B. M., Beger, M., Franklin, C. E., & Dwyer, R. G. (2017). Movement, distribution and marine reserve use by an endangered migratory giant. *Diversity and Distributions*, 23(11), 1268-1279.
- Rezzolla, D., & Storai, T. (2010). "Whale Shark Expedition": Observations on *Rhincodon typus* from Arta Bay, Gulf of Tadjoura, Djibouti Republic, Southern Red Sea. *Cybium*, 34(2), 195-206.
- Rhineland, M. Q., & Dawson, S. M. (2004). Measuring sperm whales from their clicks: Stability of interpulse intervals and validation that they indicate whale length. *Journal of the Acoustical Society of America*, 115(4), 1826-1831.
- Rhodes, K. L., Baremore, I., & Graham, R. T. (2019). Grouper (Epinephelidae) spawning aggregations affect activity space of grey reef sharks, *Carcharhinus amblyrhynchos*, in Pohnpei, Micronesia. *Plos One*, 14(8).
- Rial, R., Gonzalez, J., Gene, L., Akaarir, M., Esteban, S., Gamundi, A., et al. (2013). Asymmetric sleep in apneic human patients. *American Journal of Physiology-Regulatory Integrative and Comparative Physiology*, 304(3), R232-R237.
- Ribak, G., Weihs, D., & Arad, Z. (2005). Submerged swimming of the great cormorant *Phalacrocorax carbo sinensis* is a variant of the burst-and-glide gait. *Journal of Experimental Biology*, 208(20), 3835-3849.
- Ribak, G., Weihs, D., & Arad, Z. (2008). Consequences of buoyancy to the maneuvering capabilities of a foot-propelled aquatic predator, the great cormorant (*Phalacrocorax carbo sinensis*). *Journal of Experimental Biology*, 211(18), 3009-3019.
- Ribeiro, S., Viddi, F. A., Cordeiro, J. K., & Freitas, T. R. O. (2007). Fine-scale habitat selection of Chilean dolphins (*Cephalorhynchus eutropia*): interactions with aquaculture activities in southern Chiloe Island, Chile. *Journal of the Marine Biological Association of the United Kingdom*, 87(1), 119-128.
- Ribic, C. A., Ainley, D. G., & Spear, L. B. (1997). Scale-related seabird-environmental relationships in Pacific equatorial waters, with reference to El Nino Southern Oscillation events. *Marine Ecology Progress Series*, 156, 183-203.
- Riccaldelli, L., Torres, M. A., Goodall, R. N. P., Dellabianca, N. A., Pimper, L. E., Reyes, L. M., et al. (2011). Records of Risso's dolphin, *Grampus griseus*, in coastal waters of southern Argentina. *Revista De Biología Marina Y Oceanografía*, 46(3), 463-469.
- Rice, A., Deecke, V. B., Ford, J. K. B., Pilkington, J. F., Oleson, E. M., Hildebrand, J. A., et al. (2017). Spatial and temporal occurrence of killer whale ecotypes off the outer coast of Washington State, USA. *Marine Ecology Progress Series*, 572, 255-268.
- Rice, A. N., Palmer, K. J., Tielens, J. T., Muirhead, C. A., & Clark, C. W. (2014). Potential Bryde's whale (*Balaenoptera edeni*) calls recorded in the northern Gulf of Mexico. *Journal of the Acoustical Society of America*, 135(5), 3066-3076.
- Richard, G., Bonnel, J., Tixier, P., Arnould, J. P. Y., Janc, A., & Guinet, C. (2020). Evidence of deep-sea interactions between toothed whales and longlines. *Ambio*, 49(1), 173-186.
- Richard, G., Filatova, O. A., Samarra, F. I. P., Fedutin, I. D., Lammers, M., & Miller, P. J. (2017). Icelandic herring-eating killer whales feed at night. *Marine Biology*, 164(2).
- Richard, G., Titova, O. V., Fedutin, I. D., Steel, D., Meschersky, I. G., Hautin, M., et al. (2018). Cultural Transmission of Fine-Scale Fidelity to Feeding Sites May Shape Humpback Whale Genetic Diversity in Russian Pacific Waters. *Journal of Heredity*, 109(7), 724-734.

- Richard, J. T., Schmitt, T., Haulena, M., Vezzi, N., Dunn, J. L., Romano, T. A., et al. (2017). Seasonal variation in testes size and density detected in belugas (*Delphinapterus leucas*) using ultrasonography. *Journal of Mammalogy*, 98(3), 874-884.
- Richard, P. R., Heide-Jorgensen, M. P., Orr, J. R., Dietz, R., & Smith, T. G. (2001). Summer and autumn movements and habitat use by belugas in the Canadian High Arctic and adjacent areas. *Arctic*, 54(3), 207-222.
- Richard, P. R., Martin, A. R., & Orr, J. R. (2001). Summer and autumn movements of belugas of the Eastern Beaufort Sea stock. *Arctic*, 54(3), 223-236.
- Richards, R. (2002). Southern right whales: a reassessment of their former distribution and migration routes in New Zealand waters, including on the Kermadec grounds. *Journal of the Royal Society of New Zealand*, 32(3), 355-377.
- Richardson, W. J., Finley, K. J., Miller, G. W., Davis, R. A., & Koski, W. R. (1995). FEEDING, SOCIAL AND MIGRATION BEHAVIOR OF BOWHEAD WHALES, *BALAENA-MYSTICETUS*, IN BAFFIN-BAY VS THE BEAUFORT SEA - REGIONS WITH DIFFERENT AMOUNTS OF HUMAN ACTIVITY. *Marine Mammal Science*, 11(1), 1-45.
- Richardson, W. J., & Wursig, B. (1997). Influences of man-made noise and other human actions on cetacean behaviour. *Marine and Freshwater Behaviour and Physiology*, 29(1-4), 183-209.
- Richman, N. I., Gibbons, J. M., Turvey, S. T., Akamatsu, T., Ahmed, B., Mahabub, E., et al. (2014). To See or Not to See: Investigating Detectability of Ganges River Dolphins Using a Combined Visual-Acoustic Survey. *Plos One*, 9(5).
- Richter, C., Dawson, S., & Slooten, E. (2006). Impacts of commercial whale watching on male sperm whales at Kaikoura, New Zealand. *Marine Mammal Science*, 22(1), 46-63.
- Ridgway, S., Carder, D., Finneran, J., Keogh, M., Kamolnick, T., Todd, M., et al. (2006). Dolphin continuous auditory vigilance for five days. *Journal of Experimental Biology*, 209(18), 3621-3628.
- Ridgway, S., Dibble, D. S., Van Alstyne, K., & Price, D. (2015). On doing two things at once: dolphin brain and nose coordinate sonar clicks, buzzes and emotional squeals with social sounds during fish capture. *Journal of Experimental Biology*, 218(24), 3987-3995.
- Ridgway, S., Keogh, M., Carder, D., Finneran, J., Kamolnick, T., Todd, M., et al. (2009). Dolphins maintain cognitive performance during 72 to 120 hours of continuous auditory vigilance. *Journal of Experimental Biology*, 212(10), 1519-1527.
- Ridgway, S. H. (2002). Asymmetry and symmetry in brain waves from dolphin left and right hemispheres: Some observations after anesthesia, during quiescent hanging behavior, and during visual obstruction. *Brain Behavior and Evolution*, 60(5), 265-274.
- Ridgway, S. H., Carder, D. A., Kamolnick, T., Smith, R. R., Schlundt, C. E., & Elsberry, W. R. (2001). Hearing and whistling in the deep sea: depth influences whistle spectra but does not attenuate hearing by white whales (*Delphinapterus leucas*) (Odontoceti, Cetacea). *Journal of Experimental Biology*, 204(22), 3829-3841.
- Ridgway, S. H., Dibble, D. S., & Kennemer, J. A. (2018). Timing and context of dolphin clicks during and after mine simulator detection and marking in the open ocean. *Biology Open*, 7(2).
- Ridgway, S. H., Moore, P. W., Carder, D. A., & Romano, T. A. (2014). Forward shift of feeding buzz components of dolphins and belugas during associative learning reveals a likely connection to reward expectation, pleasure and brain dopamine activation. *Journal of Experimental Biology*, 217(16), 2910-2919.

- Ridou, V., Guinet, C., Liret, C., Creton, P., Steenstrup, R., & Beuplet, G. (1997). A video sonar as a new tool to study marine mammals in the wild: Measurements of dolphin swimming speed. *Marine Mammal Science*, 13(2), 196-206.
- Riekkola, L., Andrews-Goff, V., Friedlaender, A., Constantine, R., & Zerbini, A. N. (2019). Environmental drivers of humpback whale foraging behavior in the remote Southern Ocean. *Journal of Experimental Marine Biology and Ecology*, 517, 1-12.
- Riekkola, L., Zerbini, A. N., Andrews, O., Andrews-Goff, V., Baker, C. S., Chandler, D., et al. (2018). Application of a multi-disciplinary approach to reveal population structure and Southern Ocean feeding grounds of humpback whales. *Ecological Indicators*, 89, 455-465.
- Riera, A., Ford, J. K., & Chapman, N. R. (2013). Effects of different analysis techniques and recording duty cycles on passive acoustic monitoring of killer whales. *Journal of the Acoustical Society of America*, 134(3), 2393-2404.
- Riera, A., Pilkington, J. F., Ford, J. K. B., Stredulinsky, E. H., & Chapman, N. R. (2019). Passive acoustic monitoring off Vancouver Island reveals extensive use by at-risk Resident killer whale (*Orcinus orca*) populations. *Endangered Species Research*, 39, 221-234.
- Riera, A., Rountree, R. A., Agagnier, L., & Juanes, F. (2020). Sablefish (*Anoplopoma fimbria*) produce high frequency rasp sounds with frequency modulation. *Journal of the Acoustical Society of America*, 147(4), 2295-2301.
- Riesch, R., Ford, J. K. B., & Thomsen, F. (2006). Stability and group specificity of stereotyped whistles in resident killer whales, *Orcinus orca*, off British Columbia. *Animal Behaviour*, 71, 79-91.
- Riesch, R., Ford, J. K. B., & Thomsen, F. (2008). Whistle sequences in wild killer whales (*Orcinus orca*). *Journal of the Acoustical Society of America*, 124(3), 1822-1829.
- Rincon, A. D., Solorzano, A., Macsotay, O., McDonald, H. G., & Nunez-Flores, M. (2016). A new Miocene vertebrate assemblage from the Rio Yuca Formation (Venezuela) and the northernmost record of typical Miocene mammals of high latitude (Patagonian) affinities in South America. *Geobios*, 49(5), 395-405.
- Risch, D., Clark, C. W., Corkeron, P. J., Elepfandt, A., Kovacs, K. M., Lydersen, C., et al. (2007). Vocalizations of male bearded seals, *Erignathus barbatus*: classification and geographical variation. *Animal Behaviour*, 73, 747-762.
- Risch, D., Clark, C. W., Dugan, P. J., Popescu, M., Siebert, U., & Van Parijs, S. M. (2013). Minke whale acoustic behavior and multi-year seasonal and diel vocalization patterns in Massachusetts Bay, USA. *Marine Ecology Progress Series*, 489, 279-295.
- Risch, D., Siebert, U., & Van Parijs, S. M. (2014). Individual calling behaviour and movements of North Atlantic minke whales (*Balaenoptera acutorostrata*). *Behaviour*, 151(9), 1335-1360.
- Rita, D., Berdie, L., Borrell, A., & Aguilar, A. (2020). Alkenones as a temperature proxy in fin whale (*Balaenoptera physalus*) tissues. *Limnology and Oceanography-Methods*, 18(8), 446-452.
- Ritchie, A. M., Lo, N., & Ho, S. Y. W. (2016). Examining the sensitivity of molecular species delimitations to the choice of mitochondrial marker. *Organisms Diversity & Evolution*, 16(3), 467-480.
- Rivard, A. E., Gelwick, F. P., & von Zharen, W. (2016). Behavioral Patterns of Common Bottlenose Dolphins (*Tursiops truncatus truncatus*) Within the Galveston-Port Bolivar Ferry Lane. *Southeastern Naturalist*, 15(4), 742-759.
- Rivera, G. A., & Appeldoorn, R. S. (2000). Age and growth of dolphinfish, *Coryphaena hippurus*, off Puerto Rico. *Fishery Bulletin*, 98(2), 345-352.

- Rivera, R., Nollens, H. H., Venn-Watson, S., Gulland, F. M. D., & Wellehan, J. F. X. (2010). Characterization of phylogenetically diverse astroviruses of marine mammals. *Journal of General Virology*, 91, 166-173.
- Rizzi, M., Bolognesi, M., Coda, A., Cutruzzola, F., Allocatelli, C. T., Brancaccio, A., et al. (1993). CRYSTAL-STRUCTURE OF A DISTAL SITE DOUBLE MUTANT OF SPERM WHALE MYOGLOBIN AT 1.6 ANGSTROM RESOLUTION. *Febs Letters*, 320(1), 13-16.
- Robbins, J. R., Babey, L., & Embling, C. B. (2020). Citizen science in the marine environment: estimating common dolphin densities in the north-east Atlantic. *Peerj*, 8.
- Robbins, J. R., Poncet, D., Evans, A. R., & Hocking, D. P. (2019). A rare observation of group prey processing in wild leopard seals (*Hydrurga leptonyx*). *Polar Biology*, 42(8), 1625-1630.
- Robbins, W. D., Peddemors, V. M., Kennelly, S. J., & Ives, M. C. (2014). Experimental Evaluation of Shark Detection Rates by Aerial Observers. *Plos One*, 9(2).
- Robeck, T. R., Monfort, S. L., Calle, P. P., Dunn, J. L., Jensen, E., Boehm, J. R., et al. (2005). Reproduction, growth and development in captive beluga (*Delphinapterus leucas*). *Zoo Biology*, 24(1), 29-49.
- Robeck, T. R., St Leger, J. A., Robeck, H. E., Nilson, E., & Dold, C. (2019). Evidence of Variable Agonistic Behavior in Killer Whales (*Orcinus orca*) Based on Age, Sex, and Ecotype. *Aquatic Mammals*, 45(4), 430-446.
- Roberts, A. I., & Roberts, S. G. B. (2017). Convergence and divergence in gesture repertoires as an adaptive mechanism for social bonding in primates. *Royal Society Open Science*, 4(11).
- Roberts, J. J., Best, B. D., Mannocci, L., Fujioka, E., Halpin, P. N., Palka, D. L., et al. (2016). Habitat-based cetacean density models for the US Atlantic and Gulf of Mexico. *Scientific Reports*, 6.
- Roberts, L., Colliers, S., Law, S., & Gaion, A. (2019). The impact of marine vessels on the presence and behaviour of harbour porpoise (*Phocoena phocoena*) in the waters off Berry Head, Brixham (South West England). *Ocean & Coastal Management*, 179.
- Roberts, S. M. (2003). Examination of the stomach contents from a Mediterranean sperm whale found south of Crete, Greece. *Journal of the Marine Biological Association of the United Kingdom*, 83(3), 667-670.
- Robertson, F. C., Koski, W. R., Thomas, T. A., Richardson, W. J., Wursig, B., & Trites, A. W. (2013). Seismic operations have variable effects on dive-cycle behavior of bowhead whales in the Beaufort Sea. *Endangered Species Research*, 21(2), 143-160.
- Robertson, F. C., Koski, W. R., & Trites, A. W. (2016). Behavioral responses affect distribution analyses of bowhead whales in the vicinity of seismic operations. *Marine Ecology Progress Series*, 549, 243-262.
- Robinson, D. P., Jaidah, M. Y., Bach, S. S., Rohner, C. A., Jabado, R. W., Ormond, R., et al. (2017). Some like it hot: Repeat migration and residency of whale sharks within an extreme natural environment. *Plos One*, 12(9).
- Robinson, D. P., Jaidah, M. Y., Jabado, R. W., Lee-Brooks, K., El-Din, N. M. N., Al Malki, A. A., et al. (2013). Whale Sharks, *Rhincodon typus*, Aggregate around Offshore Platforms in Qatari Waters of the Arabian Gulf to Feed on Fish Spawn. *Plos One*, 8(3).
- Robinson, E. M., Trumble, S. J., Subedi, B., Sanders, R., & Usenko, S. (2013). Selective pressurized liquid extraction of pesticides, polychlorinated biphenyls and polybrominated diphenyl ethers in a whale earplug (earwax): A novel method for analyzing organic contaminants in lipid-rich matrices. *Journal of Chromatography A*, 1319, 14-20.

- Robinson, K. P., Sim, T. M. C., Culloch, R. M., Bean, T. S., Aguilar, I. C., Eisfeld, S. M., et al. (2017). Female reproductive success and calf survival in a North Sea coastal bottlenose dolphin (*Tursiops truncatus*) population. *Plos One*, 12(9).
- Robinson, K. P., & Tetley, M. J. (2007). Behavioural observations of foraging minke whales (*Balaenoptera acutorostrata*) in the outer Moray Firth, north-east Scotland. *Journal of the Marine Biological Association of the United Kingdom*, 87(1), 85-86.
- Robinson, P. W., Villegas-Amtmann, S., & Costa, D. P. (2009). Field validation of an inexpensive time-depth recorder. *Marine Mammal Science*, 25(1), 199-205.
- Robledo, E. S., Oviedo, L., Miranda, D. H., Polanco, J. D. P., Goodman, S., & Guzman, H. M. (2020). The abundance of false killer whale, *Pseudorca crassidens* (Cetartiodactyla: Delphinidae) in coastal waters of Golfo Dulce and Osa Peninsula, Costa Rica. *Revista De Biología Tropical*, 68(2), 580-589.
- Robson, S. V., Famoso, N. A., Davis, E. B., & Hopkins, S. S. B. (2019). First mesonychid from the Clarno Formation (Eocene) of Oregon, USA. *Palaeontologia Electronica*, 22(2).
- Roch, M. A., Batchelor, H., Baumann-Pickering, S., Berchok, C. L., Cholewiak, D., Fujioka, E., et al. (2016). Management of acoustic metadata for bioacoustics. *Ecological Informatics*, 31, 122-136.
- Rocklin, D., Santoni, M. C., Culioli, J. M., Tomasini, J. A., Pelletier, D., & Mouillot, D. (2009). Changes in the catch composition of artisanal fisheries attributable to dolphin depredation in a Mediterranean marine reserve. *Ices Journal of Marine Science*, 66(4), 699-707.
- Rockwood, R. C., Elliott, M. L., Saenz, B., Nur, N., & Jahncke, J. (2020). Modeling predator and prey hotspots: Management implications of baleen whale co-occurrence with krill in Central California. *Plos One*, 15(7).
- Rodenas-Cuadrado, P. M., Mengede, J., Baas, L., Devanna, P., Schmid, T. A., Yartsev, M., et al. (2018). Mapping the distribution of language related genes FoxP1, FoxP2, and CntnaP2 in the brains of vocal learning bat species. *Journal of Comparative Neurology*, 526(8), 1235-1266.
- Rodland, E. S., & Bjorge, A. (2015). Residency and abundance of sperm whales (*Physeter macrocephalus*) in the Bleik Canyon, Norway. *Marine Biology Research*, 11(9), 974-982.
- Rodrigues, A. L. F., Melo-Santos, G., Ramos-Santos, I., Andrade, A. M., Arcoverde, D. L., Sena, L., et al. (2019). Interactions between children, teenagers and botos (*Inia araguaiaensis* and *Inia geoffrensis*) in markets and fairs of Eastern Amazon. *Ocean & Coastal Management*, 172, 137-145.
- Rodrigues, A. S. L., Monsarrat, S., Charpentier, A., Brooks, T. M., Hoffmann, M., Reeves, R., et al. (2019). Unshifting the baseline: a framework for documenting historical population changes and assessing long-term anthropogenic impacts. *Philosophical Transactions of the Royal Society B-Biological Sciences*, 374(1788).
- Rodrigues, N. V., Correia, J. P. S., Graca, J. T. C., Rodrigues, F., Pinho, R., & Hirofumi, M. (2012). First record of a whale shark *Rhincodon typus* in continental Europe. *Journal of Fish Biology*, 81(4), 1427-1429.
- Rodriguez-Ferrer, G., Cruz-Motta, J. J., Schizas, N. V., & Appeldoorn, R. S. (2020). Modelling distribution of the common bottlenose dolphin, *Tursiops truncatus* off the southwest coast of Puerto Rico. *Journal of Marine Systems*, 210.
- Rodriguez-Vargas, L. H., Rajamani, L., Dolar, L., & Porter, L. (2019). Population size, distribution and daylight behaviour of Irrawaddy dolphins (*Orcaella brevirostris*) in Penang Island, Malaysia. *Raffles Bulletin of Zoology*, 67, 671-683.
- Rogachev, K. A., Carmack, E. C., & Foreman, M. G. G. (2008). Bowhead whales feed on plankton concentrated by estuarine and tidal currents in Academy Bay, Sea of Okhotsk. *Continental Shelf Research*, 28(14), 1811-1826.

- Rogan, E., Canadas, A., Macleod, K., Santos, M. B., Mikkelsen, B., Uriarte, A., et al. (2017). Distribution, abundance and habitat use of deep diving cetaceans in the North-East Atlantic. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 141, 8-19.
- Rogers, A., Hamel, J. F., & Mercier, A. (2019). Earthquake induces mass-spawning event in two coral-reef sea cucumber species in Belize. *Hidrobiologica*, 29(1), 49-51.
- Rogers, M. C., Peacock, E., Simac, K., O'Dell, M. B., & Welker, J. M. (2015). Diet of female polar bears in the southern Beaufort Sea of Alaska: evidence for an emerging alternative foraging strategy in response to environmental change. *Polar Biology*, 38(7), 1035-1047.
- Rogers, T. L., Ciaglia, M. B., Klinck, H., & Southwell, C. (2013). Density Can Be Misleading for Low-Density Species: Benefits of Passive Acoustic Monitoring. *Plos One*, 8(1).
- Rohner, C. A., Armstrong, A. J., Pierce, S. J., Prebble, C. E. M., Cagua, E. F., Cochran, J. E. M., et al. (2015). Whale sharks target dense prey patches of sergestid shrimp off Tanzania. *Journal of Plankton Research*, 37(2), 352-362.
- Rohner, C. A., Burgess, K. B., Rambahiniarison, J. M., Stewart, J. D., Ponzo, A., & Richardson, A. J. (2017). Mobulid rays feed on euphausiids in the Bohol Sea. *Royal Society Open Science*, 4(5).
- Rohner, C. A., Richardson, A. J., Jaine, F. R. A., Bennett, M. B., Weeks, S. J., Cliff, G., et al. (2018). Satellite tagging highlights the importance of productive Mozambican coastal waters to the ecology and conservation of whale sharks. *PeerJ*, 6.
- Rohr, J., Latz, M. I., Fallon, S., Nauen, J. C., & Hendricks, E. (1998). Experimental approaches towards interpreting dolphin-stimulated bioluminescence. *Journal of Experimental Biology*, 201(9), 1447-1460.
- Rohr, J. J., Fish, F. E., & Gilpatrick, J. W. (2002). Maximum swim speeds of captive and free-ranging delphinids: Critical analysis of extraordinary performance. *Marine Mammal Science*, 18(1), 1-19.
- Rolland, R. M., Schick, R. S., Pettis, H. M., Knowlton, A. R., Hamilton, P. K., Clark, J. S., et al. (2016). Health of North Atlantic right whales *Eubalaena glacialis* over three decades: from individual health to demographic and population health trends. *Marine Ecology Progress Series*, 542, 265-282.
- Romagosa, M., Baumgartner, M., Cascao, I., Lammers, M. O., Marques, T. A., Santos, R. S., et al. (2020). Baleen whale acoustic presence and behaviour at a Mid-Atlantic migratory habitat, the Azores Archipelago. *Scientific Reports*, 10(1).
- Romagosa, M., Boisseau, O., Cucknell, A. C., Moscrop, A., & McLanaghan, R. (2015). Source level estimates for sei whale (*Balaenoptera borealis*) vocalizations off the Azores. *Journal of the Acoustical Society of America*, 138(4), 2367-2372.
- Romagosa, M., Cascao, I., Merchant, N. D., Lammers, M. O., Giacomello, E., Marques, T. A., et al. (2017). Underwater Ambient Noise in a Baleen Whale Migratory Habitat Off the Azores. *Frontiers in Marine Science*, 4.
- Romagosa, M., Lucas, C., Perez-Jorge, S., Tobe?a, M., Lehodey, P., Reis, J., et al. (2020). Differences in regional oceanography and prey biomass influence the presence of foraging odontocetes at two Atlantic seamounts. *Marine Mammal Science*, 36(1), 158-179.
- Roman, J., DeLauer, V., Altman, I., Fisher, B., Boumans, R., & Kaufman, L. (2018). Stranded capital: environmental stewardship is part of the economy, too. *Frontiers in Ecology and the Environment*, 16(3), 169-175.
- Romeo, G. (2012). Whale watching: effects of strong signals on Lippmann style seismometers. *Journal of Seismology*, 16(1), 25-34.

- Romeu, B., Cantor, M., Bezamat, C., Simoes-Lopes, P. C., & Daura-Jorge, F. G. (2017). Bottlenose dolphins that forage with artisanal fishermen whistle differently. *Ethology*, 123(12), 906-915.
- Ronje, E. I., Barry, K. P., Sinclair, C., Grace, M. A., Barros, N., Allen, J., et al. (2017). A common bottlenose dolphin (*Tursiops truncatus*) prey handling technique for marine catfish (Ariidae) in the northern Gulf of Mexico. *Plos One*, 12(7).
- Ronje, E. I., Whitehead, H. R., & Mullin, K. D. (2018). The 1990 *Tursiops truncatus* (Common Bottlenose Dolphin) Mass Die-off in East Matagorda Bay, Texas: New Insight into a Cold Case. *Southeastern Naturalist*, 17(3), 411-422.
- Rooker, J. R., Kitchens, L. L., Dance, M. A., Wells, R. J. D., Falterman, B., & Cornic, M. (2013). Spatial, Temporal, and Habitat-Related Variation in Abundance of Pelagic Fishes in the Gulf of Mexico: Potential Implications of the Deepwater Horizon Oil Spill. *Plos One*, 8(10).
- Roos, M. M. H., Wu, G. M., & Miller, P. J. O. (2016). The significance of respiration timing in the energetics estimates of free-ranging killer whales (*Orcinus orca*). *Journal of Experimental Biology*, 219(13), 2066-2077.
- Root-Gutteridge, H., Cusano, D. A., Shiu, Y., Nowacek, D. P., Van Parijs, S. M., & Parks, S. E. (2018). A lifetime of changing calls: North Atlantic right whales, *Eubalaena glacialis*, refine call production as they age. *Animal Behaviour*, 137, 21-34.
- Roper, C. F. E., & Shea, E. K. (2013). Unanswered questions about the giant squid *Architeuthis* (Architeuthidae) illustrate our incomplete knowledge of coleoid cephalopods. *American Malacological Bulletin*, 31(1), 109-122.
- Ropert-Coudert, Y., Kato, A., Sato, K., Naito, Y., Baudat, J., Bost, C. A., et al. (2002). Swim speed of free-ranging Adelie penguins *Pygoscelis adeliae* and its relation to the maximum depth of dives. *Journal of Avian Biology*, 33(1), 94-99.
- Rosa, E., Hillaire-Marcel, C., Ghaleb, B., & Dick, T. A. (2012). Environmental and seasonal controls on riverine dissolved uranium in the Hudson, James, and Ungava bays region, Canada. *Canadian Journal of Earth Sciences*, 49(6), 758-771.
- Rosales-Nanduca, H., Gerrodette, T., Urban-R, J., Cardenas-Hinojosa, G., & Medrano-Gonzalez, L. (2011). Macroecology of marine mammal species in the Mexican Pacific Ocean: diversity and distribution. *Marine Ecology Progress Series*, 431, 281-291.
- Rose, B., & Payne, A. I. L. (1991). OCCURRENCE AND BEHAVIOR OF THE SOUTHERN RIGHT WHALE DOLPHIN *LISSODELPHIS-PERONII* OFF NAMIBIA. *Marine Mammal Science*, 7(1), 25-34.
- Rosen, D. A. S., Gerlinsky, C. G., & Trites, A. W. (2018). Telemetry tags increase the costs of swimming in northern fur seals, *Callorhinus ursinus*. *Marine Mammal Science*, 34(2), 385-402.
- Rosenbaum, H. C., Egan, M. G., Clapham, P. J., Brownell, R. L., Malik, S., Brown, M. W., et al. (2000). Utility of North Atlantic right whale museum specimens for assessing changes in genetic diversity. *Conservation Biology*, 14(6), 1837-1842.
- Rosenbaum, H. C., Maxwell, S. M., Kershaw, F., & Mate, B. (2014). Long-Range Movement of Humpback Whales and Their Overlap with Anthropogenic Activity in the South Atlantic Ocean. *Conservation Biology*, 28(2), 604-615.
- Rosenbaum, H. C., Weinrich, M. T., Stoleson, S. A., Gibbs, J. P., Baker, C. S., & DeSalle, R. (2002). The effect of differential reproductive success on population genetic structure: Correlations of life history with matriline in humpback whales of the Gulf of Maine. *Journal of Heredity*, 93(6), 389-399.

- Rosenbaum, S., Hirwa, J. P., Silk, J. B., & Stoinski, T. S. (2016). Relationships Between Adult Male and Maturing Mountain Gorillas (*Gorilla beringei beringei*) Persist Across Developmental Stages and Social Upheaval. *Ethology*, 122(2), 134-150.
- Rosenberger, A. L. J., MacDuffee, M., Rosenberger, A. G. J., & Ross, P. S. (2017). Oil Spills and Marine Mammals in British Columbia, Canada: Development and Application of a Risk-Based Conceptual Framework. *Archives of Environmental Contamination and Toxicology*, 73(1), 131-153.
- Ross, D. (2019). Consciousness, Language, and the Possibility of Non-human Personhood. *Journal of Consciousness Studies*, 26(3-4), 227-251.
- Ross, G. J. B., Best, P. B., & Donnelly, B. G. (1975). NEW RECORDS OF PYGMY RIGHT WHALE (*CAPPERIA MARGINATA*) FROM SOUTH-AFRICA, WITH COMMENTS ON DISTRIBUTION, MIGRATION, APPEARANCE, AND BEHAVIOR. *Journal of the Fisheries Research Board of Canada*, 32(7), 1005-1017.
- Ross-Marsh, E. C., Elwen, S. H., Prinsloo, A. S., James, B. S., & Gridley, T. Singing in South Africa: monitoring the occurrence of humpback whale (*Megaptera novaeangliae*) song near the Western Cape. *Bioacoustics-the International Journal of Animal Sound and Its Recording*.
- Rossbach, K. A., & Herzing, D. L. (1997). Underwater observations of benthic-feeding bottlenose dolphins (*Tursiops truncatus*) near Grand Bahama Island, Bahamas. *Marine Mammal Science*, 13(3), 498-504.
- Rossbach, K. A., & Herzing, D. L. (1999). Inshore and offshore bottlenose dolphin (*Tursiops truncatus*) communities distinguished by association patterns near Grand Bahama Island, Bahamas. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 77(4), 581-592.
- Rossi, A., Panigada, S., Arrigoni, M., Zanardelli, M., Cimmino, C., Marangi, L., et al. (2014). DEMOGRAPHY AND CONSERVATION OF THE MEDITERRANEAN FIN WHALE (*BALAENOPTERA PHYSALUS*): WHAT CLUES CAN BE OBTAINED FROM PHOTO-IDENTIFICATION DATA. *Theoretical Biology Forum*, 107(1-2), 123-142.
- Rossi-Santos, M. R. (2015). Oil Industry and Noise Pollution in the Humpback Whale (*Megaptera novaeangliae*) Soundscape Ecology of the Southwestern Atlantic Breeding Ground. *Journal of Coastal Research*, 31(1), 184-195.
- Rossi-Santos, M. R. (2018). The Spreading Message in a Noisy World: Song Behavior and Acoustic Ecology in Humpback Whales (*Megaptera novaeangliae*), from the Southwestern Atlantic Ocean. In M. R. RossiSantos & C. W. Finkl (Eds.), *Advances in Marine Vertebrate Research in Latin America: Technological Innovation and Conservation* (Vol. 22, pp. 407-440).
- Rossi-Santos, M. R., Baracho, C., Cipolotti, S., & Marcovaldi, E. (2007). Cetacean sightings near South Georgia islands, South Atlantic Ocean. *Polar Biology*, 31(1), 63-68.
- Rossi-Santos, M. R., & de Oliveira, G. (2016). Combining Cetacean Soundscape Ecology and Niche Modeling to Contribute in the Mapping of the Brazilian Continental Shelf. In C. W. Finkl & C. Makowski (Eds.), *Seafloor Mapping Along Continental Shelves: Research and Techniques for Visualizing Benthic Environments* (Vol. 13, pp. 141-166).
- Rossi-Santos, M. R., & Podos, J. (2006). Latitudinal variation in whistle structure of the estuarine dolphin *Sotalia guianensis*. *Behaviour*, 143, 347-364.
- Rossman, S., Barros, N. B., Ostrom, P. H., Stricker, C. A., Hohn, A. A., Gandhi, H., et al. (2013). Retrospective analysis of bottlenose dolphin foraging: A legacy of anthropogenic ecosystem disturbance. *Marine Mammal Science*, 29(4), 705-718.

- Rossman, S., Ostrom, P. H., Stolen, M., Barros, N. B., Gandhi, H., Stricker, C. A., et al. (2015). Individual specialization in the foraging habits of female bottlenose dolphins living in a trophically diverse and habitat rich estuary. *Oecologia*, 178(2), 415-425.
- Roston, R. A., Lickorish, D., & Buchholtz, E. A. (2013). Anatomy and Age Estimation of an Early Blue Whale (*Balaenoptera musculus*) Fetus. *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 296(4), 709-722.
- Rothenberg, D. (2008). Whale Music: Anatomy of an Interspecies Duet. *Leonardo Music Journal*, 18, 47-53.
- Roustaei, M., Nissen, E., Abbassi, M., Gholamzadeh, A., Ghorashi, M., Tatar, M., et al. (2010). The 2006 March 25 Fin earthquakes (Iran)-insights into the vertical extents of faulting in the Zagros Simply Folded Belt. *Geophysical Journal International*, 181(3), 1275-1291.
- Rowat, D. (2007). Occurrence of whale shark (*Rhincodon typus*) in the Indian Ocean: A case for regional conservation. *Fisheries Research*, 84(1), 96-101.
- Rowat, D., & Brooks, K. S. (2012). A review of the biology, fisheries and conservation of the whale shark *Rhincodon typus*. *Journal of Fish Biology*, 80(5), 1019-1056.
- Rowat, D., & Gore, M. (2007). Regional scale horizontal and local scale vertical movements of whale sharks, in the Indian Ocean off Seychelles. *Fisheries Research*, 84(1), 32-40.
- Rowat, D., Gore, M., Meekan, M. G., Lawler, I. R., & Bradshaw, C. J. A. (2009). Aerial survey as a tool to estimate whale shark abundance trends. *Journal of Experimental Marine Biology and Ecology*, 368(1), 1-8.
- Rowat, D., Meekan, M. G., Engelhardt, U., Pardigon, B., & Vely, M. (2007). Aggregations of juvenile whale sharks (*Rhincodon typus*) in the Gulf of Tadjoura, Djibouti. *Environmental Biology of Fishes*, 80(4), 465-472.
- Rowe, L. E., & Dawson, S. M. (2008). Laser photogrammetry to determine dorsal fin size in a population of bottlenose dolphins from Doubtful Sound, New Zealand. *Australian Journal of Zoology*, 56(4), 239-248.
- Rowe, L. E., & Dawson, S. M. (2009). Determining the sex of bottlenose dolphins from Doubtful Sound using dorsal fin photographs. *Marine Mammal Science*, 25(1), 19-34.
- Roy, N., Simard, Y., & Gervaise, C. (2010). 3D tracking of foraging belugas from their clicks: Experiment from a coastal hydrophone array. *Applied Acoustics*, 71(11), 1050-1056.
- Roy, S. P., Roy, R., Prabhakar, A. K., Pandey, A., Kumar, R., & Tseng, L. C. (2013). Spatio-temporal distribution and community structure of zooplankton in the Gangetic Dolphin Sanctuary, 2009. *Aquatic Ecosystem Health & Management*, 16(4), 374-384.
- Ruckdeschel, G. S., Davies, K. T. A., & Ross, T. (2020). Biophysical Drivers of Zooplankton Variability on the Scotian Shelf Observed Using Profiling Electric Gliders. *Frontiers in Marine Science*, 7.
- Rudershausen, P. J., Poland, S. J., Merten, W., & Buckel, J. A. (2019). Estimating Discard Mortality for Dolphinfish in a Recreational Hook-and-Line Fishery. *North American Journal of Fisheries Management*, 39(6), 1143-1154.
- Ruegg, K., Rosenbaum, H. C., Anderson, E. C., Engel, M., Rothschild, A., Baker, C. S., et al. (2013). Long-term population size of the North Atlantic humpback whale within the context of worldwide population structure. *Conservation Genetics*, 14(1), 103-114.
- Rugh, D. J., Braham, H. W., & Miller, G. W. (1992). METHODS FOR PHOTOGRAPHIC IDENTIFICATION OF BOWHEAD WHALES, *BALAENA-MYSTICETUS*. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 70(3), 617-624.

- Rugh, D. J., Muto, M. M., Hobbs, R. C., & Lerczak, J. A. (2008). An assessment of shore-based counts of gray whales. *Marine Mammal Science*, 24(4), 864-880.
- Ruiz-Cooley, R. I., Koch, P. L., Fiedler, P. C., & McCarthy, M. D. (2014). Carbon and Nitrogen Isotopes from Top Predator Amino Acids Reveal Rapidly Shifting Ocean Biochemistry in the Outer California Current. *Plos One*, 9(10).
- Ruiz-Cooley, R. I., Villa, E. C., & Gould, W. R. (2010). Ontogenetic variation of delta C-13 and delta N-15 recorded in the gladius of the jumbo squid *Dosidicus gigas*: geographic differences. *Marine Ecology Progress Series*, 399, 187-198.
- Rupil, G. M., Bogoni, J. A., Barbosa, L., Marcondes, M. C. C., & Farro, A. P. C. (2018). Climate influences on Guiana dolphin diet along the Brazilian coast. *Scientia Marina*, 82(3), 159-168.
- Russell, J. C., Hanks, E. M., & Haran, M. (2016). Dynamic Models of Animal Movement with Spatial Point Process Interactions. *Journal of Agricultural Biological and Environmental Statistics*, 21(1), 22-40.
- Russell, J. C., Horn, S. R., Miskelly, C. M., Sagar, R. L., & Taylor, R. H. (2020). Introduced land mammals and their impacts on the birds of the subantarctic Auckland Islands. *Notornis*, 67(1), 247-268.
- Russon, A. E., Kuncoro, P., Ferisa, A., & Handayani, D. P. (2010). How Orangutans (*Pongo pygmaeus*) Innovate for Water. *Journal of Comparative Psychology*, 124(1), 14-28.
- Rutenko, A. N., Borisov, S. V., Gritsenko, A. V., & Jenkerson, M. R. (2007). Calibrating and monitoring the western gray whale mitigation zone and estimating acoustic transmission during a 3D seismic survey, Sakhalin Island, Russia. *Environmental Monitoring and Assessment*, 134(1-3), 21-44.
- Rutenko, A. N., Borovoi, D. I., Gritsenko, V. A., Petrov, P. S., Ushchipovskii, V. G., & Boekholt, M. (2012). Monitoring the acoustic field of seismic survey pulses in the near-coastal zone. *Acoustical Physics*, 58(3), 326-338.
- Rutenko, A. N., Gritsenko, V. A., Kovzel, D. G., Manulchev, D. S., & Fershalov, M. Y. (2019). A Method for Estimating the Characteristics of Acoustic Pulses Recorded on the Sakhalin Shelf for Multivariate Analysis of their Effect on the Behavior of Gray Whales. *Acoustical Physics*, 65(5), 556-566.
- Rutenko, A. N., & Ushchipovskii, V. G. (2015). Estimates of acoustic noise generated by supply vessels working with oil-drilling platforms. *Acoustical Physics*, 61(5), 556-563.
- Ryan, C., Whooley, P., Berrow, S. D., Barnes, C., Massett, N., Strietman, W. J., et al. (2016). A longitudinal study of humpback whales in Irish waters. *Journal of the Marine Biological Association of the United Kingdom*, 96(4), 877-883.
- Ryan, J. P., Cline, D. E., Joseph, J. E., Margolina, T., Santora, J. A., Kudela, R. M., et al. (2019). Humpback whale song occurrence reflects ecosystem variability in feeding and migratory habitat of the northeast Pacific. *Plos One*, 14(9).
- Ryan, J. P., Green, J. R., Espinoza, E., & Hearn, A. R. (2017). Association of whale sharks (*Rhincodon typus*) with thermo-biological frontal systems of the eastern tropical Pacific. *Plos One*, 12(8).
- Rycky, A. M., Deutsch, C. J., Barlas, M. E., Hardy, S. K., Frisch, K., Leone, E. H., et al. (2018). Manatee behavioral response to boats. *Marine Mammal Science*, 34(4), 924-962.
- Ryu, J. H., Yeom, S. R., Jeong, J. W., Kim, Y. I., & Cho, S. J. (2010). Characteristics and triage of a maritime disaster: an accidental passenger ship collision in Korea. *European Journal of Emergency Medicine*, 17(3), 177-180.

- Saayman, M., Slabbert, E., & Van Der Merwe, P. (2009). TRAVEL MOTIVATION: A TALE OF TWO MARINE DESTINATIONS IN SOUTH AFRICA. *South African Journal for Research in Sport Physical Education and Recreation*, 31(1), 81-94.
- Sacco, F., Marrone, F., Lo Brutto, S., Besbes, A., Nfati, A., Gatt, M., et al. (2017). The Mediterranean Sea hosts endemic haplotypes and a distinct population of the dolphinfish *Coryphaena hippurus* Linnaeus, 1758 (Perciformes, Coryphaenidae). *Fisheries Research*, 186, 151-158.
- Saddler, M. R., Bocconcelli, A., Hickmott, L. S., Chiang, G., Landea-Briones, R., Bahamonde, P. A., et al. (2017). Characterizing Chilean blue whale vocalizations with DTAGs: a test of using tag accelerometers for caller identification. *Journal of Experimental Biology*, 220(22), 4119-4129.
- Saegusa, S., Tsunogai, U., Nakagawa, F., & Kaneko, S. (2006). Development of a multibottle gas-tight fluid sampler WHATS II for Japanese submersibles/ROVs. *Geofluids*, 6(3), 234-240.
- Saenz, B. T., Ainley, D. G., Daly, K. L., Ballard, G., Conlisk, E., Elrod, M. L., et al. (2020). Drivers of concentrated predation in an Antarctic marginal-ice-zone food web. *Scientific Reports*, 10(1).
- Sagnol, O., & Reitsma, F. (2014). A Spatio-Temporal Model to Track Individuals from a Shore-Based Station: A Case Study for Sperm Whales (*Physeter macrocephalus*) Off Kaikoura, New Zealand. *Aquatic Mammals*, 40(4), 321-328.
- Sagnol, O., Richter, C., Field, L. H., & Reitsma, F. (2014). Spatio-temporal distribution of sperm whales (*Physeter macrocephalus*) off Kaikoura, New Zealand, in relation to bathymetric features. *New Zealand Journal of Zoology*, 41(4), 234-247.
- Saijo, D., Mitani, Y., Abe, T., Sasaki, H., Goetsch, C., Costa, D. P., et al. (2017). Linking mesopelagic prey abundance and distribution to the foraging behavior of a deep-diving predator, the northern elephant seal. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 140, 163-170.
- Sakai, M., Karczmarski, L., Morisaka, T., & Thornton, M. (2011). Reactions of Heaviside's dolphins to tagging attempts using remotely-deployed suction-cup tags. *South African Journal of Wildlife Research*, 41(1), 134-138.
- Sakai, M., Tsuchiya, K., Mariategui, L., Wakabayashi, T., & Yamashiro, C. (2017). Vertical Migratory Behavior of Jumbo Flying Squid (*Dosidicus gigas*) off Peru: Records of Acoustic and Pop-up Tags. *Jarq-Japan Agricultural Research Quarterly*, 51(2), 171-179.
- Sakai, M., Wang, D., Wang, K. X., Li, S. H., & Akamatsu, T. (2011). Do Porpoises Choose Their Associates? A New Method for Analyzing Social Relationships among Cetaceans. *Plos One*, 6(12).
- Sakamoto, K. Q., Takahashi, A., Iwata, T., & Trathan, P. N. (2009). From the Eye of the Albatrosses: A Bird-Borne Camera Shows an Association between Albatrosses and a Killer Whale in the Southern Ocean. *Plos One*, 4(10).
- Salisbury, D. P., Clark, C. W., & Rice, A. N. (2016). Right whale occurrence in the coastal waters of Virginia, USA: Endangered species presence in a rapidly developing energy market. *Marine Mammal Science*, 32(2), 508-519.
- Sallam, E. S., Fathy, E. E., Ruban, D. A., Ponedelnik, A. A., & Yashalova, N. N. (2018). Geological heritage diversity in the Faiyum Oasis (Egypt): A comprehensive assessment. *Journal of African Earth Sciences*, 140, 212-224.
- Salvadeo, C. J., Flores-Ramirez, S., Gomez-Gallardo, A., MacLeod, C., Lluch-Belda, D., Jaume-Schinkel, S., et al. (2011). Bryde's whale (*Balaenoptera edeni*) in the southwestern Gulf of California: Relationship with ENSO variability and prey availability. *Ciencias Marinas*, 37(2), 215-225.
- Salvadeo, C. J., Lluch-Cota, S. E., Maravilla-Chavez, M. O., Alvarez-Castaneda, S. T., Mercuri, M., & Ortega-Rubio, A. (2013). IMPACT OF CLIMATE CHANGE ON SUSTAINABLE MANAGEMENT OF GRAY WHALE

(ESCHRICHTIUS ROBUSTUS) POPULATIONS: WHALE-WATCHING AND CONSERVATION. Archives of Biological Sciences, 65(3), 997-1005.

Salvetat, J., Lebourges-Dhaussy, A., Travassos, P., Gastauer, S., Roudaut, G., Vargas, G., et al. (2020). In situ target strength measurement of the black triggerfish *Melichthys niger* and the ocean triggerfish *Canthidermis sufflamen*. Marine and Freshwater Research, 71(9), 1118-1127.

Samaran, F., Stafford, K. M., Branch, T. A., Gedamke, J., Royer, J. Y., Dziak, R. P., et al. (2013). Seasonal and Geographic Variation of Southern Blue Whale Subspecies in the Indian Ocean. Plos One, 8(8).

Samarra, F. I. P. (2015). Variations in killer whale food-associated calls produced during different prey behavioural contexts. Behavioural Processes, 116, 33-42.

Samarra, F. I. P., Bassoi, M., Beesau, J., Eliasdottir, M. O., Gunnarsson, K., Mruszczok, M. T., et al. (2018). Prey of killer whales (*Orcinus orca*) in Iceland. Plos One, 13(12).

Samarra, F. I. P., Deecke, V. B., & Miller, P. J. O. (2016). Low-frequency signals produced by Northeast Atlantic killer whales (*Orcinus orca*). Journal of the Acoustical Society of America, 139(3), 1149-1157.

Samarra, F. I. P., Deecke, V. B., Simonis, A. E., & Miller, P. J. O. (2015). Geographic variation in the time-frequency characteristics of high-frequency whistles produced by killer whales (*Orcinus orca*). Marine Mammal Science, 31(2), 688-706.

Samarra, F. I. P., & Miller, P. J. O. (2015). Prey-induced behavioural plasticity of herring-eating killer whales. Marine Biology, 162(4), 809-821.

Samarra, F. I. P., Tavares, S. B., Beesau, J., Deecke, V. B., Fennell, A., Miller, P. J. O., et al. (2017). Movements and site fidelity of killer whales (*Orcinus orca*) relative to seasonal and long-term shifts in herring (*Clupea harengus*) distribution. Marine Biology, 164(8).

Sampaio, C. L. S., Leite, L., Reis, J. A., Loiola, M., Miranda, R. J., Nunes, J. D. C., et al. (2018). New insights into whale shark *Rhincodon typus* diet in Brazil: an observation of ram filter-feeding on crab larvae and analysis of stomach contents from the first stranding in Bahia state. Environmental Biology of Fishes, 101(8), 1285-1293.

Sampson, K., Merigo, C., Lagueux, K., Rice, J., Cooper, R., Weber, E. S., et al. (2012). Clinical assessment and postrelease monitoring of 11 mass stranded dolphins on Cape Cod, Massachusetts. Marine Mammal Science, 28(4), E404-E425.

Samuel, Y., Morreale, S. J., Clark, C. W., Greene, C. H., & Richmond, M. E. (2005). Underwater, low-frequency noise in a coastal sea turtle habitat. Journal of the Acoustical Society of America, 117(3), 1465-1472.

Samuelson, M., & Lavery, C. (2019). The Oceanic South. English Language Notes, 57(1), 37-50.

San Vicente, C. (2010). SPECIES DIVERSITY OF ANTARCTIC MYSIDS (CRUSTACEA: LOPHOGASTRIDA AND MYSIDA).

Sanchez-Cabanes, A., Nimak-Wood, M., Harris, N., & de Stephanis, R. (2017). Habitat preferences among three top predators inhabiting a degraded ecosystem, the Black Sea. Scientia Marina, 81(2), 217-227.

Sanchez-Garcia, A., Munoz-Esparza, P., & Sancho-Gomez, J. L. (2010). A novel image-processing based method for the automatic detection, extraction and characterization of marine mammal tonal calls. Journal of the Marine Biological Association of the United Kingdom, 90(8), 1667-1684.

Sanchez-Velasco, L., Ruvalcaba-Aroche, E. D., Beier, E., Godinez, V. M., Barton, E. D., Diaz-Viloria, N., et al. (2016). Paralarvae of the complex *Sthenoteuthis oualaniensis*-*Dosidicus gigas* (Cephalopoda: Ommastrephidae) in

the northern limit of the shallow oxygen minimum zone of the Eastern Tropical Pacific Ocean (April 2012). *Journal of Geophysical Research-Oceans*, 121(3), 1998-2015.

Sano, K., Sakamoto, T., Nishimura, R., Danno, Y., Komi, P. V., & Ishikawa, M. (2019). Muscle-Tendon Interaction During Human Dolphin-Kick Swimming. *Frontiers in Physiology*, 10.

Santana-Garcon, J., Wakefield, C. B., Dorman, S. R., Denham, A., Blight, S., Molony, B. W., et al. (2018). Risk versus reward: interactions, depredation rates, and bycatch mitigation of dolphins in demersal fish trawls. *Canadian Journal of Fisheries and Aquatic Sciences*, 75(12), 2233-2240.

Santini, F., & Carnevale, G. (2015). First multilocus and densely sampled timetree of trevallies, pompanos and allies (Carangoidei, Percomorpha) suggests a Cretaceous origin and Eocene radiation of a major clade of piscivores. *Molecular Phylogenetics and Evolution*, 83, 33-39.

Santora, J. A., Mantua, N. J., Schroeder, I. D., Field, J. C., Hazen, E. L., Bograd, S. J., et al. (2020). Habitat compression and ecosystem shifts as potential links between marine heatwave and record whale entanglements. *Nature Communications*, 11(1).

Santora, J. A., & Reiss, C. S. (2011). Geospatial variability of krill and top predators within an Antarctic submarine canyon system. *Marine Biology*, 158(11), 2527-2540.

Santora, J. A., Reiss, C. S., Loeb, V. J., & Veit, R. R. (2010). Spatial association between hotspots of baleen whales and demographic patterns of Antarctic krill *Euphausia superba* suggests size-dependent predation. *Marine Ecology Progress Series*, 405, 255-269.

Santora, J. A., Schroeder, I. D., & Loeb, V. J. (2014). Spatial assessment of fin whale hotspots and their association with krill within an important Antarctic feeding and fishing ground. *Marine Biology*, 161(10), 2293-2305.

Santora, J. A., & Veit, R. R. (2013). Spatio-temporal persistence of top predator hotspots near the Antarctic Peninsula. *Marine Ecology Progress Series*, 487, 287-304.

Santora, J. A., Zeno, R., Dorman, J. G., & Sydeman, W. J. (2018). Submarine canyons represent an essential habitat network for krill hotspots in a Large Marine Ecosystem. *Scientific Reports*, 8.

Santoro, M., Badillo, F. J., Mattiucci, S., Nascetti, G., Bentivegna, F., Insacco, G., et al. (2010). Helminth communities of loggerhead turtles (*Caretta caretta*) from Central and Western Mediterranean Sea: The importance of host's ontogeny. *Parasitology International*, 59(3), 367-375.

Santoro, M., Di Nocera, F., Iaccarino, D., Cipriani, P., Procesi, I. G., Maffucci, F., et al. (2018). Helminth parasites of the dwarf sperm whale *Kogia sima* (Cetacea: Kogiidae) from the Mediterranean Sea, with implications on host ecology. *Diseases of Aquatic Organisms*, 129(3), 175-182.

Santos, M. B., & Pierce, G. J. (2003). The diet of harbour porpoise (*Phocoena phocoena*) in the northeast Atlantic. In R. N. Gibson & R. J. A. Atkinson (Eds.), *Oceanography and Marine Biology*, Vol 41 (Vol. 41, pp. 355-390).

Santos, M. B., Pierce, G. J., Herman, J., Lopez, A., Guerra, A., Mente, E., et al. (2001). Feeding ecology of Cuvier's beaked whale (*Ziphius cavirostris*): a review with new information on the diet of this species. *Journal of the Marine Biological Association of the United Kingdom*, 81(4), 687-694.

Santos, M. B., Pierce, G. J., Lopez, A., Reid, R. J., Ridoux, V., & Mente, E. (2006). Pygmy sperm whales *Kogia breviceps* in the Northeast Atlantic: New information on stomach contents and strandings. *Marine Mammal Science*, 22(3), 600-616.

Santos, M. C. D. (2010). GUIANA DOLPHINS (*Sotalia guianensis*) DISPLAYING BEACH HUNTING BEHAVIOR IN THE CANANEIA ESTUARY, BRAZIL: SOCIAL CONTEXT AND CONSERVATION ISSUES. *Brazilian Journal of Oceanography*, 58(2), 143-152.

- Santos, M. C. D., & da Silva, E. (2009). RECORDS OF A MALE KILLER WHALE (*ORCINUS ORCA*) OFF SOUTHEASTERN BRAZIL. *Brazilian Journal of Oceanography*, 57(1), 65-68.
- Santos, M. C. D., Figueiredo, G. C. E., & Van Bresseem, M. F. (2017). Cetaceans using the marine protected area of "Parque Estadual Marinho da Laje de Santos", Southeastern Brazil. *Brazilian Journal of Oceanography*, 65(4), 605-613.
- Santos, M. C. D., Lailson-Brito, J., Flach, L., Oshima, J. E. F., Figueiredo, G. C., Carvalho, R. R., et al. (2019). Cetacean movements in coastal waters of the southwestern Atlantic ocean. *Biota Neotropica*, 19(2).
- Santos, M. C. D., Oshima, J. E. D., Pacifico, E. D., & da Silva, E. (2010). Guiana dolphins, *Sotalia guianensis* (Cetacea: Delphinidae), in the Paranagua Estuarine Complex: insights on the use of area based on the photo-identification technique. *Zoologia*, 27(3), 324-330.
- Santos, M. C. O., Oshima, J. E. F., Pacifico, E. S., & Silva, E. (2010). Feeding associations between Guiana dolphins, *Sotalia guianensis* (Van Beneden, 1864) and seabirds in the Lagamar estuary, Brazil. *Brazilian Journal of Biology*, 70(1), 9-17.
- Santos, M. S., Schiavetti, A., & Alvarez, M. R. (2013). Surface patterns of *Sotalia guianensis* (Cetacea: Delphinidae) in the presence of boats in Port of Malhado, Ilheus, Bahia, Brazil. *Latin American Journal of Aquatic Research*, 41(1), 80-88.
- Santos-Carvalho, M., Sepulveda, M., Moraga, R., Landaeta, M. F., Oliva, D., & Perez-Alvarez, M. J. (2018). Presence, Behavior, and Resighting Pattern of Transient Bottlenose Dolphins (*Tursiops truncatus*) in the Humboldt Current System off North-Central Chile. *Pacific Science*, 72(1), 41-56.
- Sanvito, S., Galimberti, F., & Miller, E. H. (2007). Observational evidences of vocal learning in southern elephant seals: A longitudinal study. *Ethology*, 113(2), 137-146.
- Sanz, M., Lopez-Bote, C. J., Flores, A., & Carmona, J. M. (2000). Effect of the inclusion time of dietary saturated and unsaturated fats before slaughter on the accumulation and composition of abdominal fat in female broiler chickens. *Poultry Science*, 79(9), 1320-1325.
- Sargeant, B. L., & Mann, J. (2009). Developmental evidence for foraging traditions in wild bottlenose dolphins. *Animal Behaviour*, 78(3), 715-721.
- Sargeant, B. L., Mann, J., Berggren, P., & Krutzen, M. (2005). Specialization and development of beach hunting, a rare foraging behavior, by wild bottlenose dolphins (*Tursiops* sp.). *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 83(11), 1400-1410.
- Sargeant, B. L., Wirsing, A. J., Heithaus, M. R., & Mann, J. (2007). Can environmental heterogeneity explain individual foraging variation in wild bottlenose dolphins (*Tursiops* sp.)? *Behavioral Ecology and Sociobiology*, 61(5), 679-688.
- Sarnblad, A., Danbolt, M., Dalen, L., Amir, O. A., & Berggren, P. (2011). Phylogenetic placement and population structure of Indo-Pacific bottlenose dolphins (*Tursiops aduncus*) off Zanzibar, Tanzania, based on mtDNA sequences. *Marine Mammal Science*, 27(2), 431-448.
- Sarnocinska, J., Teilmann, J., Balle, J. D., van Beest, F. M., Delefosse, M., & Tougaard, J. (2020). Harbor Porpoise (*Phocoena phocoena*) Reaction to a 3D Seismic Airgun Survey in the North Sea. *Frontiers in Marine Science*, 6.
- Sartori, L., Bulgheroni, M., Tizzi, R., & Castiello, U. (2015). A kinematic study on (un)intentional imitation in bottlenose dolphins. *Frontiers in Human Neuroscience*, 9.

- Sasaki, M., Amano, Y., Hayakawa, D., Tsubota, T., Ishikawa, H., Mogoe, T., et al. (2013). Structure and Steroidogenesis of the Placenta in the Antarctic Minke Whale (*Balaenoptera bonaerensis*). *Journal of Reproduction and Development*, 59(2), 159-167.
- Sasaki, M., Amano, Y., Hayakawa, D., Tsubota, T., Ishikawa, H., Mogoe, T., et al. (2014). Areolae of the Placenta in the Antarctic Minke Whale (*Balaenoptera bonaerensis*). *Journal of Reproduction and Development*, 60(1), 62-67.
- Sasaki, T., Nikaido, M., Hamilton, H., Goto, M., Kato, H., Kanda, N., et al. (2005). Mitochondrial phylogenetics and evolution of mysticete whales. *Systematic Biology*, 54(1), 77-90.
- Sasaki-Yamamoto, Y., Akamatsu, T., Ura, T., Sugimatsu, H., Kojima, J., Bahl, R., et al. (2013). Diel changes in the movement patterns of Ganges River dolphins monitored using stationed stereo acoustic data loggers. *Marine Mammal Science*, 29(4), 589-605.
- Sassu, R., & Cozzi, B. (2007). The external and middle ear of the striped dolphin *Stenella coeruleoalba* (Meyen 1833). *Anatomia Histologia Embryologia*, 36(3), 197-201.
- Sato, K., Watanuki, Y., Takahashi, A., Miller, P. J. O., Tanaka, H., Kawabe, R., et al. (2007). Stroke frequency, but not swimming speed, is related to body size in free-ranging seabirds, pinnipeds and cetaceans. *Proceedings of the Royal Society B-Biological Sciences*, 274(1609), 471-477.
- Saunders, R. A., Collins, M. A., Stowasser, G., & Tarling, G. A. (2017). Southern Ocean mesopelagic fish communities in the Scotia Sea are sustained by mass immigration. *Marine Ecology Progress Series*, 569, 173-185.
- Saviano, P., Fiorucci, L., Grande, F., Macrelli, R., Troisi, A., Polisca, A., et al. (2020). Pregnancy and Fetal Development: Cephalic Presentation and Other Descriptive Ultrasonographic Findings from Clinically Healthy Bottlenose Dolphins (*Tursiops truncatus*) under Human Care. *Animals*, 10(5).
- Sayigh, L., Quick, N., Hastie, G., & Tyack, P. (2013). Repeated call types in short-finned pilot whales, *Globicephala macrorhynchus*. *Marine Mammal Science*, 29(2), 312-324.
- Sayigh, L. S., Esch, H. C., Wells, R. S., & Janik, V. M. (2007). Facts about signature whistles of bottlenose dolphins, *Tursiops truncatus*. *Animal Behaviour*, 74, 1631-1642.
- Sazima, I., Sazima, C., & Silva, J. M. (2003). The cetacean offal connection: Feces and vomits of spinner dolphins as a food source for reef fishes. *Bulletin of Marine Science*, 72(1), 151-160.
- Scales, K. L., Schorr, G. S., Hazen, E. L., Bograd, S. J., Miller, P. I., Andrews, R. D., et al. (2017). Should I stay or should I go? Modelling year-round habitat suitability and drivers of residency for fin whales in the California Current. *Diversity and Distributions*, 23(10), 1204-1215.
- Schabetsberger, R., Okland, F., Aarestrup, K., Kalfatak, D., Sichrowsky, U., Tambets, M., et al. (2013). Oceanic migration behaviour of tropical Pacific eels from Vanuatu. *Marine Ecology Progress Series*, 475, 177-190.
- Schaefer, A. M., Hanisak, M. D., McFarland, M., & Sullivan, J. M. (2019). Integrated observing systems: An approach to studying harmful algal blooms in south Florida. *Journal of Operational Oceanography*, 12, S187-S198.
- Schaeff, C. M., Kraus, S. D., Brown, M. W., & White, B. N. (1993). ASSESSMENT OF THE POPULATION-STRUCTURE OF WESTERN NORTH-ATLANTIC RIGHT WHALES (*EUBALAENA-GLACIALIS*) BASED ON SIGHTING AND MTDNA DATA. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 71(2), 339-345.
- Schaffeld, T., Brager, S., Gallus, A., Dahne, M., Krugel, K., Herrmann, A., et al. (2016). Diel and seasonal patterns in acoustic presence and foraging behaviour of free-ranging harbour porpoises. *Marine Ecology Progress Series*, 547, 257-272.

- Schakner, Z. A., Lunsford, C., Straley, J., Eguchi, T., & Mesnick, S. L. (2014). Using Models of Social Transmission to Examine the Spread of Longline Depredation Behavior among Sperm Whales in the Gulf of Alaska. *Plos One*, 9(10).
- Schall, E., Di Iorio, L., Berchok, C., Filun, D., Bedrinana-Romano, L., Buchan, S. J., et al. (2020). Visual and passive acoustic observations of blue whale trios from two distinct populations. *Marine Mammal Science*, 36(1), 365-374.
- Schall, E., & Van Opzeeland, I. (2017). Calls Produced by Ecotype C Killer Whales (*Orcinus orca*) Off the Eckstrom Iceshelf, Antarctica. *Aquatic Mammals*, 43(2), 117-126.
- Scharffenberg, K., Whalen, D., Marcoux, M., Iacozza, J., Davoren, G., & Loseto, L. (2019). Environmental drivers of beluga whale *Delphinapterus leucas* habitat use in the Mackenzie Estuary, Northwest Territories, Canada. *Marine Ecology Progress Series*, 626, 209-226.
- Schauer, J., Hissmann, K., & Fricke, H. (1997). A method for deployment of externally attached sonic fish tags from a manned submersible and their effects on coelacanth. *Marine Biology*, 128(3), 359-362.
- Scheer, M., Hofmann, B., & Behr, I. P. (2004). Ethogram of selected behaviors initiated by free-ranging short-finned pilot whales (*Globicephala macrorhynchus*) and directed to human swimmers during open water encounters. *Anthrozoos*, 17(3), 244-258.
- Scheiber, H. N. (1998). Historical memory, cultural claims, and environmental ethics in the jurisprudence of whaling regulation. *Ocean & Coastal Management*, 38(1), 5-40.
- Scheidat, M., Tougaard, J., Brasseur, S., Carstensen, J., Petel, T. V., Teilmann, J., et al. (2011). Harbour porpoises (*Phocoena phocoena*) and wind farms: a case study in the Dutch North Sea. *Environmental Research Letters*, 6(2).
- Scheidat, M., Verdaat, H., & Aarts, G. (2012). Using aerial surveys to estimate density and distribution of harbour porpoises in Dutch waters. *Journal of Sea Research*, 69, 1-7.
- Schell, D. M., Rowntree, V. J., & Pfeiffer, C. J. (2000). Stable-isotope and electron-microscopic evidence that cyamids (Crustacea : Amphipoda) feed on whale skin. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 78(5), 721-727.
- Scheren, P., Diop, S., Machiwa, J., & Ducrotoy, J. P. (2016). The Western Indian Ocean: A Wealth of Life-Supporting Ecosystem Goods and Services. In S. Diop, P. Scheren & J. Machiwa (Eds.), *Estuaries: a Lifeline of Ecosystem Services in the Western Indian Ocean* (pp. 1-23).
- Schertzer, W. M., Rouse, W. R., Blanken, P. D., & Walker, A. E. (2003). Over-lake meteorology and estimated bulk heat exchange of Great Slave Lake in 1998 and 1999. *Journal of Hydrometeorology*, 4(4), 649-659.
- Schiaparelli, S., Rowden, A. A., & Clark, M. R. (2016). Deep-Sea Fauna.
- Schick, R. S., Bowers, M., DeRuiter, S., Friedlaender, A., Joseph, J., Margolina, T., et al. (2019). Accounting for Positional Uncertainty When Modeling Received Levels for Tagged Cetaceans Exposed to Sonar. *Aquatic Mammals*, 45(6), 675-690.
- Schilling, M. R., Seipt, I., Weinrich, M. T., Frohock, S. E., Kuhlberg, A. E., & Clapham, P. J. (1992). BEHAVIOR OF INDIVIDUALLY-IDENTIFIED SEI WHALES *BALAENOPTERA-BOREALIS* DURING AN EPISODIC INFLUX INTO THE SOUTHERN GULF OF MAINE IN 1986. *Fishery Bulletin*, 90(4), 749-755.
- Schleimer, A., Araujo, G., Penketh, L., Heath, A., McCoy, E., Labaja, J., et al. (2015). Learning from a provisioning site: code of conduct compliance and behaviour of whale sharks in Oslob, Cebu, Philippines. *PeerJ*, 3.

- Schleimer, A., Ramp, C., Delarue, J., Carpentier, A., Berube, M., Palsboll, P. J., et al. (2019). Decline in abundance and apparent survival rates of fin whales (*Balaenoptera physalus*) in the northern Gulf of St. Lawrence. *Ecology and Evolution*, 9(7), 4231-4244.
- Schleimer, A., Ramp, C., Plourde, S., Lehoux, C., Sears, R., & Hammond, P. S. (2019). Spatio-temporal patterns in fin whale *Balaenoptera physalus* habitat use in the northern Gulf of St. Lawrence. *Marine Ecology Progress Series*, 623, 221-234.
- Schlundt, C. E., Finneran, J. J., Branstetter, B. K., Trickey, J. S., Bowman, V., & Jenkins, K. (2016). Auditory Effects of Multiple Impulses from a Seismic Air Gun on Bottlenose Dolphins (*Tursiops truncatus*). In A. N. Popper & A. Hawkins (Eds.), *Effects of Noise on Aquatic Life II* (Vol. 875, pp. 987-991).
- Schmidt, J. V., Schmidt, C. L., Ozer, F., Ernst, R. E., Feldheim, K. A., Ashley, M. V., et al. (2009). Low Genetic Differentiation across Three Major Ocean Populations of the Whale Shark, *Rhincodon typus*. *Plos One*, 4(4).
- Schmidt, V., Weber, T. C., Wiley, D. N., & Johnson, M. P. (2010). Underwater Tracking of Humpback Whales (*Megaptera novaeangliae*) With High-Frequency Pingers and Acoustic Recording Tags. *Ieee Journal of Oceanic Engineering*, 35(4), 821-836.
- Schmidtke, P., Bidon-Chanal, A., Luque, F. J., & Barril, X. (2011). MDpocket: open-source cavity detection and characterization on molecular dynamics trajectories. *Bioinformatics*, 27(23), 3276-3285.
- Schmitt, N. T., Double, M. C., Jarman, S. N., Gales, N., Marthick, J. R., Polanowski, A. M., et al. (2014). Low levels of genetic differentiation characterize Australian humpback whale (*Megaptera novaeangliae*) populations. *Marine Mammal Science*, 30(1), 221-241.
- Schmitz, L., Motani, R., Oufiero, C. E., Martin, C. H., McGee, M. D., Gamarra, A. R., et al. (2013). Allometry indicates giant eyes of giant squid are not exceptional. *Bmc Evolutionary Biology*, 13.
- Schneider, K., Baird, R. W., Dawson, S., Visser, I., & Childerhouse, S. (1998). Reactions of bottlenose dolphins to tagging attempts using a remotely-deployed suction-cup tag. *Marine Mammal Science*, 14(2), 316-324.
- Schofield, G., Scott, R., Katselidis, K. A., Mazaris, A. D., & Hays, G. C. (2015). Quantifying wildlife-watching ecotourism intensity on an endangered marine vertebrate. *Animal Conservation*, 18(6), 517-528.
- Scholin, C., Doucette, G., Jensen, S., Roman, B., Pargett, D., Marin, R., et al. (2009). REMOTE DETECTION OF MARINE MICROBES, SMALL INVERTEBRATES, HARMFUL ALGAE, AND BIOTOXINS USING THE ENVIRONMENTAL SAMPLE PROCESSOR (ESP). *Oceanography*, 22(2), 158-167.
- Schonberg, S. V., Clarke, J. T., & Dunton, K. H. (2014). Distribution, abundance, biomass and diversity of benthic infauna in the Northeast Chukchi Sea, Alaska: Relation to environmental variables and marine mammals. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 102, 144-163.
- Schorr, G. S., Falcone, E. A., Moretti, D. J., & Andrews, R. D. (2014). First Long-Term Behavioral Records from Cuvier's Beaked Whales (*Ziphius cavirostris*) Reveal Record-Breaking Dives. *Plos One*, 9(3).
- Schuler, A. R., Piwetz, S., Di Clemente, J., Steckler, D., Mueter, F., & Pearson, H. C. (2019). Humpback Whale Movements and Behavior in Response to Whale-Watching Vessels in Juneau, AK. *Frontiers in Marine Science*, 6.
- Schultz, K. W., Cato, D. H., Corkeron, P. J., & Bryden, M. M. (1995). LOW-FREQUENCY NARROW-BAND SOUNDS PRODUCED BY BOTTLE-NOSED DOLPHINS. *Marine Mammal Science*, 11(4), 503-509.
- Schulz, T. M., Whitehead, H., Gero, S., & Rendell, L. (2008). Overlapping and matching of codas in vocal interactions between sperm whales: insights into communication function. *Animal Behaviour*, 76, 1977-1988.

- Schulz, T. M., Whitehead, H., Gero, S., & Rendell, L. (2011). Individual vocal production in a sperm whale (*Physeter macrocephalus*) social unit. *Marine Mammal Science*, 27(1), 149-166.
- Schulz, T. M., Whitehead, H., & Rendell, L. (2009). Off-axis effects on the multi-pulse structure of sperm whale coda clicks. *Journal of the Acoustical Society of America*, 125(3), 1768-1773.
- Schwab, J. A., Young, M. T., Neenan, J. M., Walsh, S. A., Witmer, L. M., Herrera, Y., et al. (2020). Inner ear sensory system changes as extinct crocodylomorphs transitioned from land to water. *Proceedings of the National Academy of Sciences of the United States of America*, 117(19), 10422-10428.
- Schwartz, Z., Lohmann, C. H., Wieland, M., Cochran, D. L., Dean, D. D., Textor, M., et al. (2000). Osteoblast proliferation and differentiation on dentin slices are modulated by pretreatment of the surface with tetracycline or osteoclasts. *Journal of Periodontology*, 71(4), 586-597.
- Schwarzmueller, F., Eisenhauer, N., & Brose, U. (2015). 'Trophic whales' as biotic buffers: weak interactions stabilize ecosystems against nutrient enrichment. *Journal of Animal Ecology*, 84(3), 680-691.
- Schweder, T., Hagen, G. S., & Hatlebakk, E. (1998). On the effect on cod and herring fisheries of retuning the Revised Management Procedure for minke whaling in the greater Barents Sea. *Fisheries Research*, 37(1-3), 77-95.
- Schweder, T., Sadykova, D., Rugh, D., & Koski, W. (2010). Population Estimates From Aerial Photographic Surveys of Naturally and Variably Marked Bowhead Whales. *Journal of Agricultural Biological and Environmental Statistics*, 15(1), 1-19.
- Sciacca, V., Caruso, F., Beranzoli, L., Chierici, F., De Domenico, E., Embriaco, D., et al. (2015). Annual Acoustic Presence of Fin Whale (*Balaenoptera physalus*) Offshore Eastern Sicily, Central Mediterranean Sea. *Plos One*, 10(11).
- Scorciapino, M. A., Robertazzi, A., Casu, M., Ruggerone, P., & Ceccarelli, M. (2010). Heme Proteins: The Role of Solvent in the Dynamics of Gates and Portals. *Journal of the American Chemical Society*, 132(14), 5156-5163.
- Scott, E. E., & Gibson, Q. H. (1997). Ligand migration in sperm whale myoglobin. *Biochemistry*, 36(39), 11909-11917.
- Scott, M. D., & Chivers, S. J. (2009). Movements and diving behavior of pelagic spotted dolphins. *Marine Mammal Science*, 25(1), 137-160.
- Scott, N. J., & Parsons, E. C. M. (2004). A survey of public awareness of the occurrence and diversity of cetaceans in south-west Scotland. *Journal of the Marine Biological Association of the United Kingdom*, 84(5), 1101-1104.
- Scott, R., Marsh, R., & Hays, G. C. (2014). Ontogeny of long distance migration. *Ecology*, 95(10), 2840-2850.
- Scott, T. M., & Sadove, S. S. (1997). Sperm whale, *Physeter macrocephalus*, sightings in the shallow shelf waters off Long Island, New York. *Marine Mammal Science*, 13(2), 317-321.
- Sears, R., Ramp, C., Douglas, A. B., & Calambokidis, J. (2013). Reproductive parameters of eastern North Pacific blue whales *Balaenoptera musculus*. *Endangered Species Research*, 22(1), 23-31.
- Sedlak, M. D., Benskin, J. P., Wong, A., Grace, R., & Greig, D. J. (2017). Per- and polyfluoroalkyl substances (PFASs) in San Francisco Bay wildlife: Temporal trends, exposure pathways, and notable presence of precursor compounds. *Chemosphere*, 185, 1217-1226.
- Seely, E., Osborne, R. W., Koski, K., & Larson, S. (2017). Soundwatch: Eighteen years of monitoring whale watch vessel activities in the Salish Sea. *Plos One*, 12(12).

Seersholm, F. V., Pedersen, M. W., Soe, M. J., Shokry, H., Mak, S. S. T., Ruter, A., et al. (2016). DNA evidence of bowhead whale exploitation by Greenlandic Paleo-Inuit 4,000 years ago. *Nature Communications*, 7.

Seger, K. D., & Miksis-Olds, J. L. A decade of marine mammal acoustical presence and habitat preference in the Bering Sea. *Polar Biology*.

Seger, K. D., Thode, A. M., Swartz, S. L., & Urban, J. (2015). The ambient acoustic environment in Laguna San Ignacio, Baja California Sur, Mexico. *Journal of the Acoustical Society of America*, 138(5), 3397-3410.

Seger, K. D., Thode, A. M., Urban, J., Martinez-Loustalot, P., Jimenez-Lopez, M. E., & Lopez-Arzate, D. (2016). Humpback whale-generated ambient noise levels provide insight into singers' spatial densities. *Journal of the Acoustical Society of America*, 140(3), 1581-1597.

Segre, P. S., Cade, D. E., Calambokidis, J., Fish, F. E., Friedlaender, A. S., Potvin, J., et al. (2019). Body Flexibility Enhances Maneuverability in the World's Largest Predator. *Integrative and Comparative Biology*, 59(1), 48-60.

Segre, P. S., Cade, D. E., Fish, F. E., Potvin, J., Allen, A. N., Calambokidis, J., et al. (2016). Hydrodynamic properties of fin whale flippers predict maximum rolling performance. *Journal of Experimental Biology*, 219(21), 3315-3320.

Segre, P. S., Potvin, J., Cade, D. E., Calambokidis, J., Di Clemente, J., Fish, F. E., et al. (2020). Energetic and Physical limitations on the breaching performance of large whales. *Elife*, 9.

Seguel, M., & Paves, H. J. (2018). Sighting patterns and habitat use of marine mammals at Guafo Island, Northern Chilean Patagonia during eleven austral summers. *Revista De Biología Marina Y Oceanografía*, 53(2), 237-250.

Seibel, B. A., & Dierssen, H. M. (2003). Cascading trophic impacts of reduced biomass in the Ross Sea, Antarctica: Just the tip of the iceberg? *Biological Bulletin*, 205(2), 93-97.

Seitz, A. C., Courtney, M. B., Evans, M. D., & Manishin, K. (2019). Pop-up satellite archival tags reveal evidence of intense predation on large immature Chinook salmon (*Oncorhynchus tshawytscha*) in the North Pacific Ocean. *Canadian Journal of Fisheries and Aquatic Sciences*, 76(9), 1608-1615.

Sekiguchi, Y., & Kohshima, S. (2003). Resting behaviors of captive bottlenose dolphins (*Tursiops truncatus*). *Physiology & Behavior*, 79(4-5), 643-653.

Semeniuk, C. A. D., Haider, W., Beardmore, B., & Rothley, K. D. (2009). A multi-attribute trade-off approach for advancing the management of marine wildlife tourism: a quantitative assessment of heterogeneous visitor preferences. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 19(2), 194-208.

Senigaglia, V., Christiansen, F., Bejder, L., Gendron, D., Lundquist, D., Noren, D. P., et al. (2016). Meta-analyses of whale-watching impact studies: comparisons of cetacean responses to disturbance. *Marine Ecology Progress Series*, 542, 251-263.

Sensor, J. D., George, J. C., Clementz, M. T., Lovano, D. M., Waugh, D. A., Givens, G. H., et al. (2018). Age estimation in bowhead whales using tympanic bulla histology and baleen isotopes. *Marine Mammal Science*, 34(2), 347-364.

Sepulveda, M., & Oliva, D. (2005). Interactions between South American sea lions *Otaria flavescens* (Shaw) and salmon farms in southern Chile. *Aquaculture Research*, 36(11), 1062-1068.

Sepulveda, M., Perez-Alvarez, M. J., Santos-Carvalho, M., Pavez, G., Olavarria, C., Moraga, R., et al. (2018). From whaling to whale watching: Identifying fin whale critical foraging habitats off the Chilean coast. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 28(4), 821-829.

- Sequeira, A. M. M., Mellin, C., Floch, L., Williams, P. G., & Bradshaw, C. J. A. (2014). Inter-ocean asynchrony in whale shark occurrence patterns. *Journal of Experimental Marine Biology and Ecology*, 450, 21-29.
- Sequeira, A. M. M., Thums, M., Brooks, K., & Meekan, M. G. (2016). Error and bias in size estimates of whale sharks: implications for understanding demography. *Royal Society Open Science*, 3(3).
- Serres, A., Hao, Y. J., & Wang, D. (2020). Body Contacts and Social Interactions in Captive Odontocetes Are Influenced by the Context: An Implication for Welfare Assessment. *Animals*, 10(6).
- Servidio, A., Perez-Gil, E., Perez-Gil, M., Canadas, A., Hammond, P. S., & Martin, V. (2019). Site fidelity and movement patterns of short-finned pilot whales within the Canary Islands: Evidence for resident and transient populations. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 29, 227-241.
- Seuront, L., & Cribb, N. (2011). Fractal analysis reveals pernicious stress levels related to boat presence and type in the Indo-Pacific bottlenose dolphin, *Tursiops aduncus*. *Physica a-Statistical Mechanics and Its Applications*, 390(12), 2333-2339.
- Seyboth, E., Groch, K. R., Dalla Rosa, L., Reid, K., Flores, P. A. C., & Secchi, E. R. (2016). Southern Right Whale (*Eubalaena australis*) Reproductive Success is Influenced by Krill (*Euphausia superba*) Density and Climate. *Scientific Reports*, 6.
- Shabangu, F. W., Findlay, K., & Stafford, K. M. (2020). Seasonal acoustic occurrence, diel-vocalizing patterns and biodeck call-type composition of Antarctic minke whales off the west coast of South Africa and the Maud Rise, Antarctica. *Marine Mammal Science*, 36(2), 658-675.
- Shabangu, F. W., Findlay, K. P., Yemane, D., Stafford, K. M., van den Berg, M., Blows, B., et al. (2019). Seasonal occurrence and diel calling behaviour of Antarctic blue whales and fin whales in relation to environmental conditions off the west coast of Check for South Africa. *Journal of Marine Systems*, 190, 25-39.
- Shabangu, F. W., Yemane, D., Stafford, K. M., Ensor, P., & Findlay, K. P. (2017). Modelling the effects of environmental conditions on the acoustic occurrence and behaviour of Antarctic blue whales. *Plos One*, 12(2).
- Shadwick, R. E., Goldbogen, J. A., Pyenson, N. D., & Whale, J. C. A. (2017). Structure and Function in the Lunge Feeding Apparatus: Mechanical Properties of the Fin Whale Mandible. *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 300(11), 1953-1962.
- Shaffer, J. W., Moretti, D., Jarvis, S., Tyack, P., & Johnson, M. (2013). Effective beam pattern of the Blainville's beaked whale (*Mesoplodon densirostris*) and implications for passive acoustic monitoring. *Journal of the Acoustical Society of America*, 133(3), 1770-1784.
- Shaffer, S. A., & Costa, D. P. (2006). A database for the study of marine mammal behavior: Gap analysis, data standardization, and future directions. *Ieee Journal of Oceanic Engineering*, 31(1), 82-86.
- Shallal, A. H., Ucan, O. N., Humaidi, A. J., & Bayat, O. (2020). Multi-Robot Systems Formation Control with Maneuvring Target in System Applicable in the Hospitality and Care-Health Industry of Medical Internet of Things. *Journal of Medical Imaging and Health Informatics*, 10(1), 268-278.
- Shamir, L., Yerby, C., Simpson, R., von Benda-Beckmann, A. M., Tyack, P., Samarra, F., et al. (2014). Classification of large acoustic datasets using machine learning and crowdsourcing: Application to whale calls. *Journal of the Acoustical Society of America*, 135(2), 953-962.
- Shan, S. L., Sheng, J. Y., & Greenan, B. J. W. (2014). Modelling study of three-dimensional circulation and particle movement over the Sable Gully of Nova Scotia. *Ocean Dynamics*, 64(1), 117-142.
- Shannon, G., McKenna, M. F., Angeloni, L. M., Crooks, K. R., Fristrup, K. M., Brown, E., et al. (2016). A synthesis of two decades of research documenting the effects of noise on wildlife. *Biological Reviews*, 91(4), 982-1005.

- Shapiro, A. D. (2006). Preliminary evidence for signature vocalizations among free-ranging narwhals (*Monodon monoceros*). *Journal of the Acoustical Society of America*, 120(3), 1695-1705.
- Shapiro, A. D. (2010). Recognition of individuals within the social group: signature vocalizations. In S. M. Brudzynski (Ed.), *Handbook of Mammalian Vocalization: an Integrative Neuroscience Approach* (Vol. 19, pp. 495-503).
- Sharp, S. M., Harry, C. T., Hoppe, J. M., Moore, K. M., Niemeyer, M. E., Robinson, I., et al. (2016). A comparison of postrelease survival parameters between single and mass stranded delphinids from Cape Cod, Massachusetts, USA. *Marine Mammal Science*, 32(1), 161-180.
- Sharpe, D. L., Castellote, M., Wade, P. R., & Cornick, L. A. (2019). Call types of Bigg's killer whales (*Orcinus orca*) in western Alaska: using vocal dialects to assess population structure. *Bioacoustics-the International Journal of Animal Sound and Its Recording*, 28(1), 74-99.
- Shaw, S. D., Berger, M. L., Weijs, L., & Covaci, A. (2012). Tissue-specific accumulation of polybrominated diphenyl ethers (PBDEs) including Deca-BDE and hexabromocyclododecanes (HBCDs) in harbor seals from the northwest Atlantic. *Environment International*, 44, 1-6.
- Shearer, J. M., Quick, N. J., Cioffi, W. R., Baird, R. W., Webster, D. L., Foley, H. J., et al. (2019). Diving behaviour of Cuvier's beaked whales (*Ziphius cavirostris*) off Cape Hatteras, North Carolina. *Royal Society Open Science*, 6(2).
- Shelden, K. E. W., Rugh, D. J., & Schulman-Janiger, A. (2004). Gray whales born north of Mexico: Indicator of recovery or consequence of regime shift? *Ecological Applications*, 14(6), 1789-1805.
- Shelton, D. E., Harlin-Cognato, A. D., Honeycutt, R. L., & Markowitz, T. M. (2010). Sexual Segregation and Genetic Relatedness in New Zealand.
- Shen, Y., Huang, X. Y., Wang, Z. J., Wei, X., & Haapasalo, M. (2018). Low Environmental Temperature Influences the Fatigue Resistance of Nickel-titanium Files. *Journal of Endodontics*, 44(4), 626-629.
- Shen, Y., Tra, C., Hieawy, A., Wang, Z. J., & Haapasalo, M. (2018). Effect of Torsional and Fatigue Preloading on HyFlex EDM Files. *Journal of Endodontics*, 44(4), 643-647.
- Shepard, E. L. C., Ahmed, M. Z., Southall, E. J., Witt, M. J., Metcalfe, J. D., & Sims, D. W. (2006). Diel and tidal rhythms in diving behaviour of pelagic sharks identified by signal processing of archival tagging data. *Marine Ecology Progress Series*, 328, 205-213.
- Sherrill-Mix, S., McCormick, K., Lauder, A., Bailey, A., Zimmerman, L., Li, Y. Y., et al. (2018). Allometry and Ecology of the Bilaterian Gut Microbiome. *Mbio*, 9(2).
- Shields, M. W., Hysong-Shimazu, S., Shields, J. C., & Woodruff, J. (2018). Increased presence of mammal-eating killer whales in the Salish Sea with implications for predator-prey dynamics. *Peerj*, 6.
- Shimabukuro, M., Santos, C. S. G., Alfaro-Lucas, J. M., Fujiwara, Y., & Sumida, P. Y. G. (2017). A new eyeless species of *Neanthes* (Annelida: Nereididae) associated with a whale-fall community from the deep Southwest Atlantic Ocean. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 146, 27-34.
- Shimabukuro, M., & Sumida, P. Y. G. (2019). Diversity of bone-eating *Osedax* worms on the deep Atlantic whale falls-bathymetric variation and inter-basin distributions. *Marine Biodiversity*, 49(6), 2587-2599.
- Shimamura, M., Yasue, H., Ohshima, K., Abe, H., Kato, H., Kishiro, T., et al. (1997). Molecular evidence from retroposons that whales form a clade within even-toed ungulates. *Nature*, 388(6643), 666-670.

- Shimokawa, T., Nakanishi, I., Hondo, E., Iwasaki, T., Kiso, Y., & Makita, T. (2002). A morphological study of the thyroid gland in Risso's dolphin, *Grampus griseus*. *Journal of Veterinary Medical Science*, 64(6), 509-512.
- Shipps, B. K., Peredo, C. M., & Pyenson, N. D. (2019). *Borealodon osedax*, a new stem mysticete (Mammalia, Cetacea) from the Oligocene of Washington State and its implications for fossil whale-fall communities. *Royal Society Open Science*, 6(7).
- Shirakihara, M., Shirakihara, K., Tomonaga, J., & Takatsuki, M. (2002). A resident population of Indo-Pacific bottlenose dolphins (*Tursiops aduncus*) in Amakusa, western Kyushu, Japan. *Marine Mammal Science*, 18(1), 30-41.
- Shirakihara, M., Yoshida, H., Yokochi, H., Ogawa, H., Hosokawa, T., Higashi, N., et al. (2007). Current status and conservation needs of dugongs in southern Japan. *Marine Mammal Science*, 23(3), 694-706.
- Shiu, Y., Palmer, K. J., Roch, M. A., Fleishman, E., Liu, X. B., Nosal, E. M., et al. (2020). Deep neural networks for automated detection of marine mammal species. *Scientific Reports*, 10(1).
- Shoole, K., & Zhu, Q. (2015). Drafting mechanisms between a dolphin mother and calf. *Journal of Theoretical Biology*, 382, 363-377.
- Shorter, K. A., Murray, M. M., Johnson, M., Moore, M., & Howle, L. E. (2014). Drag of suction cup tags on swimming animals: Modeling and measurement. *Marine Mammal Science*, 30(2), 726-746.
- Shorter, K. A., Shao, Y. L., Ojeda, L., Barton, K., Rocho-Levine, J., van der Hoop, J., et al. (2017). A day in the life of a dolphin: Using bio-logging tags for improved animal health and well-being. *Marine Mammal Science*, 33(3), 785-802.
- Shpak, O. V., Andrews, R. D., Glazov, D. M., Litovka, D. I., Hobbs, R. C., & Mukhametov, L. M. (2010). Seasonal Migrations of Sea of Okhotsk Beluga Whales (*Delphinapterus leucas*) of the Sakhalin-Amur Summer Aggregation. *Russian Journal of Marine Biology*, 36(1), 56-62.
- Shpak, O. V., Lyamin, O. I., Manger, P. R., Siegel, J. M., & Mukhametov, L. M. (2009). States of rest and activity in the Commerson's dolphin *Cephalorhynchus commersonii*. *Journal of Evolutionary Biochemistry and Physiology*, 45(1), 111-119.
- Shpak, O. V., & Paramonov, A. Y. (2018). The Bowhead Whale, *Balaena mysticetus* Linnaeus, 1758, in the Western Sea of Okhotsk (2009-2016): Distribution Pattern, Behavior, and Threats. *Russian Journal of Marine Biology*, 44(3), 210-218.
- Shucksmith, R., Jones, N. H., Stoyale, G. W., Davies, A., & Dicks, E. F. (2009). Abundance and distribution of the harbour porpoise (*Phocoena phocoena*) on the north coast of Anglesey, Wales, UK. *Journal of the Marine Biological Association of the United Kingdom*, 89(5), 1051-1058.
- Shulezhko, T. S., Gorin, S. L., Koval, M. V., Solovyov, B. A., Glazov, D. M., & Rozhnov, V. V. (2018). Key Factors Determining the Distribution of Beluga Whales, *Delphinapterus leucas* (Pallas, 1776), in River Estuaries of Western Kamchatka. *Russian Journal of Marine Biology*, 44(4), 274-282.
- Shulezhko, T. S., Permyakov, P. A., Ryazanov, S. D., & Burkanov, V. N. (2018). Bigg's Killer Whales (*Orcinus orca*) in the Kuril Islands. *Aquatic Mammals*, 44(3), 267-278.
- Shyu, H. J., & Hillson, R. (2006). A software workbench for estimating the effects of cumulative sound exposure in marine mammals. *Ieee Journal of Oceanic Engineering*, 31(1), 8-21.
- Sibert, E. C., Zill, M. E., Frigyiik, E. T., & Norris, R. D. (2020). No state change in pelagic fish production and biodiversity during the Eocene-Oligocene transition. *Nature Geoscience*, 13(3), 238-+.

- Siciliano, S., & Brownell, R. L. (2015). Getting to know you: Identification of pygmy killer whales (*Feresa attenuata*) and melon-headed whales (*Peponocephala electra*) under challenging conditions. *Brazilian Journal of Oceanography*, 63(4), 511-514.
- Siciliano, S., Santos, M. C. D., Vicente, A. F. C., Alvarenga, F. S., Zampirolli, E., Brito, J. L., et al. (2004). Strandings and feeding records of Bryde's whales (*Balaenoptera edeni*) in south-eastern Brazil. *Journal of the Marine Biological Association of the United Kingdom*, 84(4), 857-859.
- Sickler, J., Fraser, J., Webler, T., Reiss, D., Boyle, P., Lyn, H., et al. (2006). Social narratives surrounding dolphins: Q method study. *Society & Animals*, 14(4), 351-382.
- Siders, Z. A., Westgate, A. J., Johnston, D. W., Murison, L. D., & Koopman, H. N. (2013). Seasonal Variation in the Spatial Distribution of Basking Sharks (*Cetorhinus maximus*) in the Lower Bay of Fundy, Canada. *Plos One*, 8(12).
- Sigler, M. F., & Csepp, D. J. (2007). Seasonal abundance of two important forage species in the North Pacific Ocean, Pacific herring and walleye pollock. *Fisheries Research*, 83(2-3), 319-331.
- Sigler, M. F., Kuletz, K. J., Ressler, P. H., Friday, N. A., Wilson, C. D., & Zerbini, A. N. (2012). Marine predators and persistent prey in the southeast Bering Sea. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 65-70, 292-303.
- Sigler, M. F., Renner, M., Danielson, S. L., Eisner, L. B., Lauth, R. R., Kuletz, K. J., et al. (2011). Fluxes, Fins, and Feathers Relationships Among the Bering, Chukchi, and Beaufort Seas in a Time of Climate Change. *Oceanography*, 24(3), 250-265.
- Sigler, M. F., Tollit, D. J., Vollenweider, J. J., Thedinga, J. F., Csepp, D. J., Womble, J. N., et al. (2009). Steller sea lion foraging response to seasonal changes in prey availability. *Marine Ecology Progress Series*, 388, 243-261.
- Sigourney, D. B., Chavez-Rosales, S., Conn, P. B., Garrison, L., Josephson, E., & Palka, D. (2020). Developing and assessing a density surface model in a Bayesian hierarchical framework with a focus on uncertainty: insights from simulations and an application to fin whales (*Balaenoptera physalus*). *Peerj*, 8.
- Siiman, O., Burshteyn, A., Maples, J. A., & Whitesell, J. K. (2000). Tris(3-mercaptopropyl)-N-glycylaminomethane as a new linker to bridge antibody with metal particles for biological cell separations. *Bioconjugate Chemistry*, 11(4), 549-556.
- Silber, G. K., Newcomer, M. W., Silber, P. C., Perezcortes, H., & Ellis, G. M. (1994). CETACEANS OF THE NORTHERN GULF OF CALIFORNIA - DISTRIBUTION, OCCURRENCE, AND RELATIVE ABUNDANCE. *Marine Mammal Science*, 10(3), 283-298.
- Silber, G. K., Slutsky, J., & Bettridge, S. (2010). Hydrodynamics of a ship/whale collision. *Journal of Experimental Marine Biology and Ecology*, 391(1-2), 10-19.
- Sills, J. M., Southall, B. L., & Reichmuth, C. (2014). Amphibious hearing in spotted seals (*Phoca largha*): underwater audiograms, aerial audiograms and critical ratio measurements. *Journal of Experimental Biology*, 217(5), 726-734.
- Silva, F. J. D., & Da Silva, J. M. (2009). Circadian and seasonal rhythms in the behavior of spinner dolphins (*Stenella longirostris*). *Marine Mammal Science*, 25(1), 176-186.
- Silva, J. M., Silva, F., Sazima, C., & Sazima, I. (2007). Trophic relationships of the spinner dolphin at fernando de noronha archipelago, SW Atlantic. *Scientia Marina*, 71(3), 505-511.
- Silva, M. A., Borrell, A., Prieto, R., Gauffier, P., Berube, M., Palsbol, P. J., et al. (2019). Stable isotopes reveal winter feeding in different habitats in blue, fin and sei whales migrating through the Azores. *Royal Society Open Science*, 6(8).

- Silva, M. A., Prieto, R., Jonsen, I., Baumgartner, M. F., & Santos, R. S. (2013). North Atlantic Blue and Fin Whales Suspend Their Spring Migration to Forage in Middle Latitudes: Building up Energy Reserves for the Journey? *Plos One*, 8(10).
- Silva, M. A., Prieto, R., Magalhaes, S., Seabra, M., Santos, R., & Hammond, P. (2008). Ranging patterns of bottlenose dolphins living in oceanic waters: implications for population structure. *Marine Biology*, 156(2), 179-192.
- Silva, M. A., Prieto, R., Magalhaes, S., Seabra, M. I., Machete, M., & Hammond, P. S. (2012). Incorporating information on bottlenose dolphin distribution into marine protected area design. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 22(1), 122-133.
- Silva, S., Araujo, M. J., Bao, M., Mucientes, G., & Cobo, F. (2014). The haematophagous feeding stage of anadromous populations of sea lamprey *Petromyzon marinus*: low host selectivity and wide range of habitats. *Hydrobiologia*, 734(1), 187-199.
- Silva, T. L., Fay, G., Mooney, T. A., Robbins, J., Weinrich, M. T., Carson, C. D., et al. (2019). Habitat use of toothed whales in a marine protected area based on point process models. *Marine Ecology Progress Series*, 609, 239-256.
- Silva, T. L., Mooney, T. A., Sayigh, L. S., Baird, R. W., & Tyack, P. L. (2017). Successful suction-cup tagging of a small delphinid species, *Stenella attenuata*: Insights into whistle characteristics. *Marine Mammal Science*, 33(2), 653-668.
- Silva, T. L., Mooney, T. A., Sayigh, L. S., & Baumgartner, M. F. (2019). Temporal and spatial distributions of delphinid species in Massachusetts Bay (USA) using passive acoustics from ocean gliders. *Marine Ecology Progress Series*, 631, 1-17.
- Silva, T. L., Mooney, T. A., Sayigh, L. S., Tyack, P. L., Baird, R. W., & Oswald, J. N. (2016). Whistle characteristics and daytime dive behavior in pantropical spotted dolphins (*Stenella attenuata*) in Hawai'i measured using digital acoustic recording tags (DTAGs). *Journal of the Acoustical Society of America*, 140(1), 421-429.
- Simard, P., Lace, N., Gowans, S., Quintana-Rizzo, E., Kuczaj, S. A., Wells, R. S., et al. (2011). Low frequency narrow-band calls in bottlenose dolphins (*Tursiops truncatus*): Signal properties, function, and conservation implications. *Journal of the Acoustical Society of America*, 130(5), 3068-3076.
- Simard, P., Lawlor, J. L., & Gowans, S. (2006). Temporal variability of cetaceans near Halifax, Nova Scotia. *Canadian Field-Naturalist*, 120(1), 93-99.
- Simard, P., Wall, C. C., Allen, J. B., Wells, R. S., Gowans, S., Forys, E. A., et al. (2015). Dolphin Distribution on the West Florida Shelf Using Visual Surveys and Passive Acoustic Monitoring. *Aquatic Mammals*, 41(2), 167-187.
- Simard, Y., & Lavoie, D. (1999). The rich krill aggregation of the Saguenay - St. Lawrence Marine Park: hydroacoustic and geostatistical biomass estimates, structure, variability, and significance for whales. *Canadian Journal of Fisheries and Aquatic Sciences*, 56(7), 1182-1197.
- Simard, Y., Lavoie, D., & Saucier, F. J. (2002). Channel head dynamics: capelin (*Mallotus villosus*) aggregation in the tidally driven upwelling system of the Saguenay St. Lawrence Marine Park's whale feeding ground. *Canadian Journal of Fisheries and Aquatic Sciences*, 59(2), 197-210.
- Simard, Y., Lepage, R., & Gervaise, C. (2010). Anthropogenic sound exposure of marine mammals from seaways: Estimates for Lower St. Lawrence Seaway, eastern Canada. *Applied Acoustics*, 71(11), 1093-1098.

Simard, Y., Marcotte, D., & Naraghi, K. (2003). Three-dimensional acoustic mapping and simulation of krill distribution in the Saguenay - St. Lawrence Marine Park whale feeding ground. *Aquatic Living Resources*, 16(3), 137-144.

Simila, T., & Ugarte, F. (1993). SURFACE AND UNDERWATER OBSERVATIONS OF COOPERATIVELY FEEDING KILLER WHALES IN NORTHERN NORWAY. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 71(8), 1494-1499.

Simmonds, M. P., & Isaac, S. J. (2007). The impacts of climate change on marine mammals: early signs of significant problems. *Oryx*, 41(1), 19-26.

Simoes-Lopes, P. C. (2018). Mastozoology History and Perspectives in Latin America: Marine and Freshwater Mammals in Spotlight. In M. R. RossiSantos & C. W. Finkl (Eds.), *Advances in Marine Vertebrate Research in Latin America: Technological Innovation and Conservation* (Vol. 22, pp. 3-13).

Simon, M., Johnson, M., & Madsen, P. T. (2012). Keeping momentum with a mouthful of water: behavior and kinematics of humpback whale lunge feeding. *Journal of Experimental Biology*, 215(21), 3786-3798.

Simon, M., Johnson, M., Tyack, P., & Madsen, P. T. (2009). Behaviour and kinematics of continuous ram filtration in bowhead whales (*Balaena mysticetus*). *Proceedings of the Royal Society B-Biological Sciences*, 276(1674), 3819-3828.

Simon, M., McGregor, P. K., & Ugarte, F. (2007). The relationship between the acoustic behaviour and surface activity of killer whales (*Orcinus orca*) that feed on herring (*Clupea harengus*). *Acta Ethologica*, 10(2), 47-53.

Simon, M., Stafford, K. M., Beedholm, K., Lee, C. M., & Madsen, P. T. (2010). Singing behavior of fin whales in the Davis Strait with implications for mating, migration and foraging. *Journal of the Acoustical Society of America*, 128(5), 3200-3210.

Simon, M., Ugarte, F., Wahlberg, M., & Miller, L. A. (2006). Icelandic killer whales *Orcinus orca* use a pulsed call suitable for manipulating the schooling behaviour of herring *Clupea harengus*. *Bioacoustics-the International Journal of Animal Sound and Its Recording*, 16(1), 57-74.

Simon, M., Wahlberg, M., & Miller, L. A. (2007). Echolocation clicks from killer whales (*Orcinus orca*) feeding on herring (*Clupea harengus*) (L). *Journal of the Acoustical Society of America*, 121(2), 749-752.

Simon, M., Wahlberg, M., Ugarte, F., & Miller, L. A. (2005). Acoustic characteristics of underwater tail slaps used by Norwegian and Icelandic killer whales (*Orcinus orca*) to debilitate herring (*Clupea harengus*). *Journal of Experimental Biology*, 208(12), 2459-2466.

Simonis, A. E., Brownell, R. L., Thayre, B. J., Trickey, J. S., Oleson, E. M., Huntington, R., et al. (2020). Co-occurrence of beaked whale strandings and naval sonar in the Mariana Islands, Western Pacific. *Proceedings of the Royal Society B-Biological Sciences*, 287(1921).

Simonis, A. E., Roch, M. A., Bailey, B., Barlow, J., Clemesha, R. E. S., Iacobellis, S., et al. (2017). Lunar cycles affect common dolphin *Delphinus delphis* foraging in the Southern California Bight. *Marine Ecology Progress Series*, 577, 221-235.

Simpkins, M. A., Laidre, K. L., & Heagerty, P. J. (2005). Multivariate regression of satellite-linked dive recorder data: Simultaneous analysis of all bins. *Marine Mammal Science*, 21(2), 243-259.

Sims, D. W. (2010). Tracking and Analysis Techniques for Understanding Free-Ranging Shark Movements and Behavior. In J. C. Carrier, J. A. Musick & M. R. Heithaus (Eds.), *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation* (pp. 351-392).

- Sims, D. W., Southall, E. J., Richardson, A. J., Reid, P. C., & Metcalfe, J. D. (2003). Seasonal movements and behaviour of basking sharks from archival tagging: no evidence of winter hibernation. *Marine Ecology Progress Series*, 248, 187-196.
- Sims, D. W., Southall, E. J., Tarling, G. A., & Metcalfe, J. D. (2005). Habitat-specific normal and reverse diel vertical migration in the plankton-feeding basking shark. *Journal of Animal Ecology*, 74(4), 755-761.
- Sims, D. W., Witt, M. J., Richardson, A. J., Southall, E. J., & Metcalfe, J. D. (2006). Encounter success of free-ranging marine predator movements across a dynamic prey landscape. *Proceedings of the Royal Society B-Biological Sciences*, 273(1591), 1195-1201.
- Simsek, A., & Kara, R. (2018). Using swarm intelligence algorithms to detect influential individuals for influence maximization in social networks. *Expert Systems with Applications*, 114, 224-236.
- Sinclair, E. H., Moore, S. E., Friday, N. A., Zeppelin, T. K., & Waite, J. M. (2005). Do patterns of Steller sea lion (*Eumetopias jubatus*) diet, population trend and cetacean occurrence reflect oceanographic domains from the Alaska Peninsula to the central Aleutian Islands? *Fisheries Oceanography*, 14, 223-242.
- Sinding, M. H. S., Tervo, O. M., Gronnow, B., Gullov, H. C., Toft, P. A., Bachmann, L., et al. (2016). Sex determination of baleen whale artefacts: Implications for ancient DNA use in zooarchaeology. *Journal of Archaeological Science-Reports*, 10, 345-349.
- Sindlinger, L. R., Biggs, D. C., & DiMarco, S. F. (2005). Temporal and spatial variability of ADCP backscatter on a continental slope. *Continental Shelf Research*, 25(2), 259-275.
- Singh, G., & Singh, A. P. (2019). On the Development of a Modified Triangular Patch Antenna Array for 4.9 GHz Public Safety WLAN. *Advanced Electromagnetics*, 8(4), 24-31.
- Singleton, B. E. (2016). Clumsiness and elegance in environmental management: applying cultural theory to the history of whaling. *Environmental Politics*, 25(3), 414-433.
- Sinha, R. K., Sinha, S. K., Sharma, G., & Kedia, D. K. (2010). Surfacing and diving behaviour of free-ranging Ganges river dolphin, *Platanista gangetica gangetica*. *Current Science*, 98(2), 230-236.
- Sini, M. I., Canning, S. J., Stockin, K. A., & Pierce, G. J. (2005). Bottlenose dolphins around Aberdeen harbour, north-east Scotland: a short study of habitat utilization and the potential effects of boat traffic. *Journal of the Marine Biological Association of the United Kingdom*, 85(6), 1547-1554.
- Siniscalchi, M., Dimatteo, S., Pepe, A. M., Sasso, R., & Quaranta, A. (2012). Visual Lateralization in Wild Striped Dolphins (*Stenella coeruleoalba*) in Response to Stimuli with Different Degrees of Familiarity. *Plos One*, 7(1).
- Sirovic, A., Bassett, H. R., Johnson, S. C., Wiggins, S. M., & Hildebrand, J. A. (2014). Bryde's whale calls recorded in the Gulf of Mexico. *Marine Mammal Science*, 30(1), 399-409.
- Sirovic, A., & Hildebrand, J. A. (2011). Using passive acoustics to model blue whale habitat off the Western Antarctic Peninsula. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 58(13-16), 1719-1728.
- Sirovic, A., Hildebrand, J. A., & Wiggins, S. M. (2007). Blue and fin whale call source levels and propagation range in the Southern Ocean. *Journal of the Acoustical Society of America*, 122(2), 1208-1215.
- Sirovic, A., Hildebrand, J. A., Wiggins, S. M., McDonald, M. A., Moore, S. E., & Thiele, D. (2004). Seasonality of blue and fin whale calls and the influence of sea lee in the Western Antarctic Peninsula. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 51(17-19), 2327-2344.
- Sirovic, A., Hildebrand, J. A., Wiggins, S. M., & Thiele, D. (2009). Blue and fin whale acoustic presence around Antarctica during 2003 and 2004. *Marine Mammal Science*, 25(1), 125-136.

- Sirovic, A., Williams, L. N., Kerosky, S. M., Wiggins, S. M., & Hildebrand, J. A. (2013). Temporal separation of two fin whale call types across the eastern North Pacific. *Marine Biology*, 160(1), 47-57.
- Sitar, A., May-Collado, L. J., Wright, A. J., Peters-Burton, E., Rockwood, L., & Parsons, E. C. M. (2016). Boat operators in Bocas del Toro, Panama display low levels of compliance with national whale-watching regulations. *Marine Policy*, 68, 221-228.
- Sivle, L. D., Kvadsheim, P. H., Cure, C., Isojunno, S., Wensveen, P. J., Lam, F. P. A., et al. (2015). Severity of Expert-Identified Behavioural Responses of Humpback Whale, Minke Whale, and Northern Bottlenose Whale to Naval Sonar. *Aquatic Mammals*, 41(4), 469-502.
- Sivle, L. D., Kvadsheim, P. H., Fahlman, A., Lam, F. P. A., Tyack, P. L., & Miller, P. J. O. (2012). Changes in dive behavior during naval sonar exposure in killer whales, long-finned pilot whales, and sperm whales. *Frontiers in Physiology*, 3.
- Sivle, L. D., Wensveen, P. J., Kvadsheim, P. H., Lam, F. P. A., Visser, F., Cure, C., et al. (2016). Naval sonar disrupts foraging in humpback whales. *Marine Ecology Progress Series*, 562, 211-220.
- Skarsoulis, E. K., & Dosso, S. E. (2015). Linearized two-hydrophone localization of a pulsed acoustic source in the presence of refraction: Theory and simulations. *Journal of the Acoustical Society of America*, 138(4), 2221-2234.
- Skarsoulis, E. K., & Kalogerakis, M. A. (2005). Ray-theoretic localization of an impulsive source in a stratified ocean using two hydrophones. *Journal of the Acoustical Society of America*, 118(5), 2934-2943.
- Skarsoulis, E. K., Piperakis, G., Kalogerakis, M., Orfanakis, E., Papadakis, P., Dosso, S. E., et al. (2018). Underwater Acoustic Pulsed Source Localization with a Pair of Hydrophones. *Remote Sensing*, 10(6).
- Skaug, H. J., Oien, N., Schweder, T., & Bothun, G. (2004). Abundance of minke whales (*Balaenoptera acutorostrata*) in the Northeast Atlantic: variability in time and space. *Canadian Journal of Fisheries and Aquatic Sciences*, 61(6), 870-886.
- Skern-Mauritzen, M., Johannesen, E., Bjorge, A., & Oien, N. (2011). Baleen whale distributions and prey associations in the Barents Sea. *Marine Ecology Progress Series*, 426, 289-301.
- Skov, H., Gunnlaugsson, T., Budgell, W. P., Horne, J., Nottestad, L., Olsen, E., et al. (2008). Small-scale spatial variability of sperm and sei whales in relation to oceanographic and topographic features along the Mid-Atlantic Ridge. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 55(1-2), 254-268.
- Skov, H. S., Durinck, J., Finn, D., & Bloch, D. (1995). COOCCURRENCE OF CETACEANS AND SEABIRDS IN THE NORTHEAST ATLANTIC. *Journal of Biogeography*, 22(1), 71-88.
- Skrovan, R. C., Williams, T. M., Berry, P. S., Moore, P. W., & Davis, R. W. (1999). The diving physiology of bottlenose dolphins (*Tursiops truncatus*) - II. Biomechanics and changes in buoyancy at depth. *Journal of Experimental Biology*, 202(20), 2749-2761.
- Slater, G. J., Goldbogen, J. A., & Pyenson, N. D. (2017). Independent evolution of baleen whale gigantism linked to Plio-Pleistocene ocean dynamics. *Proceedings of the Royal Society B-Biological Sciences*, 284(1855).
- Slater, G. J., & Pennell, M. W. (2014). Robust Regression and Posterior Predictive Simulation Increase Power to Detect Early Bursts of Trait Evolution. *Systematic Biology*, 63(3), 293-308.
- Sleeman, J. C., Meekan, M. G., Fitzpatrick, B. J., Steinberg, C. R., Ancel, R., & Bradshaw, C. J. A. (2010). Oceanographic and atmospheric phenomena influence the abundance of whale sharks at Ningaloo Reef, Western Australia. *Journal of Experimental Marine Biology and Ecology*, 382(2), 77-81.

- Sleeman, J. C., Meekan, M. G., Wilson, S. G., Jenner, C. K. S., Jenner, M. N., Boggs, G. S., et al. (2007). Biophysical correlates of relative abundances of marine megafauna at Ningaloo Reef, Western Australia. *Marine and Freshwater Research*, 58(7), 608-623.
- Sleeman, J. C., Meekan, M. G., Wilson, S. G., Polovina, J. J., Stevens, J. D., Boggs, G. S., et al. (2010). To go or not to go with the flow: Environmental influences on whale shark movement patterns. *Journal of Experimental Marine Biology and Ecology*, 390(2), 84-98.
- Slooten, E. (1994). BEHAVIOR OF HECTOR'S DOLPHIN - CLASSIFYING BEHAVIOR BY SEQUENCE-ANALYSIS. *Journal of Mammalogy*, 75(4), 956-964.
- Slooten, E., Dawson, S. M., & Rayment, W. J. (2004). Aerial surveys for coastal dolphins: Abundance of Hector's dolphins off the South Island west coast, New Zealand. *Marine Mammal Science*, 20(3), 477-490.
- Smale, M. J., Klages, N. T., David, J. H. M., & Cockcroft, V. G. (1994). PREDATORS OF THE AGULHAS-BANK. *South African Journal of Science*, 90(3), 135-142.
- Small, R. J., Brost, B., Hooten, M., Castellote, M., & Mondragon, J. (2017). Potential for spatial displacement of Cook Inlet beluga whales by anthropogenic noise in critical habitat. *Endangered Species Research*, 32, 43-57.
- Smith, A. J., Higdon, J. W., Richard, P., Orr, J., Bernhardt, W., & Ferguson, S. H. (2017). Beluga whale summer habitat associations in the Nelson River estuary, western Hudson Bay, Canada. *Plos One*, 12(8).
- Smith, B. D., Ahmed, B., Ali, M. E., & Braulik, G. (2001). Status of the Ganges river dolphin or shushuk *Platanista gangetica* in Kaptai Lake and the southern rivers of Bangladesh. *Oryx*, 35(1), 61-72.
- Smith, B. D., Haque, A., Hossain, M. S., & Khan, A. (1998). River dolphins in Bangladesh: Conservation and the effects of water development. *Environmental Management*, 22(3), 323-335.
- Smith, C. R., & Baco, A. R. (2003). Ecology of whale falls at the deep-sea floor. In R. N. Gibson & R. J. A. Atkinson (Eds.), *Oceanography and Marine Biology*, Vol 41 (Vol. 41, pp. 311-354).
- Smith, F., Allen, S. J., Bejder, L., & Brown, A. M. (2018). Shark bite injuries on three inshore dolphin species in tropical northwestern Australia. *Marine Mammal Science*, 34(1), 87-99.
- Smith, H. C., & Sprogis, K. R. (2016). Seasonal feeding on giant cuttlefish (*Sepia apama*) by Indo-Pacific bottlenose dolphins (*Tursiops aduncus*) in south-western Australia. *Australian Journal of Zoology*, 64(1), 8-13.
- Smith, H. R., Zitterbart, D. P., Norris, T. F., Flau, M., Ferguson, E. L., Jones, C. G., et al. (2020). A field comparison of marine mammal detections via visual, acoustic, and infrared (IR) imaging methods offshore Atlantic Canada. *Marine Pollution Bulletin*, 154.
- Smith, J. D., Schull, J., Strote, J., McGee, K., Egnor, R., & Erb, L. (1995). THE UNCERTAIN RESPONSE IN THE BOTTLE-NOSED-DOLPHIN (*TURSIOPS-TRUNCATUS*). *Journal of Experimental Psychology-General*, 124(4), 391-408.
- Smith, J. N., Goldizen, A. W., Dunlop, R. A., & Noad, M. J. (2008). Songs of male humpback whales, *Megaptera novaeangliae*, are involved in intersexual interactions. *Animal Behaviour*, 76, 467-477.
- Smith, J. N., Grantham, H. S., Gales, N., Double, M. C., Noad, M. J., & Paton, D. (2012). Identification of humpback whale breeding and calving habitat in the Great Barrier Reef. *Marine Ecology Progress Series*, 447, 259-272.
- Smith, K., Scarr, M., & Scarpaci, C. (2010). Grey Nurse Shark (*Carcharias taurus*) Diving Tourism: Tourist Compliance and Shark Behaviour at Fish Rock, Australia. *Environmental Management*, 46(5), 699-710.

- Smith, L., Gamble, R., Gaichas, S., & Link, J. (2015). Simulations to evaluate management trade-offs among marine mammal consumption needs, commercial fishing fleets and finfish biomass. *Marine Ecology Progress Series*, 523, 215-232.
- Smith, R. D., Blouin, G. C., Johnson, K. A., Phillips, G. N., & Olson, J. S. (2010). Straight-Chain Alkyl Isocyanides Open the Distal Histidine Gate in Crystal Structures of Myoglobin. *Biochemistry*, 49(24), 4977-4986.
- Smith, S. C., & Whitehead, H. (1993). VARIATIONS IN THE FEEDING SUCCESS AND BEHAVIOR OF GALAPAGOS SPERM WHALES (PHYSETER-MACROCEPHALUS) AS THEY RELATE TO OCEANOGRAPHIC CONDITIONS. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 71(10), 1991-1996.
- Smith, T. D., Allen, J., Clapham, P. J., Hammond, P. S., Katona, S., Larsen, F., et al. (1999). An ocean-basin-wide mark-recapture study of the North Atlantic humpback whale (*Megaptera novaeangliae*). *Marine Mammal Science*, 15(1), 1-32.
- Smith, T. D., Barthelmeß, K., & Reeves, R. R. (2006). Using historical records to relocate a long-forgotten summer feeding ground of North Atlantic right whales. *Marine Mammal Science*, 22(3), 723-734.
- Smith, T. D., & Burrows, A. M. (2010). MOBILITY OF THE AXIAL REGIONS IN A CAPTIVE AMAZON RIVER DOLPHIN (*INIA GEOFFRENSIS*).
- Smolker, R., Richards, A., Connor, R., Mann, J., & Berggren, P. (1997). Sponge carrying by dolphins (*Delphinidae*, *Tursiops* sp.): A foraging specialization involving tool use? *Ethology*, 103(6), 454-465.
- Smout, S., & Lindstrom, U. (2007). Multispecies functional response of the minke whale *Balaenoptera acutorostrata* based on small-scale foraging studies. *Marine Ecology Progress Series*, 341, 277-291.
- Smultea, M. A. (1994). SEGREGATION BY HUMPBACK WHALE (*MEGAPTERA-NOVAEANGLIAE*) COWS WITH A CALF IN COASTAL HABITAT NEAR THE ISLAND OF HAWAII. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 72(5), 805-811.
- Smultea, M. A., Lomac-MacNair, K., Nations, C. S., McDonald, T., & Wursig, B. (2018). Behavior of Risso's Dolphins (*Grampus griseus*) in the Southern California Bight: An Aerial Perspective. *Aquatic Mammals*, 44(6), 653-667.
- Snyder, J. B., Nelson, M. E., Burdick, J. W., & MacIver, M. A. (2007). Omnidirectional sensory and motor volumes in electric fish. *Plos Biology*, 5(11), 2671-2683.
- Soares, C., Pacheco, A., Zabel, F., Gonzalez-Goberna, E., & Sequeira, C. (2020). Baseline assessment of underwater noise in the Ria Formosa. *Marine Pollution Bulletin*, 150.
- Sobel, N., Supin, A. Y., & Myslobodsky, M. S. (1994). ROTATIONAL SWIMMING TENDENCIES IN THE DOLPHIN (*TURSIOPS-TRUNCATUS*). *Behavioural Brain Research*, 65(1), 41-45.
- Sobolevskii, E. I. (1998). Observations on the behavior of *Eschrichtius gibbosus* Erxl., 1777 on the shelf of northeastern Sakhalin. *Russian Journal of Ecology*, 29(2), 103-108.
- Soegaard, L. B., Hansen, M. N., van Elk, C., Brahm, J., & Jensen, F. B. (2012). Respiratory properties of blood in the harbor porpoise, *Phocoena phocoena*. *Journal of Experimental Biology*, 215(11), 1938-1943.
- Soldevilla, M. S., Hildebrand, J. A., Frasier, K. E., Dias, L. A., Martinez, A., Mullin, K. D., et al. (2017). Spatial distribution and dive behavior of Gulf of Mexico Bryde's whales: potential risk of vessel strikes and fisheries interactions. *Endangered Species Research*, 32, 533-550.

- Soldevilla, M. S., Rice, A. N., Clark, C. W., & Garrison, L. P. (2014). Passive acoustic monitoring on the North Atlantic right whale calving grounds. *Endangered Species Research*, 25(2), 115-140.
- Soldevilla, M. S., Wiggins, S. M., & Hildebrand, J. A. (2010a). Spatial and temporal patterns of Risso's dolphin echolocation in the Southern California Bight. *Journal of the Acoustical Society of America*, 127(1), 124-132.
- Soldevilla, M. S., Wiggins, S. M., & Hildebrand, J. A. (2010b). Spatio-temporal comparison of Pacific white-sided dolphin echolocation click types. *Aquatic Biology*, 9(1), 49-62.
- Soldevilla, M. S., Wiggins, S. M., Hildebrand, J. A., Oleson, E. M., & Ferguson, M. C. (2011). Risso's and Pacific white-sided dolphin habitat modeling from passive acoustic monitoring. *Marine Ecology Progress Series*, 423, 247-U267.
- Sole, F., Godinot, M., Laurent, Y., Galoyer, M., & Smith, T. (2018). The European Mesonychid Mammals: Phylogeny, Ecology, Biogeography, and Biochronology. *Journal of Mammalian Evolution*, 25(3), 339-379.
- Solovyev, B. A., Platonov, N. G., Glazov, D. M., Shpak, O. V., & Rozhnov, V. V. (2012). Distribution of beluga whales (*Delphinapterus leucas*) in the Russian Arctic seas according to the results of expedition aboard RV Mikhail Somov, September-November 2010. *Biology Bulletin*, 39(7), 654-658.
- Soltis, J., Leong, K., & Savage, A. (2005). African elephant vocal communication II: rumble variation reflects the individual identity and emotional state of callers. *Animal Behaviour*, 70, 589-599.
- Sonechkin, D. M., Astafyeva, N. M., Datsenko, N. M., Ivachtchenko, N. N., & Jakubiak, B. (1999). Multiscale oscillations of the global climate system as revealed by wavelet transform of observational data time series. *Theoretical and Applied Climatology*, 64(1-2), 131-142.
- Song, Z. C., Zhang, Y., Berggren, P., & Wei, C. (2017). Reconstruction of the forehead acoustic properties in an IndoPacific humpback dolphin (*Sousa chinensis*), with investigation on the responses of soft tissue sound velocity to temperature. *Journal of the Acoustical Society of America*, 141(2), 681-689.
- Song, Z. C., Zhang, Y., Wang, X. Y., Wei, C., & Berggren, P. (2016). Comparison of acoustic structures between heads of a narrow-ridged finless porpoise fetus and its mother. *Journal of Mammalogy*, 97(4), 1074-1080.
- Sorensen, P. M., Wisniewska, D. M., Jensen, F. H., Johnson, M., Teilmann, J., & Madsen, P. T. (2018). Click communication in wild harbour porpoises (*Phocoena phocoena*). *Scientific Reports*, 8.
- Soria, M., Dagorn, L., Potin, G., & Freon, P. (2009). First field-based experiment supporting the meeting point hypothesis for schooling in pelagic fish. *Animal Behaviour*, 78(6), 1441-1446.
- Soto, N. A., Johnson, M. P., Madsen, P. T., Diaz, F., Dominguez, I., Brito, A., et al. (2008). Cheetahs of the deep sea: deep foraging sprints in short-finned pilot whales off Tenerife (Canary Islands). *Journal of Animal Ecology*, 77(5), 936-947.
- Soul, L. C., Benson, R. B. J., & Weisbecker, V. (2013). Multiple regression modeling for estimating endocranial volume in extinct Mammalia. *Paleobiology*, 39(1), 149-162.
- Soule, D. C., & Wilcock, W. S. D. (2013). Fin whale tracks recorded by a seismic network on the Juan de Fuca Ridge, Northeast Pacific Ocean. *Journal of the Acoustical Society of America*, 133(3), 1751-1761.
- Sousa, A., Alves, F., Dinis, A., Bentz, J., Cruz, M. J., & Nunes, J. P. (2019). How vulnerable are cetaceans to climate change? Developing and testing a new index. *Ecological Indicators*, 98, 9-18.
- Sousa-Lima, R. S., Norris, T. F., Oswald, J. N., & Fernandes, D. P. (2013). A Review and Inventory of Fixed Autonomous Recorders for Passive Acoustic Monitoring of Marine Mammals. *Aquatic Mammals*, 39(1), 23-53.

- Sousa-Lima, R. S., Paglia, A. P., & Da Fonseca, G. A. B. (2002). Signature information and individual recognition in the isolation calls of Amazonian manatees, *Trichechus inunguis* (Mammalia : Sirenia). *Animal Behaviour*, 63, 301-310.
- Southall, B. L., DeRuiter, S. L., Friedlaender, A., Stimpert, A. K., Goldbogen, J. A., Hazen, E., et al. (2019). Behavioral responses of individual blue whales (*Balaenoptera musculus*) to mid-frequency military sonar. *Journal of Experimental Biology*, 222(5).
- Southall, B. L., Southall, H., Antunes, R., Nichols, R., Rouse, A., Stafford, K. M., et al. (2020). Seasonal trends in underwater ambient noise near St. Lawrence Island and the Bering Strait. *Marine Pollution Bulletin*, 157.
- Southwell, C., Emmerson, L., Takahashi, A., Barbraud, C., Delord, K., & Weimerskirch, H. (2017). Large-scale population assessment informs conservation management for seabirds in Antarctica and the Southern Ocean: A case study of Adelie penguins. *Global Ecology and Conservation*, 9, 104-115.
- Souza, S. P., & Begossi, A. (2007). Whales, dolphins or fishes? The ethnotaxonomy of cetaceans in Sao Sebastiao, Brazil. *Journal of Ethnobiology and Ethnomedicine*, 3.
- Spahr, T., Anderson, A., Hrynick, G., Hudgell, G. J., & Spiess, A. A report on a late Woodland period dugout canoe from Cape Porpoise, Maine, USA. *Journal of Island & Coastal Archaeology*.
- Spear, A., Duffy-Anderson, J., Kimmel, D., Napp, J., Randall, J., & Stabeno, P. (2019). Physical and biological drivers of zooplankton communities in the Chukchi Sea. *Polar Biology*, 42(6), 1107-1124.
- Speed, C. W., Meekan, M. G., Rowat, D., Pierce, S. J., Marshall, A. D., & Bradshaw, C. J. A. (2008). Scarring patterns and relative mortality rates of Indian Ocean whale sharks. *Journal of Fish Biology*, 72(6), 1488-1503.
- Speedie, C. D. (2003). The value of public sightings recording schemes in relation to the basking shark in the United Kingdom. *Cybiurn*, 27(4), 255-259.
- Sperone, E., Micarelli, P., Andreotti, S., Brandmayr, P., Bernabo, I., Brunelli, E., et al. (2012). Surface behaviour of bait-attracted white sharks at Dyer Island (South Africa). *Marine Biology Research*, 8(10), 982-991.
- Sperone, E., Parise, G., Leone, A., Milazzo, C., Circosta, V., Santoro, G., et al. (2012). Spatiotemporal patterns of distribution of large predatory sharks in Calabria (central Mediterranean, southern Italy). *Acta Adriatica*, 53(1), 13-24.
- Spiesberger, J. L. (1997). Passive acoustic localization enhanced with tomography and acoustic thermometry in the ocean. *Marine and Freshwater Behaviour and Physiology*, 30(3), 147-172.
- Spitz, J., Ridoux, V., Trites, A. W., Laran, S., & Authier, M. (2018). Prey consumption by cetaceans reveals the importance of energy -rich food webs in the Bay of Biscay. *Progress in Oceanography*, 166, 148-158.
- Spitz, S. S., Herman, L. M., Pack, A. A., & Deakos, M. H. (2002). The relation of body size of male humpback whales to their social roles on the Hawaiian winter grounds. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 80(11), 1938-1947.
- Spocter, M. A., Fairbanks, J., Locey, L., Nguyen, A., Bitterman, K., Dunn, R., et al. (2018). Neuropil Distribution in the Anterior Cingulate and Occipital Cortex of Artiodactyls. *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 301(11), 1871-1881.
- Springer, M. S., Emerling, C. A., Meredith, R. W., Janecka, J. E., Eizirik, E., & Murphy, W. J. (2017). Waking the undead: Implications of a soft explosive model for the timing of placental mammal diversification. *Molecular Phylogenetics and Evolution*, 106, 86-102.

- Sprogis, K. R., Bejder, L., Hanf, D., & Christiansen, F. (2020). Behavioural responses of migrating humpback whales to swim-with-whale activities in the Ningaloo Marine Park, Western Australia. *Journal of Experimental Marine Biology and Ecology*, 522.
- Sprogis, K. R., Christiansen, F., Raudino, H. C., Kobryn, H. T., Wells, R. S., & Bejder, L. (2018). Sex-specific differences in the seasonal habitat use of a coastal dolphin population. *Biodiversity and Conservation*, 27(14), 3637-3656.
- Sprogis, K. R., Raudino, H. C., Rankin, R., MacLeod, C. D., & Bejder, L. (2016). Home range size of adult Indo-Pacific bottlenose dolphins (*Tursiops aduncus*) in a coastal and estuarine system is habitat and sex-specific. *Marine Mammal Science*, 32(1), 287-308.
- Spyrakos, E., Santos-Diniz, T. C., Martinez-Iglesias, G., Torres-Palenzuela, J. M., & Pierce, G. J. (2011). Spatiotemporal patterns of marine mammal distribution in coastal waters of Galicia, NW Spain. *Hydrobiologia*, 670(1), 87-109.
- Srinivasan, M., Grant, W. E., Swannack, T. M., & Rajan, J. (2010). Behavioral games involving a clever prey avoiding a clever predator: An individual-based model of dusky dolphins and killer whales. *Ecological Modelling*, 221(22), 2687-2698.
- Srinivasan, M., & Markowitz, T. M. (2010). Predator Threats and Dusky Dolphin Survival Strategies.
- St Aubin, D. J., Forney, K. A., Chivers, S. J., Scott, M. D., Danil, K., Romano, T. A., et al. (2013). Hematological, serum, and plasma chemical constituents in pantropical spotted dolphins (*Stenella attenuata*) following chase, encirclement, and tagging. *Marine Mammal Science*, 29(1), 14-35.
- St Raykov, V., & Panayotova, M. (2012). CETACEAN SIGHTINGS OF THE BULGARIAN BLACK SEA COAST OVER THE PERIOD 2006-2010. *Journal of Environmental Protection and Ecology*, 13(3A), 1824-1835.
- Stabeno, P. J., Bond, N. A., Kachel, N. B., Salo, S. A., & Schumacher, J. D. (2001). On the temporal variability of the physical environment over the south-eastern Bering Sea. *Fisheries Oceanography*, 10(1), 81-98.
- Stacey, P. J., & Baird, R. W. (1991). STATUS OF THE PACIFIC WHITE-SIDED DOLPHIN, *LAGENORHYNCHUS-OBLIQUIDENS*, IN CANADA. *Canadian Field-Naturalist*, 105(2), 219-232.
- Stafford, K. M. (2003). Two types of blue whale calls recorded in the Gulf of Alaska. *Marine Mammal Science*, 19(4), 682-693.
- Stafford, K. M. (2019). Increasing detections of killer whales (*Orcinus orca*), in the Pacific Arctic. *Marine Mammal Science*, 35(2), 696-706.
- Stafford, K. M., Bohnenstiehl, D. R., Tolstoy, M., Chapp, E., Mellinger, D. K., & Moore, S. E. (2004). Antarctic-type blue whale calls recorded at low latitudes in the Indian and eastern Pacific Oceans. *Deep-Sea Research Part I-Oceanographic Research Papers*, 51(10), 1337-1346.
- Stafford, K. M., Citta, J. J., Okkonen, S. R., & Suydam, R. S. (2016). Wind-dependent beluga whale dive behavior in Barrow Canyon, Alaska. *Deep-Sea Research Part I-Oceanographic Research Papers*, 118, 57-65.
- Stafford, K. M., Ferguson, M. C., Hauser, D. D. W., Okkonen, S. R., Berchok, C. L., Citta, J. J., et al. (2018). Beluga whales in the western Beaufort Sea: Current state of knowledge on timing, distribution, habitat use and environmental drivers. *Deep-Sea Research Part Ii-Topical Studies in Oceanography*, 152, 182-194.
- Stafford, K. M., Laidre, K. L., & Heide-Jorgensen, M. P. (2012). First acoustic recordings of narwhals (*Monodon monoceros*) in winter. *Marine Mammal Science*, 28(2), E197-E207.

- Stafford, K. M., Lydersen, C., Wiig, O., & Kovacs, K. M. (2018). Extreme diversity in the songs of Spitsbergen's bowhead whales. *Biology Letters*, 14(4).
- Stafford, K. M., & Moore, S. E. (2005). Atypical calling by a blue whale in the Gulf of Alaska (L). *Journal of the Acoustical Society of America*, 117(5), 2724-2727.
- Stafford, K. M., Moore, S. E., & Fox, C. G. (2005). Diel variation in blue whale calls recorded in the eastern tropical Pacific. *Animal Behaviour*, 69, 951-958.
- Stafford, K. M., Moore, S. E., Laidre, K. L., & Heide-Jorgensen, M. P. (2008). Bowhead whale springtime song off West Greenland. *Journal of the Acoustical Society of America*, 124(5), 3315-3323.
- Stafford, K. M., Okkonen, S. R., & Clarke, J. T. (2013). Correlation of a strong Alaska Coastal Current with the presence of beluga whales *Delphinapterus leucas* near Barrow, Alaska. *Marine Ecology Progress Series*, 474, 287-297.
- Stafne, G. M., & Manger, P. R. (2004). Predominance of clockwise swimming during rest in Southern Hemisphere dolphins. *Physiology & Behavior*, 82(5), 919-926.
- Stamation, K., Watson, M., Moloney, P., Charlton, C., & Bannister, J. (2020). Population estimate and rate of increase of southern right whales *Eubalaena australis* in southeastern Australia. *Endangered Species Research*, 41, 373-383.
- Stamation, K. A., Croft, D. B., Shaughnessy, P. D., Waples, K. A., & Briggs, S. V. (2010). Behavioral responses of humpback whales (*Megaptera novaeangliae*) to whale-watching vessels on the southeastern coast of Australia. *Marine Mammal Science*, 26(1), 98-122.
- Stanistreet, J. E., Nowacek, D. P., Baumann-Pickering, S., Bell, J. T., Cholewiak, D. M., Hildebrand, J. A., et al. (2017). Using passive acoustic monitoring to document the distribution of beaked whale species in the western North Atlantic Ocean. *Canadian Journal of Fisheries and Aquatic Sciences*, 74(12), 2098-2109.
- Stanistreet, J. E., Nowacek, D. P., Bell, J. T., Cholewiak, D. M., Hildebrand, J. A., Hodge, L. E. W., et al. (2018). Spatial and seasonal patterns in acoustic detections of sperm whales *Physeter macrocephalus* along the continental slope in the western North Atlantic Ocean. *Endangered Species Research*, 35, 1-13.
- Stanistreet, J. E., Nowacek, D. P., Read, A. J., Baumann-Pickering, S., Moors-Murphy, H. B., & Van Parijs, S. M. (2016). Effects of duty-cycled passive acoustic recordings on detecting the presence of beaked whales in the northwest Atlantic. *Journal of the Acoustical Society of America*, 140(1), EL31-EL37.
- Stanistreet, J. E., Risch, D., & Van Parijs, S. M. (2013). Passive Acoustic Tracking of Singing Humpback Whales (*Megaptera novaeangliae*) on a Northwest Atlantic Feeding Ground. *Plos One*, 8(4).
- Starkhammar, J., Nilsson, J., Amundin, M., Kuczaj, S. A., Almqvist, M., & Persson, H. W. (2011). Separating overlapping click trains originating from multiple individuals in echolocation recordings. *Journal of the Acoustical Society of America*, 129(1), 458-466.
- Steckenreuter, A., Harcourt, R., & Moller, L. (2011). Distance does matter: close approaches by boats impede feeding and resting behaviour of Indo-Pacific bottlenose dolphins. *Wildlife Research*, 38(6), 455-463.
- Steckenreuter, A., Harcourt, R., & Moller, L. (2012). Are Speed Restriction Zones an effective management tool for minimising impacts of boats on dolphins in an Australian marine park? *Marine Policy*, 36(1), 258-264.
- Steckenreuter, A., Moller, L., & Harcourt, R. (2012). How does Australia's largest dolphin-watching industry affect the behaviour of a small and resident population of Indo-Pacific bottlenose dolphins? *Journal of Environmental Management*, 97, 14-21.

- Steel, D., Anderson, M., Garrigue, C., Olavarria, C., Caballero, S., Childerhouse, S., et al. (2018). Migratory interchange of humpback whales (*Megaptera novaeangliae*) among breeding grounds of Oceania and connections to Antarctic feeding areas based on genotype matching. *Polar Biology*, 41(4), 653-662.
- Steeman, M. E., Hebsgaard, M. B., Fordyce, R. E., Ho, S. Y. W., Rabosky, D. L., Nielsen, R., et al. (2009). Radiation of Extant Cetaceans Driven by Restructuring of the Oceans. *Systematic Biology*, 58(6), 573-585.
- Steeves, T. E., Darling, J. D., Rosel, P. E., Schaeff, C. M., & Fleischer, R. C. (2001). Preliminary analysis of mitochondrial DNA variation in a southern feeding group of eastern North Pacific gray whales. *Conservation Genetics*, 2(4), 379-384.
- Stefanski, S. E., & Villasante, S. (2015). Whales vs. gulls: Assessing trade-offs in wildlife and waste management in Patagonia, Argentina. *Ecosystem Services*, 16, 294-305.
- Steiger, G. H., & Calambokidis, J. (2000). Reproductive rates of humpback whales off California. *Marine Mammal Science*, 16(1), 220-239.
- Steiner, A. (2012). Temporal Determinants of Indo-Pacific Bottlenose Dolphin (*Tursiops aduncus*) Activity in the Port River Estuary (Adelaide, South Australia). *Aquatic Mammals*, 38(3), 267-278.
- Steiner, D. (2016). HARMONIC DIVERGENCE: PINDAR'S FR. 140B AND EARLY FIFTH-CENTURY CHORAL POLEMICS. *Journal of Hellenic Studies*, 136, 132-151.
- Steiner, L., Lamoni, L., Plata, M. A., Jensen, S. K., Lettevall, E., & Gordon, J. (2012). A link between male sperm whales, *Physeter macrocephalus*, of the Azores and Norway. *Journal of the Marine Biological Association of the United Kingdom*, 92(8), 1751-1756.
- Steiner, N. S., Cheung, W. W. L., Cisneros-Montemayor, A. M., Drost, H., Hayashida, H., Hoover, C., et al. (2019). Impacts of the Changing Ocean-Sea Ice System on the Key Forage Fish Arctic Cod (*Boreogadus Saida*) and Subsistence Fisheries in the Western Canadian Arctic-Evaluating Linked Climate, Ecosystem and Economic (CEE) Models. *Frontiers in Marine Science*, 6.
- Stelle, L. L., Blake, R. W., & Trites, A. W. (2000). Hydrodynamic drag in steller sea lions (*Eumetopias jubatus*). *Journal of Experimental Biology*, 203(12), 1915-1923.
- Stensland, E., & Berggren, P. (2007). Behavioural changes in female Indo-Pacific bottlenose dolphins in response to boat-based tourism. *Marine Ecology Progress Series*, 332, 225-234.
- Stensland, E., Carlen, I., Sarnblad, A., Bignert, A., & Berggren, P. (2006). Population size, distribution, and behavior of indo-pacific bottlenose (*Tursiops aduncus*) and humpback (*Sousa chinensis*) dolphins off the south coast of Zanzibar. *Marine Mammal Science*, 22(3), 667-682.
- Stepanuk, J. E. F., Read, A. J., Baird, R. W., Webster, D. L., & Thorne, L. H. (2018). Spatiotemporal patterns of overlap between short-finned pilot whales and the US pelagic longline fishery in the Mid-Atlantic Bight: An assessment to inform the management of fisheries bycatch. *Fisheries Research*, 208, 309-320.
- Stephenson, F., Goetz, K., Sharp, B., Mouton, T. L., Beets, F. L., Roberts, J., et al. (2020). Modelling the spatial distribution of cetaceans in New Zealand waters. *Diversity and Distributions*, 26(4), 495-516.
- Sterba, O. (1996). Phylogenetic interpretation of the early development of the eutherian blastocyst. *Acta Veterinaria Brno*, 65(4), 311-320.
- Stern, G. A., & Macdonald, R. W. (2005). Biogeographic provinces of total and methyl mercury in zooplankton and fish from the Beaufort and Chukchi seas: Results from the SHEBA drift. *Environmental Science & Technology*, 39(13), 4707-4713.

- Stevens, G. M. W., Hawkins, J. P., & Roberts, C. M. (2018). Courtship and mating behaviour of manta rays *Mobula alfredi* and *M. birostris* in the Maldives. *Journal of Fish Biology*, 93(2), 344-359.
- Stevens, J. A., Link, J. J., Zang, C., Wang, L. J., & Zhong, D. P. (2012). Ultrafast Dynamics of Nonequilibrium Resonance Energy Transfer and Probing Globular Protein Flexibility of Myoglobin. *Journal of Physical Chemistry A*, 116(11), 2610-2619.
- Stevens, J. D. (2007). Whale shark (*Rhincodon typus*) biology and ecology: A review of the primary literature. *Fisheries Research*, 84(1), 4-9.
- Stevens, J. D., Bradford, R. W., & West, G. J. (2010). Satellite tagging of blue sharks (*Prionace glauca*) and other pelagic sharks off eastern Australia: depth behaviour, temperature experience and movements. *Marine Biology*, 157(3), 575-591.
- Stevenson, B. C., Borchers, D. L., & Fewster, R. M. (2019). Cluster capture-recapture to account for identification uncertainty on aerial surveys of animal populations. *Biometrics*, 75(1), 326-336.
- Stevick, P. T., Allen, J., Berube, M., Clapham, P. J., Katona, S. K., Larsen, F., et al. (2003). Segregation of migration by feeding ground origin in North Atlantic humpback whales (*Megaptera novaeangliae*). *Journal of Zoology*, 259, 231-237.
- Stevick, P. T., Allen, J., Clapham, P. J., Katona, S. K., Larsen, F., Lien, J., et al. (2006). Population spatial structuring on the feeding grounds in North Atlantic humpback whales (*Megaptera novaeangliae*). *Journal of Zoology*, 270(2), 244-255.
- Stevick, P. T., Berrow, S. D., Berube, M., Bouveret, L., Broms, F., Jann, B., et al. (2016). There and back again: multiple and return exchange of humpback whales between breeding habitats separated by an ocean basin. *Journal of the Marine Biological Association of the United Kingdom*, 96(4), 885-890.
- Stevick, P. T., Neves, M. C., Johansen, F., Engel, M. H., Allen, J., Marcondes, M. C. C., et al. (2011). A quarter of a world away: female humpback whale moves 10 000 km between breeding areas. *Biology Letters*, 7(2), 299-302.
- Stewart, B. S. (2018). DIVING BEHAVIOR.
- Stewart, J. D., Hoyos-Padilla, E. M., Kumli, K. R., & Rubin, R. D. (2016). Deep-water feeding and behavioral plasticity in *Manta birostris* revealed by archival tags and submersible observations. *Zoology*, 119(5), 406-413.
- Stewart, J. S., Field, J. C., Markaida, U., & Gilly, W. F. (2013). Behavioral ecology of jumbo squid (*Dosidicus gigas*) in relation to oxygen minimum zones. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 95, 197-208.
- Stewart, K., Ma, H. J., Zheng, J. S., & Zhao, J. F. (2017). Using environmental DNA to assess population-wide spatiotemporal reserve use. *Conservation Biology*, 31(5), 1173-1182.
- Stiefel, K. M. Evolutionary trends in large pelagic filter-feeders. *Historical Biology*.
- Stimpert, A. K., Au, W. W. L., Parks, S. E., Hurst, T., & Wiley, D. N. (2011). Common humpback whale (*Megaptera novaeangliae*) sound types for passive acoustic monitoring. *Journal of the Acoustical Society of America*, 129(1), 476-482.
- Stimpert, A. K., DeRuiter, S. L., Southall, B. L., Moretti, D. J., Falcone, E. A., Goldbogen, J. A., et al. (2014). Acoustic and foraging behavior of a Baird's beaked whale, *Berardius bairdii*, exposed to simulated sonar. *Scientific Reports*, 4.

- Stimpert, A. K., Lammers, M. O., Pack, A. A., & Au, W. W. L. (2020). Variations in received levels on a sound and movement tag on a singing humpback whale: Implications for caller identification. *Journal of the Acoustical Society of America*, 147(5), 3684-3690.
- Stimpert, A. K., Mattila, D., Nosal, E. M., & Au, W. W. L. (2012). Tagging young humpback whale calves: methodology and diving behavior. *Endangered Species Research*, 19(1), 11-17.
- Stimpert, A. K., Peavey, L. E., Friedlaender, A. S., & Nowacek, D. P. (2012). Humpback Whale Song and Foraging Behavior on an Antarctic Feeding Ground. *Plos One*, 7(12).
- Stimpert, A. K., Wiley, D. N., Au, W. W. L., Johnson, M. P., & Arsenault, R. (2007). 'Megapclicks': acoustic click trains and buzzes produced during night-time foraging of humpback whales (*Megaptera novaeangliae*). *Biology Letters*, 3(5), 467-470.
- Stockin, K. A., Binedell, V., Wiseman, N., Brunton, D. H., & Orams, M. B. (2009). Behavior of free-ranging common dolphins (*Delphinus* sp.) in the Hauraki Gulf, New Zealand. *Marine Mammal Science*, 25(2), 283-301.
- Stockin, K. A., Fairbairns, R. S., Parsons, E. C. M., & Sims, D. W. (2001). Effects of diel and seasonal cycles on the dive duration of the minke whale (*Balaenoptera acutorostrata*). *Journal of the Marine Biological Association of the United Kingdom*, 81(1), 189-190.
- Stockin, K. A., Weir, C. R., & Pierce, G. J. (2006). Examining the importance of Aberdeenshire (UK) coastal waters for North Sea bottlenose dolphins (*Tursiops truncatus*). *Journal of the Marine Biological Association of the United Kingdom*, 86(1), 201-207.
- Stoeckl, N., Birtles, A., Farr, M., Mangott, A., Curnock, M., & Valentine, P. (2010). Live-aboard dive boats in the Great Barrier Reef: regional economic impact and the relative values of their target marine species. *Tourism Economics*, 16(4), 995-1018.
- Stoeckle, M. Y., Das Mishu, M., & Charlop-Powers, Z. (2018). GoFish: A versatile nested PCR strategy for environmental DNA assays for marine vertebrates. *Plos One*, 13(12).
- Stolen, M., Leger, J. S., Durden, W. N., Mazza, T., & Nilson, E. (2013). Fatal Asphyxiation in Bottlenose Dolphins (*Tursiops truncatus*) from the Indian River Lagoon. *Plos One*, 8(6).
- Stone, G., Goodyear, J., Hutt, A., & Yoshinaga, A. (1994). A NEW NONINVASIVE TAGGING METHOD FOR STUDYING WILD DOLPHINS. *Marine Technology Society Journal*, 28(1), 11-16.
- Stone, G., Hutt, A., Brown, J., Yoshinaga, A., Joy, L., & Burleigh, R. (1998). Respiration and movement of Hector's dolphin from suction-cup VHF radio tag telemetry data. *Marine Technology Society Journal*, 32(1), 89-93.
- Storrie, L., Lydersen, C., Andersen, M., Wynn, R. B., & Kovacs, K. M. (2018). Determining the species assemblage and habitat use of cetaceans in the Svalbard Archipelago, based on observations from 2002 to 2014. *Polar Research*, 37.
- Strager, H. (1995). POD-SPECIFIC CALL REPERTOIRES AND COMPOUND CALLS OF KILLER WHALES, *ORCINUS-ORCA LINNAEUS*, 1758, IN THE WATERS OF NORTHERN NORWAY. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 73(6), 1037-1047.
- Straley, J., O'Connell, V., Liddle, J., Thode, A., Wild, L., Behnken, L., et al. (2015). Southeast Alaska Sperm Whale Avoidance Project (SEASWAP): a successful collaboration among scientists and industry to study depredation in Alaskan waters. *Ices Journal of Marine Science*, 72(5), 1598-1609.
- Straley, J. M., Quinn, T. J., & Gabriele, C. M. (2009). Assessment of mark-recapture models to estimate the abundance of a humpback whale feeding aggregation in Southeast Alaska. *Journal of Biogeography*, 36(3), 427-438.

- Straley, J. M., Schorr, G. S., Thode, A. M., Calambokidis, J., Lunsford, C. R., Chenoweth, E. M., et al. (2014). Depredating sperm whales in the Gulf of Alaska: local habitat use and long distance movements across putative population boundaries. *Endangered Species Research*, 24(2), 125-135.
- Street, H. P., Bamforth, E. L., & Gilbert, M. M. (2019). The Formation of a Marine Bonebed at the Upper Cretaceous Dinosaur Park - Bearpaw Transition of West - Central Saskatchewan, Canada. *Frontiers in Earth Science*, 7.
- Striedter, G. F. (2013). Bird Brains and Tool Use: Beyond Instrumental Conditioning. *Brain Behavior and Evolution*, 82(1), 55-67.
- Strobel, S. M., & Mooney, T. A. (2012). Detection of low-frequency tones and whale predator sounds by the American sand lance *Ammodytes americanus*. *Journal of Fish Biology*, 81(5), 1646-1664.
- Strom, J. F., Rikardsen, A. H., Campana, S. E., Righton, D., Carr, J., Aarestrup, K., et al. (2019). Ocean predation and mortality of adult Atlantic salmon. *Scientific Reports*, 9.
- Stromnes, E., & Andersen, K. (1998). Distribution of whaleworm (*Anisakis simplex*, Nematoda, Ascaridoidea) L3 larvae in three species of marine fish; saithe (*Pollachius virens* (L.)), cod (*Gadus morhua* L.) and redfish (*Sebastes marinus* (L.)) from Norwegian waters. *Parasitology Research*, 84(4), 281-285.
- Strzala, M., Stanula, A., Ostrowski, A., Kaca, M., Krezalek, P., & Glodzik, J. (2017). Propulsive limb coordination and body acceleration in sprint breaststroke swimming. *Journal of Sports Medicine and Physical Fitness*, 57(12), 1564-1571.
- Su, C. M., Huang, C. T., & Cheng, I. J. (2015). Applying a fast, effective and reliable photographic identification system for green turtles in the waters near Luichiu Island, Taiwan. *Journal of Experimental Marine Biology and Ecology*, 467, 115-120.
- Subramanian, A., Tanabe, S., & Karuppiyah, S. (2002). Organic contaminants in marine mammals. *Fisheries Science*, 68, 252-255.
- Sucunza, F., Danilewicz, D., Cremer, M., Andriolo, A., & Zerbini, A. N. (2018). Refining estimates of availability bias to improve assessments of the conservation status of an endangered dolphin. *Plos One*, 13(3).
- Sucunza, F., Doria, E., Alves, L., do Prado, J. H. F., Ferreira, E., Andriolo, A., et al. (2015). Observations of antipredator tactics among pantropical spotted dolphins (*Stenella attenuata*) attacked by smooth hammerhead sharks (*Sphyrna zygaena*). *Marine Mammal Science*, 31(2), 748-755.
- Sueyro, N., Crespo, E. A., Arias, M., & Coscarella, M. A. (2018). Density-dependent changes in the distribution of Southern Right Whales (*Eubalaena australis*) in the breeding ground Peninsula Valdes. *PeerJ*, 6.
- Sugimatsu, H., Kojima, J., Ura, T., Bahl, R., Behera, S., Sagar, V. S., et al. (2014). Advanced Techniue for Automatic Detection and Discrimination of a Click Train With Short Interclick Intervals From the Clicks of Ganges River Dolphins (*Platanista gangetica gangetica*) liecorded by a Passive Acoustic Monitoring System Using Hydrophone Arrays. *Marine Technology Society Journal*, 48(3), 167-181.
- Sukhoruchenko, M. N. (2004). Auditory detection of paired pulses by a dolphin in the presence of a pulse jam. *Acoustical Physics*, 50(4), 485-492.
- Sullivan, F. A., & Torres, L. G. (2018). Assessment of Vessel Disturbance to Gray Whales to Inform Sustainable Ecotourism. *Journal of Wildlife Management*, 82(5), 896-905.
- Summers, M. P., & Parmigiani, J. P. (2014). The dynamic shear moduli of whale blubber. *Biorheology*, 51(6), 399-408.

- Sun, W. Z., Wang, J. S., & Wei, X. (2018). An Improved Whale Optimization Algorithm Based on Different Searching Paths and Perceptual Disturbance. *Symmetry-Basel*, 10(6).
- Sun, X. H., Zhang, Z. P., Sun, Y. Y., Li, J., Xu, S. X., & Yang, G. (2017). Comparative genomics analyses of alpha-keratins reveal insights into evolutionary adaptation of marine mammals. *Frontiers in Zoology*, 14.
- Sun, Y. B., Zhou, W. P., Liu, H. Q., Irwin, D. M., Shen, Y. Y., & Zhang, Y. P. (2013). Genome-Wide Scans for Candidate Genes Involved in the Aquatic Adaptation of Dolphins. *Genome Biology and Evolution*, 5(1), 130-139.
- Supin, A. Y., & Popov, V. V. (1993). DIRECTION-DEPENDENT SPECTRAL SENSITIVITY AND INTERAURAL SPECTRAL DIFFERENCE IN A DOLPHIN - EVOKED-POTENTIAL STUDY. *Journal of the Acoustical Society of America*, 93(6), 3490-3495.
- Supin, A. Y., & Popov, V. V. (1995). Envelope-following response and modulation transfer function in the dolphin's auditory system. *Hearing Research*, 92(1-2), 38-46.
- Surma, S., Pakhomov, E. A., & Pitcher, T. J. (2018). Energy-based ecosystem modelling illuminates the ecological role of Northeast Pacific herring. *Marine Ecology Progress Series*, 588, 147-161.
- Surma, S., & Pitcher, T. J. (2015). Predicting the effects of whale population recovery on Northeast Pacific food webs and fisheries: an ecosystem modelling approach. *Fisheries Oceanography*, 24(3), 291-305.
- Sutton, A. L., Jenner, K. C. S., & Jenner, M. N. M. (2019). Habitat associations of cetaceans and seabirds in the tropical eastern Indian Ocean. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 166, 171-186.
- Sutton, G., Pichegru, L., Botha, J. A., Kouzani, A. Z., Adams, S., Bost, C. A., et al. (2020). Multi-predator assemblages, dive type, bathymetry and sex influence foraging success and efficiency in African penguins. *PeerJ*, 8.
- Suzuki, S., Sekiguchi, K., Mitani, Y., Onishi, H., & Kamito, T. (2016). Distribution of Dall's Porpoise, *Phocoenoides dalli*, in the North Pacific and Bering Sea, Based on T/S Oshoro Maru 2012 Summer Cruise Data. *Zoological Science*, 33(5), 491-496.
- Suzuki, T. A. (2017). Links between Natural Variation in the Microbiome and Host Fitness in Wild Mammals. *Integrative and Comparative Biology*, 57(4), 756-769.
- Svane, I. (2005). Occurrence of dolphins and seabirds and their consumption of by-catch during prawn trawling in Spencer Gulf, South Australia. *Fisheries Research*, 76(3), 317-327.
- Svarachorn, T., Kettratad, J., Thubthong, N., & Chansue, N. (2016). Sound Characteristics and Primary Descriptions of Vocalizations Associated with Behaviours of Captive Irrawaddy Dolphins (*Orcaella brevirostris*). *Aquatic Mammals*, 42(4), 519-530.
- Sveegaard, S., Andreassen, H., Mouritsen, K. N., Jeppesen, J. P., Teilmann, J., & Kinze, C. C. (2012). Correlation between the seasonal distribution of harbour porpoises and their prey in the Sound, Baltic Sea. *Marine Biology*, 159(5), 1029-1037.
- Svendsen, G. M., Romero, M. A., Williams, G. N., Gagliardini, D. A., Crespo, E. A., Dans, S. L., et al. (2015). Environmental Niche Overlap between Common and Dusky Dolphins in North Patagonia, Argentina. *Plos One*, 10(6).
- Sweetman, A. K., & Chapman, A. (2011). First observations of jelly-falls at the seafloor in a deep-sea fjord. *Deep-Sea Research Part I-Oceanographic Research Papers*, 58(12), 1206-1211.
- Sykora-Bodie, S. T., Bezy, V., Johnston, D. W., Newton, E., & Lohmann, K. J. (2017). Quantifying Nearshore Sea Turtle Densities: Applications of Unmanned Aerial Systems for Population Assessments. *Scientific Reports*, 7.

- Symons, J., Pirotta, E., & Lusseau, D. (2014). Sex differences in risk perception in deep-diving bottlenose dolphins leads to decreased foraging efficiency when exposed to human disturbance. *Journal of Applied Ecology*, 51(6), 1584-1592.
- Symons, J., Sprogis, K. R., & Bejder, L. (2018). Implications of survey effort on estimating demographic parameters of a long-lived marine top predator. *Ecology and Evolution*, 8(21), 10470-10481.
- Szesciorka, A. R., Allen, A. N., Calambokidis, J., Fahlbusch, J., McKenna, M. F., & Southall, B. (2019). A Case Study of a Near Vessel Strike of a Blue Whale: Perceptual Cues and Fine-Scale Aspects of Behavioral Avoidance. *Frontiers in Marine Science*, 6.
- Szesciorka, A. R., Ballance, L. T., Sirovic, A., Rice, A., Ohman, M. D., Hildebrand, J. A., et al. (2020). Timing is everything: Drivers of interannual variability in blue whale migration. *Scientific Reports*, 10(1).
- Szoboszlai, A. I., Thayer, J. A., Wood, S. A., Sydeman, W. J., & Koehn, L. E. (2015). Forage species in predator diets: Synthesis of data from the California Current. *Ecological Informatics*, 29, 45-56.
- Taboada, S., Bas, M., Leiva, C., Garriga, M., Sarda, R., & Avila, C. (2016). Life after death: shallow-water Mediterranean invertebrate communities associated with mammal bones. *Marine Ecology-an Evolutionary Perspective*, 37(1), 164-178.
- Tackaberry, J. E., Cade, D. E., Goldbogen, J. A., Wiley, D. N., Friedlaender, A. S., & Stimpert, A. K. (2020). From a calf's perspective: humpback whale nursing behavior on two US feeding grounds. *Peerj*, 8.
- Taguchi, M., Ishikawa, H., & Matsuishi, T. (2010). Seasonal distribution of harbour porpoise (*Phocoena phocoena*) in Japanese waters inferred from stranding and bycatch records. *Mammal Study*, 35(2), 133-138.
- Takane, Y., Kusaka, H., & Kondo, H. (2014). Climatological study on mesoscale extreme high temperature events in the inland of the Tokyo Metropolitan Area, Japan, during the past 22 years. *International Journal of Climatology*, 34(15), 3926-3938.
- Takeuchi, S., & Tamaki, A. (2014). Assessment of benthic disturbance associated with stingray foraging for ghost shrimp by aerial survey over an intertidal sandflat. *Continental Shelf Research*, 34, 139-157.
- Tal, D., Shachar-Bener, H., Hershkovitz, D., Arieli, Y., & Shupak, A. (2015). Evidence for the initiation of decompression sickness by exposure to intense underwater sound. *Journal of Neurophysiology*, 114(3), 1521-1529.
- Talaat, M., Tayseer, M., & El-Zein, A. (2020). Efficiency of different optimisation approaches for optimal parameters of the CSM for investigating the onset field due to corona point. *Iet Generation Transmission & Distribution*, 14(9), 1751-1761.
- Talevi, M., & Fernandez, M. S. (2012). Unexpected skeletal histology of an ichthyosaur from the Middle Jurassic of Patagonia: implications for evolution of bone microstructure among secondary aquatic tetrapods. *Naturwissenschaften*, 99(3), 241-244.
- Tamaki, N., Morisaka, T., & Taki, M. (2006). Does body contact contribute towards repairing relationships? The association between flipper-rubbing and aggressive behavior in captive bottlenose dolphins. *Behavioural Processes*, 73(2), 209-215.
- Tamames, J., & Moya, A. (2008). Estimating the extent of horizontal gene transfer in metagenomic sequences. *Bmc Genomics*, 9.
- Tamura, N., Kasahi, T., Kaneda, M., Mitarai, N., Shigeta, M., Shigeta, Y., et al. (2013). Sound playback surveys to reveal the distribution of invasive alien Pallas's squirrels, *Callosciurus erythraeus*. *Mammal Study*, 38(2), 97-103.

- Tamura, T., & Fujise, Y. (2002). Geographical and seasonal changes of the prey species of minke whale in the Northwestern Pacific. *Ices Journal of Marine Science*, 59(3), 516-528.
- Tamura, Y., Ishizuka, O., Stern, R. J., Nichols, A. R. L., Kawabata, H., Hirahara, Y., et al. (2014). Mission Immiscible: Distinct Subduction Components Generate Two Primary Magmas at Pagan Volcano, Mariana Arc. *Journal of Petrology*, 55(1), 63-101.
- Tan, S. S. W., Ahmad, S., Moles, D. R., & Cunningham, S. J. (2011). Picture archiving and communications systems: a study of reliability of orthodontic cephalometric analysis. *European Journal of Orthodontics*, 33(5), 537-543.
- Tan, Z. J., Yan, T., Yu, R. C., & Zhou, M. J. (2007). Transfer of paralytic shellfish toxins via marine food chains: A simulated experiment. *Biomedical and Environmental Sciences*, 20(3), 235-241.
- Tanabe, S. (2007). Contamination by Persistent Toxic Substances in the Asia-Pacific Region. In A. Li, S. Tanabe, G. Jiang, J. P. Giesy & P. K. S. Lam (Eds.), *Persistent Organic Pollutants in Asia: Sources, Distributions, Transport and Fate* (Vol. 7, pp. 773-817).
- Tanabe, S., Kumaran, P., Iwata, H., Tatsukawa, R., & Miyazaki, N. (1996). Enantiomeric ratios of alpha-hexachlorocyclohexane in blubber of small cetaceans. *Marine Pollution Bulletin*, 32(1), 27-31.
- Tanaka, Y., & Taruno, H. (2019). The first cetacean record from the Osaka Group (Middle Pleistocene, Quaternary) in Osaka, Japan. *Paleontological Research*, 23(2), 166-173.
- Tanaka, Y., & Watanabe, M. (2018). A geologically old and ontogenetically young *Herpetocetus* sp. from the late Miocene of Hokkaido, Japan. *Journal of Vertebrate Paleontology*, 38(4).
- Tang, L. Y., Zhang, L., Yue, M., Tian, D., Su, M., & Li, Z. (2019). New Insights into the Ultrastructure of Bioapatite After Partial Dissolution: Based on Whale Rostrum, the Densest Bone. *Microscopy and Microanalysis*, 25(6), 1323-1330.
- Tang, Q., Kalsbeck, W. A., Olson, J. S., & Bocian, D. F. (1998). Disruption of the heme iron-proximal histidine bond requires unfolding of deoxy-myoglobin. *Biochemistry*, 37(19), 7047-7056.
- Taquet, M., Dagorn, L., Gaertner, J. C., Girard, C., Aumerruddy, R., Sancho, G., et al. (2007). Behavior of dolphinfish (*Coryphaena hippurus*) around drifting FADs as observed from automated acoustic receivers. *Aquatic Living Resources*, 20(4), 323-330.
- Taquet, M., Sancho, G., Dagorn, L., Gaertner, J. C., Itano, D., Aumeeruddy, R., et al. (2007). Characterizing fish communities associated with drifting fish aggregating devices (FADs) in the Western Indian Ocean using underwater visual surveys. *Aquatic Living Resources*, 20(4), 331-341.
- Tardin, R. H., Maciel, I. S., Esp?cie, M. A., Melo-Santos, G., Simao, S. M., & Alves, M. A. S. (2020). Modelling habitat use by the Guiana dolphin, *Sotalia guianensis*, in south-eastern Brazil: Effects of environmental and anthropogenic variables, and the adequacy of current management measures. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 30(4), 775-786.
- Tardin, R. H., Maciel, I. S., Maricato, G., Simao, S. M., Maria, T. F., & Alves, M. A. S. (2020). Occurrence, residency patterns and habitat use of the bottlenose dolphin, *Tursiops truncatus truncatus*, on two Marine Protected Areas in Southeastern Brazil. *Anais Da Academia Brasileira De Ciencias*, 92(2).
- Tardin, R. H., Pinto, M. P., Alves, M. A. S., & Simao, S. M. (2014). Behavioral event occurrence differs between behavioral states in *Sotalia guianensis* (Cetartiodactyla: Delphinidae) dolphins: a multivariate approach. *Zoologia*, 31(1), 1-7.

- Tarpley, R. J., Hillmann, D. J., George, J. C., Zeh, J. E., & Suydam, R. S. (2016). Morphometric Correlates of the Ovary and Ovarian Corpora in the Bowhead Whale, *Balaena mysticetus*. *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 299(6), 769-797.
- Tarpley, R. J., Hillmann, D. J., Henk, W. G., & George, J. C. (1997). Observations on the external morphology and vasculature of a fetal heart of the bowhead whale, *Balaena mysticetus*. *Anatomical Record*, 247(4), 556-581.
- Tatar, B., & Jung, C. (2018). Getting to know the consumer: Toward mitigation of illegal whale meat consumption in South Korea. *Marine Policy*, 89, 116-123.
- Tatlisumak, T., Carano, R. A. D., Takano, K., Opgenorth, T. J., Sotak, C. H., & Fisher, M. (1998). A novel endothelin antagonist, A-127722, attenuates ischemic lesion size in rats with temporary middle cerebral artery occlusion - A diffusion and perfusion MRI study. *Stroke*, 29(4), 850-857.
- Tavares, S. B., Samarra, F. I. P., Pascoal, S., Graves, J. A., & Miller, P. J. O. (2018). Killer whales (*Orcinus orca*) in Iceland show weak genetic structure among diverse isotopic signatures and observed movement patterns. *Ecology and Evolution*, 8(23), 11900-11913.
- Taverne, M. A. M. (1991). APPLICATIONS OF 2-DIMENSIONAL ULTRASOUND IN ANIMAL REPRODUCTION. *Wiener Tierärztliche Monatsschrift*, 78(10), 341-345.
- Taylor, C. R., & Brooks, W. B. (2002). Dissemination of northern right whale (*Eubalaena glacialis*) sighting information to the southeast US maritime community. *Marine Technology Society Journal*, 36(2), 58-60.
- Taylor, L. D., O'Dea, A., Bralower, T. J., & Finnegan, S. (2019). Isotopes from fossil coronulid barnacle shells record evidence of migration in multiple Pleistocene whale populations. *Proceedings of the National Academy of Sciences of the United States of America*, 116(15), 7377-7381.
- Teerlink, S., Horstmann, L., & Witteveen, B. (2018). Humpback Whale (*Megaptera novaeangliae*) Blubber Steroid Hormone Concentration to Evaluate Chronic Stress Response from Whale-Watching Vessels. *Aquatic Mammals*, 44(4), 411-425.
- Teilmann, J., Christiansen, C. T., Kjellerup, S., Dietz, R., & Nachman, G. (2013). Geographic, seasonal, and diurnal surface behavior of harbor porpoises. *Marine Mammal Science*, 29(2), E60-E76.
- Teilmann, J., Tougaard, J., Miller, L. A., Kirketerp, T., Hansen, K., & Brando, S. (2006). Reactions of captive harbor porpoises (*Phocoena phocoena*) to pinger-like sounds. *Marine Mammal Science*, 22(2), 240-260.
- Tejada-Lara, J. V., Salas-Gismondi, R., Pujos, F., Baby, P., Benammi, M., Brusset, S., et al. (2015). LIFE IN PROTO-AMAZONIA: MIDDLE MIOCENE MAMMALS FROM THE FITZCARRALD ARCH (PERUVIAN AMAZONIA). *Palaeontology*, 58(2), 341-378.
- Tellechea, J. S., Bouvier, D., Cambon-Tait, D., & NorbisInstituto, W. (2014). Passive Acoustic Monitoring of Bottlenose Dolphins (*Tursiops truncatus*) on the Uruguayan Coast: Vocal Characteristics and Seasonal Cycles. *Aquatic Mammals*, 40(2), 173-184.
- Teloni, V. (2005). Patterns of sound production in diving sperm whales in the northwestern Mediterranean. *Marine Mammal Science*, 21(3), 446-457.
- Teloni, V., Mark, J. P., Patrick, M. J. O., & Peter, M. T. (2008). Shallow food for deep divers: Dynamic foraging behavior of male sperm whales in a high latitude habitat. *Journal of Experimental Marine Biology and Ecology*, 354(1), 119-131.
- Temple, A. J., Wambiji, N., Poonian, C. N. S., Jiddawi, N., Stead, S. M., Kiszka, J. J., et al. (2019). Marine megafauna catch in southwestern Indian Ocean small-scale fisheries from landings data. *Biological Conservation*, 230, 113-121.

- Tenan, S., Hernandez, N., Fearnbach, H., de Stephanis, R., Verborgh, P., & Oro, D. (2020). Impact of maritime traffic and whale-watching on apparent survival of bottlenose dolphins in the Strait of Gibraltar. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 30(5), 949-958.
- Teng, T. Y., Srajer, V., & Moffat, K. (1997). Initial trajectory of carbon monoxide after photodissociation from myoglobin at cryogenic temperatures. *Biochemistry*, 36(40), 12087-12100.
- Tennessen, J. B., Holt, M. M., Hanson, M. B., Emmons, C. K., Giles, D. A., & Hogan, J. T. (2019). Kinematic signatures of prey capture from archival tags reveal sex differences in killer whale foraging activity. *Journal of Experimental Biology*, 222(3).
- Tennessen, J. B., Holt, M. M., Ward, E. J., Hanson, M. B., Emmons, C. K., Giles, D. A., et al. (2019). Hidden Markov models reveal temporal patterns and sex differences in killer whale behavior. *Scientific Reports*, 9.
- Tennessen, J. B., & Parks, S. E. (2016). Acoustic propagation modeling indicates vocal compensation in noise improves communication range for North Atlantic right whales. *Endangered Species Research*, 30, 225-237.
- Tenorio-Halle, L., Thode, A. M., Sarkar, J., Verlinden, C., Tippmann, J., Hodgkiss, W. S., et al. (2017). A double-difference method for high-resolution acoustic tracking using a deep-water vertical array. *Journal of the Acoustical Society of America*, 142(6), 3474-3485.
- Teo, S. L. H., Boustany, A., Blackwell, S., Walli, A., Weng, K. C., & Block, B. A. (2004). Validation of geolocation estimates based on light level and sea surface temperature from electronic tags. *Marine Ecology Progress Series*, 283, 81-98.
- Tepsich, P., Rosso, M., Halpin, P. N., & Moulins, A. (2014). Habitat preferences of two deep-diving cetacean species in the northern Ligurian Sea. *Marine Ecology Progress Series*, 508, 247-260.
- Tervo, O. M., Christoffersen, M. F., Parks, S. E., Kristensen, R. M., & Madsen, P. T. (2011). Evidence for simultaneous sound production in the bowhead whale (*Balaena mysticetus*). *Journal of the Acoustical Society of America*, 130(4), 2257-2262.
- Tervo, O. M., Parks, S. E., Christoffersen, M. F., Miller, L. A., & Kristensen, R. M. (2011). Annual changes in the winter song of bowhead whales (*Balaena mysticetus*) in Disko Bay, Western Greenland. *Marine Mammal Science*, 27(3), E241-E252.
- Tervo, O. M., Parks, S. E., & Miller, L. A. (2009). Seasonal changes in the vocal behavior of bowhead whales (*Balaena mysticetus*) in Disko Bay, Western-Greenland. *Journal of the Acoustical Society of America*, 126(3), 1570-1580.
- Testino, J. P., Petit, A., Alcorta, B., Pacheco, A. S., Silva, S., Alfaro-Shigueto, J., et al. (2019). Killer Whale (*Orcinus orca*) Occurrence and Interactions with Marine Mammals Off Peru. *Pacific Science*, 73(2), 261-273.
- Tetley, M. J., Mitchelson-Jacob, E. G., & Robinson, K. P. (2008). The summer distribution of coastal minke whales (*Balaenoptera acutorostrata*) in the southern outer Moray Firth, NE Scotland, in relation to co-occurring mesoscale oceanographic features. *Remote Sensing of Environment*, 112(8), 3449-3454.
- Tezanos-Pinto, G., & Baker, C. S. (2012). Short-term reactions and long-term responses of bottlenose dolphins (*Tursiops truncatus*) to remote biopsy sampling. *New Zealand Journal of Marine and Freshwater Research*, 46(1), 13-29.
- Tezanos-Pinto, G., Constantine, R., Brooks, L., Jackson, J. A., Mourao, F., Wells, S., et al. (2013). Decline in local abundance of bottlenose dolphins (*Tursiops truncatus*) in the Bay of Islands, New Zealand. *Marine Mammal Science*, 29(4), E390-E410.

- Thaheld, F. H. (2004). A method to explore the possibility of nonlocal correlations between brain electrical activities of two spatially separated animal subjects. *Biosystems*, 73(3), 205-216.
- Theberge, M. M., & Dearden, P. (2006). Detecting a decline in whale shark *Rhincodon typus* sightings in the Andaman Sea, Thailand, using ecotourist operator-collected data. *Oryx*, 40(3), 337-342.
- Theodor, J. M. (2004). Molecular clock divergence estimates and the fossil record of Cetartiodactyla. *Journal of Paleontology*, 78(1), 39-44.
- Therrien, S. C., Thomas, J. A., Therrien, R. E., & Stacey, R. (2012). Time of Day and Social Change Affect Underwater Sound Production by Bottlenose Dolphins (*Tursiops truncatus*) at the Brookfield Zoo. *Aquatic Mammals*, 38(1), 65-75.
- Thiebault, A., Charrier, I., Aubin, T., Green, D. B., & Pistorius, P. A. (2019). First evidence of underwater vocalisations in hunting penguins. *Peerj*, 7.
- Thiebault, A., Semeria, M., Lett, C., & Tremblay, Y. (2016). How to capture fish in a school? Effect of successive predator attacks on seabird feeding success. *Journal of Animal Ecology*, 85(1), 157-167.
- Thiebot, J. B., & Weimerskirch, H. (2013). Contrasted associations between seabirds and marine mammals across four biomes of the southern Indian Ocean. *Journal of Ornithology*, 154(2), 441-453.
- Thiel, M., Penna-Diaz, M. A., Luna-Jorquera, G., Salas, S., Sellanes, J., & Stotz, W. (2014). CITIZEN SCIENTISTS AND MARINE RESEARCH: VOLUNTEER PARTICIPANTS, THEIR CONTRIBUTIONS, AND PROJECTION FOR THE FUTURE. In R. N. Hughes, D. J. Hughes & I. P. Smith (Eds.), *Oceanography and Marine Biology: an Annual Review*, Vol 52 (Vol. 52, pp. 257-314).
- Thiele, D., Chester, E. T., & Gill, P. C. (2000). Cetacean distribution off Eastern Antarctica (80-150 degrees E) during the Austral summer of 1995/1996. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 47(12-13), 2543-2572.
- Thiele, D., Chester, E. T., Moore, S. E., Sirovic, A., Hildebrand, J. A., & Friedlaender, A. S. (2004). Seasonal variability in whale encounters in the Western Antarctic Peninsula. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 51(17-19), 2311-2325.
- Thiele, D., & Gill, P. C. (1999). Cetacean observations during a winter voyage into Antarctic sea ice south of Australia. *Antarctic Science*, 11(1), 48-53.
- Thiemann, G. W. (2008). Using fatty acid signatures to study bear foraging: Technical considerations and future applications. *Ursus*, 19(1), 59-72.
- Thiers, L., Louzao, M., Ridoux, V., Le Corre, M., Jaquemet, S., & Weimerskirch, H. (2014). Combining Methods to Describe Important Marine Habitats for Top Predators: Application to Identify Biological Hotspots in Tropical Waters. *Plos One*, 9(12).
- Thode, A. (2004). Tracking sperm whale (*Physeter macrocephalus*) dive profiles using a towed passive acoustic array. *Journal of the Acoustical Society of America*, 116(1), 245-253.
- Thode, A. (2005). Three-dimensional passive acoustic tracking of sperm whales (*Physeter macrocephalus*) in ray-refracting environments. *Journal of the Acoustical Society of America*, 118(6), 3575-3584.
- Thode, A., Straley, J., Tiemann, C. O., Folkert, K., & O'Connell, V. (2007). Observations of potential acoustic cues that attract sperm whales to longline fishing in the Gulf of Alaska. *Journal of the Acoustical Society of America*, 122(2), 1265-1277.

Thode, A. M., Blackwell, S. B., Conrad, A. S., Kim, K. H., Marques, T., Thomas, L., et al. (2020). Roaring and repetition: How bowhead whales adjust their call density and source level (Lombard effect) in the presence of natural and seismic airgun survey noise. *Journal of the Acoustical Society of America*, 147(3), 2061-2080.

Thode, A. M., Blackwell, S. B., Seger, K. D., Conrad, A. S., Kim, K. H., & Macrander, A. M. (2016). Source level and calling depth distributions of migrating bowhead whale calls in the shallow Beaufort Sea. *Journal of the Acoustical Society of America*, 140(6), 4288-4297.

Thode, A. M., D'Spain, G. L., & Kuperman, W. A. (2000). Matched-field processing, geoacoustic inversion, and source signature recovery of blue whale vocalizations. *Journal of the Acoustical Society of America*, 107(3), 1286-1300.

Thode, A. M., Gerstoft, P., Burgess, W. C., Sabra, K. G., Guerra, M., Stokes, M. D., et al. (2006). A portable matched-field processing system using passive acoustic time synchronization. *Ieee Journal of Oceanic Engineering*, 31(3), 696-710.

Thode, A. M., Kim, K. H., Blackwell, S. B., Greene, C. R., Nations, C. S., McDonald, T. L., et al. (2012). Automated detection and localization of bowhead whale sounds in the presence of seismic airgun surveys. *Journal of the Acoustical Society of America*, 131(5), 3726-3747.

Thode, A. M., Kim, K. H., Norman, R. G., Blackwell, S. B., & Greene, C. R. (2016). Acoustic vector sensor beamforming reduces masking from underwater industrial noise during passive monitoring. *Journal of the Acoustical Society of America*, 139(4), EL105-EL111.

Thode, A. M., Wild, L., Mathias, D., Straley, J., & Lunsford, C. (2014). A comparison of acoustic and visual metrics of sperm whale longline depredation. *Journal of the Acoustical Society of America*, 135(5), 3086-3100.

Thomas, R. E., Fristrup, K. M., & Tyack, P. L. (2002). Linking the sounds of dolphins to their locations and behavior using video and multichannel acoustic recordings. *Journal of the Acoustical Society of America*, 112(4), 1692-1701.

Thomisch, K., Boebel, O., Bachmann, J., Filun, D., Neumann, S., Spiesecke, S., et al. (2019). Temporal patterns in the acoustic presence of baleen whale species in a presumed breeding area off Namibia. *Marine Ecology Progress Series*, 620, 201-214.

Thomisch, K., Boebel, O., Clark, C. W., Hagen, W., Spiesecke, S., Zitterbart, D. P., et al. (2016). Spatio-temporal patterns in acoustic presence and distribution of Antarctic blue whales *Balaenoptera musculus intermedia* in the Weddell Sea. *Endangered Species Research*, 30, 239-253.

Thompson, A. R., Schroeder, I. D., Bograd, S. J., Hazen, E. L., Jacox, M. G., Leasing, A., et al. (2019). STATE OF THE CALIFORNIA CURRENT 2018-19: A NOVEL ANCHOVY REGIME AND A NEW MARINE HEAT WAVE? *California Cooperative Oceanic Fisheries Investigations Reports*, 60, 1-65.

Thompson, A. R., Schroeder, I. D., Bograd, S. J., Hazen, E. L., Jacox, M. G., Leising, A., et al. (2018). STATE OF THE CALIFORNIA CURRENT 2017-18: STILL NOT QUITE NORMAL IN THE NORTH AND GETTING INTERESTING IN THE SOUTH. *California Cooperative Oceanic Fisheries Investigations Reports*, 59, 2-66.

Thompson, D., Duck, C. D., Morris, C. D., & Russell, D. J. F. (2019). The status of harbour seals (*Phoca vitulina*) in the UK. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 29, 40-60.

Thompson, F. N., Abraham, E. R., & Berkenbusch, K. (2013). Common Dolphin (*Delphinus delphis*) Bycatch in New Zealand Commercial Trawl Fisheries. *Plos One*, 8(5).

Thompson, K. F., Millar, C. D., Baker, C. S., Dalebout, M., Steel, D., van Helden, A. L., et al. (2013). A novel conservation approach provides insights into the management of rare cetaceans. *Biological Conservation*, 157, 331-340.

- Thompson, K. F., Patel, S., Baker, C. S., Constantine, R., & Millar, C. D. (2016). Bucking the trend: genetic analysis reveals high diversity, large population size and low differentiation in a deep ocean cetacean. *Heredity*, 116(3), 277-285.
- Thompson, K. F., Ruggiero, K., Millar, C. D., Constantine, R., & van Helden, A. L. (2014). Large-scale multivariate analysis reveals sexual dimorphism and geographic differences in the Gray's beaked whale. *Journal of Zoology*, 294(1), 13-21.
- Thompson, P. M., Brookes, K. L., Graham, I. M., Barton, T. R., Needham, K., Bradbury, G., et al. (2013). Short-term disturbance by a commercial two-dimensional seismic survey does not lead to long-term displacement of harbour porpoises. *Proceedings of the Royal Society B-Biological Sciences*, 280(1771).
- Thompson, P. M., Mackay, A., Tollit, D. J., Enderby, S., & Hammond, P. S. (1998). The influence of body size and sex on the characteristics of harbour seal foraging trips. *Canadian Journal of Zoology*, 76(6), 1044-1053.
- Thomsen, F., Franck, D., & Ford, J. K. B. (2001). Characteristics of whistles from the acoustic repertoire of resident killer whales (*Orcinus orca*) off Vancouver Island, British Columbia. *Journal of the Acoustical Society of America*, 109(3), 1240-1246.
- Thomsen, F., Franck, D., & Ford, J. K. B. (2002). On the communicative significance of whistles in wild killer whales (*Orcinus orca*). *Naturwissenschaften*, 89(9), 404-407.
- Thomsen, F., van Elk, N., Brock, V., & Piper, W. (2005). On the performance of automated porpoise-click-detectors in experiments with captive harbor porpoises (*Phocoena phocoena*) (L). *Journal of the Acoustical Society of America*, 118(1), 37-40.
- Thomson, J. A., Araujo, G., Labaja, J., McCoy, E., Murray, R., & Ponzo, A. (2017). Feeding the world's largest fish: highly variable whale shark residency patterns at a provisioning site in the Philippines. *Royal Society Open Science*, 4(9).
- Thomson, J. A., Cooper, A. B., Burkholder, D. A., Heithaus, M. R., & Dill, L. M. (2013). Correcting for heterogeneous availability bias in surveys of long-diving marine turtles. *Biological Conservation*, 165, 154-161.
- Thomson, M. (2010). MOUTHPARTS OF THE DEEP-SEA ISOPOD BATHYNOMUS PELOR (ISOPODA, CIROLANIDAE). *Crustaceana*, 83(12), 1483-1506.
- Thorne, L. H., Baird, R. W., Webster, D. L., Stepanuk, J. E., & Read, A. J. (2019). Predicting fisheries bycatch: A case study and field test for pilot whales in a pelagic longline fishery. *Diversity and Distributions*, 25(6), 909-923.
- Thorne, L. H., Foley, H. J., Baird, R. W., Webster, D. L., Swaim, Z. T., & Read, A. J. (2017). Movement and foraging behavior of short-finned pilot whales in the Mid-Atlantic Bight: importance of bathymetric features and implications for management. *Marine Ecology Progress Series*, 584, 245-257.
- Thorne, L. H., Johnston, D. W., Urban, D. L., Tyne, J., Bejder, L., Baird, R. W., et al. (2012). Predictive Modeling of Spinner Dolphin (*Stenella longirostris*) Resting Habitat in the Main Hawaiian Islands. *Plos One*, 7(8).
- Thorne, L. H., & Read, A. J. (2013). Fine-scale biophysical interactions drive prey availability at a migratory stopover site for *Phalaropus* spp. in the Bay of Fundy, Canada. *Marine Ecology Progress Series*, 487, 261-273.
- Thums, M., Bradshaw, C. J. A., & Hindell, M. A. (2008). A validated approach for supervised dive classification in diving vertebrates. *Journal of Experimental Marine Biology and Ecology*, 363(1-2), 75-83.
- Thums, M., Meekan, M., Stevens, J., Wilson, S., & Polovina, J. (2013). Evidence for behavioural thermoregulation by the world's largest fish. *Journal of the Royal Society Interface*, 10(78).

Tian, L. M., Jin, E., Li, Z. Y., Mei, H. R., Wang, Y. C., & Shang, Y. G. (2015). The fluid control mechanism of bionic structural heterogeneous composite materials and its potential application in enhancing pump efficiency. *Advances in Mechanical Engineering*, 7(11).

Tian, L. M., Wang, Y. J., Li, Z. Y., & Shang, Y. G. (2017). Drag reduction performance and mechanism of a thermally conductive elastic wall in internal flow. *Applied Thermal Engineering*, 123, 1152-1157.

Tiemann, C. O., Martin, S. W., & Mobley, J. R. (2006). Aerial and acoustic marine mammal detection and localization on navy ranges. *Ieee Journal of Oceanic Engineering*, 31(1), 107-119.

Tiemann, C. O., Porter, M. B., & Frazer, L. N. (2004). Localization of marine mammals near Hawaii using an acoustic propagation model. *Journal of the Acoustical Society of America*, 115(6), 2834-2843.

Tiemann, C. O., Thode, A. M., Straley, J., O'Connell, V., & Folkert, K. (2006). Three-dimensional localization of sperm whales using a single hydrophone. *Journal of the Acoustical Society of America*, 120(4), 2355-2365.

Tirard, P., Manning, M. J., Jollit, I., Duffy, C., & Borsa, P. (2010). Records of Great White Sharks (*Carcharodon carcharias*) in New Caledonian Waters. *Pacific Science*, 64(4), 567-576.

Tischer, M. C., de Carli, R. D., Silva, F. J. D., & da Silva, J. M. (2017). Tourism growth altering spinner dolphins' area of occupation in Fernando de Noronha Archipelago, Brazil. *Latin American Journal of Aquatic Research*, 45(4), 807-813.

Tischer, M. C., Schiavetti, A., Silva, F. J. D., & da Silva-Jr, J. M. (2018). A historical perspective on the life cycle of a tourist activity: dolphin watching in Brazil's Fernando de Noronha archipelago. *Ethnobiology and Conservation*, 7.

Titcomb, E. M., Reif, J. S., Fair, P. A., Stavros, H. C. W., Mazzoil, M., Bossart, G. D., et al. (2017). Blood mercury concentrations in common bottlenose dolphins from the Indian River Lagoon, Florida: Patterns of social distribution. *Marine Mammal Science*, 33(3), 771-784.

Titova, O. V., Filatova, O. A., Fedutin, I. D., Ovsyanikova, E. N., Okabe, H., Kobayashi, N., et al. (2018). Photo-identification matches of humpback whales (*Megaptera novaeangliae*) from feeding areas in Russian Far East seas and breeding grounds in the North Pacific. *Marine Mammal Science*, 34(1), 100-112.

Tixier, P., Authier, M., Gasco, N., & Guinet, C. (2015). Influence of artificial food provisioning from fisheries on killer whale reproductive output. *Animal Conservation*, 18(2), 207-218.

Tixier, P., Barbraud, C., Pardo, D., Gasco, N., Duhamel, G., & Guinet, C. (2017). Demographic consequences of fisheries interaction within a killer whale (*Orcinus orca*) population. *Marine Biology*, 164(8).

Tixier, P., Gasco, N., Duhamel, G., & Guinet, C. (2016). Depredation of Patagonian toothfish (*Dissostichus eleginoides*) by two sympatrically occurring killer whale (*Orcinus orca*) ecotypes: Insights on the behavior of the rarely observed type D killer whales. *Marine Mammal Science*, 32(3), 983-1003.

Tixier, P., Gasco, N., Duhamel, G., Viviant, M., Authier, M., & Guinet, C. (2010). INTERACTIONS OF PATAGONIAN TOOTHFISH FISHERIES WITH KILLER AND SPERM WHALES IN THE CROZET ISLANDS EXCLUSIVE ECONOMIC ZONE: AN ASSESSMENT OF DEPREDATION LEVELS AND INSIGHTS ON POSSIBLE MITIGATION STRATEGIES. *Ccamlr Science*, 17, 179-195.

Tixier, P., Lea, M. A., Hindell, M. A., Guinet, C., Gasco, N., Duhamel, G., et al. (2018). Killer whale (*Orcinus orca*) interactions with blue-eye trevalla (*Hyperoglyphe antarctica*) longline fisheries. *PeerJ*, 6.

Tjelmeland, S., & Bogstad, B. (1998). MULTSPEC - a review of a multispecies modelling project for the Barents Sea. *Fisheries Research*, 37(1-3), 127-142.

- Tkaczynski, A., & Rundle-Thiele, S. (2019). Identifying whale-watching tourist differences to maximize return on investment. *Journal of Vacation Marketing*, 25(3), 390-402.
- Tobena, M., Escanez, A., Rodriguez, Y., Lopez, C., Ritter, F., & Aguilar, N. (2014). Inter-island movements of common bottlenose dolphins *Tursiops truncatus* among the Canary Islands: online catalogues and implications for conservation and management. *African Journal of Marine Science*, 36(1), 137-141.
- Tobena, M., Prieto, R., Machete, M., & Silva, M. A. (2016). Modeling the Potential Distribution and Richness of Cetaceans in the Azores from Fisheries Observer Program Data. *Frontiers in Marine Science*, 3.
- Todd, S., Stevick, P., Lien, J., Marques, F., & Ketten, D. (1996). Behavioural effects of exposure to underwater explosions in humpback whales (*Megaptera novaeangliae*). *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 74(9), 1661-1672.
- Todd, V. L. G., Lazar, L., Williamson, L. D., Peters, I. T., Hoover, A. L., Cox, S. E., et al. (2020). Underwater Visual Records of Marine Megafauna Around Offshore Anthropogenic Structures. *Frontiers in Marine Science*, 7.
- Todd, V. L. G., Pearse, W. D., Tregenza, N. C., Lepper, P. A., & Todd, I. B. (2009). Diel echolocation activity of harbour porpoises (*Phocoena phocoena*) around North Sea offshore gas installations. *Ices Journal of Marine Science*, 66(4), 734-745.
- Toledo, G., & Langguth, A. (2009). Data on biology and exploitation of West Atlantic sperm whales, *Physeter macrocephalus* (Cetacea: Physeteridae) off the coast of Paraiba, Brazil. *Zoologia*, 26(4), 663-673.
- Tolkamp, B. J., Allcroft, D. J., Barrio, J. P., Bley, T. A. G., Howie, J. A., Jacobsen, T. B., et al. (2011). The temporal structure of feeding behavior. *American Journal of Physiology-Regulatory Integrative and Comparative Physiology*, 301(2), R378-R393.
- Tollis, M., Robbins, J., Webb, A. E., Kuderna, L. F. K., Caulin, A. F., Garcia, J. D., et al. (2019). Return to the Sea, Get Huge, Beat Cancer: An Analysis of Cetacean Genomes Including an Assembly for the Humpback Whale (*Megaptera novaeangliae*). *Molecular Biology and Evolution*, 36(8), 1746-1763.
- Tolotti, M., Bauer, R., Forget, F., Bach, P., Dagorn, L., & Travassos, P. (2017). Fine-scale vertical movements of oceanic whitetip sharks (*Carcharhinus longimanus*). *Fishery Bulletin*, 115(3), 380-395.
- Tomita, T., Kawai, T., Matsubara, H., Kobayashi, M., & Katakura, S. (2014). Northernmost record of a whale shark *Rhincodon typus* from the Sea of Okhotsk. *Journal of Fish Biology*, 84(1), 243-246.
- Toms, C. N., Stone, T., & Och-Adams, T. (2020). Visual-only assessments of skin lesions on free-ranging common bottlenose dolphins (*Tursiops truncatus*): Reliability and utility of quantitative tools. *Marine Mammal Science*, 36(3), 744-773.
- Tonay, A. M., Uzun, B., Dede, A., Ozturk, A. A., Danyer, E., Danyer, I. A., et al. (2020). Population genetic structure of the short-beaked common dolphin from the Black Sea and the Turkish Straits System. *Mitochondrial DNA Part A*, 31(6), 257-264.
- Tonnesen, P., Gero, S., Ladegaard, M., Johnson, M., & Madsen, P. T. (2018). First-year sperm whale calves echolocate and perform long, deep dives. *Behavioral Ecology and Sociobiology*, 72(10).
- Tonnesen, P., Oliveira, C., Johnson, M., & Madsen, P. T. (2020). The long-range echo scene of the sperm whale biosonar. *Biology Letters*, 16(8).
- Toro, F., Vilina, Y. A., Capella, J. J., & Gibbons, J. (2016). Novel Coastal Feeding Area for Eastern South Pacific Fin Whales (*Balaenoptera physalus*) in Mid-Latitude Humboldt Current Waters off Chile. *Aquatic Mammals*, 42(1), 47-55.

- Torre-Williams, L., Martinez, E., Meynecke, J. O., Reinke, J., & Stockin, K. A. (2019). Presence of newborn humpback whale (*Megaptera novaeangliae*) calves in Gold Coast Bay, Australia. *Marine and Freshwater Behaviour and Physiology*, 52(5), 199-216.
- Torreblanca, E., Caminas, J. A., Macias, D., Garcia-Barcelona, S., Real, R., & Baez, J. C. (2019). Using opportunistic sightings to infer differential spatio-temporal use of western Mediterranean waters by the fin whale. *Peerj*, 7.
- Torres, L. G. (2009). A kaleidoscope of mammal, bird and fish: habitat use patterns of top predators and their prey in Florida Bay. *Marine Ecology Progress Series*, 375, 289-304.
- Torres, L. G., Barlow, D. R., Chandler, T. E., & Burnett, J. D. (2020). Insight into the kinematics of blue whale surface foraging through drone observations and prey data. *Peerj*, 8.
- Torres, L. G., Nieukirk, S. L., Lemos, L., & Chandler, T. E. (2018). Drone Up! Quantifying Whale Behavior From a New Perspective Improves Observational Capacity. *Frontiers in Marine Science*, 5.
- Torres, L. G., Rayment, W., Olavarria, C., Thompson, D. R., Graham, B., Baker, C. S., et al. (2017). Demography and ecology of southern right whales *Eubalaena australis* wintering at sub-Antarctic Campbell Island, New Zealand. *Polar Biology*, 40(1), 95-106.
- Torres, L. G., & Read, A. J. (2009). Where to catch a fish? The influence of foraging tactics on the ecology of bottlenose dolphins (*Tursiops truncatus*) in Florida Bay, Florida. *Marine Mammal Science*, 25(4), 797-815.
- Torres, L. G., Read, A. J., & Halpin, P. (2008). Fine-scale habitat modeling of a top marine predator: Do prey data improve predictive capacity? *Ecological Applications*, 18(7), 1702-1717.
- Torres, L. G., Smith, T. D., Sutton, P., MacDiarmid, A., Bannister, J., & Miyashita, T. (2013). From exploitation to conservation: habitat models using whaling data predict distribution patterns and threat exposure of an endangered whale. *Diversity and Distributions*, 19(9), 1138-1152.
- Torres-Florez, J. P., Hucke-Gaete, R., LeDuc, R., Lang, A., Taylor, B., Pimper, L. E., et al. (2014). Blue whale population structure along the eastern South Pacific Ocean: evidence of more than one population. *Molecular Ecology*, 23(24), 5998-6010.
- Torres-Irineo, E., Dreyfus-Leon, M., Gaertner, D., Salas, S., & Marchal, P. (2017). Adaptive responses of tropical tuna purse-seiners under temporal regulations. *Ambio*, 46(1), 88-97.
- Tosh, C. A., De Bruyn, P. J. N., & Bester, M. N. (2008). Preliminary analysis of the social structure of killer whales, *Orcinus orca*, at subantarctic Marion Island. *Marine Mammal Science*, 24(4), 929-940.
- Tosi, C. H., & Ferreira, R. G. (2009). Behavior of estuarine dolphin, *Sotalia guianensis* (Cetacea, Delphinidae), in controlled boat traffic situation at southern coast of Rio Grande do Norte, Brazil. *Biodiversity and Conservation*, 18(1), 67-78.
- Toth, J. L., Hohn, A. A., Able, K. W., & Gorgone, A. M. (2011). Patterns of seasonal occurrence, distribution, and site fidelity of coastal bottlenose dolphins (*Tursiops truncatus*) in southern New Jersey, USA. *Marine Mammal Science*, 27(1), 94-110.
- Toth, J. L., Hohn, A. A., Able, K. W., & Gorgone, A. M. (2012). Defining bottlenose dolphin (*Tursiops truncatus*) stocks based on environmental, physical, and behavioral characteristics. *Marine Mammal Science*, 28(3), 461-478.
- Tougaard, J., Henriksen, O. D., & Miller, L. A. (2009). Underwater noise from three types of offshore wind turbines: Estimation of impact zones for harbor porpoises and harbor seals. *Journal of the Acoustical Society of America*, 125(6), 3766-3773.

- Tougaard, J., Wright, A. J., & Madsen, P. T. (2015). Cetacean noise criteria revisited in the light of proposed exposure limits for harbour porpoises. *Marine Pollution Bulletin*, 90(1-2), 196-208.
- Towers, J. R., Halle, M. J., Symonds, H. K., Sutton, G. J., Morton, A. B., Spong, P., et al. (2018). Infanticide in a mammal-eating killer whale population. *Scientific Reports*, 8.
- Towers, J. R., Tixier, P., Ross, K. A., Bennett, J., Arnould, J. P. Y., Pitman, R. L., et al. (2019). Movements and dive behaviour of a toothfish-depredating killer and sperm whale. *Ices Journal of Marine Science*, 76(1), 298-311.
- Townrow, C. S., Laurence, N., Blythe, C., Long, J., & Harre, N. (2016). The Maui's Dolphin Challenge: Lessons From a School-Based Litter Reduction Project. *Australian Journal of Environmental Education*, 32(3), 288-308.
- Townsend, S. W., Hollen, L. I., & Manser, M. B. (2010). Meerkat close calls encode group-specific signatures, but receivers fail to discriminate. *Animal Behaviour*, 80(1), 133-138.
- Trammer, J. (2005). Maximum body size in a radiating clade as a function of time. *Evolution*, 59(5), 941-947.
- Tran, D. D., Huang, W., Bohn, A. C., Wang, D. L., Gong, Z., Makris, N. C., et al. (2014). Using a coherent hydrophone array for observing sperm whale range, classification, and shallow-water dive profiles. *Journal of the Acoustical Society of America*, 135(6), 3352-3363.
- Trassinelli, M. (2016). Energy cost and optimisation in breath-hold diving. *Journal of Theoretical Biology*, 396, 42-52.
- Trathan, P. N., Ratcliffe, N., & Masden, E. A. (2012). Ecological drivers of change at South Georgia: the krill surplus, or climate variability. *Ecography*, 35(11), 983-993.
- Trathan, P. N., Warwick-Evans, V., Hinke, J. T., Young, E. F., Murphy, E. J., Carneiro, A. P. B., et al. (2018). Managing fishery development in sensitive ecosystems: identifying penguin habitat use to direct management in Antarctica. *Ecosphere*, 9(8).
- Travers, T., van den Hoff, J., Lea, M. A., Carlyon, K., Reisinger, R., de Bruyn, P. J. N., et al. (2018). Aspects of the ecology of killer whale (*Orcinus orca* Linn.) groups in the near-shore waters of Sub-Antarctic Macquarie Island. *Polar Biology*, 41(11), 2249-2259.
- Treacy, S. D., Gleason, J. S., & Cowles, C. J. (2006). Offshore distances of Bowhead whales (*Balaena mysticetus*) observed during fall in the Beaufort Sea, 1982-2000: An alternative interpretation. *Arctic*, 59(1), 83-90.
- Trego, M. L., Whitehead, A., Kellar, N. M., Lauf, M., & Lewison, R. L. (2019). Tracking transcriptomic responses to endogenous and exogenous variation in cetaceans in the Southern California Bight. *Conservation Physiology*, 7.
- Tremblay, C. J., Van Parijs, S. M., & Cholewiak, D. (2019). 50 to 30-Hz triplet and singlet down sweep vocalizations produced by sei whales (*Balaenoptera borealis*) in the western North Atlantic Ocean. *Journal of the Acoustical Society of America*, 145(6), 3351-3358.
- Tremblay, Y., Thiebault, A., Mullers, R., & Pistorius, P. (2014). Bird-Borne Video-Cameras Show That Seabird Movement Patterns Relate to Previously Unrevealed Proximate Environment, Not Prey. *Plos One*, 9(2).
- Trento, G. D., Moura, L. B., Spin-Neto, R., Jurgens, P. C., Gabrielli, M. A. C., & Pereira, V. A. (2018). Comparison of Imaging Softwares for Upper Airway Evaluation: Preliminary Study. *Craniofacial Trauma & Reconstruction*, 11(4), 273-277.
- Triossi, F., Willis, T. J., & Pace, D. S. (2013). Occurrence of bottlenose dolphins *Tursiops truncatus* in natural gas fields of the northwestern Adriatic Sea. *Marine Ecology-an Evolutionary Perspective*, 34(3), 373-379.

- Tripathi, S., Shrivastava, A., & Jana, K. C. (2020). Self-Tuning fuzzy controller for sun-tracker system using Gray Wolf Optimization (GWO) technique. *Isa Transactions*, 101, 50-59.
- Tripovich, J. S., Klinck, H., Nieukirk, S. L., Adams, T., Mellinger, D. K., Balcazar, N. E., et al. (2015). Temporal segregation of the Australian and Antarctic blue whale call types (*Balaenoptera musculus* spp.). *Journal of Mammalogy*, 96(3), 603-610.
- Truchon, M. H., Measures, L., L'Herault, V., Brethes, J. C., Galbraith, P. S., Harvey, M., et al. (2013). Marine Mammal Strandings and Environmental Changes: A 15-Year Study in the St. Lawrence Ecosystem. *Plos One*, 8(3).
- Trudelle, L., Cerchio, S., Zerbini, A. N., Geyer, Y., Mayer, F. X., Jung, J. L., et al. (2016). Influence of environmental parameters on movements and habitat utilization of humpback whales (*Megaptera novaeangliae*) in the Madagascar breeding ground. *Royal Society Open Science*, 3(12).
- Trudelle, L., Charrassin, J. B., Saloma, A., Pous, S., Kretzschmar, A., & Adam, O. (2018). First insights on spatial and temporal distribution patterns of humpback whales in the breeding ground at Sainte Marie Channel, Madagascar. *African Journal of Marine Science*, 40(1), 75-86.
- Trudnowska, E., Gluchowska, M., Beszczynska-Moller, A., Blachowiak-Samolyk, K., & Kwasniewski, S. (2016). Plankton patchiness in the Polar Front region of the West Spitsbergen Shelf. *Marine Ecology Progress Series*, 560, 1-18.
- Trueman, C. N., Jackson, A. L., Chadwick, K. S., Coombs, E. J., Feyrer, L. J., Magozzi, S., et al. (2019). Combining simulation modeling and stable isotope analyses to reconstruct the last known movements of one of Nature's giants. *Peerj*, 7.
- Trueman, C. N., MacKenzie, K. M., & Palmer, M. R. (2012). Stable isotopes reveal linkages between ocean climate, plankton community dynamics, and survival of two populations of Atlantic salmon (*Salmo salar*). *Ices Journal of Marine Science*, 69(5), 784-794.
- Trygonis, V., Gerstein, E., Moir, J., & McCulloch, S. (2013). Vocalization characteristics of North Atlantic right whale surface active groups in the calving habitat, southeastern United States. *Journal of the Acoustical Society of America*, 134(6), 4518-4531.
- Tsai, C. H., & Mead, J. G. (2018). Crossing the equator: a northern occurrence of the pygmy right whale. *Zoological Letters*, 4.
- Tseng, Y. P., Huang, Y. C., Kyle, G. T., & Yang, M. C. (2011). Modeling the Impacts of Cetacean-Focused Tourism in Taiwan: Observations from Cetacean Watching Boats: 2002-2005. *Environmental Management*, 47(1), 56-66.
- Tsuchiya, K., Tsumaki, Y., Mori, K., & Okamoto, R. (2019). Whale rover moving along the surface of sperm whale. *Advanced Robotics*, 33(3-4), 195-206.
- Tsuji, K., Kogi, K., Sakai, M., & Morisake, T. (2017). Emigration of Indo-Pacific Bottlenose Dolphins (*Tursiops aduncus*) from Mikura Island, Japan. *Aquatic Mammals*, 43(6), 585-593.
- Tsuji, Y., Widayati, K. A., Nila, S., Hadi, I., Suryobroto, B., & Watanabe, K. (2015). "Deer" friends: feeding associations between colobine monkeys and deer. *Journal of Mammalogy*, 96(6), 1152-1161.
- Tsuji, K., Akamatsu, T., Okamoto, R., Mori, K., Mitani, Y., & Umeda, N. (2018). Change in singing behavior of humpback whales caused by shipping noise. *Plos One*, 13(10).
- Tsuji, K., Otsuki, M., Akamatsu, T., Matsuo, I., Amakasu, K., Kitamura, M., et al. (2016). The migration of fin whales into the southern Chukchi Sea as monitored with passive acoustics. *Ices Journal of Marine Science*, 73(8), 2085-2092.

- Tsutsumi, C., Ichikawa, K., Arai, N., Akamatsu, T., Shinke, T., Hara, T., et al. (2006). Feeding behavior of wild dugongs monitored by a passive acoustical method. *Journal of the Acoustical Society of America*, 120(3), 1356-1360.
- Tucker, J. P., Vercoe, B., Santos, I. R., Dujmovic, M., & Butcher, P. A. (2019). Whale carcass scavenging by sharks. *Global Ecology and Conservation*, 19.
- Tulloch, V., Pirotta, V., Grech, A., Crocetti, S., Double, M., How, J., et al. (2020). Long-term trends and a risk analysis of cetacean entanglements and bycatch in fisheries gear in Australian waters. *Biodiversity and Conservation*, 29(1), 251-282.
- Turgut, M. S., Sagban, H. M., Turgut, O. E., & Ozmen, O. T. Whale optimization and sine-cosine optimization algorithms with cellular topology for parameter identification of chaotic systems and Schottky barrier diode models. *Soft Computing*.
- Turnbull, B. S., & Cowan, D. F. (1999). Synovial joint disease in wild cetaceans. *Journal of Wildlife Diseases*, 35(3), 511-518.
- Turner, J. T. (2014). Planktonic marine copepods and harmful algae. *Harmful Algae*, 32, 81-93.
- Turner, J. T., Doucette, G. J., Powell, C. L., Kulis, D. M., Keafer, B. A., & Anderson, D. M. (2000). Accumulation of red tide toxins in larger size fractions of zooplankton assemblages from Massachusetts Bay, USA. *Marine Ecology Progress Series*, 203, 95-107.
- Turpie, J. K., Heydenrych, B. J., & Lamberth, S. J. (2003). Economic value of terrestrial and marine biodiversity in the Cape Floristic Region: implications for defining effective and socially optimal conservation strategies. *Biological Conservation*, 112(1-2), 233-251.
- Turvey, S. T., Risley, C. L., Barrett, L. A., Hao, Y. J., & Ding, W. (2012). River Dolphins Can Act as Population Trend Indicators in Degraded Freshwater Systems. *Plos One*, 7(5).
- Tyack, P. (2009). Acoustic playback experiments to study behavioral responses of free-ranging marine animals to anthropogenic sound. *Marine Ecology Progress Series*, 395, 187-200.
- Tyack, P. L., Johnson, M., Soto, N. A., Sturlese, A., & Madsen, P. T. (2006). Extreme diving of beaked whales. *Journal of Experimental Biology*, 209(21), 4238-4253.
- Tyack, P. L., Zimmer, W. M. X., Moretti, D., Southall, B. L., Claridge, D. E., Durban, J. W., et al. (2011). Beaked Whales Respond to Simulated and Actual Navy Sonar. *Plos One*, 6(3).
- Tyminski, J. P., de la Parra-Venegas, R., Cano, J. G., & Hueter, R. E. (2015). Vertical Movements and Patterns in Diving Behavior of Whale Sharks as Revealed by Pop-Up Satellite Tags in the Eastern Gulf of Mexico. *Plos One*, 10(11).
- Tynan, C. T. (1997). Cetacean distributions and oceanographic features near the Kerguelen Plateau. *Geophysical Research Letters*, 24(22), 2793-2796.
- Tynan, C. T. (2004). Cetacean populations on the SE Bering Sea shelf during the late 1990s: implications for decadal changes in ecosystem structure and carbon flow. *Marine Ecology Progress Series*, 272, 281-300.
- Tynan, C. T., Ainley, D. G., Barth, J. A., Cowles, T. J., Pierce, S. D., & Spear, L. B. (2005). Cetacean distributions relative to ocean processes in the northern California Current System. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 52(1-2), 145-167.
- Tyne, J. A., Christiansen, F., Heenehan, H. L., Johnston, D. W., & Bejder, L. (2018). Chronic exposure of Hawaii Island spinner dolphins (*Stenella longirostris*) to human activities. *Royal Society Open Science*, 5(10).

- Tyne, J. A., Loneragan, N. R., Kopps, A. M., Allen, S. J., Krutzen, M., & Bejder, L. (2012). Ecological characteristics contribute to sponge distribution and tool use in bottlenose dolphins *Tursiops* sp. *Marine Ecology Progress Series*, 444, 143-153.
- Tyne, J. A., Pollock, K. H., Johnston, D. W., & Bejder, L. (2014). Abundance and Survival Rates of the Hawai'i Island Associated Spinner Dolphin (*Stenella longirostris*) Stock. *Plos One*, 9(1).
- Tyo, A., Welch, S., Hennenfent, M., Fooroshani, P. K., Lee, B. P., & Rajachar, R. (2019). Development and Characterization of an Antimicrobial Polydopamine Coating for Conservation of Humpback Whales. *Frontiers in Chemistry*, 7.
- Tyson, R. B., Friedlaender, A. S., & Nowacek, D. P. (2016). Does optimal foraging theory predict the foraging performance of a large air-breathing marine predator? *Animal Behaviour*, 116, 223-235.
- Tyson, R. B., Friedlaender, A. S., Ware, C., Stimpert, A. K., & Nowacek, D. P. (2012). Synchronous mother and calf foraging behaviour in humpback whales *Megaptera novaeangliae*: insights from multi-sensor suction cup tags. *Marine Ecology Progress Series*, 457, 209-220.
- Tyson, R. B., Piniak, W. E. D., Domit, C., Mann, D., Hall, M., Nowacek, D. P., et al. (2017). Novel Bio-Logging Tool for Studying Fine-Scale Behaviors of Marine Turtles in Response to Sound. *Frontiers in Marine Science*, 4.
- Tyurneva, O. Y., Yakovlev, Y. M., Vertyankin, V. V., & Selin, N. I. (2010). The peculiarities of foraging migrations of the Korean-Okhotsk gray whale (*Eschrichtius robustus*) population in russian waters of the Far Eastern seas. *Russian Journal of Marine Biology*, 36(2), 117-124.
- Tzika, A. C., D'Amico, E., Alfaro-Shigueto, J., Mangel, J. C., Van Waerebeek, K., & Milinkovitch, M. C. (2010). Molecular identification of small cetacean samples from Peruvian fish markets. *Conservation Genetics*, 11(6), 2207-2218.
- Ubaid, F. K. (2011). Greater Anis (*Crotophaga major*) Commensal Foraging with Freshwater Fish in the Pantanal Floodplain, Brazil. *Wilson Journal of Ornithology*, 123(1), 171-173.
- Uchino, E., & Watanabe, S. (2014). SELF-RECOGNITION IN PIGEONS REVISITED. *Journal of the Experimental Analysis of Behavior*, 102(3), 327-334.
- Ugaz, C., Valdez, R. A., Romano, M. C., & Galindo, F. (2013). Behavior and salivary cortisol of captive dolphins (*Tursiops truncatus*) kept in open and closed facilities. *Journal of Veterinary Behavior-Clinical Applications and Research*, 8(4), 285-290.
- Uhen, M. D. (2007). Evolution of marine mammals: Back to the sea after 300 million years. *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 290(6), 514-522.
- Uhen, M. D. (2014). NEW SPECIMENS OF PROTOCETIDAE (MAMMALIA, CETACEA) FROM NEW JERSEY AND SOUTH CAROLINA. *Journal of Vertebrate Paleontology*, 34(1), 211-219.
- Uhen, M. D., & Pyenson, N. D. (2007). Diversity estimates, biases, and historiographic effects: Resolving cetacean diversity in the tertiary. *Palaeontologia Electronica*, 10(2).
- Umeed, R., Attademo, F. L. N., & Bezerra, B. (2018). The influence of age and sex on the vocal repertoire of the Antillean manatee (*Trichechus manatus manatus*) and their responses to call playback. *Marine Mammal Science*, 34(3), 577-594.
- Unger, P., Klimpel, S., Lang, T., & Palm, H. W. (2014). Metazoan parasites from herring (*Clupea harengus* L.) as biological indicators in the Baltic Sea. *Acta Parasitologica*, 59(3), 518-528.

- Unger, P., & Palm, H. W. (2016). Parasitisation of sea trout (*Salmo trutta trutta* L.) from the spawning ground and German coastal waters off Mecklenburg-Western Pomerania, Baltic Sea. *Parasitology Research*, 115(1), 165-174.
- Upton, J., & Shaw, C. J. (2002). An overview of the oceanography and meteorology of the Falkland Islands. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 12(1), 15-25.
- Urazghildiiev, I. R., & Hannay, D. (2017). Maximum likelihood estimators and Cramer-Rao bound for estimating azimuth and elevation angles using compact arrays. *Journal of the Acoustical Society of America*, 141(4), 2548-2555.
- Urazghildiiev, I. R., & Hannay, D. E. (2020). Localizing Sources Using a Network of Asynchronous Compact Arrays. *Ieee Journal of Oceanic Engineering*, 45(3), 1091-1098.
- Urian, K. W., Duffield, D. A., Read, A. J., Wells, R. S., & Shell, E. D. (1996). Seasonality of reproduction in bottlenose dolphins, *Tursiops truncatus*. *Journal of Mammalogy*, 77(2), 394-403.
- Urian, K. W., Hofmann, S., Wells, R. S., & Read, A. J. (2009). Fine-scale population structure of bottlenose dolphins (*Tursiops truncatus*) in Tampa Bay, Florida. *Marine Mammal Science*, 25(3), 619-638.
- Vacque-Garcia, J., Lydersen, C., & Kovacs, K. M. (2019). Diving behaviour of adult male white whales (*Delphinapterus leucas*) in Svalbard, Norway. *Polar Research*, 38.
- Vacque-Garcia, J., Lydersen, C., Marques, T. A., Aars, J., Ahonen, H., Skern-Mauritzen, M., et al. (2017). Late summer distribution and abundance of ice-associated whales in the Norwegian High Arctic. *Endangered Species Research*, 32, 59-70.
- Vacque-Garcia, J., Lydersen, C., Marques, T. A., Andersen, M., & Kovacs, K. M. (2020). First abundance estimate for white whales *Delphinapterus leucas* in Svalbard, Norway. *Endangered Species Research*, 41, 253-263.
- Valdivia, C. A., Pacheco, A. S., Felix, F., Haase, B., Rasmussen, K., Santillan, L., et al. (2017). Movements and Timing of Humpback Whales (*Megaptera novaeangliae*) Within the Breeding Region of the Eastern South Pacific. *Aquatic Mammals*, 43(3), 324-330.
- Valentine, P. S., Birtles, A., Curnock, M., Arnold, P., & Dunstan, A. (2004). Getting closer to whales - passenger expectations and experiences, and the management of swim with dwarf minke whale interactions in the Great Barrier Reef. *Tourism Management*, 25(6), 647-655.
- Valenzuela-Molina, M., Atkinson, S., Mashburn, K., Gendron, D., & Brownell, R. L. (2018). Fecal steroid hormones reveal reproductive state in female blue whales sampled in the Gulf of California, Mexico. *General and Comparative Endocrinology*, 261, 127-135.
- Valtierra, R. D., Holt, R. G., Cholewiak, D., & Van Parijs, S. M. (2013). Calling depths of baleen whales from single sensor data: Development of an autocorrelation method using multipath localization. *Journal of the Acoustical Society of America*, 134(3), 2571-2581.
- van Beest, F. M., Teilmann, J., Dietz, R., Galatius, A., Mikkelsen, L., Stalder, D., et al. (2018). Environmental drivers of harbour porpoise fine-scale movements. *Marine Biology*, 165(5).
- van Beest, F. M., Teilmann, J., Hermannsen, L., Galatius, A., Mikkelsen, L., Sveegaard, S., et al. (2018). Fine-scale movement responses of free-ranging harbour porpoises to capture, tagging and short-term noise pulses from a single airgun. *Royal Society Open Science*, 5(1).
- van Beynen, K., & Burrell, T. (2018). Debris, diatoms, and dolphins: tracking child engagement at a public science festival. *International Journal of Science Education Part B-Communication and Public Engagement*, 8(4), 355-365.

- Van Bonn, W., Montie, E., Dennison, S., Pussini, N., Cook, P., Greig, D., et al. (2011). Evidence of injury caused by gas bubbles in a live marine mammal: barotrauma in a California sea lion *Zalophus californianus*. *Diseases of Aquatic Organisms*, 96(2), 89-96.
- Van Bresseem, M. F., Minton, G., Collins, T., Willson, A., Baldwin, R., & Van Waerebeek, K. (2015). Tattoo-like skin disease in the endangered subpopulation of the Humpback Whale, *Megaptera novaeangliae*, in Oman (Cetacea: Balaenopteridae). *Zoology in the Middle East*, 61(1), 1-8.
- Van Cise, A. M., Roch, M. A., Baird, R. W., Mooney, T. A., & Barlow, J. (2017). Acoustic differentiation of Shihou and Naisa-type short-finned pilot whales in the Pacific Ocean. *Journal of the Acoustical Society of America*, 141(2), 737-748.
- Van Dam, R. P., & Kooyman, G. L. (2004). Latitudinal distribution of penguins, seals and whales observed during a late autumn transect through the Ross Sea. *Antarctic Science*, 16(3), 313-318.
- van de Vijver, B., Robert, K., Majewska, R., Frankovich, T. A., Panagopoulou, A., & Bosak, S. (2020). Geographical variation in the diatom communities associated with loggerhead sea turtles (*Caretta caretta*). *Plos One*, 15(7).
- van der Boog, C. G., de Jong, M. F., Scheidat, M., Leopold, M. F., Geelhoed, S. C. V., Schulz, K., et al. (2019). Hydrographic and Biological Survey of a Surface-Intensified Anticyclonic Eddy in the Caribbean Sea. *Journal of Geophysical Research-Oceans*, 124(8), 6235-6251.
- van der Hoop, J., Moore, M., Fahlman, A., Bocconcelli, A., George, C., Jackson, K., et al. (2014). Behavioral impacts of disentanglement of a right whale under sedation and the energetic cost of entanglement. *Marine Mammal Science*, 30(1), 282-307.
- van der Hoop, J. M., Fahlman, A., Hurst, T., Rocho-Levine, J., Shorter, K. A., Petrov, V., et al. (2014). Bottlenose dolphins modify behavior to reduce metabolic effect of tag attachment. *Journal of Experimental Biology*, 217(23), 4229-4236.
- van der Hoop, J. M., Fahlman, A., Shorter, K. A., Gabaldon, J., Rocho-Levine, J., Petrov, V., et al. (2018). Swimming Energy Economy in Bottlenose Dolphins Under Variable Drag Loading. *Frontiers in Marine Science*, 5.
- van der Hoop, J. M., Nousek-McGregor, A. E., Nowacek, D. P., Parks, S. E., Tyack, P., & Madsen, P. T. (2019). Foraging rates of ram-filtering North Atlantic right whales. *Functional Ecology*, 33(7), 1290-1306.
- van der Hoop, J. M., Nowacek, D. P., Moore, M. J., & Triantafyllou, M. S. (2017). Swimming kinematics and efficiency of entangled North Atlantic right whales. *Endangered Species Research*, 32, 1-17.
- van der Hoop, J. M., Vanderlaan, A. S. M., & Taggart, C. T. (2012). Absolute probability estimates of lethal vessel strikes to North Atlantic right whales in Roseway Basin, Scotian Shelf. *Ecological Applications*, 22(7), 2021-2033.
- Van der Merwe, P., Slabbert, E., & Saayman, M. (2011). Travel Motivations of Tourists to Selected Marine Destinations. *International Journal of Tourism Research*, 13(5), 457-467.
- van der Plas-Duivesteyn, S. J., Smit, F. J. L., van Alphen, J. J. M., & Kraaijeveld, K. (2015). Harbor porpoise *Phocoena phocoena* strandings on the Dutch coast: No genetic structure, but evidence of inbreeding. *Journal of Sea Research*, 97, 24-27.
- van der Schaar, M., Delory, E., Catala, A., & Andre, M. (2007). Neural network-based sperm whale click classification. *Journal of the Marine Biological Association of the United Kingdom*, 87(1), 35-38.
- van der Woude, S. E. (2009). Bottlenose dolphins (*Tursiops truncatus*) moan as low in frequency as baleen whales. *Journal of the Acoustical Society of America*, 126(3), 1552-1562.

- van der Woude, S. E. (2012). Assessing Effects of an Acoustic Marine Geophysical Survey on the Locomotive Behavior of Bottlenose Dolphins, *Tursiops truncatus*. In A. N. Popper & A. Hawkins (Eds.), *Effects of Noise on Aquatic Life* (Vol. 730, pp. 339-340).
- van Franeker, J. A., Rebolledo, E. L. B., Hesse, E., Ijsseldijk, L. L., Kuhn, S., Leopold, M., et al. (2018). Plastic ingestion by harbour porpoises *Phocoena phocoena* in the Netherlands: Establishing a standardised method. *Ambio*, 47(4), 387-397.
- van Ginkel, C., Becker, D. M., Gowans, S., & Simard, P. (2018). Whistling in a noisy ocean: bottlenose dolphins adjust whistle frequencies in response to real-time ambient noise levels. *Bioacoustics-the International Journal of Animal Sound and Its Recording*, 27(4), 391-405.
- Van Opzeeland, I., & Hillebrand, H. (2020). Year-round passive acoustic data reveal spatio-temporal patterns in marine mammal community composition in the Weddell Sea, Antarctica. *Marine Ecology Progress Series*, 638, 191-206.
- Van Opzeeland, I., Van Parijs, S., Kindermann, L., Burkhardt, E., & Boebel, O. (2013). Calling in the Cold: Pervasive Acoustic Presence of Humpback Whales (*Megaptera novaeangliae*) in Antarctic Coastal Waters. *Plos One*, 8(9).
- Van Parijs, S. M., Baumgartner, M., Choleviak, D., Davis, G., Gedamke, J., Gerlach, D., et al. (2015). NEPAN: A US Northeast Passive Acoustic Sensing Network for Monitoring, Reducing Threats and the Conservation of Marine Animals. *Marine Technology Society Journal*, 49(2), 70-86.
- Van Parijs, S. M., & Clark, C. W. (2006). Long-term mating tactics in an aquatic-mating pinniped, the bearded seal, *Erignathus barbatus*. *Animal Behaviour*, 72, 1269-1277.
- Van Parijs, S. M., Clark, C. W., Sousa-Lima, R. S., Parks, S. E., Rankin, S., Risch, D., et al. (2009). Management and research applications of real-time and archival passive acoustic sensors over varying temporal and spatial scales. *Marine Ecology Progress Series*, 395, 21-36.
- Van Parijs, S. M., & Corkeron, P. J. (2001). Vocalizations and behaviour of Pacific humpback dolphins *Sousa chinensis*. *Ethology*, 107(8), 701-716.
- Van Parijs, S. M., Parra, G. J., & Corkeron, P. J. (2000). Sounds produced by Australian Irrawaddy dolphins, *Orcaella brevirostris*. *Journal of the Acoustical Society of America*, 108(4), 1938-1940.
- van Tuinen, M., & Hadly, E. A. (2004). Calibration and error in placental molecular clocks: A conservative approach using the cetartiodactyl fossil record. *Journal of Heredity*, 95(3), 200-208.
- van Vuuren, B. J., Best, P. B., Roux, J. P., & Robinson, T. J. (2002). Phylogeographic population structure in the Heaviside's dolphin (*Cephalorhynchus heavisidii*): conservation implications. *Animal Conservation*, 5, 303-307.
- Vanast, W. (2016). The Western Arctic Historical Citation Project: A Detailed Guide to the Rev. Isaac Stringer's 1890s Diaries and Related Archival Documents. *Religious Studies and Theology*, 35(1), 5-35.
- Vanderlaan, A. S. M., Smedbol, R. K., & Taggart, C. T. (2011). Fishing-gear threat to right whales (*Eubalaena glacialis*) in Canadian waters and the risk of lethal entanglement. *Canadian Journal of Fisheries and Aquatic Sciences*, 68(12), 2174-2193.
- Vanpijlen, I. A., Amos, B., & Burke, T. (1995). PATTERNS OF GENETIC-VARIABILITY AT INDIVIDUAL MINISATELLITE LOCI IN MINKE WHALE *BALAENOPTERA-ACUTOROSTRATA* POPULATIONS FROM 3 DIFFERENT OCEANS. *Molecular Biology and Evolution*, 12(3), 459-472.

- Vanwaerebeek, K., Canto, J., Gonzalez, J., Oporto, J., & Brito, J. L. (1991). SOUTHERN RIGHT WHALE DOLPHINS, LISSODELPHIS-PERONII OFF THE PACIFIC COAST OF SOUTH-AMERICA. *Zeitschrift Fur Säugetierkunde-International Journal of Mammalian Biology*, 56(5), 284-295.
- Varela, J. L., Carrera, I., & Medina, A. (2020). Seasonal feeding patterns of Atlantic bluefin tuna (*Thunnus thynnus*) in the Strait of Gibraltar. *Marine Environmental Research*, 153.
- Varga, L. M., Wiggins, S. M., & Hildebrand, J. A. (2018). Behavior of singing fin whales *Balaenoptera physalus* tracked acoustically offshore of Southern California. *Endangered Species Research*, 35, 113-124.
- Vargas-Fonseca, O. A., Kirkman, S. P., Conry, D., Rishworth, G. M., Cockcroft, V., & Pistorius, P. A. (2018). Distribution and habitat use of Indo-Pacific bottlenose dolphins *Tursiops aduncus* along the south coast of South Africa. *African Journal of Marine Science*, 40(4), 439-450.
- Varghese, H. K., Miksis-Olds, J., DiMarzio, N., Lowell, K., Linder, E., Mayer, L., et al. (2020). The effect of two 12 kHz multibeam mapping surveys on the foraging behavior of Cuvier's beaked whales off of southern California. *Journal of the Acoustical Society of America*, 147(6), 3849-3858.
- Vasconcelos, R. O., Fonseca, P. J., Amorim, M. C. P., & Ladich, F. (2011). Representation of complex vocalizations in the Lusitanian toadfish auditory system: evidence of fine temporal, frequency and amplitude discrimination. *Proceedings of the Royal Society B-Biological Sciences*, 278(1707), 826-834.
- Vaughn, R. L., Degradi, M., & McFadden, C. J. (2010). Dusky Dolphins Foraging in Daylight.
- Vaughn, R. L., Muzi, E., Richardson, J. L., & Wursig, B. (2011). Dolphin Bait-Balling Behaviors in Relation to Prey Ball Escape Behaviors. *Ethology*, 117(10), 859-871.
- Vaughn, R. L., Shelton, D. E., Timm, L. L., Watson, L. A., & Wuersig, B. (2007). Dusky dolphin (*Lagenorhynchus obscurus*) feeding tactics and multi-species associations. *New Zealand Journal of Marine and Freshwater Research*, 41(4), 391-400.
- Vaughn, R. L., Wursig, B., Shelton, D. S., Timm, L. L., & Watson, L. A. (2008). Dusky dolphins influence prey accessibility for seabirds in admiralty bay, New Zealand. *Journal of Mammalogy*, 89(4), 1051-1058.
- Vaughn-Hirshorn, R. L., Hodge, K. B., Wursig, B., Sappenfield, R. H., Lammers, M. O., & Dudzinski, K. M. (2012). Characterizing dusky dolphin sounds from Argentina and New Zealand. *Journal of the Acoustical Society of America*, 132(1), 498-506.
- Vaughn-Hirshorn, R. L., Muzi, E., Richardson, J. L., Fox, G. J., Hansen, L. N., Salley, A. M., et al. (2013). Dolphin underwater bait-balling behaviors in relation to group and prey ball sizes. *Behavioural Processes*, 98, 1-8.
- Vautrin, Q., Lihoreau, F., Sambou, B., Thiam, M., Martin, J. E., Tabuce, R., et al. (2020). From limb to fin: an Eocene protocetid forelimb from Senegal sheds new light on the early locomotor evolution of cetaceans. *Palaeontology*, 63(1), 51-66.
- Vazquez-Castan, L., Serrano, A., Lopez-Ortega, M., Galindo, J. A., Diaz-Arredondo, M. A., & Capistran-Barradas, A. (2014). IS THE NORTHERN-CENTRAL COAST OF VERACRUZ, MEXICO AN IMPORTANT AREA FOR BOTTLENOSE DOLPHINS (*Tursiops truncatus* Montagu, 1821)? *Thalassas*, 30(2), 57-64.
- Veeramuthu, S., Sivarajan, G., & Srikrishna, S. (2020). Phasor measuring unit calibration considering topology expansion of electric power utilities. *Journal of Measurements in Engineering*, 8(1), 1-14.
- Velez-Juarbe, J. (2017). A NEW STEM ODONTOCETE FROM THE LATE OLIGOCENE PYSHT FORMATION IN WASHINGTON STATE, USA. *Journal of Vertebrate Paleontology*, 37(5).

- Velez-Juarbe, J., Domning, D. P., & Pyenson, N. D. (2012). Iterative Evolution of Sympatric Seacow (Dugongidae, Sirenia) Assemblages during the Past similar to 26 Million Years. *Plos One*, 7(2).
- Velten, B. P., Dillaman, R. M., Kinsey, S. T., McLellan, W. A., & Pabst, D. A. (2013). Novel locomotor muscle design in extreme deep-diving whales. *Journal of Experimental Biology*, 216(10), 1862-1871.
- Vendl, C., Ferrari, B. C., Thomas, T., Slavich, E., Zhang, E., Nelson, T., et al. (2019). Interannual comparison of core taxa and community composition of the blow microbiota from East Australian humpback whales. *Fems Microbiology Ecology*, 95(8).
- Vendl, C., Slavich, E., Nelson, T., Acevedo-Whitehouse, K., Montgomery, K., Ferrari, B., et al. (2020). Does sociality drive diversity and composition of airway microbiota in cetaceans? *Environmental Microbiology Reports*, 12(3), 324-333.
- Vendl, C., Slavich, E., Wemheuer, B., Nelson, T., Ferrari, B., Thomas, T., et al. (2020). Respiratory microbiota of humpback whales may be reduced in diversity and richness the longer they fast. *Scientific Reports*, 10(1).
- Venegas, R. D., Hueter, R., Cano, J. G., Tyminski, J., Remolina, J. G., Maslanka, M., et al. (2011). An Unprecedented Aggregation of Whale Sharks, *Rhincodon typus*, in Mexican Coastal Waters of the Caribbean Sea. *Plos One*, 6(4).
- Verborgh, P., de Stephanis, R., Perez, S., Jaquet, Y., Barbraud, C., & Guinet, C. (2009). Survival rate, abundance, and residency of long-finned pilot whales in the Strait of Gibraltar. *Marine Mammal Science*, 25(3), 523-536.
- Verfuss, U. K., Honnef, C. G., Meding, A., Dahne, M., Mundry, R., & Benke, H. (2007). Geographical and seasonal variation of harbour porpoise (*Phocoena phocoena*) presence in the German Baltic Sea revealed by passive acoustic monitoring. *Journal of the Marine Biological Association of the United Kingdom*, 87(1), 165-176.
- Verfuss, U. K., Miller, L. A., Pilz, P. K. D., & Schnitzler, H. U. (2009). Echolocation by two foraging harbour porpoises (*Phocoena phocoena*). *Journal of Experimental Biology*, 212(6), 823-834.
- Vergara, V., & Mikus, M. A. (2019). Contact call diversity in natural beluga entrapments in an Arctic estuary: Preliminary evidence of vocal signatures in wild belugas. *Marine Mammal Science*, 35(2), 434-465.
- Vermeulen, E. (2018). Intertidal habitat use of bottlenose dolphins (*Tursiops truncatus*) in Bahia San Antonio, Argentina. *Journal of the Marine Biological Association of the United Kingdom*, 98(5), 1109-1118.
- Vermeulen, E., Cammareri, A., & Holsbeek, L. (2012). Alteration of Southern Right Whale (*Eubalaena australis*) Behaviour by Human-Induced Disturbance in Bahia San Antonio, Patagonia, Argentina. *Aquatic Mammals*, 38(1), 56-64.
- Vermeulen, E., Holsbeek, L., & Das, K. (2015). Diurnal and Seasonal Variation in the Behaviour of Bottlenose Dolphins (*Tursiops truncatus*) in Bahia San Antonio, Patagonia, Argentina. *Aquatic Mammals*, 41(3), 272-283.
- Vernazzani, B. G., Cabrera, E., & Brownell, R. L. (2014). Eastern South Pacific southern right whale photo-identification catalog reveals behavior and habitat use patterns. *Marine Mammal Science*, 30(1), 389-398.
- Vernazzani, B. G., Jackson, J. A., Cabrera, E., Carlson, C. A., & Brownell, R. L. (2017). Estimates of Abundance and Trend of Chilean Blue Whales off Isla de Chiloe, Chile. *Plos One*, 12(1).
- Vester, H., Hallerberg, S., Timme, M., & Hammerschmidt, K. (2017). Vocal repertoire of long-finned pilot whales (*Globicephala melas*) in northern Norway. *Journal of the Acoustical Society of America*, 141(6), 4289-4299.
- Viale, D., & Frontier, S. (1994). SURFACE MEGAFUNA RELATED TO WESTERN MEDITERRANEAN CIRCULATION. *Aquatic Living Resources*, 7(2), 105-126.

- Viddi, F. A., Hucke-Gaete, R., Torres-Florez, J. P., & Ribeiro, S. (2010). Spatial and seasonal variability in cetacean distribution in the fjords of northern Patagonia, Chile. *Ices Journal of Marine Science*, 67(5), 959-970.
- Videsen, S. K. A., Bejder, L., Johnson, M., & Madsen, P. T. (2017). High suckling rates and acoustic crypsis of humpback whale neonates maximise potential for mother-calf energy transfer. *Functional Ecology*, 31(8), 1561-1573.
- Vietti, R. C., Albertelli, G., Aliani, S., Bava, S., Bavestrello, G., Cecchi, L. B., et al. (2010). The Ligurian Sea: present status, problems and perspectives. *Chemistry and Ecology*, 26, 319-340.
- Vighi, M., Borrell, A., Crespo, E. A., Oliveira, L. R., Simoes-Lopes, P. C., Flores, P. A. C., et al. (2014). Stable Isotopes Indicate Population Structuring in the Southwest Atlantic Population of Right Whales (*Eubalaena australis*). *Plos One*, 9(3).
- Viglino, M., Buono, M. R., Fordyce, R. E., Cuitino, J. I., & Fitzgerald, E. M. G. (2019). Anatomy and phylogeny of the large shark-toothed dolphin *Phoberodon arctirostris* Cabrera, 1926 (Cetacea: Odontoceti) from the early Miocene of Patagonia (Argentina). *Zoological Journal of the Linnean Society*, 185(2), 511-542.
- Viglino, M., Buono, M. R., Gutstein, C. S., Cozzuol, M. A., & Cuitino, J. I. (2018). A new dolphin from the early Miocene of Patagonia, Argentina: Insights into the evolution of Platanistoidea in the Southern Hemisphere. *Acta Palaeontologica Polonica*, 63(2), 261-277.
- Viglino, M., Gaetan, C. M., Cuitino, J. I., & Buono, M. R. First Toothless Platanistoid from the Early Miocene of Patagonia: the Golden Age of Diversification of the Odontoceti. *Journal of Mammalian Evolution*.
- Vigness-Raposa, K. J., Kenney, R. D., Gonzalez, M. L., & August, P. V. (2010). Spatial patterns of humpback whale (*Megaptera novaeangliae*) sightings and survey effort: Insight into North Atlantic population structure. *Marine Mammal Science*, 26(1), 161-175.
- Vikingsson, G. A., & Heide-Jorgensen, M. P. (2015). First indications of autumn migration routes and destination of common minke whales tracked by satellite in the North Atlantic during 2001-2011. *Marine Mammal Science*, 31(1), 376-385.
- Vilardo, C., & Barbosa, A. F. (2018). Can you hear the noise? Environmental licensing of seismic surveys in Brazil faces uncertain future after 18 years protecting biodiversity. *Perspectives in Ecology and Conservation*, 16(1), 54-59.
- Vilela, R., Pena, U., Esteban, R., & Koemans, R. (2016). Bayesian spatial modeling of cetacean sightings during a seismic acquisition survey. *Marine Pollution Bulletin*, 109(1), 512-520.
- Villafana, J. A., & Rivadeneira, M. M. (2014). Rise and fall in diversity of Neogene marine vertebrates on the temperate Pacific coast of South America. *Paleobiology*, 40(4), 659-674.
- Villegas-Amtmann, S., Costa, D. P., Tremblay, Y., Salazar, S., & Auriolles-Gamboa, D. (2008). Multiple foraging strategies in a marine apex predator, the Galapagos sea lion *Zalophus wollebaeki*. *Marine Ecology Progress Series*, 363, 299-309.
- Villegas-Amtmann, S., Schwarz, L. K., Gailey, G., Sychenko, O., & Costa, D. P. (2017). East or west: the energetic cost of being a gray whale and the consequence of losing energy to disturbance. *Endangered Species Research*, 34, 167-183.
- Vinther, J., Stein, M., Longrich, N. R., & Harper, D. A. T. (2014). A suspension-feeding anomalocarid from the Early Cambrian. *Nature*, 507(7493), 496-+.

Virgili, A., Authier, M., Boisseau, O., Canadas, A., Claridge, D., Cole, T., et al. (2019). Combining multiple visual surveys to model the habitat of deep-diving cetaceans at the basin scale Large-scale modelling of deep-diving cetacean habitats. *Global Ecology and Biogeography*, 28(3), 300-314.

Virgili, A., Lambert, C., Pettex, E., Doremus, G., Van Canneyt, O., & Ridoux, V. (2017). Predicting seasonal variations in coastal seabird habitats in the English Channel and the Bay of Biscay. *Deep-Sea Research Part II: Topical Studies in Oceanography*, 141, 212-223.

Viricel, A., Pante, E., Dabin, W., & Simon-Bouhet, B. (2014). Applicability of RAD-tag genotyping for interfamilial comparisons: empirical data from two cetaceans. *Molecular Ecology Resources*, 14(3), 597-605.

Viricel, A., Simon-Bouhet, B., Ceyrac, L., Dulau-Drouot, V., Berggren, P., Amir, O. A., et al. (2016). Habitat availability and geographic isolation as potential drivers of population structure in an oceanic dolphin in the Southwest Indian Ocean. *Marine Biology*, 163(10).

Visser, F., Cure, C., Kvadsheim, P. H., Lam, F. P. A., Tyack, P. L., & Miller, P. J. O. (2016). Disturbance-specific social responses in long-finned pilot whales, *Globicephala melas*. *Scientific Reports*, 6.

Visser, F., Hartman, K. L., Pierce, G. J., Valavanis, V. D., & Huisman, J. (2011). Timing of migratory baleen whales at the Azores in relation to the North Atlantic spring bloom. *Marine Ecology Progress Series*, 440, 267-279.

Visser, F., Hartman, K. L., Rood, E. J. J., Hendriks, A. J. E., Zult, D. B., Wolff, W. J., et al. (2011). Risso's dolphins alter daily resting pattern in response to whale watching at the Azores. *Marine Mammal Science*, 27(2), 366-381.

Visser, F., Kok, A. C. M., Oudejans, M. G., Scott-Hayward, L. A. S., DeRuiter, S. L., Alves, A. C., et al. (2017). Vocal foragers and silent crowds: context-dependent vocal variation in Northeast Atlantic long-finned pilot whales. *Behavioral Ecology and Sociobiology*, 71(12).

Visser, F., Miller, P. J. O., Antunes, R. N., Oudejans, M. G., Mackenzie, M. L., Aoki, K., et al. (2014). The social context of individual foraging behaviour in long-finned pilot whales (*Globicephala melas*). *Behaviour*, 151(10), 1453-1477.

Visser, I. N. (1999). Antarctic orca in New Zealand waters? *New Zealand Journal of Marine and Freshwater Research*, 33(3), 515-520.

Visser, I. N., Fertl, D., & Pusser, L. T. (2004). Melanistic southern right-whale dolphins (*Lissodelphis peronii*) off Kaikoura, New Zealand, with records of other anomalously all-black cetaceans. *New Zealand Journal of Marine and Freshwater Research*, 38(5), 833-836.

Visser, I. N., Zaeschmar, J., Halliday, J., Abraham, A., Ball, P., Bradley, R., et al. (2010). First Record of Predation on False Killer Whales (*Pseudorca crassidens*) by Killer Whales (*Orcinus orca*). *Aquatic Mammals*, 36(2), 195-204.

Vogedes, D., Eiane, K., Batnes, A. S., & Berge, J. (2014). Variability in *Calanus* spp. abundance on fine- to mesoscales in an Arctic fjord: implications for little auk feeding. *Marine Biology Research*, 10(5), 437-448.

Voigt, C. C., Kravchenko, K., Liechti, F., & Bumrungsri, S. (2019). Skyrocketing flights as a previously unrecognized behaviour of open-space foraging bats. *Acta Chiropterologica*, 21(2), 331-339.

Volk, A., Astarcioglu, I., Adam, R., Mispelner, J., Collet, V., Dimicoli, J. L., et al. (1994). AN EXPERIMENTAL APPROACH FOR DYNAMIC RAT-LIVER OBSERVATION IN-VIVO AND EX-VIVO BY P-31 LOCALIZED MR SPECTROSCOPY FOR FOLLOW-UP OF LIVER STATUS AT DIFFERENT STEPS OF ORTHOTOPIC TRANSPLANTATION - A FEASIBILITY STUDY. *Nmr in Biomedicine*, 7(8), 366-373.

Volkenandt, M., O'Connor, I., Guarini, J. M., Berrow, S., & O'Donnell, C. (2016). Fine-scale spatial association between baleen whales and forage fish in the Celtic Sea. *Canadian Journal of Fisheries and Aquatic Sciences*, 73(2), 197-204.

- Vollmer, N. L., & Rosel, P. E. (2017). Fine-scale population structure of common bottlenose dolphins (*Tursiops truncatus*) in offshore and coastal waters of the US Gulf of Mexico. *Marine Biology*, 164(8).
- von Benda-Beckmann, A. M., Aarts, G., Sertlek, H. O., Lucke, K., Verboom, W. C., Kastelein, R. A., et al. (2015). Assessing the Impact of Underwater Clearance of Unexploded Ordnance on Harbour Porpoises (*Phocoena phocoena*) in the Southern North Sea. *Aquatic Mammals*, 41(4), 503-523.
- von Benda-Beckmann, A. M., Wensveen, P. J., Prior, M., Ainslie, M. A., Hansen, R. R., Isojunno, S., et al. (2019). Predicting acoustic dose associated with marine mammal behavioural responses to sound as detected with fixed acoustic recorders and satellite tags. *Journal of the Acoustical Society of America*, 145(3), 1401-1416.
- von Benda-Beckmann, A. M., Wensveen, P. J., Samarra, F. I. P., Beerens, S. P., & Miller, P. J. O. (2016). Separating underwater ambient noise from flow noise recorded on stereo acoustic tags attached to marine mammals. *Journal of Experimental Biology*, 219(15), 2271-2275.
- von Fersen, L., Encke, D., Huttner, T., & Baumgartner, K. (2018). Establishment and Implementation of an Animal Welfare Decision Tree to Evaluate the Welfare of Zoo Animals. *Aquatic Mammals*, 44(2), 211-220.
- Von Loebbecke, A., Mittal, R., Mark, R., & Hahn, J. (2009). A computational method for analysis of underwater dolphin kick hydrodynamics in human swimming. *Sports Biomechanics*, 8(1), 60-77.
- Vongraven, D., & Bisther, A. (2014). Prey switching by killer whales in the north-east Atlantic: observational evidence and experimental insights. *Journal of the Marine Biological Association of the United Kingdom*, 94(6), 1357-1365.
- Voss, R. S., & Fleck, D. W. (2017). MAMMALIAN DIVERSITY AND MATSES ETHNOMAMMALOGY IN AMAZONIAN PERU PART 2: XENARTHRA, CARNIVORA, PERISSODACTYLA, ARTIODACTYLA, AND SIRENIA. *Bulletin of the American Museum of Natural History*(417), 1-118.
- Vu, E. T., Risch, D., Clark, C. W., Gaylord, S., Hatch, L. T., Thompson, M. A., et al. (2012). Humpback whale song occurs extensively on feeding grounds in the western North Atlantic Ocean. *Aquatic Biology*, 14(2), 175-183.
- Waddell, P. J., Cao, Y., Hasegawa, M., & Mindell, D. P. (1999). Assessing the Cretaceous superordinal divergence times within birds and placental mammals by using whole mitochondrial protein sequences and an extended statistical framework. *Systematic Biology*, 48(1), 119-137.
- Wadud, Z., Ullah, K., Hussain, S., Yang, X. D., & Qazi, A. B. (2018). DOW-PR Dolphin and Whale Pods Routing Protocol for Underwater Wireless Sensor Networks (UWSNs). *Sensors*, 18(5).
- Waggitt, J. J., Dunn, H. K., Evans, P. G. H., Hiddink, J. G., Holmes, L. J., Keen, E., et al. (2018). Regional-scale patterns in harbour porpoise occupancy of tidal stream environments. *Ices Journal of Marine Science*, 75(2), 701-710.
- Waggitt, J. J., Evans, P. G. H., Andrade, J., Banks, A. N., Boisseau, O., Bolton, M., et al. (2020). Distribution maps of cetacean and seabird populations in the North-East Atlantic. *Journal of Applied Ecology*, 57(2), 253-269.
- Wahlberg, M. (2002). The acoustic behaviour of diving sperm whales observed with a hydrophone array. *Journal of Experimental Marine Biology and Ecology*, 281(1-2), 53-62.
- Wahlberg, M., Frantzis, A., Alexiadou, P., Madsen, P. T., & Mohl, B. (2005). Click production during breathing in a sperm whale (*Physeter macrocephalus*) (L). *Journal of the Acoustical Society of America*, 118(6), 3404-3407.
- Wahlberg, M., Westerberg, H., Aarestrup, K., Feunteun, E., Gargan, P., & Righton, D. (2014). Evidence of marine mammal predation of the European eel. (*Anguilla anguilla* L.) on its marine migration. *Deep-Sea Research Part I-Oceanographic Research Papers*, 86, 32-38.

- Wakeman, K. C., Yabuki, A., Fujikura, K., Tomikawa, K., & Horiguchi, T. (2018). Molecular Phylogeny and Surface Morphology of *Thiriotia hyperdolphinae* n. sp and *Cephaloidophora oradareae* n. sp (Gregarinasina, Apicomplexa) Isolated from a Deep Sea Oradarea sp (Amphipoda) in the West Pacific. *Journal of Eukaryotic Microbiology*, 65(3), 372-381.
- Walker, C. G., MacKenzie, M. L., Donovan, C. R., Kidney, D., Quick, N. J., & Hastie, G. D. (2011). Classification of animal dive tracks via automatic landmarking, principal components analysis and clustering. *Ecosphere*, 2(8).
- Walker, J. L., Potter, C. W., & Macko, S. A. (1999). The diets of modern and historic bottlenose dolphin populations reflected through stable isotopes. *Marine Mammal Science*, 15(2), 335-350.
- Walker, M. M., Kirschvink, J. L., Ahmed, G., & Dizon, A. E. (1992). EVIDENCE THAT FIN WHALES RESPOND TO THE GEOMAGNETIC-FIELD DURING MIGRATION. *Journal of Experimental Biology*, 171, 67-78.
- Walker, W. A. (2001). Geographical variation of the parasite, *Phyllobothrium delphini* (Cestoda), in Dall's porpoise, *Phocoenoides dalli*, in the northern North Pacific, Bering Sea, and sea of Okhotsk. *Marine Mammal Science*, 17(2), 264-275.
- Walkusz, W., Williams, W. J., Harwood, L. A., Moore, S. E., Stewart, B. E., & Kwasniewski, S. (2012). Composition, biomass and energetic content of biota in the vicinity of feeding bowhead whales (*Balaena mysticetus*) in the Cape Bathurst upwelling region (south eastern Beaufort Sea). *Deep-Sea Research Part I-Oceanographic Research Papers*, 69, 25-35.
- Walmsley, S. F., Rendell, L., Hussey, N. E., & Marcoux, M. (2020). Vocal sequences in narwhals (*Monodon monoceros*). *Journal of the Acoustical Society of America*, 147(2), 1078-1091.
- Walton, M. J. (1997). Population structure of harbour porpoises *Phocoena phocoena* in the seas around the UK and adjacent waters. *Proceedings of the Royal Society B-Biological Sciences*, 264(1378), 89-94.
- Wan, X. L., McLaughlin, R. W., Zhou, J. Y., Hao, Y. J., Zheng, J. S., & Wang, D. (2016). Isolation of culturable aerobic bacteria and evidence of *Kerstersia gyiorum* from the blowhole of captive Yangtze finless porpoises. *Antonie Van Leeuwenhoek International Journal of General and Molecular Microbiology*, 109(8), 1167-1175.
- Wang, B., Shi, Y. L., Tejero, J., Powell, S. M., Thomas, L. M., Gladwin, M. T., et al. (2018). Nitrosyl Myoglobins and Their Nitrite Precursors: Crystal Structural and Quantum Mechanics and Molecular Mechanics Theoretical Investigations of Preferred Fe-NO Ligand Orientations in Myoglobin Distal Pockets. *Biochemistry*, 57(32), 4788-4802.
- Wang, D. L., Garcia, H., Huang, W., Tran, D. D., Jain, A. D., Yi, D. H., et al. (2016). Vast assembly of vocal marine mammals from diverse species on fish spawning ground. *Nature*, 531(7594), 366-+.
- Wang, D. L., Huang, W., Garcia, H., & Ratilal, P. (2016). Vocalization Source Level Distributions and Pulse Compression Gains of Diverse Baleen Whale Species in the Gulf of Maine. *Remote Sensing*, 8(11).
- Wang, J. Y., & Araujo-Wang, C. (2017). Severe mutilation of a Critically Endangered Taiwanese humpback dolphin *Sousa chinensis taiwanensis* by fishing gear. *Diseases of Aquatic Organisms*, 123(3), 257-262.
- Wang, J. Y., Gaskin, D. E., & White, B. N. (1996). Mitochondrial DNA analysis of harbour porpoise, *Phocoena phocoena*, subpopulations in North American waters. *Canadian Journal of Fisheries and Aquatic Sciences*, 53(7), 1632-1645.
- Wang, J. Y., Yang, S. C., Wang, B. J., & Wang, L. S. (2010). Distinguishing between two species of finless porpoises (*Neophocaena phocaenoides* and *N. asiakorinensis*) in areas of sympatry. *Mammalia*, 74(3), 305-310.

- Wang, K., Wang, D., Akamatsu, T., Fujita, K., & Shiraki, R. (2006). Estimated detection distance of a baiji's (Chinese river dolphin, *Lipotes vexillifer*) whistles using a passive acoustic survey method. *Journal of the Acoustical Society of America*, 120(3), 1361-1365.
- Wang, K. Q., Liu, H. M., Hu, W. Y., & Cox, L. (2016). Using online self-assessment tool to improve conjoint analysis Application in choices of wildlife excursions. *Internet Research*, 26(3), 644-660.
- Wang, K. X., Wang, D., Akamatsu, T., Li, S. H., & Xiao, J. Q. (2005). A passive acoustic monitoring method applied to observation and group size estimation of finless porpoises. *Journal of the Acoustical Society of America*, 118(2), 1180-1185.
- Wang, K. X., Wang, D., Zhang, X. F., Pfluger, A., & Barrett, L. (2006). Range-wide Yangtze freshwater dolphin expedition: The last chance to see Baiji? *Environmental Science and Pollution Research*, 13(6), 418-424.
- Wang, T. M., Lee, M. S., Knezevic, A., Tarle, Z., Chiang, Y. C., & Kunzelmann, K. H. (2012). Evaluation of the slumping property of dental composites during modeling. *Journal of Dental Sciences*, 7(4), 330-335.
- Wang, X., Wu, F., Ding, X., & Zhu, Q. (2016). Record of an Indo-Pacific humpback dolphin (*Sousa chinensis*) without its upper rostrum in Xiamen Bay, Fujian Province, China. *New Zealand Journal of Zoology*, 43(3), 299-306.
- Wang, X. Y., Wu, F. X., Turvey, S. T., Rosso, M., & Zhu, Q. (2016). Seasonal group characteristics and occurrence patterns of Indo-Pacific humpback dolphins (*Sousa chinensis*) in Xiamen Bay, Fujian Province, China. *Journal of Mammalogy*, 97(4), 1026-1032.
- Wang, X. Z., Wei, P., Yuan, Y., Zhang, Z. G., & Feng, D. K. (2018). Evaluation of Dolphin Swimming Speed and Thrust Based on CFD. *International Journal of Offshore and Polar Engineering*, 28(2), 120-127.
- Wang, Y. M., Li, W., & Van Waerebeek, K. (2015). Strandings, bycatches and injuries of aquatic mammals in China, 2000-2006, as reviewed from official documents: A compelling argument for a nationwide strandings programme. *Marine Policy*, 51, 242-250.
- Wang, Y. M., Li, W., Zeng, X. G., & Cui, Y. C. (2012). A short note on the horizontal and vertical movements of a whale shark, *Rhincodon typus*, tracked by satellite telemetry in the South China Sea. *Integrative Zoology*, 7(1), 94-98.
- Wang, Z. T., Akamatsu, T., Mei, Z. G., Dong, L. J., Imaizumi, T., Wang, K. X., et al. (2015). Frequent and prolonged nocturnal occupation of port areas by Yangtze finless porpoises (*Neophocaena asiaeorientalis*): Forced choice for feeding? *Integrative Zoology*, 10(1), 122-132.
- Wang, Z. T., Akamatsu, T., Wang, K. X., & Wang, D. (2014). The Diel Rhythms of Biosonar Behavior in the Yangtze Finless Porpoise (*Neophocaena asiaeorientalis asiaeorientalis*) in the Port of the Yangtze River: The Correlation between Prey Availability and Boat Traffic. *Plos One*, 9(5).
- Wang, Z. T., Au, W. W. L., Rendell, L., Wang, K. X., Wu, H. P., Wu, Y. P., et al. (2016). Apparent source levels and active communication space of whistles of free-ranging Indo-Pacific humpback dolphins (*Sousa chinensis*) in the Pearl River Estuary and Beibu Gulf, China. *Peerj*, 4.
- Wang, Z. T., Duan, P. X., Akamatsu, T., Wang, K. X., & Wang, D. Passive acoustic monitoring of the distribution patterns of Irrawaddy dolphins (*Orcaella brevirostris*) in the middle reaches of the Ayeyarwady River, Myanmar. *Marine Mammal Science*.
- Wanker, R., Sugama, Y., & Prinage, S. (2005). Vocal labelling of family members in spectacled parrotlets, *Forpus conspicillatus*. *Animal Behaviour*, 70, 111-118.

- Waples, D. M., Thorne, L. H., Hodge, L. E. W., Burke, E. K., Urian, K. W., & Read, A. J. (2013). A field test of acoustic deterrent devices used to reduce interactions between bottlenose dolphins and a coastal gillnet fishery. *Biological Conservation*, 157, 163-171.
- Waples, K. A., & Gales, N. J. (2002). Evaluating and minimising social stress in the care of captive bottlenose dolphins (*Tursiops aduncus*). *Zoo Biology*, 21(1), 5-26.
- Ward, E. J., Dahlheim, M. E., Waite, J. M., Emmons, C. K., Marshall, K. N., Chasco, B. E., et al. (2016). Long-distance migration of prey synchronizes demographic rates of top predators across broad spatial scales. *Ecosphere*, 7(2).
- Ward, E. J., Parsons, K., Holmes, E. E., Balcomb, K. C., & Ford, J. K. B. (2009). The role of menopause and reproductive senescence in a long-lived social mammal. *Frontiers in Zoology*, 6.
- Ward, J., Jarvis, S., Moretti, D., Morrissey, R., DiMarzio, N., Johnson, M., et al. (2011). Beaked whale (*Mesoplodon densirostris*) passive acoustic detection in increasing ambient noise. *Journal of the Acoustical Society of America*, 129(2), 662-669.
- Ward, J. A., Thomas, L., Jarvis, S., DiMarzio, N., Moretti, D., Marques, T. A., et al. (2012). Passive acoustic density estimation of sperm whales in the Tongue of the Ocean, Bahamas. *Marine Mammal Science*, 28(4), E444-E455.
- Ward, R., Parnum, I., Erbe, C., & Salgado-Kent, C. (2016). Whistle Characteristics of Indo-Pacific Bottlenose Dolphins (*Tursiops aduncus*) in the Fremantle Inner Harbour, Western Australia. *Acoustics Australia*, 44(1), 159-169.
- Ware, C., Friedlaender, A. S., & Nowacek, D. P. (2011). Shallow and deep lunge feeding of humpback whales in fjords of the West Antarctic Peninsula. *Marine Mammal Science*, 27(3), 587-605.
- Ware, C., Wiley, D. N., Friedlaender, A. S., Weinrich, M., Hazen, E. L., Bocconcelli, A., et al. (2014). Bottom side-roll feeding by humpback whales (*Megaptera novaeangliae*) in the southern Gulf of Maine, U. S. A. *Marine Mammal Science*, 30(2), 494-511.
- Ware, J. V., Rode, K. D., Bromaghin, J. F., Douglas, D. C., Wilson, R. R., Regehr, E. V., et al. (2017). Habitat degradation affects the summer activity of polar bears. *Oecologia*, 184(1), 87-99.
- Waring, G. T., Hamazaki, T., Sheehan, D., Wood, G., & Baker, S. (2001). Characterization of beaked whale (*Ziphiidae*) and sperm whale (*Physeter macrocephalus*) summer habitat in shelf-edge and deeper waters off the northeast US. *Marine Mammal Science*, 17(4), 703-717.
- Warner, G. A., Dosso, S. E., & Hannay, D. E. (2017). Bowhead whale localization using time-difference-of-arrival data from asynchronous recorders. *Journal of the Acoustical Society of America*, 141(3), 1921-1935.
- Warner, G. A., Dosso, S. E., Hannay, D. E., & Dettmer, J. (2016). Bowhead whale localization using asynchronous hydrophones in the Chukchi Sea. *Journal of the Acoustical Society of America*, 140(1), 20-34.
- Warren, V. E., Marques, T. A., Harris, D., Thomas, L., Tyack, P. L., de Soto, N. A., et al. (2017). Spatio-temporal variation in click production rates of beaked whales: Implications for passive acoustic density estimation. *Journal of the Acoustical Society of America*, 141(3), 1962-1974.
- Wasser, S. K., Lundin, J. I., Ayres, K., Seely, E., Giles, D., Balcomb, K., et al. (2017). Population growth is limited by nutritional impacts on pregnancy success in endangered Southern Resident killer whales (*Orcinus orca*). *Plos One*, 12(6).
- Wassermann, S. N., Hind-Ozan, E. J., & Seaman, J. (2018). Reassessing public opinion of captive cetacean attractions with a photo elicitation survey. *PeerJ*, 6.

- Watanabe, Y., Baranov, E. A., Sato, K., Naito, Y., & Miyazaki, N. (2006). Body density affects stroke patterns in Baikal seals. *Journal of Experimental Biology*, 209(17), 3269-3280.
- Waters, S., & Whitehead, H. (1990). AERIAL BEHAVIOR IN SPERM WHALES. *Canadian Journal of Zoology- Revue Canadienne De Zoologie*, 68(10), 2076-2082.
- Watkins, W. A., Daher, M. A., DiMarzio, N. A., Samuels, A., Wartzok, D., Fristrup, K. M., et al. (1999). Sperm whale surface activity from tracking by radio and satellite tags. *Marine Mammal Science*, 15(4), 1158-1180.
- Watkins, W. A., Daher, M. A., DiMarzio, N. A., Samuels, A., Wartzok, D., Fristrup, K. M., et al. (2002). Sperm whale dives tracked by radio tag telemetry. *Marine Mammal Science*, 18(1), 55-68.
- Watkins, W. A., Daher, M. A., Fristrup, K. M., Howald, T. J., & Disciara, G. N. (1993). SPERM WHALES TAGGED WITH TRANSPONDERS AND TRACKED UNDERWATER BY SONAR. *Marine Mammal Science*, 9(1), 55-67.
- Watkins, W. A., & Schevill, W. E. (1979). AERIAL OBSERVATION OF FEEDING-BEHAVIOR IN 4 BALEEN WHALES - EUBALAENA-GLACIALIS, BALAENOPTERA-BOREALIS, MEGAPTERA-NOVAEANGLIAE, AND BALAENOPTERA-PHYSALUS. *Journal of Mammalogy*, 60(1), 155-163.
- Watt, C. A., Hornby, C., & Ferguson, S. H. (2019). Trace element and stable isotope analysis elucidate stock structure in a narwhal (*Monodon monoceros*) population with no genetic substructure. *Canadian Journal of Zoology*, 97(11), 1084-1091.
- Watt, C. A., Orr, J., & Ferguson, S. H. (2016). A shift in foraging behaviour of beluga whales *Delphinapterus leucas* from the threatened Cumberland Sound population may reflect a changing Arctic food web. *Endangered Species Research*, 31, 259-270.
- Watt, C. A., Orr, J. R., & Ferguson, S. H. (2017). Spatial distribution of narwhal (*Monodon monoceros*) diving for Canadian populations helps identify important seasonal foraging areas. *Canadian Journal of Zoology*, 95(1), 41-50.
- Watt, C. A., Orr, J. R., Heide-Jorgensen, M. P., Nielsen, N. H., & Ferguson, S. H. (2015). Differences in dive behaviour among the world's three narwhal *Monodon monoceros* populations correspond with dietary differences. *Marine Ecology Progress Series*, 525, 273-285.
- Watt, C. A., Petersen, S. D., & Ferguson, S. H. (2015). Genetics and fatty acids assist in deciphering narwhal (*Monodon monoceros*) social groupings. *Polar Biology*, 38(12), 1971-1981.
- Watwood, S. L., Miller, P. J. O., Johnson, M., Madsen, P. T., & Tyack, P. L. (2006). Deep-diving foraging behaviour of sperm whales (*Physeter macrocephalus*). *Journal of Animal Ecology*, 75(3), 814-825.
- Waugh, C. A., Nichols, P. D., Noad, M. C., & Nash, S. B. (2012). Lipid and fatty acid profiles of migrating Southern Hemisphere humpback whales *Megaptera novaeangliae*. *Marine Ecology Progress Series*, 471, 271-281.
- Waugh, D., Pearce, T., Ostertag, S. K., Pokiak, V., Collings, P., & Loseto, L. L. (2018). Inuvialuit traditional ecological knowledge of beluga whale (*Delphinapterus leucas*) under changing climatic conditions in Tuktoyaktuk, NT. *Arctic Science*, 4(3), 242-258.
- Weaver, M., Hutton, P., & McGraw, K. J. (2019). Urban house finches (*Haemorhous mexicanus*) are less averse to novel noises, but not other novel environmental stimuli, than rural birds. *Behaviour*, 156(13-14), 1393-1417.
- Weber, D. W., Fallis, D. W., & Packer, M. D. (2013). Three-dimensional reproducibility of natural head position. *American Journal of Orthodontics and Dentofacial Orthopedics*, 143(5), 738-744.
- Weber, M., Thompson-Schill, S. L., Osherson, D., Haxby, J., & Parsons, L. (2009). Predicting judged similarity of natural categories from their neural representations. *Neuropsychologia*, 47(3), 859-868.

- Weber, P. W., Howle, L. E., & Murray, M. M. (2010). Lift, Drag, and Cavitation Onset On Rudders With Leading-edge Tubercles. *Marine Technology and Sname News*, 47(1), 27-36.
- Weber, P. W., Howle, L. E., Murray, M. M., & Fish, F. E. (2009). Lift and drag performance of odontocete cetacean flippers. *Journal of Experimental Biology*, 212(14), 2149-2158.
- Weber, P. W., Howle, L. E., Murray, M. M., Reidenberg, J. S., & Fish, F. E. (2014). Hydrodynamic performance of the flippers of large-bodied cetaceans in relation to locomotor ecology. *Marine Mammal Science*, 30(2), 413-432.
- Webster, I., Cockcroft, V. G., & Cadinouche, A. (2015). Spinner dolphins *Stenella longirostris* off south-west Mauritius: abundance and residency. *African Journal of Marine Science*, 37(1), 115-124.
- Webster, T. A., Dawson, S. M., Rayment, W. J., Parks, S. E., & Van Parijs, S. M. (2016). Quantitative analysis of the acoustic repertoire of southern right whales in New Zealand. *Journal of the Acoustical Society of America*, 140(1), 322-333.
- Webster, W. D., Goley, P. D., Pustis, J., & Gouveia, J. F. (1995). Seasonality in cetacean strandings along the coast of North Carolina. *Brimleyana*(23), 41-51.
- Wedekin, L. L., Daura-Jorge, F. G., & Simoes-Lopes, P. C. (2010). Habitat preferences of Guiana dolphins, *Sotalia guianensis* (Cetacea: Delphinidae), in Norte Bay, southern Brazil. *Journal of the Marine Biological Association of the United Kingdom*, 90(8), 1561-1570.
- Wedekin, L. L., Engel, M. H., Andriolo, A., Prado, P. I., Zerbini, A. N., Marcondes, M. M. C., et al. (2017). Running fast in the slow lane: rapid population growth of humpback whales after exploitation. *Marine Ecology Progress Series*, 575, 195-206.
- Wedekin, L. L., Neves, M. C., Marcondes, M. C. C., Baracho, C., Rossi-Santos, M. R., Engel, M. H., et al. (2010). Site fidelity and movements of humpback whales (*Megaptera novaeangliae*) on the Brazilian breeding ground, southwestern Atlantic. *Marine Mammal Science*, 26(4), 787-802.
- Weems, R. E., Edwards, L. E., Osborne, J. E., & Alford, A. A. (2011). AN OCCURRENCE OF THE PROTOCETID WHALE "EOCETUS" WARDII IN THE MIDDLE EOCENE PINEY POINT FORMATION OF VIRGINIA. *Journal of Paleontology*, 85(2), 271-278.
- Wei, Z., Wang, D., Kuang, X. N., Wang, K. X., Wang, X. Q., Xiao, J. Q., et al. (2002). Observations on behavior and ecology of the Yangtze finless porpoise (*Neophocaena phocaenoides asiaeorientalis*) group at Tian-e-Zhou Oxbow of the Yangtze River. *Raffles Bulletin of Zoology*, 97-103.
- Weihe, P., Grandjean, P., Debes, F., & White, R. (1996). Health implications for Faroe Islanders of heavy metals and PCBs from pilot whales. *Science of the Total Environment*, 186(1-2), 141-148.
- Weihs, D. (2002). Dynamics of dolphin porpoising revisited. *Integrative and Comparative Biology*, 42(5), 1071-1078.
- Weilgart, L., & Whitehead, H. (1993). CODA COMMUNICATION BY SPERM WHALES (*PHYSETER-MACROCEPHALUS*) OFF THE GALAPAGOS-ISLANDS. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 71(4), 744-752.
- Weilgart, L., & Whitehead, H. (1997). Group-specific dialects and geographical variation in coda repertoire in South Pacific sperm whales. *Behavioral Ecology and Sociobiology*, 40(5), 277-285.
- Weinrich, M. (1998). Early experience in habitat choice by humpback whales (*Megaptera novaeangliae*). *Journal of Mammalogy*, 79(1), 163-170.

- Weinrich, M., & Corbelli, C. (2009). Does whale watching in Southern New England impact humpback whale (*Megaptera novaeangliae*) calf production or calf survival? *Biological Conservation*, 142(12), 2931-2940.
- Weinrich, M. T. (1991). STABLE SOCIAL ASSOCIATIONS AMONG HUMPBACK WHALES (*MEGAPTERA-NOVAEANGLIAE*) IN THE SOUTHERN GULF OF MAINE. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 69(12), 3012-3019.
- Weinrich, M. T., Belt, C. R., & Morin, D. (2001). Behavior and ecology of the Atlantic white-sided dolphin (*Lagenorhynchus acutus*) in coastal New England waters. *Marine Mammal Science*, 17(2), 231-248.
- Weinrich, M. T., Kenney, R. D., & Hamilton, P. K. (2000). Right whales (*Eubalaena glacialis*) on Jeffreys Ledge: A habitat of unrecognized importance? *Marine Mammal Science*, 16(2), 326-337.
- Weinrich, M. T., Lambertson, R. H., Belt, C. R., Schilling, M. R., Iken, H. J., & Syrjala, S. E. (1992). BEHAVIORAL REACTIONS OF HUMPBACK WHALES *MEGAPTERA-NOVAEANGLIAE* TO BIOPSY PROCEDURES. *Fishery Bulletin*, 90(3), 588-598.
- Weinrich, M. T., Rosenbaum, H., Baker, C., Blackmer, A. L., & Whitehead, H. (2006). The influence of maternal lineages on social affiliations among humpback whales (*Megaptera novaeangliae*) on their feeding grounds in the southern gulf of maine. *Journal of Heredity*, 97(3), 226-234.
- Weinstein, B. G., Double, M., Gales, N., Johnston, D. W., & Friedlaender, A. S. (2017). Identifying overlap between humpback whale foraging grounds and the Antarctic krill fishery. *Biological Conservation*, 210, 184-191.
- Weinstein, B. G., & Friedlaender, A. S. (2017). Dynamic foraging of a top predator in a seasonal polar marine environment. *Oecologia*, 185(3), 427-435.
- Weinstein, B. G., Irvine, L., & Friedlaender, A. S. (2018). Capturing foraging and resting behavior using nested multivariate Markov models in an air-breathing marine vertebrate. *Movement Ecology*, 6.
- Weir, C. R. (2009). Distribution, behaviour and photo-identification of Atlantic humpback dolphins *Sousa teuszii* off Flamingos, Angola. *African Journal of Marine Science*, 31(3), 319-331.
- Weir, C. R. (2010). FIRST DESCRIPTION OF ATLANTIC HUMPBACK DOLPHIN *SOUSA TEUSZII* WHISTLES, RECORDED OFF ANGOLA. *Bioacoustics-the International Journal of Animal Sound and Its Recording*, 19(3), 211-224.
- Weir, C. R. (2015). Photo-identification and habitat use of Atlantic humpback dolphins *Sousa teuszii* around the Rio Nunez Estuary in Guinea, West Africa. *African Journal of Marine Science*, 37(3), 325-334.
- Weir, C. R. (2016). Atlantic humpback dolphins *Sousa teuszii* in the Saloum Delta (Senegal): distribution, relative abundance and photo-identification. *African Journal of Marine Science*, 38(3), 385-394.
- Weir, C. R. (2019). The Cetaceans (Whales and Dolphins) of Angola.
- Weir, C. R., Macleod, C. D., & Calderan, S. V. (2009). Fine-scale habitat selection by white-beaked and common dolphins in the Minch (Scotland, UK): evidence for interspecific competition or coexistence? *Journal of the Marine Biological Association of the United Kingdom*, 89(5), 951-960.
- Weir, C. R., MacLeod, C. D., & Pierce, G. J. (2012). Habitat preferences and evidence for niche partitioning amongst cetaceans in the waters between Gabon and Angola, eastern tropical Atlantic. *Journal of the Marine Biological Association of the United Kingdom*, 92(8), 1735-1749.
- Weir, C. R., Pollock, C., Cronin, C., & Taylor, S. (2001). Cetaceans of the Atlantic Frontier, north and west of Scotland. *Continental Shelf Research*, 21(8-10), 1047-1071.

- Weir, C. R., & Stanworth, A. (2020). The Falkland Islands (Malvinas) as sub-Antarctic foraging, migratory and wintering habitat for southern right whales. *Journal of the Marine Biological Association of the United Kingdom*, 100(1), 153-163.
- Weir, C. R., & Wang, J. Y. (2016). Vertebral column anomalies in Indo-Pacific and Atlantic humpback dolphins *Sousa spp.* *Diseases of Aquatic Organisms*, 120(3), 179-187.
- Weir, J., Deutsch, S., & Pearson, H. C. (2010). Dusky Dolphin Calf Rearing.
- Weir, J. S., Duprey, N. M. T., & Wursig, B. (2008). Dusky dolphin (*Lagenorhynchus obscurus*) subgroup distribution: are shallow waters a refuge for nursery groups? *Canadian Journal of Zoology*, 86(11), 1225-1234.
- Weir, J. S., Fiori, L., Orbach, D. N., Piwetz, S., Protheroe, C., & Wursig, B. (2018). Dusky Dolphin (*Lagenorhynchus obscurus*) Mother-Calf Pairs: An Aerial Perspective. *Aquatic Mammals*, 44(6), 603-607.
- Weirathmueller, M. J., Stafford, K. M., Wilcock, W. S. D., Hilmo, R. S., Dziak, R. P., & Trehu, A. M. (2017). Spatial and temporal trends in fin whale vocalizations recorded in the NE Pacific Ocean between 2003-2013. *Plos One*, 12(10).
- Weirathmueller, M. J., Wilcock, W. S. D., & Soule, D. C. (2013). Source levels of fin whale 20 Hz pulses measured in the Northeast Pacific Ocean. *Journal of the Acoustical Society of America*, 133(2), 741-749.
- Weiss, B. M., Ladich, F., Spong, P., & Symonds, H. (2006). Vocal behavior of resident killer whale matriline with newborn calves: The role of family signatures. *Journal of the Acoustical Society of America*, 119(1), 627-635.
- Weiss, B. M., Symonds, H., Spong, P., & Ladich, F. (2011). Call sharing across vocal clans of killer whales: Evidence for vocal imitation? *Marine Mammal Science*, 27(2), E1-E13.
- Wellard, R., Erbe, C., Fouda, L., & Blewitt, M. (2015). Vocalisations of Killer Whales (*Orcinus orca*) in the Bremer Canyon, Western Australia. *Plos One*, 10(9).
- Wellard, R., Lightbody, K., Fouda, L., Blewitt, M., Riggs, D., & Erbe, C. (2016). Killer Whale (*Orcinus orca*) Predation on Beaked Whales (*Mesoplodon spp.*) in the Bremer Sub-Basin, Western Australia. *Plos One*, 11(12).
- Wellard, R., Pitman, R. L., Durban, J., & Erbe, C. (2020). Cold call: the acoustic repertoire of Ross Sea killer whales (*Orcinus orca*, Type C) in McMurdo Sound, Antarctica. *Royal Society Open Science*, 7(2).
- Weller, D. W., Wursig, B., Bradford, A. L., Burdin, A. M., Blokhin, S. A., Minakuchi, H., et al. (1999). Gray whales (*Eschrichtius robustus*) off Sakhalin Island, Russia: Seasonal and annual patterns of occurrence. *Marine Mammal Science*, 15(4), 1208-1227.
- Weller, D. W., Wursig, B., Whitehead, H., Norris, J. C., Lynn, S. K., Davis, R. W., et al. (1996). Observations of an interaction between sperm whales and short-finned pilot whales in the Gulf of Mexico. *Marine Mammal Science*, 12(4), 588-593.
- Wells, B. K., Schroeder, I. D., Bograd, S. J., Hazen, E. L., Jacox, M. G., Leising, A., et al. (2017). STATE OF THE CALIFORNIA CURRENT 2016-17: STILL ANYTHING BUT "NORMAL" IN THE NORTH. *California Cooperative Oceanic Fisheries Investigations Reports*, 58, 1-55.
- Wells, R. S. (2009). Learning From Nature: Bottlenose Dolphin Care and Husbandry. *Zoo Biology*, 28(6), 635-651.
- Wells, R. S., Bassos-Hull, K., & Norris, K. S. (1998). Experimental return to the wild of two bottlenose dolphins. *Marine Mammal Science*, 14(1), 51-71.

- Wells, R. S., Fougères, E. M., Cooper, A. G., Stevens, R. O., Brodsky, M., Lingenfelser, R., et al. (2013). Movements and Dive Patterns of Short-Finned Pilot Whales (*Globicephala macrorhynchus*) Released from a Mass Stranding in the Florida Keys. *Aquatic Mammals*, 39(1), 61-72.
- Wells, R. S., Rhinehart, H. L., Cunningham, P., Whaley, J., Baran, M., Koberna, C., et al. (1999). Long distance offshore movements of bottlenose dolphins. *Marine Mammal Science*, 15(4), 1098-1114.
- Wells, R. S., Schwacke, L. H., Rowles, T. K., Balmer, B. C., Zolman, E., Speakman, T., et al. (2017). Ranging patterns of common bottlenose dolphins *Tursiops truncatus* in Barataria Bay, Louisiana, following the Deepwater Horizon oil spill. *Endangered Species Research*, 33, 159-180.
- Wells, R. S., Towner, V., Borrell, A., Aguilar, A., Rowles, T. K., Rhinehart, H. L., et al. (2005). Integrating potential life-history and reproductive success data to examine relationships with organochlorine compounds for bottlenose dolphins (*Tursiops truncatus*) in Sarasota Bay, Florida. *Science of the Total Environment*, 349(1-3), 106-119.
- Welsh, T., & Ward, S. J. (2019). Implications of human-animal interactions on mother-calf interactions in a bottlenose dolphin (*Tursiops truncatus*) dyad. *Journal of Zoo and Aquarium Research*, 7(4), 162-169.
- Wenger, D., & Koschinski, S. (2012). Harbour porpoise (*Phocoena phocoena* Linnaeus, 1758) entering the Weser river after decades of absence. *Marine Biology Research*, 8(8), 737-745.
- Wensveen, P. J., von Benda-Beckmann, A. M., Ainslie, M. A., Lam, F. P. A., Kvadsheim, P. H., Tyack, P. L., et al. (2015). How effectively do horizontal and vertical response strategies of long-finned pilot whales reduce sound exposure from naval sonar? *Marine Environmental Research*, 106, 68-81.
- Wenzel, F. W., Broms, F., Lopez-Suarez, P., Lopes, K., Veiga, N., Yeoman, K., et al. (2020). Humpback Whales (*Megaptera novaeangliae*) in the Cape Verde Islands: Migratory Patterns, Resightings, and Abundance. *Aquatic Mammals*, 46(1), 21-31.
- Werth, A. (2000). A kinematic study of suction feeding and associated behavior in the long-finned pilot whale, *Globicephala melas* (Traill). *Marine Mammal Science*, 16(2), 299-314.
- Werth, A. J. (2006). Odontocete suction feeding: Experimental analysis of water flow and head shape. *Journal of Morphology*, 267(12), 1415-1428.
- Werth, A. J. (2013). Flow-dependent porosity and other biomechanical properties of mysticete baleen. *Journal of Experimental Biology*, 216(7), 1152-1159.
- Werth, A. J., Harriss, R. W., Rosario, M. V., George, J. C., & Sformo, T. L. (2016). Hydration affects the physical and mechanical properties of baleen tissue. *Royal Society Open Science*, 3(10).
- Werth, A. J., & Ito, H. (2020). Whale jaw joint is a shock absorber. *Journal of Experimental Biology*, 223(7).
- Werth, A. J., Ito, H., & Ueda, K. (2020). Multiaxial movements at the minke whale temporomandibular joint. *Journal of Morphology*, 281(3), 402-412.
- Werth, A. J., Kosma, M. M., Chenoweth, E. M., & Straley, J. M. (2019). New views of humpback whale flow dynamics and oral morphology during prey engulfment. *Marine Mammal Science*, 35(4), 1556-1578.
- Werth, A. J., Potvin, J., Shadwick, R. E., Jensen, M. M., Cade, D. E., & Goldbogen, J. A. (2018). Filtration area scaling and evolution in mysticetes: trophic niche partitioning and the curious cases of sei and pygmy right whales. *Biological Journal of the Linnean Society*, 125(2), 264-279.
- Werth, A. J., Rita, D., Rosario, M. V., Moore, M. J., & Sformo, T. L. (2018). How do baleen whales stow their filter? A comparative biomechanical analysis of baleen bending. *Journal of Experimental Biology*, 221(23).

- Werth, A. J., Straley, J. M., & Shadwick, R. E. (2016). Baleen wear reveals intraoral water flow patterns of mysticete filter feeding. *Journal of Morphology*, 277(4), 453-471.
- Westdal, K. H., Richard, P. R., & Orr, J. R. (2010). Migration Route and Seasonal Home Range of the Northern Hudson Bay Narwhal (*Monodon monoceros*).
- Westdal, K. H., Richard, P. R., & Orr, J. R. (2013). Availability bias in population survey of Northern Hudson Bay narwhal (*Monodon monoceros*). *Polar Biology*, 36(9), 1235-1241.
- Westgate, A. J., Koopman, H. N., Siders, Z. A., Wong, S. N. P., & Ronconi, R. A. (2014). Population density and abundance of basking sharks *Cetorhinus maximus* in the lower Bay of Fundy, Canada. *Endangered Species Research*, 23(2), 177-185.
- Westgate, A. J., McLellan, W. A., Wells, R. S., Scott, M. D., Meagher, E. M., & Pabst, D. A. (2007). A new device to remotely measure heat flux and skin temperature from free-swimming dolphins. *Journal of Experimental Marine Biology and Ecology*, 346(1-2), 45-59.
- Westgate, A. J., & Read, A. J. (1998). Applications of new technology to the conservation of porpoises. *Marine Technology Society Journal*, 32(1), 70-81.
- Westgate, A. J., Read, A. J., Berggren, P., Koopman, H. N., & Gaskin, D. E. (1995). DIVING BEHAVIOR OF HARBOR PORPOISES, *PHOCOENA-PHOCOENA*. *Canadian Journal of Fisheries and Aquatic Sciences*, 52(5), 1064-1073.
- Wheeland, L. J., & Rose, G. A. (2015). Quantifying fish avoidance of small acoustic survey vessels in boreal lakes and reservoirs. *Ecology of Freshwater Fish*, 24(1), 67-76.
- White, D. J., & Smith, V. A. (2007). Testing measures of animal social association by computer simulation. *Behaviour*, 144, 1447-1468.
- White, E. D., Messina, F., Moss, L., & Meselhe, E. (2018). Salinity and Marine Mammal Dynamics in Barataria Basin: Historic Patterns and Modeled Diversion Scenarios. *Water*, 10(8).
- White, E. R., Myers, M. C., Flemming, J. M., & Baum, J. K. (2015). Shifting elasmobranch community assemblage at Cocos Island an isolated marine protected area. *Conservation Biology*, 29(4), 1186-1197.
- White, N. D., Balthis, L., Kannan, K., De Silva, A. O., Wu, Q., French, K. M., et al. (2015). Elevated levels of perfluoroalkyl substances in estuarine sediments of Charleston, SC. *Science of the Total Environment*, 521, 79-89.
- White, N. D., Godard-Coding, C., Webb, S. J., Bossart, G. D., & Fair, P. A. (2017). Immunotoxic effects of in vitro exposure of dolphin lymphocytes to Louisiana sweet crude oil and Corexit. *Journal of Applied Toxicology*, 37(6), 676-682.
- White, P. R., Leighton, T. G., Finfer, D. C., Powles, C., & Baumann, O. N. (2006). Localisation of sperm whales using bottom-mounted sensors. *Applied Acoustics*, 67(11-12), 1074-1090.
- Whitehead, H. (1993). THE BEHAVIOR OF MATURE MALE SPERM WHALES ON THE GALAPAGOS-ISLANDS BREEDING GROUNDS. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 71(4), 689-699.
- Whitehead, H. (1999). Variation in the visually observable behavior of groups of Galapagos sperm whales. *Marine Mammal Science*, 15(4), 1181-1197.
- Whitehead, H. (2000). Density-dependent habitat selection and the modeling of sperm whale (*Physeter macrocephalus*) exploitation. *Canadian Journal of Fisheries and Aquatic Sciences*, 57(1), 223-230.

- Whitehead, H. (2001). Direct estimation of within-group heterogeneity in photo-identification of sperm whales. *Marine Mammal Science*, 17(4), 718-728.
- Whitehead, H. (2002). Estimates of the current global population size and historical trajectory for sperm whales. *Marine Ecology Progress Series*, 242, 295-304.
- Whitehead, H. (2016). Consensus movements by groups of sperm whales. *Marine Mammal Science*, 32(4), 1402-1415.
- Whitehead, H., Brennan, S., & Grover, D. (1992). DISTRIBUTION AND BEHAVIOR OF MALE SPERM WHALES ON THE SCOTIAN SHELF, CANADA. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 70(5), 912-918.
- Whitehead, H., Christal, J., & Dufault, S. (1997). Past and distant whaling and the rapid decline of sperm whales off the Galapagos Islands. *Conservation Biology*, 11(6), 1387-1396.
- Whitehead, H., Coakes, A., Jaquet, N., & Lusseau, S. (2008). Movements of sperm whales in the tropical Pacific. *Marine Ecology Progress Series*, 361, 291-300.
- Whitehead, H., Dillon, M., Dufault, S., Weilgart, L., & Wright, J. (1998). Non-geographically based population structure of south Pacific sperm whales: dialects, fluke-markings and genetics. *Journal of Animal Ecology*, 67(2), 253-262.
- Whitehead, H., & Hope, P. L. (1991). SPERM WHALERS OFF THE GALAPAGOS-ISLANDS AND IN THE WESTERN NORTH PACIFIC, 1830-1850 - IDEAL FREE WHALERS. *Ethology and Sociobiology*, 12(2), 147-161.
- Whitehead, H., McGill, B., & Worm, B. (2008). Diversity of deep-water cetaceans in relation to temperature: implications for ocean warming. *Ecology Letters*, 11(11), 1198-1207.
- Whitehead, H., O'Brien, K., & Worm, B. (2010). Diversity of deep-water cetaceans and primary productivity. *Marine Ecology Progress Series*, 408, 1-5.
- Whitehead, H., & Rendell, L. (2004). Movements, habitat use and feeding success of cultural clans of South Pacific sperm whales. *Journal of Animal Ecology*, 73(1), 190-196.
- Whitehead, H., & Weilgart, L. (1991). PATTERNS OF VISUALLY OBSERVABLE BEHAVIOR AND VOCALIZATIONS IN GROUPS OF FEMALE SPERM WHALES. *Behaviour*, 118, 275-296.
- Whitehouse, G. A., Aydin, K., Essington, T. E., & Hunt, G. L. (2014). A trophic mass balance model of the eastern Chukchi Sea with comparisons to other high-latitude systems. *Polar Biology*, 37(7), 911-939.
- Whiten, A., & van Schaik, C. P. (2007). The evolution of animal 'cultures' and social intelligence. *Philosophical Transactions of the Royal Society B-Biological Sciences*, 362(1480), 603-620.
- Whitmore, B. M., White, C. F., Gleiss, A. C., & Whitney, N. M. (2016). A float-release package for recovering dataloggers from wild sharks. *Journal of Experimental Marine Biology and Ecology*, 475, 49-53.
- Whitney, N. M., Taquet, M., Brill, R. W., Girard, C., Schwieterman, G. D., Dagorn, L., et al. (2016). Swimming depth of dolphinfish (*Coryphaena hippurus*) associated and unassociated with fish aggregating devices. *Fishery Bulletin*, 114(4), 426-434.
- Whitridge, P. (2002). Social and ritual determinants of whale bone transport at a classic Thule winter site in the Canadian Arctic. *International Journal of Osteoarchaeology*, 12(1), 65-75.

- Whitt, A. D., Dudzinski, K., & Laliberte, J. R. (2013). North Atlantic right whale distribution and seasonal occurrence in nearshore waters off New Jersey, USA, and implications for management. *Endangered Species Research*, 20(1), 59-69.
- Whoriskey, K., Auger-Methe, M., Albertsen, C. M., Whoriskey, F. G., Binder, T. R., Krueger, C. C., et al. (2017). A hidden Markov movement model for rapidly identifying behavioral states from animal tracks. *Ecology and Evolution*, 7(7), 2112-2121.
- Wiener, C. S., Needham, M. D., & Wilkinson, P. F. (2009). Hawaii's real life marine park: interpretation and impacts of commercial marine tourism in the Hawaiian Islands. *Current Issues in Tourism*, 12(5-6), 489-504.
- Wiggins, S. M., Frasier, K. E., Henderson, E. E., & Hildebrand, J. A. (2013). Tracking dolphin whistles using an autonomous acoustic recorder array. *Journal of the Acoustical Society of America*, 133(6), 3813-3818.
- Wiggins, S. M., & Hildebrand, J. A. (2016). Long-Term Monitoring of Cetaceans Using Autonomous Acoustic Recording Packages.
- Wiggins, S. M., & Hildebrand, J. A. (2020). Fin whale 40-Hz calling behavior studied with an acoustic tracking array. *Marine Mammal Science*, 36(3), 964-971.
- Wiggins, S. M., McDonald, M. A., & Hildebrand, J. A. (2012). Beaked whale and dolphin tracking using a multichannel autonomous acoustic recorder. *Journal of the Acoustical Society of America*, 131(1), 156-163.
- Wiklund, H., Glover, A. G., Johannessen, P. J., & Dahlgren, T. G. (2009). Cryptic speciation at organic-rich marine habitats: a new bacteriovore annelid from whale-fall and fish farms in the North-East Atlantic. *Zoological Journal of the Linnean Society*, 155(4), 774-785.
- Wiklund, H., Neal, L., Glover, A. G., Drennan, R., Rabone, M., & Dahlgren, T. G. (2019). Abyssal fauna of polymetallic nodule exploration areas, eastern Clarion-Clipperton Zone, central Pacific Ocean: Annelida: Capitellidae, Opheliidae, Scalibregmatidae, and Traviidae. *Zookeys*(883), 1-82.
- Wiley, D., Ware, C., Bocconcelli, A., Cholewiak, D., Friedlaender, A., Thompson, M., et al. (2011). Underwater components of humpback whale bubble-net feeding behaviour. *Behaviour*, 148(5-6), 575-602.
- Wilkin, S. M., Rowles, T. K., Stratton, E., Adimey, N., Field, C. L., Wissmann, S., et al. (2017). Marine mammal response operations during the Deepwater Horizon oil spill. *Endangered Species Research*, 33, 107-118.
- Wilkinson, G. S., Carter, G., Bohn, K. M., Caspers, B., Chaverri, G., Farine, D., et al. (2019). Kinship, association, and social complexity in bats. *Behavioral Ecology and Sociobiology*, 73(1).
- Williams, A. J., Petersen, S. L., Goren, M., & Watkins, B. P. (2009). Sightings of killer whales *Orcinus orca* from longline vessels in South African waters, and consideration of the regional conservation status. *African Journal of Marine Science*, 31(1), 81-86.
- Williams, E. H., & Bunkley-Williams, L. (2010). Checklists of the Parasites of Dolphin, *Coryphaena hippurus*, and Pompano Dolphin, *C. equiselis* with New Records, Corrections, and Comments on the Literature. *Reviews in Fisheries Science*, 18(1), 73-93.
- Williams, R., & Ashe, E. (2007). Killer whale evasive tactics vary with boat number. *Journal of Zoology*, 272(4), 390-397.
- Williams, R., Erbe, C., Ashe, E., Beerman, A., & Smith, J. (2014). Severity of killer whale behavioral responses to ship noise: A dose-response study. *Marine Pollution Bulletin*, 79(1-2), 254-260.

- Williams, R., Krkosek, M., Ashe, E., Branch, T. A., Clark, S., Hammond, P. S., et al. (2011). Competing Conservation Objectives for Predators and Prey: Estimating Killer Whale Prey Requirements for Chinook Salmon. *Plos One*, 6(11).
- Williams, R., Lusseau, D., & Hammond, P. S. (2006). Estimating relative energetic costs of human disturbance to killer whales (*Orcinus orca*). *Biological Conservation*, 133(3), 301-311.
- Williams, R., Lusseau, D., & Hammond, P. S. (2009). The role of social aggregations and protected areas in killer whale conservation: The mixed blessing of critical habitat. *Biological Conservation*, 142(4), 709-719.
- Williams, R., Trites, A. W., & Bain, D. E. (2002). Behavioural responses of killer whales (*Orcinus orca*) to whale-watching boats: opportunistic observations and experimental approaches. *Journal of Zoology*, 256, 255-270.
- Williams, S. H., Gende, S. M., Lukacs, P. M., & Webb, K. (2016). Factors affecting whale detection from large ships in Alaska with implications for whale avoidance. *Endangered Species Research*, 30, 209-223.
- Williams, T. M. (2001). Intermittent swimming by mammals: A strategy for increasing energetic efficiency during diving. *American Zoologist*, 41(2), 166-176.
- Williams, T. M., Blackwell, S. B., Richter, B., Sinding, M. H. S., & Heide-Jorgensen, M. P. (2017). Paradoxical escape responses by narwhals (*Monodon monoceros*). *Science*, 358(6368), 1329-+.
- Williams, T. M., Davis, R. W., Fuiman, L. A., Francis, J., Le Boeuf, B. L., Horning, M., et al. (2000). Sink or swim: Strategies for cost-efficient diving by marine mammals. *Science*, 288(5463), 133-136.
- Williams, T. M., Fuiman, L. A., Horning, M., & Davis, R. W. (2004). The cost of foraging by a marine predator, the Weddell seal *Leptonychotes weddellii*: pricing by the stroke. *Journal of Experimental Biology*, 207(6), 973-982.
- Williams, T. M., Fuiman, L. A., Kendall, T., Berry, P., Richter, B., Noren, S. R., et al. (2015). Exercise at depth alters bradycardia and incidence of cardiac anomalies in deep-diving marine mammals. *Nature Communications*, 6.
- Williamson, L. D., Brookes, K. L., Scott, B. E., Graham, I. M., Bradbury, G., Hammond, P. S., et al. (2016). Echolocation detections and digital video surveys provide reliable estimates of the relative density of harbour porpoises. *Methods in Ecology and Evolution*, 7(7), 762-769.
- Williamson, L. D., Brookes, K. L., Scott, B. E., Graham, I. M., & Thompson, P. M. (2017). Diurnal variation in harbour porpoise detection-potential implications for management. *Marine Ecology Progress Series*, 570, 223-232.
- Williamson, M. J., Dudgeon, C., & Slade, R. (2018). Tonic immobility in the zebra shark, *Stegostoma fasciatum*, and its use for capture methodology. *Environmental Biology of Fishes*, 101(5), 741-748.
- Williamson, M. J., Kavanagh, A. S., Noad, M. J., Kniest, E., & Dunlop, R. A. (2016). The effect of close approaches for tagging activities by small research vessels on the behavior of humpback whales (*Megaptera novaeangliae*). *Marine Mammal Science*, 32(4), 1234-1253.
- Willis, P. M., Crespi, B. J., Dill, L. M., Baird, R. W., & Hanson, M. B. (2004). Natural hybridization between Dall's porpoises (*Phocoenoides dalli*) and harbour porpoises (*Phocoena phocoena*). *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 82(5), 828-834.
- Wilson, H. W., & Donenberg, G. (2004). Quality of parent communication about sex and its relationship to risky sexual behavior among youth in psychiatric care: a pilot study. *Journal of Child Psychology and Psychiatry*, 45(2), 387-395.
- Wilson, M., Schack, H. B., Madsen, P. T., Surlykke, A., & Wahlberg, M. (2011). Directional escape behavior in allis shad (*Alosa alosa*) exposed to ultrasonic clicks mimicking an approaching toothed whale. *Journal of Experimental Biology*, 214(1), 22-29.

- Wilson, R. M., Tyson, R. B., Nelson, J. A., Balmer, B. C., Chanton, J. P., & Nowacek, D. P. (2017). Niche Differentiation and Prey Selectivity among Common Bottlenose Dolphins (*Tursiops truncatus*) Sighted in St. George Sound, Gulf of Mexico. *Frontiers in Marine Science*, 4.
- Wilson, R. P., Liebsch, N., Davies, I. M., Quintana, F., Weimerskirch, H., Storch, S., et al. (2007). All at sea with animal tracks; methodological and analytical solutions for the resolution of movement. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 54(3-4), 193-210.
- Wilson, R. P., McMahon, C. R., Quintana, F., Frere, E., Scolaro, A., Hays, G. C., et al. (2011). N-dimensional animal energetic niches clarify behavioural options in a variable marine environment. *Journal of Experimental Biology*, 214(4), 646-656.
- Wilson, R. P., & Zimmer, I. (2004). Inspiration by Magellanic penguins: reduced swimming effort when under pressure. *Marine Ecology Progress Series*, 278, 303-307.
- Wilson, R. R., Regehr, E. V., Martin, M. S., Atwood, T. C., Peacock, E., Miller, S., et al. (2017). Relative influences of climate change and human activity on the onshore distribution of polar bears. *Biological Conservation*, 214, 288-294.
- Wilson, S. G. (2004). Basking sharks (*Cetorhinus maximus*) schooling in the southern Gulf of Maine. *Fisheries Oceanography*, 13(4), 283-286.
- Wilson, S. G., Pauly, T., & Meekan, M. G. (2002). Distribution of zooplankton inferred from hydroacoustic backscatter data in coastal waters off Ningaloo Reef, Western Australia. *Marine and Freshwater Research*, 53(6), 1005-1015.
- Wilson, S. G., Polovina, J. J., Stewart, B. S., & Meekan, M. G. (2006). Movements of whale sharks (*Rhincodon typus*) tagged at Ningaloo Reef, Western Australia. *Marine Biology*, 148(5), 1157-1166.
- Wilson, S. G., Stewart, B. S., Polovina, J. J., Meekan, M. G., Stevens, J. D., & Galuardi, B. (2007). Accuracy and precision of archival tag data: a multiple-tagging study conducted on a whale shark (*Rhincodon typus*) in the Indian Ocean. *Fisheries Oceanography*, 16(6), 547-554.
- Wilson, S. G., Taylor, J. G., & Pearce, A. F. (2001). The seasonal aggregation of whale sharks at Ningaloo reef, western Australia: currents, migrations and the El Nino/Southern oscillation. *Environmental Biology of Fishes*, 61(1), 1-11.
- Wimmer, T., & Whitehead, H. (2004). Movements and distribution of northern bottlenose whales, *Hyperoodon ampullatus*, on the Scotian Slope and in adjacent waters. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 82(11), 1782-1794.
- Wingfield, J. E., O'Brien, M., Lyubchich, V., Roberts, J. J., Halpin, P. N., Rice, A. N., et al. (2017). Year-round spatiotemporal distribution of harbour porpoises within and around the Maryland wind energy area. *Plos One*, 12(5).
- Winn, H. E., Goodyear, J. D., Kenney, R. D., & Petricig, R. O. (1995). DIVE PATTERNS OF TAGGED RIGHT-WHALES IN THE GREAT SOUTH CHANNEL. *Continental Shelf Research*, 15(4-5), 593-611.
- Winship, K. A., & Eskelinen, H. C. (2018). Behavioral responses of two species of dolphins to novel video footage: An exploration of sex differences. *Zoo Biology*, 37(6), 399-407.
- Wiseman, N., Parsons, S., Stockin, K. A., & Baker, C. S. (2011). Seasonal occurrence and distribution of Bryde's whales in the Hauraki Gulf, New Zealand. *Marine Mammal Science*, 27(4), E253-E267.
- Wishner, K. F., Schoenherr, J. R., Beardsley, R., & Chen, C. S. (1995). ABUNDANCE, DISTRIBUTION AND POPULATION-STRUCTURE OF THE COPEPOD *CALANUS-FINMARCHICUS* IN A SPRINGTIME RIGHT-

WHALE FEEDING AREA IN THE SOUTHWESTERN GULF OF MAINE. *Continental Shelf Research*, 15(4-5), 475-507.

Wisniewska, D. M., Johnson, M., Beedholm, K., Wahlberg, M., & Madsen, P. T. (2012). Acoustic gaze adjustments during active target selection in echolocating porpoises. *Journal of Experimental Biology*, 215(24), 4358-4373.

Wisniewska, D. M., Johnson, M., Nachtigall, P. E., & Madsen, P. T. (2014). Buzzing during biosonar-based interception of prey in the delphinids *Tursiops truncatus* and *Pseudorca crassidens*. *Journal of Experimental Biology*, 217(24), 4279-4282.

Wisniewska, D. M., Johnson, M., Teilmann, J., Rojano-Donate, L., Shearer, J., Sveegaard, S., et al. (2016). Ultra-High Foraging Rates of Harbor Porpoises Make Them Vulnerable to Anthropogenic Disturbance. *Current Biology*, 26(11), 1441-1446.

Wisniewska, D. M., Johnson, M., Teilmann, J., Siebert, U., Galatius, A., Dietz, R., et al. (2018). High rates of vessel noise disrupt foraging in wild harbour porpoises (*Phocoena phocoena*). *Proceedings of the Royal Society B-Biological Sciences*, 285(1872).

Wissmann, K. J., Filz, G. M., Mosher, R. L., & Martin, J. R. (2003). Sheet pile tensions in cellular structures. *Journal of Geotechnical and Geoenvironmental Engineering*, 129(3), 224-233.

Wiszniewski, J., Beheregaray, L. B., Allen, S. J., & Moller, L. (2010). Environmental and social influences on the genetic structure of bottlenose dolphins (*Tursiops aduncus*) in Southeastern Australia. *Conservation Genetics*, 11(4), 1405-1419.

Wittekind, D., & Schuster, M. (2016). Propeller cavitation noise and background noise in the sea. *Ocean Engineering*, 120, 116-121.

Wittekind, D., Tougaard, J., Stilz, P., Dahne, M., Clark, C. W., Lucke, K., et al. (2016). Development of a Model to Assess Masking Potential for Marine Mammals by the Use of Air Guns in Antarctic Waters. In A. N. Popper & A. Hawkins (Eds.), *Effects of Noise on Aquatic Life II* (Vol. 875, pp. 1243-1249).

Witteveen, B. H., De Robertis, A., Guo, L., & Wynne, K. M. (2015). Using dive behavior and active acoustics to assess prey use and partitioning by fin and humpback whales near Kodiak Island, Alaska. *Marine Mammal Science*, 31(1), 255-278.

Witteveen, B. H., Foy, R. J., & Wynne, K. M. (2006). The effect of predation (current and historical) by humpback whales (*Megaptera novaeangliae*) on fish abundance near Kodiak Island, Alaska. *Fishery Bulletin*, 104(1), 10-20.

Witteveen, B. H., Foy, R. J., Wynne, K. M., & Tremblay, Y. (2008). Investigation of foraging habits and prey selection by humpback whales (*Megaptera novaeangliae*) using acoustic tags and concurrent fish surveys. *Marine Mammal Science*, 24(3), 516-534.

Witteveen, B. H., Straley, J. M., von Ziegeler, O., Steel, D., & Baker, C. S. (2004). Abundance and mtDNA differentiation of humpback whales (*Megaptera novaeangliae*) in the Shumagin Islands, Alaska. *Canadian Journal of Zoology*, 82(8), 1352-1359.

Witteveen, B. H., Worthy, G. A. J., Foy, R. J., & Wynne, K. M. (2012). Modeling the diet of humpback whales: An approach using stable carbon and nitrogen isotopes in a Bayesian mixing model. *Marine Mammal Science*, 28(3), E233-E250.

Witteveen, B. H., & Wynne, K. M. (2017). Site fidelity and movement of humpback whales (*Megaptera novaeangliae*) in the western Gulf of Alaska as revealed by photo-identification. *Canadian Journal of Zoology*, 95(3), 169-175.

- Woehler, E. J., & Ward, C. (2015). Southern right whale dolphins from Tasmania. *Australian Mammalogy*, 37(1), 101-103.
- Wojtusik, J., Brandicourt, I. M. C., Rice, W., & Roth, T. L. (2020). Reproductive cycle and pregnancy monitoring in the common hippopotamus *Hippopotamus amphibius* through salivary steroid analyses and transabdominal ultrasonography. *Journal of Zoo and Aquarium Research*, 8(3), 181-187.
- Wolf, N., & Mangel, M. (2008). MULTIPLE HYPOTHESIS TESTING AND THE DECLINING-POPULATION PARADIGM IN STELLER SEA LIONS. *Ecological Applications*, 18(8), 1932-1955.
- Womble, J. N., & Conlon, S. (2010). Observation of Steller Sea Lion (*Eumetopias jubatus*) Predation on a Harbor Seal (*Phoca vitulina richardii*) in the Glacier Bay Region of Southeastern Alaska. *Aquatic Mammals*, 36(2), 129-137.
- Womble, J. N., Horning, M., Lea, M. A., & Rehberg, M. J. (2013). Diving into the analysis of time-depth recorder and behavioural data records: A workshop summary. *Deep-Sea Research Part Ii-Topical Studies in Oceanography*, 88-89, 61-64.
- Wong, C. W. M., Conti-Jerpe, I., Raymundo, L. J., Dingle, C., Araujo, G., Ponzio, A., et al. (2019). Whale Shark Tourism: Impacts on Coral Reefs in the Philippines. *Environmental Management*, 63(2), 282-291.
- Wong, S. N. P., Gjerdrum, C., Morgan, K. H., & Mallory, M. L. (2014). Hotspots in cold seas: The composition, distribution, and abundance of marine birds in the North American Arctic. *Journal of Geophysical Research-Oceans*, 119(3), 1691-1705.
- Wong, S. N. P., & Whitehead, H. (2014). Seasonal occurrence of sperm whales (*Physeter macrocephalus*) around Kelvin Seamount in the Sargasso Sea in relation to oceanographic processes. *Deep-Sea Research Part I-Oceanographic Research Papers*, 91, 10-16.
- Wood, J. D., McCowan, B., Langbauer, W. R., Viljoen, J. J., & Hart, L. A. (2005). Classification of African elephant *Loxodonta africana* rumbles using acoustic parameters and cluster analysis. *Bioacoustics-the International Journal of Animal Sound and Its Recording*, 15(2), 143-161.
- Wood, R., Sun, Z. Y., Chaudhry, J., Tee, B. C., Kim, D. G., Leblebicioglu, B., et al. (2013). Factors affecting the accuracy of buccal alveolar bone height measurements from cone-beam computed tomography images. *American Journal of Orthodontics and Dentofacial Orthopedics*, 143(3), 353-363.
- Woodside, J. M., David, L., Frantzis, A., & Hooker, S. K. (2006). Gouge marks on deep-sea mud volcanoes in the eastern Mediterranean: Caused by Cuvier's beaked whales? *Deep-Sea Research Part I-Oceanographic Research Papers*, 53(11), 1762-1771.
- Woodward, B. L., & Winn, J. P. (2006). Apparent lateralized behavior in gray whales feeding off the central British Columbia coast. *Marine Mammal Science*, 22(1), 64-73.
- Woodward, B. L., Winn, J. P., & Fish, F. E. (2006). Morphological specializations of baleen whales associated with hydrodynamic performance and ecological niche. *Journal of Morphology*, 267(11), 1284-1294.
- Woodward, S. F., Reiss, D., & Magnasco, M. O. (2020). Learning to localize sounds in a highly reverberant environment: Machine-learning tracking of dolphin whistle-like sounds in a pool. *Plos One*, 15(6).
- Wright, A. J., Akamatsu, T., Mouritsen, K. N., Sveegaard, S., Dietz, R., & Teilmann, J. (2016). Review of Low-Level Bioacoustic Behavior in Wild Cetaceans: Conservation Implications of Possible Sleeping Behavior. In A. N. Popper & A. Hawkins (Eds.), *Effects of Noise on Aquatic Life Ii* (Vol. 875, pp. 1251-1258).
- Wright, A. J., Akamatsu, T., Mouritsen, K. N., Sveegaard, S., Dietz, R., & Teilmann, J. (2017). Silent porpoise: potential sleeping behaviour identified in wild harbour porpoises. *Animal Behaviour*, 133, 211-222.

- Wright, B. M., Ford, J. K. B., Ellis, G. M., Deecke, V. B., Shapiro, A. D., Battaile, B. C., et al. (2017). Fine-scale foraging movements by fish-eating killer whales (*Orcinus orca*) relate to the vertical distributions and escape responses of salmonid prey (*Oncorhynchus* spp.). *Movement Ecology*, 5.
- Wright, D. L., Castellote, M., Berchok, C. L., Panirakis, D., Crance, J. L., & Clapham, P. J. (2018). Acoustic detection of North Pacific right whales in a high-traffic Aleutian Pass, 2009-2015. *Endangered Species Research*, 37, 77-90.
- Wright, T. F., Dahlin, C. R., & Salinas-Melgoza, A. (2008). Stability and change in vocal dialects of the yellow-naped amazon. *Animal Behaviour*, 76, 1017-1027.
- Wu, H. P., Jefferson, T. A., Peng, C. W., Liao, Y. Y., Huang, H., Lin, M. L., et al. (2017). Distribution and Habitat Characteristics of the Indo-Pacific Humpback Dolphin (*Sousa chinensis*) in the Northern Beibu Gulf, China. *Aquatic Mammals*, 43(2), 219-228.
- Wu, H. P., Peng, C. W., Huang, H., Jefferson, T. A., Huang, S. L., Chen, M., et al. (2020). Dolphin-watching tourism and indo-Pacific humpback dolphins (*Sousa chinensis*) in Sanniang Bay, China: impacts and solutions. *European Journal of Wildlife Research*, 66(1).
- Wu, J. F., Wang, H. L., Li, N., Yao, P., Huang, Y., & Yang, H. M. (2018). Path planning for solar-powered UAV in urban environment. *Neurocomputing*, 275, 2055-2065.
- Wursig, B., & Greene, C. R. (2002). Underwater sounds near a fuel receiving facility in western Hong Kong: relevance to dolphins. *Marine Environmental Research*, 54(2), 129-145.
- Wursig, B., & Whitehead, H. (2009). *Aerial Behavior*.
- Xia, Z. C., Bao, D. N. Y., Brunori, M., Cutruzzola, F., & La Mar, G. N. (2005). H-1-NMR study of the effect of temperature through reversible unfolding on the heme pocket molecular structure and magnetic properties of *Aplysia limacina* cyano-metmyoglobin. *Biophysical Journal*, 89(6), 4149-4158.
- Xian, Y. J., Wang, K. X., Dong, L. J., Hao, Y. J., & Wang, D. (2010). Some observations on the sociosexual behavior of a captive male Yangtze finless porpoise calf (*Neophocaena phocaenoides asiaeorientalis*). *Marine and Freshwater Behaviour and Physiology*, 43(3), 221-225.
- Xian, Y. J., Wang, K. X., Jiang, W. H., Zheng, B. Y., & Wang, D. (2012). The Development of Spatial Positions Between Mother and Calf of Yangtze Finless Porpoises (*Neophocaena asiaeorientalis asiaeorientalis*) Maintained in Captive and Seminatural Environments. *Aquatic Mammals*, 38(2), 127-135.
- Xian, Y. J., Wang, K. X., Xiao, J. Q., & Wang, D. (2012). Suckling Behavior and Its Development in Two Yangtze Finless Porpoise Calves in Captivity. *Zoo Biology*, 31(2), 229-234.
- Xiao, J. Q., & Wang, D. (2006). Respiratory pattern of captive Yangtze finless porpoises (*Neophocaena phocaenoides asiaeorientalis*). *Journal of Ethology*, 24(3), 205-212.
- Xiao, J. Q., Wang, K. X., & Wang, D. (2005). Diurnal changes of behavior and respiration of Yangtze finless porpoises (*Neophocaena phocaenoides asiaeorientalis*) in captivity. *Zoo Biology*, 24(6), 531-541.
- Xiao, X., Wang, J., Huang, J., & Ye, B. L. (2018). A new approach to study terrestrial yardang geomorphology based on high-resolution data acquired by unmanned aerial vehicles (UAVs): A showcase of whaleback yardangs in Qaidam Basin, NW China. *Earth and Planetary Physics*, 2(5), 398-405.
- Xie, J. H., Tkaczynski, A., & Prebensen, N. K. (2020). Human value co-creation behavior in tourism: Insight from an Australian whale watching experience. *Tourism Management Perspectives*, 35.

- Xiong, G. J., Zhang, J., Shi, D. Y., & He, Y. (2018). Parameter extraction of solar photovoltaic models using an improved whale optimization algorithm. *Energy Conversion and Management*, 174, 388-405.
- Xiong, G. J., Zhang, J., Yuan, X. F., Shi, D. Y., He, Y., & Yao, G. (2018). Parameter extraction of solar photovoltaic models by means of a hybrid differential evolution with whale optimization algorithm. *Solar Energy*, 176, 742-761.
- Xitco, M. J., Gory, J. D., & Kuczaj, S. A. (2004). Dolphin pointing is linked to the attentional behavior of a receiver. *Animal Cognition*, 7(4), 231-238.
- Yack, T. M., Barlow, J., Calambokidis, J., Southall, B., & Coates, S. (2013). Passive acoustic monitoring using a towed hydrophone array results in identification of a previously unknown beaked whale habitat. *Journal of the Acoustical Society of America*, 134(3), 2589-2595.
- Yagishita, N., Ikeguchi, S., & Matsumoto, R. (2020). Re-estimation of Genetic Population Structure and Demographic History of the Whale Shark (*Rhincodon typus*) with Additional Japanese Samples, Inferred from Mitochondrial DNA Sequences. *Pacific Science*, 74(1), 31-47.
- Yamamoto, Y., Akamatsu, T., da Silva, V. M. F., & Kohshima, S. (2016). Local habitat use by botos (Amazon river dolphins, *Inia geoffrensis*) using passive acoustic methods. *Marine Mammal Science*, 32(1), 220-240.
- Yamato, M., Khidas, K., Pyenson, N. D., Fordyce, R. E., & Mead, J. G. (2016). Extensively remodeled, fractured cetacean tympanic bullae show that whales can survive traumatic injury to the ears. *Journal of Anatomy*, 228(1), 125-136.
- Yang, C., Cai, X. B., & Wang, X. L. (2018). Remote Sensing of Hydrological Changes in Tian-e-Zhou Oxbow Lake, an Ungauged Area of the Yangtze River Basin. *Remote Sensing*, 10(1).
- Yang, G., Liu, S., Ren, W. H., Zhou, K. Y., & Wei, F. W. (2003). Mitochondrial control region variability of baiji and the Yangtze finless porpoises, two sympatric small cetaceans in the Yangtze river. *Acta Theriologica*, 48(4), 469-483.
- Yang, L. L., Sharpe, M., Temple, A. J., Jiddawi, N., Xu, X. M., & Berggren, P. (2020). Description and classification of echolocation clicks of Indian Ocean humpback (*Sousa plumbea*) and Indo-Pacific bottlenose (*Tursiops aduncus*) dolphins from Menai Bay, Zanzibar, East Africa. *Plos One*, 15(3).
- Yano, K., & Dahlheim, M. E. (1995). BEHAVIOR OF KILLER WHALES ORCINUS-ORCA DURING LONGLINE FISHERY INTERACTIONS IN THE SOUTHEASTERN BERING SEA AND ADJACENT WATERS. *Fisheries Science*, 61(4), 584-589.
- Yao, C. J., Yamada, T. K., Chen, Y. J., & Chou, L. S. (2008). Cranial Variation in the Pantropical Spotted Dolphin, *Stenella attenuata*, in the Pacific Ocean. *Zoological Science*, 25(12), 1234-1246.
- Yarincik, K., & O'Dor, R. (2005). The census of marine life: goals, scope and strategy. *Scientia Marina*, 69, 201-208.
- Yarnato, K., Matsuo, I., Takahashi, R., Matsubara, N., & Yasuma, H. (2018). Call Localization of Fat Greenling *Hexagrammos otakii* Using Two Stereo Underwater Recorders. *Marine Technology Society Journal*, 52(4), 129-138.
- Yatabe, A., Kubo, N., Otsuka, M., Shima, S., Kubodera, T., & Yamada, T. K. (2010). Stomach Contents and Structure of a Longman's Beaked Whale (*Indopacetus pacificus*) Stranded in Kyushu, Japan. *Aquatic Mammals*, 36(2), 172-177.
- Yazvenko, S. B., McDonald, T. L., Blokhin, S. A., Johnson, S. R., Meier, S. K., Melton, H. R., et al. (2007). Distribution and abundance of western gray whales during a seismic survey near Sakhalin Island, Russia. *Environmental Monitoring and Assessment*, 134(1-3), 45-73.

- Yazvenko, S. B., McDonald, T. L., Blokhin, S. A., Johnson, S. R., Melton, H. R., Newcomer, M. W., et al. (2007). Feeding of western gray whales during a seismic survey near Sakhalin Island, Russia. *Environmental Monitoring and Assessment*, 134(1-3), 93-106.
- Yeater, D. B., Hill, H. M., Baus, N., Farnell, H., & Kuczaj, S. A. (2014). Visual laterality in belugas (*Delphinapterus leucas*) and Pacific white-sided dolphins (*Lagenorhynchus obliquidens*) when viewing familiar and unfamiliar humans. *Animal Cognition*, 17(6), 1245-1259.
- Yen, P. P. W., Sydeman, W. J., & Hyrenbach, K. D. (2004). Marine bird and cetacean associations with bathymetric habitats and shallow-water topographies: implications for trophic transfer and conservation. *Journal of Marine Systems*, 50(1-2), 79-99.
- Yen, P. P. W., Sydeman, W. J., Morgan, K. H., & Whitney, F. A. (2005). Top predator distribution and abundance across the eastern Gulf of Alaska: Temporal variability and ocean habitat associations. *Deep-Sea Research Part II: Topical Studies in Oceanography*, 52(5-6), 799-822.
- Yeung, L. W. Y., Yamashita, N., Taniyasu, S., Lam, P. K. S., Sinha, R. K., Borole, D. V., et al. (2009). A survey of perfluorinated compounds in surface water and biota including dolphins from the Ganges River and in other waterbodies in India. *Chemosphere*, 76(1), 55-62.
- Ylitalo, G. M., Matkin, C. O., Buzitis, J., Krahn, M. M., Jones, L. L., Rowles, T., et al. (2001). Influence of life-history parameters on organochlorine concentrations in free-ranging killer whales (*Orcinus orca*) from Prince William Sound, AK. *Science of the Total Environment*, 281(1-3), 183-203.
- Yoder, A. D., & Yang, Z. H. (2000). Estimation of primate speciation dates using local molecular clocks. *Molecular Biology and Evolution*, 17(7), 1081-1090.
- Yoshida, Y. M., Morisaka, T., Sakai, M., Iwasaki, M., Wakabayashi, I., Seko, A., et al. (2014). Sound variation and function in captive Commerson's dolphins (*Cephalorhynchus commersonii*). *Behavioural Processes*, 108, 11-19.
- Yoshimura, K., Hama, N., Shindo, J., Kobayashi, K., & Kageyama, I. (2009). Light and Scanning Electron Microscopic Study on the Tongue and Lingual Papillae of the Common Hippopotamus, *Hippopotamus amphibius*. *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*, 292(7), 921-934.
- Yoshitome, R., Kunito, T., Ikemoto, T., Tanabe, S., Zenke, H., Yamauchi, M., et al. (2003). Global distribution of radionuclides concentrations (Cs-137 and K-40) in marine mammals. *Environmental Science & Technology*, 37(20), 4597-4602.
- Young, J. M., Massa, H. F., Hsu, L., & Trask, B. J. (2010). Extreme variability among mammalian V1R gene families. *Genome Research*, 20(1), 10-18.
- Yu, A. C., Ye, X., Ionascu, D., Cao, W. X., & Champion, P. M. (2005). Two-color pump-probe laser spectroscopy instrument with picosecond time-resolved electronic delay and extended scan range. *Review of Scientific Instruments*, 76(11).
- Yu, J. Z., Su, Z. S., Wang, M., Tan, M., & Zhang, J. W. (2012). Control of Yaw and Pitch Maneuvers of a Multilink Dolphin Robot. *Ieee Transactions on Robotics*, 28(2), 318-329.
- Yu, W. H., Xu, J. X., Wu, Y., & Yang, G. (2012). A Comparative Study of Mammalian Diversification Pattern. *International Journal of Biological Sciences*, 8(4), 486-497.
- Yuan, Y., Bachl, F. E., Lindgren, F., Borchers, D. L., Illian, J. B., Buckland, S. T., et al. (2017). POINT PROCESS MODELS FOR SPATIO-TEMPORAL DISTANCE SAMPLING DATA FROM A LARGE-SCALE SURVEY OF BLUE WHALES. *Annals of Applied Statistics*, 11(4), 2270-2297.

- Yunker, M. B., Ikonomidou, M. G., Sather, P. J., Friesen, E. N., Higgs, D. A., & Dubetz, C. (2011). Development and Validation of Protocols To Differentiate PCB Patterns between Farmed and Wild Salmon. *Environmental Science & Technology*, 45(6), 2107-2115.
- Yurk, H., Barrett-Lennard, L., Ford, J. K. B., & Matkin, C. O. (2002). Cultural transmission within maternal lineages: vocal clans in resident killer whales in southern Alaska. *Animal Behaviour*, 63, 1103-1119.
- Yurk, H., Filatova, O., Matkin, C. O., Barrett-Lennard, L. G., & Brittain, M. (2010). Sequential Habitat Use by Two Resident Killer Whale (*Orcinus orca*) Clans in Resurrection Bay, Alaska, as Determined by Remote Acoustic Monitoring. *Aquatic Mammals*, 36(1), 67-78.
- Yurkowski, D. J., Auger-Methe, M., Mallory, M. L., Wong, S. N. P., Gilchrist, G., Derocher, A. E., et al. (2019). Abundance and species diversity hotspots of tracked marine predators across the North American Arctic. *Diversity and Distributions*, 25(3), 328-345.
- Yusmalinda, N. L. A., Anggoro, A. W., Suhendro, D. M., Ratha, I. M. J., Suprpti, D., Kreb, D., et al. (2017). SPECIES IDENTIFICATION OF STRANDED CETACEANS IN INDONESIA REVEALED BY MOLECULAR TECHNIQUE. *Jurnal Ilmu Dan Teknologi Kelautan Tropis*, 9(2), 465-474.
- Zaeschar, J. R., Dwyer, S. L., & Stockin, K. A. (2013). Rare observations of false killer whales (*Pseudorca crassidens*) cooperatively feeding with common bottlenose dolphins (*Tursiops truncatus*) in the Hauraki Gulf, New Zealand. *Marine Mammal Science*, 29(3), 555-562.
- Zaeschar, J. R., Tezanos-Pinto, G., Dwyer, S. L., Peters, C. H., Berghan, J., Donnelly, D., et al. Occurrence, site fidelity, and associations of oceanic common bottlenose dolphins (*Tursiops truncatus*) off northeastern New Zealand. *Marine Mammal Science*.
- Zaeschar, J. R., Visser, I. N., Fertl, D., Dwyer, S. L., Meissner, A. M., Halliday, J., et al. (2014). Occurrence of false killer whales (*Pseudorca crassidens*) and their association with common bottlenose dolphins (*Tursiops truncatus*) off northeastern New Zealand. *Marine Mammal Science*, 30(2), 594-608.
- Zaharieva, Z., Racheva, V., Parvanov, D., & Delov, V. (2020). The Conflict Between Fisheries and Cetaceans in Bulgaria's Black Sea Territorial Waters. *Aquatic Mammals*, 46(1), 99-110.
- Zalar, P., de Hoog, G. S., Schroers, H. J., Crous, P. W., Groenewald, J. Z., & Gunde-Cimerman, N. (2007). Phylogeny and ecology of the ubiquitous saprobe *Cladosporium sphaerospermum*, with descriptions of seven new species from hypersaline environments. *Studies in Mycology*(58), 157-183.
- Zanardo, N., Parra, G. J., & Moller, L. M. (2016). Site fidelity, residency, and abundance of bottlenose dolphins (*Tursiops sp.*) in Adelaide's coastal waters, South Australia. *Marine Mammal Science*, 32(4), 1381-1401.
- Zanardo, N., Parra, G. J., Passadore, C., & Moller, L. M. (2017). Ensemble modelling of southern Australian bottlenose dolphin *Tursiops sp* distribution reveals important habitats and their potential ecological function. *Marine Ecology Progress Series*, 569, 253-266.
- Zappes, C. A., da Silva, C. V., Pontalti, M., Danielski, M. L., & Di Benedetto, A. P. M. (2013). The conflict between the southern right whale and coastal fisheries on the southern coast of Brazil. *Marine Policy*, 38, 428-437.
- Zappes, C. A., Gama, R. M., Domit, C., Gatts, C. E. N., & Di Benedetto, A. P. (2018). Artisanal fishing and the franciscana (*Pontoporia blainvillei*) in Southern Brazil: ethnoecology from the fishing practice. *Journal of the Marine Biological Association of the United Kingdom*, 98(4), 867-877.
- Zeeberg, J., Corten, A., & De Graaf, E. (2006). Bycatch and release of pelagic megafauna in industrial trawler fisheries off Northwest Africa. *Fisheries Research*, 78(2-3), 186-195.

- Zeh, J. E., George, J. C., Raftery, A. E., & Carroll, G. M. (1991). RATE OF INCREASE, 1978-1988, OF BOWHEAD WHALES, BALAENA-MYSTICETUS, ESTIMATED FROM ICE-BASED CENSUS-DATA. *Marine Mammal Science*, 7(2), 105-122.
- Zein, B., Woelfing, B., Dahne, M., Schaffeld, T., Ludwig, S., Rye, J. H., et al. (2019). Time and tide: Seasonal, diel and tidal rhythms in Wadden Sea Harbour porpoises (*Phocoena phocoena*). *Plos One*, 14(3).
- Zeldis, J. R., & Willis, K. J. (2015). Biogeographic and trophic drivers of mesozooplankton distribution on the northeast continental shelf and in Hauraki Gulf, New Zealand. *New Zealand Journal of Marine and Freshwater Research*, 49(1), 69-86.
- Zeno, R. L., Crocker, D. E., Hassrick, J. L., Allen, S. G., & Costa, D. P. (2008). Development of foraging behavior in juvenile northern elephant seals. *Journal of Zoology*, 274(2), 180-187.
- Zerbini, A. N., Andriolo, A., Heide-Jorgensen, M. P., Pizzorno, J. L., Maia, Y. G., VanBlaricom, G. R., et al. (2006). Satellite-monitored movements of humpback whales *Megaptera novaeangliae* in the southwest Atlantic Ocean. *Marine Ecology Progress Series*, 313, 295-304.
- Zerbini, A. N., Baumgartner, M. F., Kennedy, A. S., Rone, B. K., Wade, P. R., & Clapham, P. J. (2015). Space use patterns of the endangered North Pacific right whale *Eubalaena japonica* in the Bering Sea. *Marine Ecology Progress Series*, 532, 269-281.
- Zerbini, A. N., Waite, J. M., Durban, J. W., LeDuc, R., Dahlheim, M. E., & Wade, P. R. (2007). Estimating abundance of killer whales in the nearshore waters of the Gulf of Alaska and Aleutian Islands using line-transect sampling. *Marine Biology*, 150(5), 1033-1045.
- Zhan, J. M., Gong, Y. J., & Li, T. Z. (2017). Gliding locomotion of manta rays, killer whales and swordfish near the water surface. *Scientific Reports*, 7.
- Zhang, D., van der Hoop, J. M., Petrov, V., Rocho-Levine, J., Moore, M. J., & Shorter, K. A. (2020). Simulated and experimental estimates of hydrodynamic drag from bio-logging tags. *Marine Mammal Science*, 36(1), 136-157.
- Zhang, D. W., & Lazim, R. (2017). Application of conventional molecular dynamics simulation in evaluating the stability of apomyoglobin in urea solution. *Scientific Reports*, 7.
- Zhang, F. T., & Tan, X. B. (2015). Passivity-Based Stabilization of Underwater Gliders With a Control Surface. *Journal of Dynamic Systems Measurement and Control-Transactions of the Asme*, 137(6).
- Zhang, H., Jaric, I., Roberts, D. L., He, Y. F., Du, H., Wu, J. M., et al. (2020). Extinction of one of the world's largest freshwater fishes: Lessons for conserving the endangered Yangtze fauna. *Science of the Total Environment*, 710.
- Zhang, L. Y., Wang, L. J., Kao, Y. T., Qiu, W. H., Yang, Y., Okobiah, O., et al. (2007). Mapping hydration dynamics around a protein surface. *Proceedings of the National Academy of Sciences of the United States of America*, 104(47), 18461-18466.
- Zhang, N., Liu, S. G., Hu, Z. A., Hu, J., Zhu, S. S., & Li, Y. F. (2016). Accuracy of virtual surgical planning in two-jaw orthognathic surgery: comparison of planned and actual results. *Oral Surgery Oral Medicine Oral Pathology Oral Radiology*, 122(2), 143-151.
- Zhang, P. Y., Ding, H. Y., & Le, C. H. (2013). Penetration and Removal of the Mooring Dolphin Platform With Three Caisson Foundations. *Journal of Offshore Mechanics and Arctic Engineering-Transactions of the Asme*, 135(4).
- Zhang, Q., & Liu, L. J. (2019). Whale Optimization Algorithm Based on Lamarckian Learning for Global Optimization Problems. *Ieee Access*, 7, 36642-36666.

- Zhang, X., Wang, D., Liu, R., Wei, Z., Hua, Y., Wang, Y., et al. (2003). The Yangtze River dolphin or baiji (*Lipotes vexillifer*): population status and conservation issues in the Yangtze River, China. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 13(1), 51-64.
- Zhang, X. K., Yu, D. P., Wang, H. L., Wan, A., Chen, M. M., Tao, F., et al. (2015). Effects of fish community on occurrences of Yangtze finless porpoise in confluence of the Yangtze and Wanhe Rivers. *Environmental Science and Pollution Research*, 22(12), 9524-9533.
- Zhang, X. Q., Xian, Y. J., Wang, L. N., & Wang, D. (2013). Behaviour and Habitat Selection of Yangtze Finless Porpoises in Dongting Lake, China, and the Adjacent Waters: Impact of Human Activity. *Pakistan Journal of Zoology*, 45(3), 635-642.
- Zhang, X. S., Tan, T., Yang, B., Wang, J. B., Li, S. N., He, T. Y., et al. (2020). Greedy search based data-driven algorithm of centralized thermoelectric generation system under non-uniform temperature distribution. *Applied Energy*, 260.
- Zhao, L. Y., Zhu, Q., Miao, X., Xu, M., Wu, F. X., Dai, Y. F., et al. (2017). An overview of cetacean strandings, bycatches and rescues along the western coast of the Taiwan Strait, China: 2010-2015. *Acta Oceanologica Sinica*, 36(12), 31-36.
- Zheng, J. S., Liao, X. L., Tong, J. G., Du, H. J., Milinkovitch, M. C., & Wang, D. (2008). Development and characterization of polymorphic microsatellite loci in the endangered Yangtze finless porpoise (*Neophocaena phocaenoides asiaeorientalis*). *Conservation Genetics*, 9(4), 1007-1009.
- Zheng, R. Q., Karczmarski, L., Lin, W. Z., Chan, S. C. Y., Chang, W. L., & Wu, Y. P. (2016). Infanticide in the Indo-Pacific humpback dolphin (*Sousa chinensis*). *Journal of Ethology*, 34(3), 299-307.
- Zhou, M., Wang, Q., Ren, K., Koutsonikolas, D., Su, L., & Chen, Y. J. (2019). Dolphin: Real-Time Hidden Acoustic Signal Capture with Smartphones. *Ieee Transactions on Mobile Computing*, 18(3), 560-573.
- Zhou, Y. D., Wang, Y., Li, Y. N., Shen, C. C., Liu, Z. S., & Wang, C. S. (2020). First report of *Osedax* in the Indian Ocean indicative of trans-oceanic dispersal through the Southern Ocean. *Marine Biodiversity*, 50(1).
- Zhu, L. F., Wang, J. S., Wang, H. Y., Guo, S. S., Guo, M. W., & Xie, W. (2020). Data Clustering Method Based on Improved Bat Algorithm With Six Convergence Factors and Local Search Operators. *Ieee Access*, 8, 80536-80560.
- Zhu, Q. A., Hillmann, D. J., & Henk, W. G. (2001). Morphology of the eye and surrounding structures of the bowhead whale, *Balaena mysticetus*. *Marine Mammal Science*, 17(4), 729-750.
- Ziegler, J. A., Silberg, J. N., Araujo, G., Labaja, J., Ponzio, A., Rollins, R., et al. (2018). A guilty pleasure: Tourist perspectives on the ethics of feeding whale sharks in Oslob, Philippines. *Tourism Management*, 68, 264-274.
- Zimmer, W. M. X., Harwood, J., Tyack, P. L., Johnson, M. P., & Madsen, P. T. (2008). Passive acoustic detection of deep-diving beaked whales. *Journal of the Acoustical Society of America*, 124(5), 2823-2832.
- Zimmer, W. M. X., Johnson, M. P., D'Amico, A., & Tyack, P. L. (2003). Combining data from a multisensor tag and passive sonar to determine the diving behavior of a sperm whale (*Physeter macrocephalus*). *Ieee Journal of Oceanic Engineering*, 28(1), 13-28.
- Zimmer, W. M. X., Johnson, M. P., Madsen, P. T., & Tyack, P. L. (2005). Echolocation clicks of free-ranging Cuvier's beaked whales (*Ziphius cavirostris*). *Journal of the Acoustical Society of America*, 117(6), 3919-3927.
- Zimmer, W. M. X., Tyack, P. L., Johnson, M. P., & Madsen, P. T. (2005). Three-dimensional beam pattern of regular sperm whale clicks confirms bent-horn hypothesis. *Journal of the Acoustical Society of America*, 117(3), 1473-1485.

- Zintzen, V., Rogers, K. M., Roberts, C. D., Stewart, A. L., & Anderson, M. J. (2013). Hagfish feeding habits along a depth gradient inferred from stable isotopes. *Marine Ecology Progress Series*, 485, 223-U266.
- Zoidis, A. M., & Lomac-MacNair, K. S. (2017). A Note on Suckling Behavior and Laterality in Nursing Humpback Whale Calves from Underwater Observations. *Animals*, 7(7).
- Zoidis, A. M., Lomac-MacNair, K. S., Chomos-Betz, A. E., Day, A. J., & McFarland, A. S. (2014). Effects of Sex, Seasonal Period, and Sea State on Calf Behavior in Hawaiian Humpback Whales (*Megaptera novaeangliae*). *Aquatic Mammals*, 40(1), 44-58.
- Zoidis, A. M., Smultea, M. A., Frankel, A. S., Hopkins, J. L., Day, A., McFarland, A. S., et al. (2008). Vocalizations produced by humpback whale (*Megaptera novaeangliae*) calves recorded in Hawaii. *Journal of the Acoustical Society of America*, 123(3), 1737-1746.
- Zollett, E. A., & Read, A. J. (2006). Depredation of catch by bottlenose dolphins (*Tursiops truncatus*) in the Florida king mackerel (*Scomberomorus cavallid*) troll fishery. *Fishery Bulletin*, 104(3), 343-349.
- Zolman, E. S. (2002). Residence patterns of bottlenose dolphins (*Tursiops truncatus*) in the Stono River estuary, Charleston County, South Carolina, USA. *Marine Mammal Science*, 18(4), 879-892.
- Zupcic-Moore, J. R., Ruiz-Cooley, R. I., Paliza, O., Koch, P. L., & McCarthy, M. D. (2017). Using stable isotopes to investigate foraging variation and habitat use of sperm whales from northern Peru. *Marine Ecology Progress Series*, 579, 201-212.
- Zurano, J. P., Magalhaes, F. M., Asato, A. E., Silva, G., Bidau, C. J., Mesquita, D. O., et al. (2019). Cetartiodactyla: Updating a time-calibrated molecular phylogeny. *Molecular Phylogenetics and Evolution*, 133, 256-262.
- Zwamborn, E. M. J., & Whitehead, H. (2017). Repeated call sequences and behavioural context in long-finned pilot whales off Cape Breton, Nova Scotia, Canada. *Bioacoustics-the International Journal of Animal Sound and Its Recording*, 26(2), 169-183.
- Zwiazek, J. J., Xu, H., Tan, X. F., Navarro-Rodenas, A., & Morte, A. (2017). Significance of oxygen transport through aquaporins. *Scientific Reports*, 7.
- Zylberberg, L., Traub, W., De Buffrenil, V., Allizard, F., Arad, T., & Weiner, S. (1998). Rostrum of a toothed whale: Ultrastructural study of a very dense bone. *Bone*, 23(3), 241-247.