



## Author Correction: Sagittal age-adjusted score (SAAS) for adult spinal deformity (ASD) more effectively predicts surgical outcomes and proximal junctional kyphosis than previous classifications

Renaud Lafage<sup>1</sup> · Justin S. Smith<sup>2</sup> · Jonathan Elysee<sup>1</sup> · Peter Passias<sup>3</sup> · Shay Bess<sup>4</sup> · Eric Klineberg<sup>5</sup> · Han Jo Kim<sup>1</sup> · Christopher Shaffrey<sup>6</sup> · Douglas Burton<sup>7</sup> · Richard Hostin<sup>8</sup> · Gregory Mundis<sup>9</sup> · Christopher Ames<sup>10</sup> · Frank Schwab<sup>1</sup> · Virginie Lafage<sup>1</sup> · on behalf of International Spine Study Group (ISSG)<sup>11</sup>

Published online: 23 December 2022  
© Scoliosis Research Society 2022

**Author Correction: Spine Deformity (2021) 10:121–131**  
<https://doi.org/10.1007/s43390-021-00397-1>

In Fig. 4 of this article signs for points associated in all 3 components are incorrect and should be reversed, e.g. +2 should be – 2 and vice versa; Fig. 4 should have appeared as shown below.

The original article has been corrected.

---

The original article can be found online at <https://doi.org/10.1007/s43390-021-00397-1>.

---

✉ Renaud Lafage  
[renaud.lafage@gmail.com](mailto:renaud.lafage@gmail.com)

<sup>1</sup> Department of Orthopedics, Hospital for Special Surgery, 525 E 71st St., Belaire 4E, New York, NY 10021, USA

<sup>2</sup> Department of Neurosurgery, University of Virginia Medical Center, Charlottesville, VA, USA

<sup>3</sup> Department of Orthopedics, NYU Langone Orthopedic Hospital, New York, NY, USA

<sup>4</sup> Denver International Spine Center, Presbyterian St. Luke's/Rocky Mountain Hospital for Children, Denver, CO, USA

<sup>5</sup> Department of Orthopaedic Surgery, University of California, Sacramento, Davis, CA, USA

<sup>6</sup> Department of Neurosurgery, Duke University Medical Center, Durham, NC, USA


<sup>7</sup> Department of Orthopaedics, University of Kansas Medical Center, Kansas, KS, USA

<sup>8</sup> Department of Orthopaedic Surgery, Baylor Scoliosis Center, Dallas, TX, USA

<sup>9</sup> Scripps Clinic, San Diego, CA, USA

<sup>10</sup> Department of Neurological Surgery, School of Medicine, University of California, San Francisco, CA, USA

<sup>11</sup> International Spine Study Group, Denver, CO, USA



**Fig. 4** Method of calculation of Sagittal age-adjusted score (SAAS) using the three sagittal components. Formula used to evaluate the age-adjusted alignment targets are reported for each of the three components of the Sagittal Age-Adjusted Score