A NOTE ON THE GLOBAL STABILITY OF A SIMPLE GROWTH MODEL WITH MANY CAPITAL GOODS *

EDWIN BURMEISTER, RODNEY DOBELL, AND KIYOSHI KUGA

I. Introduction, 657. — II. The model, 658. — III. Reduction of the system, 660. — IV. The accumulation equations, 660. — V. Global stability, 660. — Appendix, 664.

I. INTRODUCTION

Growth models with many assets represent an obvious advance beyond the simple one-sector model involving only a single real capital good, and permit discussion of portfolio choice, capital market trading conditions, and other important features of a general equilibrium system. One of the particularly interesting features of such models is the emergence of certain dynamic efficiency conditions, or capital market equilibrium conditions, when auxiliary variables interpreted as shadow prices of assets are introduced. These efficiency conditions, however, involve capital gains terms in a crucial way, and the behavior of asset prices may often be such that undue attention to expectations of capital gains can create unstable development. The paper of Hahn¹ emphasized the way in which models having more than one capital good may in general diverge from balanced growth unless historically given asset prices may be supposed somehow to take on the uniquely correct initial values necessary to force the system to its saddlepoint equilibrium. Shell and Stiglitz² subsequently investigated the question whether (or under what conditions) a competitive system may be presumed to have a mechanism to force asset prices to the unique values leading to steady growth equilibrium. However, it seems not to be widely realized that the "Hahn phenomenon" is not inevitable simply as a consequence of the introduction of many capital goods, but rather depends on the fact that the composition of investment is crucially influenced by anticipated capital gains. If one imagines an economy in which old capital goods are not much traded, then the instability feature emphasized by Hahn no longer need hold. This suggests that the

* Research of Burmeister was undertaken with the support of the National Science Foundation under research grant GS 1462; research of Kuga was undertaken while he held a Postdoctoral Research Fellowship at the University of Chicago. While retaining sole responsibility for all conclusions, the authors wish to acknowledge, with thanks, this support.

1. F. H. Hahn, "Equilibrium Dynamics with Heterogeneous Capital Goods," this *Journal*, LXXX (Nov. 1966), 633-46.

2. Karl Shell, and J. Stiglitz, "Investment Allocation in a Dynamic Economy," this *Journal*, LXXXI (Nov. 1967).

one-sector Solow model³ is stable not because it has only one capital good, but rather because it has a particularly simple saving function.⁴ In this present note we analyze a model which is, in a sense, a multigood version of Solow's simple model. The local stability of the model was demonstrated by Burmeister and Dobell;⁵ the present analysis proves the global stability.⁶

The model supposes an institutional environment in which services of capital goods are rented, like those of labor. Each capital good is owned by a firm or firms which have essentially no opportunity to trade old capital goods, and whose earnings therefore consist only of current rentals. Of these rentals, a fraction is saved and (in the tradition of financing from retentions) invested in further equipment, and a fraction paid out to households who consume all their dividend earnings along with their wage income. While this assumed institutional environment may not be particularly plausible, it does seem true that the opportunities for trading used machines are frequently limited, and a model in which such opportunities are nonexistent may not be much worse than one in which markets for used capital goods are perfect.⁷ At any rate, the point of this model is that it does permit any number of different capital goods, but assumes investment decisions independent of capital gains anticipated on resale of equipment. The model is globally stable, converging to a unique balanced growth equilibrium path. In the following sections we set out the model and prove its global stability.

II. THE MODEL

The model is standard save for its demand conditions. We have: production functions

3. R. M. Solow, "A Contribution to the Theory of Economic Growth," this *Journal*, (Feb. 1956), 65-94.

4. Mordecai Kurz, "The General Instability of a Class of Competitive Growth Processes," *Review of Economic Studies*, XXXV (April 1968), suggests a different interpretation, which is nonetheless similar to the extent that it rests on the idea of shadow prices having been "integrated out," so that capital gains no longer appear.

5. Edwin Burmeister, and Rodney Dobell, "Steady-State Behavior of Neoclassical Models with Many Capital Goods," Discussion Paper No. 72, Department of Economics, University of Pennsylvania, Dec. 1967, presented at the Econometric Society meetings, Dec. 1967.

6. The proof of global stability given here is due to Kuga.

7. A more satisfactory model might show firms owning capital goods which are not traded speculatively while households own equity which is. Then to the extent that firms whose shares show large capital gains may be able to retain and reinvest a larger proportion of earnings, the composition of investment will be sensitive to capital gains. But whether the standard saddlepoint property at the balanced growth equilibrium will persist or not seems to be an open question.

$$(1) \quad Y_j = \mu_j L_j^{\alpha_{0j}} K_{1j}^{\alpha_{1j}} \dots K_{nj}^{\alpha_{nj}} \quad (j = 0, 1, \dots, n)$$

$$\alpha_{ij} \geq 0, \mu_j > 0, \sum_{i=0}^n \alpha_{ij} = 1$$

full employment

$$(2) \quad \begin{cases} \sum_{j=0}^n L_j = L \\ \sum_{j=0}^n K_{ij} = K_i \quad (i = 1, \dots, n) \end{cases}$$

wage rate

$$(3) \quad P_j (\partial Y_j / \partial L_j) = W_0 \quad (j = 0, \dots, n)$$

rentals

$$(4) \quad P_j (\partial Y_j / \partial K_{ij}) = W_i \quad \begin{matrix} (i = 1, \dots, n; \\ j = 0, \dots, n) \end{matrix}$$

saving and demand

$$(5) \quad \begin{cases} P_i Y_i = s_i W_i K_i & (i = 1, \dots, n) \quad 0 \leq s_i \leq 1 \\ P_0 Y_0 = W_0 L + \sum_{i=1}^n (1 - s_i) W_i K_i & (i = 1, \dots, n) \end{cases}$$

where the notation is as follows:

Y_j denotes the output flow of the j^{th} commodity, with Y_0 designating the consumption good, $Y_1, \dots, Y_n$ the capital goods;

L_j denotes the labor input into sector j , $j = 0, \dots, n$;

K_{ij} denotes the input of service of capital good i into sector j , $i = 1, \dots, n$, $j = 0, \dots, n$;

L denotes available labor supply, assumed to grow exogenously at rate g ;

K_i denotes the quantity of the i^{th} capital good, $i = 1, \dots, n$; the i^{th} capital good is assumed to depreciate at the constant (exponential) rate δ_i ;

P_j denotes the price of the j^{th} commodity;

W_0 denotes the nominal wage rate;

W_i denotes the nominal rental rate for the i^{th} good, $i = 1, \dots, n$;

s_i denotes the constant saving rate, $0 \leq s_i \leq 1$, adopted by firms owning capital good i , $i = 1, \dots, n$.

Equation (1) expresses the assumption that all production functions are Cobb-Douglas; in addition we assume:

AI. *Labor is required, directly or indirectly, to produce a positive quantity of any commodity.*

Thus equations (1)–(5) together express the temporary equili-

brium at any moment t , when all stocks of capital goods and labor are given.

III. REDUCTION OF THE SYSTEM

After tedious substitution, invoking Assumption AI, the system (1)–(5) may be written in an intensive form, as a function of per capita factor endowments alone:

$$(6) \quad Y_j / L = y_j = \xi_j k_1^{a_{1j}} \dots k_n^{a_{nj}} \quad (j = 0, \dots, n)$$

where $k_j = K_j / L$ and ξ_j is a positive constant. The Appendix sketches the derivation of equation (6).

IV. THE ACCUMULATION EQUATIONS

Supplementing (6) with the usual growth equations

$$(7) \quad Dk_i = y_i - (g + \delta_i)k_i \quad (i = 1, \dots, n)$$

(where the notation Dx denotes the time derivative of x), the model is expressed as a causal system which determines the growth and evolution of this economy over time. From (7) it is straightforward to calculate an equilibrium configuration $(k_1^*, \dots, k_n^*)$ and to show that it is unique. Introducing

$$(8) \quad z_i = k_i / k_i^* \quad (i = 1, \dots, n)$$

equations (6) and (7) may be combined and written as

$$(9) \quad Dz_i = \gamma_i [z_1^{a_{1i}} \dots z_n^{a_{ni}} - z_i] \quad (i = 1, \dots, n)$$

where $\gamma_i = g + \delta_i$.

V. GLOBAL STABILITY

We may now state the theorem:⁸

Theorem: The balanced growth path of the model (1)–(5) is globally stable, that is, any solution $z(t)$ of (9) starting from any positive initial value $z(0) > 0$ tends to the unique equilibrium configuration $z^* = (1, \dots, 1)'$ as t tends to infinity.

Proof: We prove this result in several steps.

8. It is perhaps worthwhile to point out that the homogeneous causal system written in terms of L and K_i , rather than the intensive variables k_i , is a decomposable system, so that the theorems stated by Michio Morishima, *Equilibrium, Stability and Growth* (Oxford, England: Clarendon Press, 1964) and R. M. Solow and P. A. Samuelson "Balanced Growth under Constant Returns to Scale," *Econometrica*, Vol. 21 (July 1953), 412–24, cannot be directly applied.

1. Introducing the functions

$$(10) \quad f_i = \gamma_i (z_1^{a_{1i}} \dots z_n^{a_{ni}} - \sum_1^n a_{ij} z_j) \quad (i = 1, \dots, n)$$

one may write (9) in a standard form as

$$(11) \quad Dz = \Gamma (a' - I)z + f$$

where

$$z = \begin{bmatrix} z_1 \\ \vdots \\ z_n \end{bmatrix}, \quad f = \begin{bmatrix} f_1 \\ \vdots \\ f_n \end{bmatrix}$$

$$a = \begin{bmatrix} a_{11} & \dots & a_{1n} \\ \vdots & & \vdots \\ a_{n1} & \dots & a_{nn} \end{bmatrix} \quad \Gamma = \begin{bmatrix} \gamma_1 & & 0 \\ & \ddots & \\ 0 & & \gamma_n \end{bmatrix}$$

and where a' denotes the transpose of the matrix a . The solution to equation (11) may be written⁹

$$(12) \quad z = u + \int_0^t U(t - t_1) f(t_1) dt_1$$

where u is the solution of the vector differential equation

$$(13) \quad Du = \Gamma (a' - I)u, \quad u(0) = z(0)$$

and U is the solution of the matrix differential equation

$$(14) \quad DU = \Gamma (a' - I)U \quad U(0) = I.$$

2. Let us now note the following facts.

- (i) The real part of any characteristic value of the matrix $(a' - I)$ is negative, and hence so is that of any characteristic value of the matrix $\Gamma (a' - I)$. This implies that the solution $u(t)$ to equation (13) tends to zero as t tends to infinity.
- (ii) The matrix $U(t) = \exp \{ \Gamma (a' - I)t \} \geq 0$. In fact, from equation (14), the ij th element of U satisfies

$$DU_{ij}(t) = \gamma_i \sum_{k=1}^n (a_{ki} - \delta_{ki}) U_{kj}, \text{ and it is clear that if } U_{ij} \text{ becomes zero, } DU_{ij}(t) \geq 0. \text{ The solution } U(t) \text{ to (14) also tends to zero as } t \text{ goes to infinity.}$$

- (iii) For $\beta_i > 0$, $\sum_{i=1}^n \beta_i = 1$, $x_i \geq 0$, one has¹

9. See Theorem 4, Richard Bellman, *Stability Theory of Differential Equations* (New York: McGraw-Hill, 1953), p. 14.

1. Edwin F. Beckenbach, and Richard Bellman, *Inequalities* (New York: Springer Verlag, 1965), p. 13.

$$\prod_{i=1}^n X_i^{\beta_i} \leq \sum_{i=1}^{i=1} \beta_i x_i.$$

Hence

$$f_i(t) \leq a_{oi} \gamma_i \quad (i = 1, \dots, n).$$

$$\begin{aligned} \text{(iv)} \quad & [\exp \{ \Gamma (a' - I) t \}] [\Gamma (a' - I)]^{-1} \\ &= \sum_{i=0}^{\infty} \frac{[\Gamma (a' - I)]^i}{i!} t^i [\Gamma (a' - I)]^{-1} \\ &= [\Gamma (a' - I)]^{-1} [\exp \{ \Gamma (a' - I) t \}]. \end{aligned}$$

(v) From the identity $-(a' - I)^{-1} (a' - I) = -I$ we may obtain, upon premultiplying both sides into the column vector $(1, 1, \dots, 1)'$, the result $-(a' - I)^{-1} a'_o = (1 \dots 1)'$.

Hence

$$-[\Gamma (a' - I)]^{-1} f^* = (1, \dots, 1)'$$

where

$$f^* = [a_{oi} \gamma_i, \dots, a_{on} \gamma_n]'$$

3. Now let us evaluate the solution $z(t)$ given in (12).

$$\begin{aligned} z &= u + \int_0^t U(t - t_1) f(t_1) dt_1 \\ &\leq u + (\int_0^t U(t - t_1) dt_1) \cdot f^* \quad (\text{using (ii) and (iii)}) \\ &= u + (\int_0^t \{ \exp \Gamma (a' - I) (t - t_1) \} dt_1) \cdot f^* \\ &= u + (\exp \Gamma (a' - I) t) \cdot \\ &\quad (\int_0^t \exp \{ -\Gamma (a' - I) t_1 \} dt_1) \cdot f^* \\ &= u - (\exp \Gamma (a' - I) t) \cdot \{ \Gamma (a' - I) \}^{-1} \cdot \\ &\quad (\exp \{ -\Gamma (a' - I) t \} - I) \cdot f^* \\ \text{(15)} \quad &= (1, \dots, 1)' + u + (\exp \Gamma (a' - I) t) \cdot \\ &\quad (\Gamma (a' - I))^{-1} \cdot f^* \quad (\text{using (iv) and (v)}). \end{aligned}$$

4. We can establish a simple inequality useful in providing the theorem.

*Lemma:*²

For $a_i \geq 1$, $a_k \leq 0$ ($k \neq i$), $\sum_{\xi=1}^n a_{\xi} = 1$, $x_{\xi} > 0$ ($\xi = 1, 2, \dots, n$), $n \geq 2$, one has the inequality

$$\text{(16)} \quad \prod_{j=1}^n x_j^{a_j} \geq \sum_{j=1}^n a_j x_j.$$

2. Global stability for the case $n = 1$ being obvious, we need concern ourselves here only with the case $n > 1$.

Proof: We start with the established inequality,³

$$(17) \quad x^a - ax + a - 1 \geq 0$$

for

$$x > 0, \quad a \leq 0.$$

First using (17), the validity of (16) is proved for the case $n = 2$.

If we put $x = x_1 / x_2$ in (17), then we get

$$x_1 x_2^{1-a} \geq ax_1 + (1-a)x_2 \quad \text{for } a \leq 0.$$

Suppose (16) is true for n , and put

$$x_j = x_j^*, \quad \beta_j = a_j \quad (j = 1, 2, \dots, n-1)$$

$$x_n^* = x_n^{a_n/\beta_n} x_{n+1}^{a_{n+1}/\beta_n}, \quad \beta_n = a_n + a_{n+1} < 0,$$

where, by suitable renumbering, we may consider $a_i \geq 1$
 $a_j \leq 0, i \neq n, i \neq n+1, j \neq 1$. Then

$$\begin{aligned} \prod_{k=1}^{n+1} x_k^{a_k} &= \prod_{k=1}^n (x_k^*)^{\beta_k} \\ &\geq \sum_{k=1}^n \beta_k x_k^* \quad (\text{by induction}) \\ &= \sum_{k=1}^{n-1} a_k x_k + (a_n + a_{n+1}) (x_n^{a_n/\beta_n} x_{n+1}^{a_{n+1}/\beta_n}) \\ &\geq \sum_{k=1}^{n+1} a_k x_k. \quad (\text{using } a_n + a_{n+1} < 0, \text{ and (iii)}). \end{aligned}$$

5. Let us rewrite (9) by putting $v_i = 1/z_i$ ($i = 1, 2, \dots, n$),⁴ thus obtaining

$$(18) \quad Dv_i = -\gamma_i (v_1^{-a_{1i}} \dots v_i^{-a_{ii}+2} \dots v_n^{-a_{ni}} - v_i) \quad (i=1, 2, \dots, n).$$

Let us put

$$(19) \quad q_i = \gamma_i (v_1^{-a_{1i}} \dots v_i^{-a_{ii}+2} \dots v_n^{-a_{ni}} - \sum_{j=1}^n (-a_{ji} + 2\delta_{ji}) v_j) \quad (i=1, 2, \dots, n).$$

Then by the lemma, we have

$$(20) \quad q_i \geq -\gamma_i a_{oi}.$$

Substituting (19) into (18), we get a differential equation similar to (11),

$$(21) \quad Dv = \Gamma (a' - I) v - q$$

where

3. Beckenbach, *op. cit.*, p. 12.

4. In (9), it is easy to see that $z(t) > 0$, if $z(0) > 0$. In fact, since $\min z_i(0) \leq z_j(t) \leq \max z_i(0)$, ($j = 1, 2, \dots, n$), $z_1^{a_{1i}} \dots z_n^{a_{ni}}$ is bounded. Therefore Dz_i/z_i becomes positive before z_i can approach zero.

$$v = \begin{bmatrix} v_1 \\ \vdots \\ v_n \end{bmatrix}, \quad q = \begin{bmatrix} q_1 \\ \vdots \\ q_n \end{bmatrix}.$$

Analogously to step 3, we may write

$$(22) \quad v \leq (1, \dots, 1)' + u + (\exp \Gamma(a' - I)t) \cdot (\Gamma(a' - I))^{-1} \cdot f^*.$$

Combining (15) and (22), we have

$$(23) \quad 1/\phi_i(t) \leq z_i(t) \leq \phi_i(t) \quad (i=1, 2, \dots, n)$$

where $\phi_i(t)$ is the i^{th} element of the right-hand side of (15). Since $\phi_i(t)$ tends to unity as t tends to infinity, all $z_i(t)$ tend to 1, by (23). This proves the theorem.

APPENDIX

The reduction of the momentary equilibrium to the equations (6) is described in Burmeister and Dobell.⁵ The necessary steps may be sketched as follows: Using (1), (3), (4), and (5), the full employment equations (2) can be rearranged as

$$h = [I - B]^{-1} \cdot b,$$

(24)

$$h = \begin{bmatrix} \frac{k_1 W_1}{W_o} \\ \vdots \\ \frac{k_n W_n}{W_o} \end{bmatrix}, \quad b = \begin{bmatrix} a_{1o} \\ \vdots \\ a_{no} \end{bmatrix}, \quad B = \begin{bmatrix} (1-s_1)a_{1o} + a_{11}s_1 \dots (1-s_n)a_{1o} + a_{1n}s_n \\ \vdots \\ (1-s_1)a_{no} + a_{n1}s_1 \dots (1-s_n)a_{no} + a_{nn}s_n \end{bmatrix}.$$

Assumption AI implies $[I - B]^{-1} \cdot b > 0$, and therefore from (24) we may put

$$(25) \quad k_i W_i / W_o = \xi_i > 0 \quad (i=1, 2, \dots, n)$$

where

$$\begin{bmatrix} \xi_1 \\ \vdots \\ \xi_n \end{bmatrix} = (I - B)^{-1} \cdot b.$$

On the other hand, the marginal conditions (3) and (4) are reduced to

5. *Op. cit.*

$$(26) \quad p_j/W_j = \eta_j (W_1/W_0)^{a_{1j}} \dots (W_j/W_0)^{a_{jj}-1} \dots (W_n/W_0)^{a_{nj}} \\ (j=1, 2, \dots, n)$$

where

$$\eta_j = 1 / (\alpha_{0j}^{a_{0j}} \alpha_{1j}^{a_{1j}} \dots \alpha_{nj}^{a_{nj}} \mu_j).$$

Substituting (25) and (26) into (5), we get (6) and

$$(27) \quad \xi_j = \frac{s_j}{n_j} \zeta_1^{-a_{1j}} \dots \zeta_j^{-a_{jj}+1} \dots \zeta_n^{-a_{nj}} \quad (j=1, 2, \dots, n).$$

UNIVERSITY OF PENNSYLVANIA

HARVARD UNIVERSITY

THE UNIVERSITY OF CHICAGO

AND OSAKA UNIVERSITY